

SUBJECT INDEX.

- Acid Bottle Readings, errors in, 349-356
 Annual General Meeting, 325
 Annual Report, 304
 Asphalt, Trinidad Lake, products from, 406
 Asphaltenes, researches on, 401-406
 Asphaltic Bitumen, *see* Bitumen
 Asphaltic
- Benzene :
 alkylation, methods of, 475
 mono-normal-alkyl, synthesis and properties, 475-487, 514-531
 Birmingham Conference, 309
 Bitumen, Asphaltic :
 coefficient of cubical expansion, 30
 comparison of, 119
 dielectric losses, 249
 strength, 246
 elastic properties, 117
 electrical conductivity, 254
 nomenclature, 106
 penetration value, significance of, 111
 physical constants, 29-39, 246-255
 rheology of, 104
 specific gravity, 30
 heat, 31
 thermal conductivity, 34
 viscosity, 114
 Bitumen Emulsion, use in soil stabilization, 357-364
 Bitumen Felts, 378
 Bituminous Materials, 101-128
 Butadiene, hazards, 272
- Cannel Coals, classification, 229-348
 Clay Suspensions, properties of, 533-564
 Clement Pigneguy Knock Indicator, 489-513
 Cracked Residues, solubility in solvents, 57-71
 Cracking, development of, 44
- Damp Courses, manufacture and testing, 377-389
 Dangerous Gases, Symposium, 308
 Drilling :
 blow-outs, 468
 evaluation of rotary lines, 407-412
 Drilling Muds :
 classification, 463
 control of, 457-474
 flow characteristics, 457-461
 viscosity, 461, 462
- Hydrocarbons; pure, octano ratings of, 294-303
 Hydrogenation of petroleum fractions, 452-456
- Institute of Petroleum :
 balance sheet, 318
 Benevolent Fund, 320, 328
 Luncheon, 96
 revenue account, 316
 International Congresses, 310
- Kerogen Coals, classification, 332, 334
 Kerogen Rocks, classification, 331, 334
 Kerosine, burning test, 91-95
 Knock Rating :
 bouncing pin, investigation of motion, 487
 Clement-Pigneguy indicator, 489-513
 discussion on observed data, 508
- Lubricating Greases :
 addition agents, determination, 277
 analysis and testing, 273-293
 ash content determination, 276
 consistency determination, 278
 corrosion, 277
 fillers, estimation of, 277
 free acid and alkali determination, 275
 impurities determination, 276
 load-carrying capacity, 282
 low-temperature efficiency, 283
 melting point, 278
 mineral-oil-content determination, 274
 stability, 280, 281
 unsaponified fat determination, 276
 water-content determination, 275
 Lubricating Oils :
 diesel, effect of metals on ageing, 72-90
 synthesis by condensation, 129-145, 225-234
 Lubrication :
 oil-ring clogging and sticking, 414, 424
 piston deposits, 414-429
 seizure between lubricated hard steel balls, 256-271
 static friction of lubricated surfaces, 1-18
 varnish-like deposits, 421

Obituary :

- Anfilogoff, N. A., 152
 - Barton, Donald, 40
 - Coste, Eugene, 223
 - Edmed, F. G., 152
 - Francis, Charles, K., 375
 - Gibson, George, W. E., 375
 - Hadfield, Sir R. A., 532
 - Henderson, J. A. L., 153
 - Henny, Victor, 488
 - Lea, Frank, Benjamin, 376
 - Stringer, Robert, J., 376
- Octane Ratings, pure hydrocarbons, 294-303
See also Knock Rating
- Oil Shales, classification, 229-348

Paraffin Waxes :

- chlorinated, condensation with aromatic hydrocarbons, 150
 - melting point, 399, 432
 - separation, phase relationships, 399-400, 430
- Petroleum Fractions, hydrogenation, 452-456
- Petroleum Tables for use with Density Hydrometers, 235-245
- Presidential Address, 41-56
- Production of Oil :
- plunger lift operations, 19-28
 - running in and testing tubing, 21
 - treatment of worn plungers, 24
 - two-piece plungers, 25
 - well-head pressures, 21

- Refining, development of, 41-56
- Road Mixtures, rheology, 120

Roofing Felts :

- bitumen, 378
- damp-coursing felts, 384
- impregnated flax and hair felts, 383
- manufacture and testing, 377-389

- Scottish Branch, annual report, 323

- Soil Mechanics in Foundation Engineering, 365

Soils :

- classification, 360
- stabilization, 359
- Synthesis of petroleum products, 49

- Teleclinometer Survey, 349

- Tetra-Ethyl Lead, manufacture and use, 146

- Trinidad Branch, annual report, 321

- Trinidad Geological Conference, 150, 312

Viscometers :

- capillary, 533
- concentric cylinder rotating, 549
- conic-cylindrical, 106

Viscosity :

- dependence on constitution, 155-222
- international research on, 313

