

ABSTRACTS SUBJECT INDEX.

Numbers refer to Abstract Numbers. (P) denotes Abstract of Patent Specification.

- Accidents, prevention, 1389
 Acetylene, Acetylenes :
 catalytic hydration, 671
 interaction of, 658
 Raman spectra, 664
 Adsorption, relative effects of inhibitors, 519
 Aero Engines :
 economic aspects of light, 1317, 1612
 fuel performance tests, 1614
 high output, 851
 lubrication, 585, 680
 mixture strength and volatility, 200
 spark ignition with fuel injection, 1224
 valves, 1223
 Africa, oil explorations, 382
 Air-Raid Precautions, boiler-house, 516
 Alabama, type locality of litronelle formation, 4
 Alaska :
 mineral industry, 1938, 865
 oil discoveries, 384
 possibilities, 722
 wildcat drilling, 400
 Albania :
 oil deposits, 386, 734, 1385
 output, 397
 Alberta, oil production, 703, 720
 Alcohol Blends, (P) 938, (P) 1307
 Alcohols :
 alkyl, conversion, (P) 1316
 dehydration, 1046
 Algae, control in cooling water, 508
 Alkylation :
 pyrolytic, 523
 sulphuric-acid process, 1381
 Alloys for Condenser tubes, 1575
 Alpine Foreland, geology, 421
 American Association of Petroleum Geologists, growth of, 876
 Aminosulphonic Acids, manufacture of *n*-substituted, (P) 809
 Amperometric Titrations, 678
 A.P.I. Hydrocarbon Research Project, 522
 Appalachian District, deep-cable tool drilling, 885
 Arabia, crude reserves, 223
 Argentine :
 carboniferous tertiary deposits, 1247
 Comodoro Rivadavia, history of, 378
 declaration of neutrality, 204
 decrees concerning purveyors of petroleum products, 601
 geophysical exploration, 428, 745
 national motor spirit, 844, 1228, 1229
 oil production, 598, 710, 977
 Argentina—*cont.*
 petroleum industry, 374, 389, 399
 refinery statistics, 1230
 Report and Balance Sheet of Y.P.F., 205
 Y.P.F. concessions, 1083
 Arkansas :
 conservation of petroleum, 633, 634
 crude oils, 801
 Magnolia Field, applied conservation, 55
 new sources of oil production, 973
 Asia, oil production, 1237
 Asphalt; Asphalts :
 adhesive properties, 1206
 blistering, 189
 emulsified, 188, 572, 573, 1510
 flow properties, 684, 1202
 graphical presentation of material percentages, 1604
 heating equipment, 1510
 improvement by treating with metal chlorides, (P) 1054
 manufacture, (P) 1054
 of light-coloured, (P) 849
 penetration, 1600
 physical properties, 1599
 removal from oil, (P) 1481a
 soil stabilization with, 1205, 1424
 sulphur in, 537
 surfacing, failure, 185
 Asphalt Rock Powder, liquid mixtures, 687
 Asphaltic Bitumen. *See* Bitumen
 Asphaltic Mixtures :
 correlation of physical tests with service behaviour, 190
 thermal susceptibility, 1207
 Assam, geophysical survey, 381
 Australia, oil search, 726
 Aviation Fuels :
 anti-detonants, 1191
 from Albanian crude, 1385
 neohexane addition, 574
 production, 100, 101, 102a, 103, 511, 512, 1187, (P) 1411
 by Houdry process, 489
 from cracked gases, 1480
 safety, 1057
 Bacteria, sulphate-reducing, inhibition by dyestuffs, 922.
 Bahrein Island, geology, 415
 Barbados, geology, 1519
 Benzene, CO₂ solubility in, 644a
 Benzene-Nitrogen system, 1180
 Benzene-Toluene system, equilibrium data, 1168

- Benzidine, manufacture, (P) 809
 Benzoylformic Acid from Styrene, 329
 Bitumen, Asphaltic :
 adhesiveness to sand, 565
 identification in paving mixtures, 1503
 Oliensis spot-test modification, 1502
 physical properties, 566
 stabilization practices, 567
 temperature susceptibility, 848
 Bituminous Binders, manufacture, (P) 942
 Bituminous Compositions, improvement in adhesivity, (P) 942
 Bituminous Emulsions, 187, (P) 849
 manufacture, 1313
 stability, 1609
 stabilized roads, 571
 Bituminous Materials :
 analysis, 1607
 control, 1608
 increased adhesivity, (P) 849
 temperature resistant, (P) 849
 Bituminous Mixtures, 1601
 analysis, 941
 grading of aggregates for, 1606
 Bituminous Surfacing, fillers for, 688
 Boilers, oilfield, 1343
 Bolivia, oil programme, 404
 Borneo, oil search, 383
 Boron Fluoride, sulphonation and nitration promoted by, 1177
 Brazil :
 oil exploration, 7, 397, 1233
 legislation, 599
 British Guiana, oil exploration, 389
 Bromine, addition to olefinic compounds, 146
 Brunei, oil production, 594
 Bulgaria, oil search, 717
 Buna Rubber, 1208
 Burners, new developments, 485
 Butadiene, polymers, 1592, 1593
iso-Butane :
 catalytic alkylation, 1170
 heat capacity and entropy, 1500
 manufacture, (P) 502, 1374
 from normal butane, (P) 809
 volumetric behaviour, 291
n-Butane :
 heat capacity and entropy, 1499
 P - *V* - *T* Relations, 1172
 polymerization, 49
 transport by tank-car, 1126
 utilization, 1319
 Butenes, polymerization, 1212
 California :
 drilling speed record broken, 884
 economic and operating problems, 81
 gravel packing, 1275
 largest drilling equipment in world, 900
 new oilfields, 981, 1440, 1526
 oil-curtaillment methods, 796
 production practice, 1293
 proration, 1020
 Canada :
 drilling conditions in Turner Valley, 1269, 1520
 mineral industry, 1938, 863
 oil discoveries, 392
 production, 975
 production and drilling gains, 787
 refineries, 1038
 Capillary Behaviour in Porous Solids, 1464
 Carbon Black, effect of gas composition on production, 944
 Carbon Residue Test, 531
 Carbon Tetrachloride :
 benzene mixtures, 1147
 production, (P) 850
 Castor Oil, anti-oxidants for, 161
 Catalysts :
 cobalt and magnesium production, (P) 839
 regeneration, (P) 839
 silver, activating, (P) 809
 Catalytic Dehydrogenation, 497
 C.F.R. Motor Gasoline Survey, 544, 842, 1409
 Chemical Equilibrium, calculation at high pressures, 1164
 Chemicco Sludge Conversion Process, 119
 Chile :
 annual oil production, 1517
 carboniferous tertiary deposits, 1247
 Chlorine, addition to olefinic compounds, 147
 Clay Suspensions, chemical control, 255
 Clays, dispersion by fluid motion, 256
 Cleaning of Plant Handling Heavy Oils, etc., 478
 Coal :
 Colloidal dispersion, 201
 correlation of analysis with products of carbonization, 857
 hydrogenation, 926, 1376
 low-temperature carbonization, 1225
 oil from, 496
 pressure extraction, (P) 1226
 production of pulverulent motor fuel, (P) 1318
 of solvents from, 192
 Coal Tar, determination of naphthalene in, 1405
 Coal-Tar Naphtha Distillates, toxicity, 591
 Coke, Metallurgical, production from petroleum coke, 1055
 Coke, production, 945
 Colombia :
 economic aspects of exploitation, 696
 oil production, 712
 reserves, 715
 Colorado :
 oil development, 978
 Permian characteristics, 964
 Columbia, exploration programme, 721
 Combustion Phenomena, 366
 Conference of Geologists and Geophysicists, 11
 Conservation of Oil, 633, 634

- "Cool" Flames, 831, 832
 Corrosion :
 anaerobic, 284
 electrolytic, combating, 26
 soil, 281
 Cracked Residues :
 chemical reactions, 162
 hydrogenation, 99
 Cracking :
 catalytic, 487, 1129
 coil control, 804
 combination selective, 90
 Houdry process, 489, 1375
 hydrocarbon mixtures, (P) 1033
 measurement of metal temperatures of
 still tubes, 486
 processes, (P) 805, (P) 1131
 reaction rates, 292
 residuum stripping, 491
 selective and continuous coking, 91
 tars, 642
 Cracking Plants, inspection, 1130
 Cresol, effect of CO-H under pressure on,
 297
 Crude Oils :
 Arkansas, 801
 dehydration and de-salting, 815, 816
 deodorization of Irak, 88
 desalting, (P) 817, 1143, 1144
 desulphurization, 1384
 emulsions, chemical resolution, 89
 Louisiana, analyses, 479
 Mississippi, refining characteristics,
 812
 production in U.S.A., 1142
 refining. *See* Refining
 Rumanian, hydrogenation, 94
 salt determination in, 1407
 statistics, 1619
 Texas, analysis of, 1128
 Tupungato, analysis, 1302
 world production, 1331
 Cuba :
 drilling activities, 724
 oil and gas deposits, 389
 Cutler's Rule of Well Spacing, 636
 Cutting Fluids, (P) 564, 682, 1505

 Dalton's Law, demonstration, 138
 Danube, transport on, 368
 Desolvator cleaning appliance, 478
 Detonation :
 in Otto engine, 194, 855
 in petrol engines, 1615
 methods of determining, 193
 sound and pressure waves in, 362
 Deuterium, catalytic exchange reactions,
 1393
 Dextran, benzyl ether of, (P) 809
 Diesel Engines :
 air filters for, 198
 developments in 1939, 1229
 doped fuels for, 588
 efficient burning of fuel in, 587
 for coal-tar oil, 586
 lubrication, 183, 184
 pumpless injection, 363
 Diesel Engines—*cont.*
 reduction of lacquer formation on
 pistons, 583
 Diesel Fuels :
 alkylated benzenes as, 551
 analyses, graphical and statistical
 methods, 549
 blending, 355
 cetene numbers, 175
 characteristics influencing engine out-
 put, 550, 939
 doped, 588, 1200
 effect of kerosine on freezing point, 552
 engine tests and startability, 1199
 Houdry distillate, 1418
 ignition properties improvement, (P)
 105L, 1200, (P) 1507
 production, 105, (P) 1192, (P) 1312,
 (P) 1507
 properties, 175, 1201
 rating, 1596
 Dichlorethylene, polymerization, (P)
 808
 Dichlorobutenes, manufacture, (P) 808
 Dihydronaphthalene Polymers, 577
 2 : 2-Dimethylbutane, isolation from
 natural gas, 649
 Diphenylethane, halogenation, 1152
 Diphenylmethane as thermometric stan-
 dard, 155
 Dominican Republic, drilling practice,
 898
 Drying Oils, (P) 582, (P) 847
 Drilling :
 accidents, 22
 acidizing mud cakes, 1266
 activity, 429, 439, 444, 612, 749, 760,
 998, 1069, 1327, 1334, 1527
 application of chemicals in, 750, 894
 average depths, 443, 761
 barge, 18
 blow-out prevention, 746
 bulk cement, use of, 1260
 cable tool, 885
 Californian technique, 1258
 capacity in barrels in casing string, 242
 casing measurement, 1342
 practice, 433
 cathead operator's duties, 616
 causes and prevention of stuck drill-
 pipe, 752
 cavity conditions overcome, 238
 cements, 17, 253, 1087, 1263, 1460
 cementing, (P) 1274, 1338, 1456, 1541,
 1548
 completion difficulties, 1005
 core analyses, 892, 1007
 costs, 30, 442, 619, 751, 888, 1452
 deep, 25, 35, 219, 233, 240, 249, 441,
 609, 890, 891, 1457
 instruments for, 1270
 mud control, 235
 physical and economical limits, 1268
 rôle of metals in, 234
 safety, 237
 deepening and completing practices,
 608, 754, 896, 994, 995, 1094

Drilling—*cont.*

depth measurement, 1262
 statistics, 1261
 derricks, 39, 1451
 Devonian, 1002
 diesel electric rig potentialities, 233, 249
 direct mechanical rotary rigs, 1455
 directional, 1255, 1550
 drilling in with oil, 1096
 economics, 1004
 electrical logging, 32, 246, 438, 617
 employee work schedules, 40
 fast drilling time, 1449
 fishing, 1447, 1543
 forecast for 1940, 440
 gains due to shutdowns and war, 42
 gas detector, 23
 hard formations, 30
 heaving shale research, 247
 high-pressure salt-water flow, 1345
 high rotary speeds, 753
 hydraulic torque converter, 1458
 instruments, 250
 Lucas Gusher, 1453
 magnetic method of orienting deflecting tools, 993
 marine, 607, 747, 758, 886, 887
 metals in, 24, 27, 28, 31, 615
 methods, 1257
 Mississippi, history in, 43
 modern, 1095
 mud. *See* Drilling Mud
 offshore, 430
 oil detection in, (P) 1462
 volume per drilling dollar and foot, 38
 orienting deflecting tools, 902, 993
 penetration rate, 19, 1093
 polar core orientation, 1255
 portable rig, 1256
 problems, 999
 progress charts, 757
 recovery of stuck drill pipe, 899
 redrilling and workover programme, 1089
 rig-floor conditions, improvements, 1088
 rig-layout for water locations, 895
 removal of mud from formations, 1028
 rock-bit efficiency, 1335
 rotary chain, 24
 historical survey, 893
 rig drive, 18
 rig foundations, 1337
 rotation of casing during cementing, 241
 safety precautions, 41, 431
 sand completions, 1450
 thickness determination, 15
 sealing casing tubes, (P) 903
 slant hole, 21
 slim hole, 20, 1092
 solution of complete casing strings, 1551
 spudder use increasing, 901
 squeeze cementing applications, 1340
 deep well, 35

Drilling—*cont.*

statistical data, 1334, 1341
 steel-pit partitions, 1448
 tapered roller bearings application, 1336
 temperature effects in, 244, 1459
 time studies, 1259, 1339
 under water, 18
 Venezuelan technique, 435, 436
 verticality control,
 water shut-off method, (P) 1462
 welded casing run in record time, 1369
 well-bore treatment, (P) 447
 well-casing landing, (P) 447
 well-washing device, (P) 1462
 wildcat, 445, 1320
 Drilling Equipment :
 apparatus for determining inclination, (P) 622
 for degassing rotary muds, (P) 763
 for guiding pipe sections, (P) 1274
 bailer, (P) 447
 bits, (P) 447, (P) 763, (P) 1006, (P) 1097, (P) 1274, (P) 1346, (P) 1462
 blasting bridge for wells, (P) 1462
 blow-out preventer, (P) 1274
 brake for drums, (P) 763
 cable and rope winding device, (P) 1097
 clamp, (P) 257, (P) 763
 cable-head, releasable, (P) 447
 cable-lift well auger, (P) 903
 Carter pressure core barrel, 1003
 casing cutter, (P) 257, 1461
 cement-retainer, (P) 622
 cementing apparatus, (P) 763, (P) 1006
 core drill, (P) 622
 core-taking apparatus, (P) 903
 corrosion, 26
 costs, 433
 crown and travelling blocks, 31
 dead line fastener, (P) 447, (P) 903
 deflecting bit, (P) 903
 de-gasser and agitator, 748
 derricks, 611, 782, (P) 1006, (P) 1346
 drill-pipe protector, (P) 903
 electrical, 992
 fishing tool, (P) 622, (P) 1006, (P) 1346
 hoists, 28
 hook for rotary well, (P) 1462
 hose coupling, (P) 1346
 hydraulic couplings, 1271, 1272
 hydrostatic bailer, (P) 622
 inclinometer, (P) 763, (P) 1097, (P) 1274
 jar, (P) 622
 knuckle anchor for whipstocks, (P) 903
 largest in world, 900
 layout and care of rotary, 755
 light-weight, 1344
 liner perforator, (P) 1462
 mud-pump piston, 622 (P)
 mud screen, (P) 763
 packing for wells, (P) 447, (P) 903, (P) 1097
 pipe cutter, (P) 447, (P) 1006, (P) 1097, (P) 1462

Drilling Equipment—*cont.*

- pipe-thread protector, 903, (P) 1097
- pipe tongs, (P) 1346
- Pitman connection, (P) 1006
- power-plant, (P) 447
- pressure core-barrel, 34, 610, 620
- reamers, (P) 622, (P) 1006
- rigs, 29
- rod catcher, (P) 763
- roller chain, (P) 257
- rotary equipment, 27, (P) 257, 432, 446, 897, 1091, (P) 1097
- safety cage for derricks, (P) 1274
 - cat-head, (P) 622
 - hook, (P) 903
 - tool joint, (P) 1097
- selection, 437
- self-loading and unloading bailer, (P) 763
- setting tool, (P) 903
- slush-pump valve, (P) 903, (P) 1462
- surveying instrument, (P) 1006
- tool puller, (P) 903
- travelling block construction, (P) 1346
- tubing cutter, (P) 1274
 - support, (P) 622
- tubular goods, collapsing pressure, 33
- unitized, 1090
- water detection apparatus, (P) 1097
- welded casing, 1000
- well cementing apparatus, (P) 447, (P) 622, (P) 903, (P) 1346, (P) 1097
- whipstock, 903 (P)
- wire splicer, (P) 1462

Drilling Muds :

- characteristics and efficiency, 1542
- chemical control, 255, 756
- circulation losses, 1338
- colloid chemistry, 1086
- conditioning, 889, 1267
- deflocculation, 434
- de-gassing, 614
- detection of oil in, (P) 1274
- disadvantages, 1096
- effect of temperature on, 254
- factors affecting, 1547
- oil base, 1265
- plastering behaviour, 997
- purpose of, 1546
- radial filtration, 252
- removal from formations, 1028
- testing, 1264
- viscosity control, 613
- yield-point measurement, 621

Earth, age of, 742

Ecuador :

- limited exploitation, 408
- new oil discoveries, 5
- oil production, 389, 714

Egypt :

- oil output, 407
- prospecting activity, 382

Electric Cables, oil impregnated, (P) 850

Electrification of oilfield properties, 1288

Emulsions :

- bituminous, 187, (P) 849, 1313, 1609

Emulsions—*cont.*

- petroleum, breaking with cactus juice, (P) 817
 - soap-stabilised, 186
 - water in oil, 833
- Engines :
- aero. *See* Aero Engines
 - alternative fuel, 196
 - bearings, 584
 - bore wear, 199
 - C.I., prospects of, 854
 - combustion in, 693
 - phenomena, 366
 - deposits, effect of fuel additives, 1613
 - diesel. *See* Diesel Engines
 - exhaust valve temperatures, 1220
 - flame researches, 195
 - fuel consumption, improvement, 692
 - injection, 1057, 1220
 - heat flow in cylinder walls, 1220
 - hot-bulb, water injection, 691
 - Italian multi-fuel, 364
 - Kadenacy, 853
 - oil filtration, 1616
 - Otto, detonation in, 194, 855
 - petrol, running on coal gas, 852
 - water injection, 691
 - piston and piston ring temperatures, 589
 - piston-ring blow-by on high speed
 - petrol, 197
 - coatings, 1308
 - pressure development, 693
 - two-stroke injection, tests on, 689
- England, drilling, 1231. *See also* Great Britain
- Equilibrium Cell for investigating fluids from petroleum and natural gas reservoirs, 935
- Esters, iodinated, manufacture, (P) 809.
- Ethane, nitration, 1178
- Ethers, aliphatic, production, (P) 809
- Ethylene :
- halides, specific heat, 656
 - hydrogenation, 1487, 1488
 - inhibition of hydrogenation, 826
 - of polymerization, 826
 - mono-chlorinated derivatives of, (P) 809
 - polymerization, 1036
- Europe :
- oil search, 387
 - palaeozoic oil in Western, 716
- Evaporative Index, 1166
- Exhaust Gas :
- analysis, 1408
 - diesel, composition of, 1427
 - stoichiometric calculations, 527
- Eykometer, 621
- Far East, oil search, 383
- Fatty Acids, amidine derivatives, (P) 809
- Ferrox, 1308
- Fires, light liquid hydrocarbons, 1043
- Fischer Tropsch Synthesis, 104, 105, 1394, 1395

- Flame Gases, temperature, 1163
- Flow :
 of oil at low temperatures, 350
 Viscous, motion of particles in, 164
- Flowmeter, capillary, 542
- Fluids, discharge through small circular orifices, 1169
- Fluoranthene, manufacture of derivatives of, (P) 928
- Fluorescence measurement, 347
- Fluorine :
 action in organic compounds, 820
 on aliphatic hydrocarbons, 823
 structure, 822
- Fluorocarbons, 328
- Formaldehyde :
 from methane, 1218
 manufacture, (P) 809
- Forest City Basin, prospects improved, 1078
- Fractioning Columns, constructing and testing, 1135
- France :
 oil in, 1239, 1240
 search, 387
- French Equatorial Africa, surface oil indications, 382
- Friedel and Crafts Reaction, intermediate complexes, 1489
- Fuel Oils :
 atomization, 1311
 miscibility, 553
 production from Alto Udinese shale, 492
- Furnace Oil, production from cracking still distillates, (P) 805
- Fushan Shale Oil, 203
- Gas, Gases :
 absorption by liquid droplets, 132
 cracked, economic aspects, 481
 coal, improvement in calorific value, 480
 isothermal changes in enthalpy, 1175
 pressure gradient fractionation, 1179
 pressure-volume-temperature relation, 290
 producer, generator design, 484
 specific gravity determination, 541
 use as motor fuel, 1221
- Gas Analysis, new method of, 936
- Gas Oils, catalytic purification, 109
- Gasoline, Gasolines :
 analysis, 1305
 physico-chemical methods, 1305
 anti-knock improvement processes, 1386
 aviation. *See* Aviation Fuel
 blends, distillation curves, 843
 caustic washing, 811
 C.F.R. survey, 544, 842, 1409
 consumption, effect of traffic delays on, 1515
 cracked, clay treatment, 112
 cold acid treatment, 116
 hydrogenation, 98
 refining by Lachman Process, 111
- Gasoline, Gasolines—*cont.*
 determination of dissolved oxygen in, 937
 gum formation in, 679, 1048
 inhibitors, 298
 stabilization processes, 1386
 high-octane, evaluation of, 168
 production by alkylation, 173
 hydrogenated, volatility and anti-knock properties, 1410
 production by hydrogenation, 93
 refining with coppersalts, 114
 road performance, 1617
 storage economies, 800
 synthesis from water gas, 106
 synthetic, 294
 chemical composition, 524
 plants in Germany, 925
 volatility and anti-knock properties, 1410.
- See also* Motor Fuels
- Geochemical Exploration, 883, 1060, 1066, 1563
- Geophysical Survey :
 advancements, general, 1446
 areal plan of mapping subsurface structure, 227
 computation and mapping of seismic reflection data, 1251
 dip reflections on two faults in Gulf Coast, 228
 electrical well-logging, 14, 892, 1533
 Eltran prospecting, recent developments in, 231
 formulae and device for magnetic and gravitational anomalies, 738, 1539
 geothermal methods of estimating age of earth, 742
 gravimeters, calibration, 1253
 gravity method, history, 1532
 historical survey, 1531, 1534
 micromagnetic prospecting, 882
 orientating cores, 232
 physics of refraction prospecting, 225
 propagation of waves in the earth, 736
 recent progress in, 1254, 1535
 reflection amplitude change with geophone depth, 1252
 reflection and transmission coefficients for plane waves, 1249
 resistivity, direct method of interpretation, 739
 Schmidt Field Balance, 744
 seismic instruments, remote control, 1084
 seismic paths, 226
 wave energy, 1250
 three-layer resistivity curves, 740
 temperature to structure relationship, 741
 velocity stratification as aid to correlation, 737
 voltage transient from suddenly applied D.C., 230
- Georgia, oil search, 870

Germany :

- coal-oil supplies, 102
- deep drilling in Upper Bavaria, 743
- Fischer-Tropsch synthesis in, 105, 106
- geology of Hanover, 603
- Gifhorn salt-stock, 423
- Hannoverian salt-stock, 418
- oil exploration in Greater Germany, 420
 - output, 403
 - search, 387
- Schleswig-holstein salt uplifts, 422
- state geophysical laboratory, 425
- synthetic gasoline plants, 925

Glycerol Solution, density and viscosity, 525

Glycols, preparation of di-esters, (P) 809

Grafotox, 1308

Granoseal, 1308

Graphitox, 1308

Greases :

- gear, preparation, (P) 1506
- lime base, flow characteristics, 672
- manufacture, 178
- synthetic fats in manufacture of, 1416

Great Britain :

- drilling for oil, 387, 1231
- oil occurrences in Lancashire, 212

Greece, drilling in, 1232

Guatemala, oil exploration, 389

Gulf Coast :

- crude reserves, 1441
- development trend, 1442
- drilling activities, 972
 - developments, 1437
- oilfields and salt domes, 1443
- salt domes, drilling activity, 878
- Sparta Wilcox trend, wildcatting, 879
- summary of operations, 880

Helium :

- extraction from natural gas, 920
- occurrences and uses, 483

n-Heptane :

- aromatization, 153
- boiling points, 1186
- thermodynamics, 1162

Heptene, aromatization, 153

Hexa-arylethanes, effect of substitution on dissociation, 320, 325

Hexadecane, destructive hydrogenation, 1397

Hexamethylbenzene, crystal structure, 144

cyclo-Hexane :

- co-ordination complexes of mercuric ion with, 650
- derivatives, 1498

Hexenes, separation of isomeric, 1149

1-Hexyne, chlorination in reactive solvents, 824

Hispaniola, geology and oil possibilities, 723

Hungary :

- oil discovery, 1246
- exploration, 387

Hydrocarbons :

- action of aluminium chloride on, 821
 - of boron halides on, 344
 - addition of olefines to paraffins, 1399
 - aliphatic, aromatization of, 1398
 - dehydrogenating, 1132
 - aromatic, separation, 1186a
 - boiling points, 1183
 - catalytic cracking, 803
 - effect of metals on, 136
 - ring closure of open-chain, 1392
 - chlorination, 308, (P) 1034
 - coal-tar, purification, (P) 1516
 - condensation of esters with, 1153
 - decomposition, 1582, 1584, 1587
 - determination of aromatic, 543
 - dimorization, 1401, 1403
 - Fischer-Tropsch synthesis, 1394, 1395
 - fractionation of mixtures of, 158
 - gaseous mixtures, specific volume, 482
 - quantitative analysis, 840
 - gum-forming tendencies, 1048
 - halogenation, 331
 - handling under inert gas, 1127
 - hydrogenation, 92
 - industrial synthesis, 1134
 - inhibiting, (P) 1304
 - internal rotation and resonance, 317
 - liquid synthetic, (P) 809
 - oxidation of chain olefines, 500
 - of olefinic, 575
 - phase behaviour, 793
 - equilibria, 1174
 - physical properties of purified aliphatic, 838
 - plastics and resins from, 1210
 - polycyclic aromatic, 829, 834, 835, 1482, 1848
 - polymethyl aromatic, synthesis, 1495
 - polymerization of unsaturated, 141, 1591
 - pyrolysis, 1585
 - pyrolytic alkylation, 523
 - pure, preparation, 528
 - separation of mixtures, (P) 1056
 - solvent effects with optically active, 836
 - specific heat ratios, 1173
 - structure and energy of molecules, 1579
 - synthesis, 295, 346, (P) 809
 - systems, phase equilibria in, 166, 330, 645, 646, 651
 - thermal transformation, 142
 - vapour pressures, 1151
 - viscosity, 338, 339, 1182
- Hydrogen :
- activation in catalytic reactions of hydrocarbons, 1390
 - as substitute fuel, 354
 - atoms, catalytic exchange, 1391
- Hydrogen Fluoride as condensing agent, 154, 313, 825, 1044, 1493, 1494
- Hydrogen Sulphide :
- detector, 802
 - recorder, 167

- Hydrogenation :
 acetylenes, 316, 327
 aromatic halogen compounds, (P) 806
 coal, low-grade, 926
 and oil, 1376
 destructive process, (P) 1300
 gasoline production by, 93, 100, 101
 high-pressure, 100, 102a
 high-pressure catalysts, 97
 Iraq tar, 494
 ketones, (P) 1034
 of cracked gasoline, 98
 of hydrocarbons in absence of catalysts, 92
 of kerosine, 924
 of low-temperature tar, 95, 96
 of olefine polymers, 101
 of residues, 99
 of Rumanian crude oil, 94
 patents on, (P) 1479
 processes, (P) 1132, (P) 1299
 production of high octane motor spirits by, 1188
 Rumanian Residuum, 495
- Illinois :
 acidizing problems, 904
 daily output, 36
 decline in output of oil, 988
 Devonian drilling, 1454
 well production, 778
 drilling activity, 867
 costs, reduction, 751
 electrification of pumping equipment, 908
 fields, new discoveries, 1067
 geology of Basin Fields, 2
 increased production, 390, 697, 701
 new producing zones, 218
 oil discoveries, 395
 possibilities of deeper beds, 37
 production, 979
 operating economies in Lake Centralia-Salem Field, 1004
 production decline, 1326, 1530
 recent oil discoveries, economic effects, 73
 reserves of petroleum, 13
 shooting practices, 905
 Storms field extension, 700
 subsurface geology of Chester Series, 949
 Iowa Series, 950
- India, geophysical survey, 381
 Indiana, drilling results, 987
- Insecticides :
 distribution of nicotine between water and petroleum oils, 1209
 preparation, (P) 1056
- Iran, S.W., geology of oil-field belt, 1061
- Iraq :
 crude oil deodorization, 88
 geology of oil-field belt, 1061
- Isatin, condensation products from, (P) 1316
- Isomerization :
 alkenes, 152
 cyclohexane and methylcyclopentane, 151
- Italian East Africa, oil exploration, 386
- Italy :
 Institution for Experimental Work on Roads, 685
 oil search, 1238
 reserves, 386
 specifications for petroleum products, 683
- Japan, oil position, 409
- Java, oil search, 383
- Kansas :
 conservation, 1106
 geology, 377
 land leased for exploration, 1079
 Mississippian limestones, 1077
 new pools, 976
 oil development, 1070, 1073
 geology, 1071
 reserves, 1072
 production, 1076
 stratigraphy, 1075
 water-flooding, 1013, 1104
- Kentucky, drilling results, 897
- Kerosine :
 burning test, sight gauge for, 677
 detergents from, 1165, 1181
 hydrogenation, 924
 refining, 113
- Ketone in the Friedel-Crafts Reaction, 661
- Ketones :
 dewaxing of lubricants with, 1137
 refining, (P) 1481a
- Knock Rating. *See* Detonation
- Knowles Coking Process, 110
- Lachman Refining Process, 111
- Lead :
 estimation in ethyl fuels, 934
 halides, alkyl compounds, 1160
- Lignite :
 production of solvents from, 192
 coke, free sulphur in, 933
- Liquid-phase reactions at high pressures, 520, 521
- Liquid-vapour equilibrium, 1171
- Liquefied Gas, filling stations for, 477
- Liquefied Petroleum Gases, economics of, 1319, 1621
- Louisiana :
 deepening and completing a well, 994
 drilling developments, 1437, 1438
 gas condensate fields, 49
 Gulf Coast, drilling of 10,000 ft. well, 248
 oil reserves, 401
 repressuring plan, 1015
 resistivity survey, 229
 Sparta-Wilcox trend, flowing well, 873
 sub-surface miocene, 963
- Low-Temperature Dehydrogenation, 1156

- Lubricants and Lubricating Oils :
 addition agents, 1051, (P) 1198, (P) 1310
 aviation, 1309
 behaviour in seizure tests, 557
 blending agents, (P) 1310
 carbon-forming tendencies, 348
 compounded with vegetable, 940
 conversion of high viscosity to low
 viscosity, (P) 1506
 de-colorising, (P) 1598
 de-waxing, (P) 1053, 1137, (P) 1481
 diesel, deterioration, 1415
 recent developments, 361
 effects on neoprene vulcanisates, 580
 evaluation of used, 1597
 extreme pressure, 560, (P) 847,
 (P) 1053, (P) 1198
 from lignite coal tars, 562
 greases. *See* Greases
 high-grade production, 123
 hypoid, 532, 555, 681
 low-temperature behaviour of petro-
 leum and synthetic, 177
 manufacture, (P) 1506
 oxidation resistant, production, 554
 pour-point depressants, (P) 1053,
 (P) 1219
 prevention of gum formation, (P) 847
 production, (P) 1053, (P) 1198, (P) 1598
 properties, 180, 357
 reclamation of used, 176, 360, 1413,
 1414
 recovery of high quality from inferior,
 (P) 847
 ring-sticking properties, 559
 sludge resistant, (P) 847
 soap-thickened, 1052
 stabilisation, (P) 1506
 with wood resin, (P) 839
 synthesis of, 140, 501, (P) 564, (P) 809,
 1412
 temperature effect, 1590
 testing, 351, 352, 558, 561, 672
 viscosity index, 675
 nomograms, 336
 -pressure characteristics, 181
 -temperature curve of, 337
 Y.P.F. for aircraft engines, 179
- Lubrication :
 aircraft engines, 585
 boundary, 1194
 historical development, 1196
 journal bearings, 1193, 1195
 machine tool oiling, 1504
 metal surfaces, theory, 1197
 oil filters, 563
 piston-ring coatings and their effect,
 1308
 steam engine, 556
 theory of, 353, 359
 Lucas Gusher, drilling of, 1453
- Maleic Acid manufacture, (P) 1316
 Maltosamines, manufacture, (P) 928
 Mannitol, manufacture, (P) 1316
 Mass Spectrometer, application to petro-
 leum problems, 990
- Melamine, manufacture, (P) 928, (P) 1316
 Mendoza :
 Government oilfield at Tupungato, 797
 Y.P.F. new well, 1082
- Mercaptans :
 determination, 171
 extraction with alkaline solutions, 1136
 removal, (P) 932
- Mercury :
 alkyl compounds of, 1161
 vapour hazard in petroleum labora-
 tories, 533
- Metals :
 bearing, testing of, 351
 drilling, 24, 27, 28, 31, 234, 236, 239,
 432, 615
 production, 771, 777, 906, 1008, 1100
 scrap, 278
- Methane, Methanes :
 formaldehyde from, 1218
 formation from CO-H₂ mixtures, 107
 halogenated, solubilities, 819
 induced pyrolysis, 526
 tetramethyl, thermal decomposition,
 1586
- Methylcyclohexane, constitution, 648
trans-2-MethylcycloHexanol, dehydra-
 tion, 315
- Mexico :
 crude production and exports, 401,
 702, 1517
 manufacture of lead tetra-ethyl, 725
 refineries, 1038
- Michigan :
 crude production, 985
 fewer discoveries, 1064
 first natural flowing Trenton Lime
 Well, 243
 geology and development, 1445
 oil developments, 1323
 well logs and field data, 1525
 Microfilming in field studies, 917
- Mississippi :
 crude oils, refining characteristics, 812
 drilling decline, 1333
 history, 43
 explorations, 214, 217, 411, 1444
 new discoveries, 875, 973, 1522
 oil boom, 220, 221
 development, 1235
 possibilities, 881
 reserves, 1528
 Well No. 1 Woodruff, 44
 wildcat tests, 699
- Mixtures, determination of constituents,
 841
- Molecular Weight of oils, 536
- Motor Cars :
 maintenance improves mileage, 1429
 pre-war expansion in Germany, 369
 trends in design of 1940, 367
 world production and circulation, 370
- Motor Fuels :
 alcohol, preparation, (P) 1307
 anti-knock characteristics and C.R.
 546
 improvement, 353, (P) 1595

- Motor Fuels—*cont.*
 C.F.R. survey, 544
 coal dust, (P) 1318
 gases, 480, 852
 cracked, stabilization, (P) 845
 economic dynamics of the domestic demand for, 862
 estimation of lead in, 934
 gas, 1221
 gasoline. *See* Gasoline
 high-octane development, 193
 iso-paraffinic, 135
 production, 1188, 1189, (P) 1507
 improvement of properties, (P) 845
 methylation of inferior to produce aromatics, 202
 new methods of testing, 170
 production, (P) 1049, (P) 1192
 of stable, (P) 1307
 survey of, 1306
 starting properties, 545
 synthetic, 1190, production, (P) 1481
 vapour-lock properties, 172
 volatility, 545
- Motor Vehicles, steam turbines for, 690
- Naphthenic Acids :
 Aruba, 1217
 conversion to naphthene hydrocarbons, 1216
 from Gulf Coast petroleum, 1215
 from Iranian petroleum, 345
 sulphonation, 139
- Natural Gas :
 content of Sarator, 9
 Division of U.S. Bureau of Mines, annual report, 920
 freezing problems, 1373
 heating and dehydrating, 276
 hydrogen sulphide removal, 289
 origin, 1060
 polymerization of hydrocarbons in, 293
 production, employment and output per man, 592
 reserves, 1074
 seepages in River Sarboya Basin, U.S.S.R., 10
 statistics, 1620
 utilization, 923
- Natural Gasoline :
 extraction, 120, 300
 plants, fractioning equipment, 675
 in U.S.A., 1430
 statistics, 1621
- Near East, oil discoveries, 381
- Nebraska :
 oil discovery, 980
 production, 215, 216, 222, 1234
- Neohexane, manufacture, 574, 1380
- Neoprene Vulcanisates, effects of lubricating oils on, 580
- Nickel, hydrogenation catalyst, 806
- Nigeria, bituminous deposits, 382
- New Guinea :
 oil production, 872
 search, 383, 391
- New Mexico :
 Eunice Field, reservoir characteristics, 413
 oil development, 978
- New South Wales, Permian sedimentary rocks, 965
- North Carolina, foraminifera from test wells, 866
- North Dakota :
 exploration work, 1329
 geology and coal resources, 864
 well logs, 1524
- Octane Number, problem from automotive viewpoint, 1428
- Octanes :
 hydrogenation, (P) 809
 production, (P) 1056
- cyclo*-Octatetrane :
 structure, 318
 synthesis of substituted, 1148
- Ohio :
 drilling results, 987
 geophysical survey, 1328
 water-flood project, 907
- Oil :
 exploration, direct discovery difficult, 1085
 from coal, 496
 of turpentine, anti-knock fuels from, 174
- Oklahoma :
 City Field, recent wells, 874
 deep test well, 240
 increased exploration, 604
 oil developments, 1324, 1325
 and gas resources, 730
 Naval Reserve, recovery programme, 47
 new discoveries, 1068
- Olefines :
 catalytic hydration, 137
 chlorination, 159
 dehydrogenation, 343
 manufacture of oxides, (P) 809
 polymerization, (P) 808, (P) 1133
 reaction with solid cuprous halides, 319
- Organic Acids, improvement in manufacture, (P) 809
- Oxalyl Chloride, photochemical reactions, 828
- Palestine, oil search, 732
- Paraffin Wax :
 conversion to motor fuels, (P) 1192
 fatty acids from, 1425
 production, (P) 809
- Pavements :
 fillers and cushion courses for, 1422
 flexible, design and construction, 1421
- Pennsylvania :
 Bradford Field, development, 53
 drilling results, 987
- iso*-Pentane, determination and composition, 1406
- Peroxide Effect in addition of reagents to unsaturateds, 150

- Persian Gulf, oil activities, 398
- Peru :
- displacement pumping, 67
 - oil discovery, 6
 - geology and concessions, 388
- Petroleum :
- origin, 1060, 1185
 - rubber from, 1208
- Petroleum Bases :
- nitrogen compounds in, 309
 - reactions, 1158
- Petroleum Coke, metallurgical coke from, 1055
- Petroleum Distillates, nitrogen compounds in, 310, 311
- Petroleum Emulsions, 509, (P) 1314
- Petroleum Gases, Liquefied, 1319
- Petroleum Geology :
- Carboniferous-Permian boundary, 952
 - Centralia Devonian hits peak, 1344
 - classification of Permian Rocks, 953
 - compressibility of sandstones, 1529
 - correlation methods, 960, 1080
 - exploratory boreholes, 213
 - Fisher County Texas to Eddy County N. Mexico, 956
 - gravitational effects of salt rocks, 424
 - Mississippian Border of Eastern Interior Basin, 1059
 - Morrow Group of Adair County, Oklahoma, 962
 - oil accumulation theory, 380
 - oil-field waters, 1518
 - origin of oil, 1060, 1185
 - Osage, Washington and Nowata Counties, 969
 - palaeozoic stratigraphy of Franklin Mountains, W. Texas, 959
 - Pecos County, Texas to Roosevelt County, New Mexico, 954, 955
 - Permian in parts of Rocky Mountains, 964
 - type, classification, 951
 - radioactive, 1538
 - sedimentation, 1062
 - Sparta-Wilcox Trend, Texas and Louisiana, 968
 - stratigraphy, Texas, 957
 - sub-surface miocene, Louisiana, 963
 - Upper Palaeozoic Section of Chinati Mountains, 961
 - Yates Area, Texas, structural development, 958
- Petroleum Industry :
- Argentina, 374
 - research workers in, 593
 - Rumanian, statistics and personnel, 371
 - waste problems in, 304
- Petroleum Products, supply and demand, 1142
- Petroleum Statistics, 1618, 1619
- Petroleumization, 488
- Phenol, Phenols :
- alkyl-substituted, (P) 809
 - extraction from aqueous solutions, (P) 1056
 - production from benzol, 581
- Phenolic Compounds from petroleum, 1214
- Phosgene, photochemical reactions, 828
- Photochemical Reactions under high pressure, 296
- Photogrammetry, 1063
- Pipe-lines :
- asphaltic mastic coating, 286
 - cathodic protection, 282, 283, 285, 472
 - corrosion, 472, 474
 - gasoline, internal corrosion, 474
 - location and installation of ground beds, 287
- Plastics from Hydrocarbons, 1210
- Poland :
- geophysical work, 419
 - gravity map, 416
 - oil deposits, 387
 - partition of oil industry, 606
- Polymerization :
- butanes, 491
 - iso-butylene, 103
 - catalysts, 1378, 1400
 - increase in octane ratings by, 1035
 - low-molecular, 1402
 - mechanism of, 1485, 1486
 - processes, 1301
 - production of aviation spirit by, 1480
 - unsaturated hydrocarbons, 141, 498, (P) 499
- Pommerania, geology, 421
- Portugal :
- concessions, 1081
 - oil exploration, 387
- Propane :
- reactions with bromine, 307
 - transport by tank-cars, 1126
 - utilization, 1319
- Propene, halogen derivatives, (P) 809
- Production Equipment :
- bottom-hole well plug, (P) 1299
 - casing-head equipment, (P) 799, (P) 1299
 - casing perforating gun, (P) 799
 - clean-out tools, (P) 471, (P) 641, (P) 921, (P) 1570
 - combination packer, (P) 1299
 - control valve, (P) 921
 - deep pumps, (P) 1478
 - electrolytic pitting in sucker rods, 792
 - elevated pumping unit, 1278
 - flow-governor, (P) 280, (P) 641
 - formation tester, (P) 921
 - gas-lift valve, (P) 1125
 - gas and oil separator, 60, (P) 1299
 - gun perforator, (P) 1372, (P) 1570
 - jet pump, (P) 921
 - metals in, 771, 777, 906, 1008, 1100
 - meters, 773
 - modern, effect of cost on, 1350
 - oil-well oil saver, (P) 280
 - paraffin cutting and scraping tool, (P) 799
 - pipe cleaner, (P) 1478
 - couplings, (P) 471, (P) 641
 - protection, 1019

Production Equipment—*cont.*

pumps, 64, (P) 471, 777, (P) 799, 1114,
(P) 1299
inspection of, 69
theft proof, 82
rod-line carrier, (P) 1299
screen packer, (P) 799
seal indicator for pumps, (P) 1372
selection by formula, 913
stress reduction, (P) 1125
sucker-rod failures, 70
temperature indicator for wells, (P)
799

tube coupling, (P) 799, (P) 1372
wellhead structure for high pressure
wells, 1279

well-pipe plug, (P) 1125, (P) 1299

Production of Oil:

acid treatment, 470, (P) 471, 631, 789,
904, 1358, 1478, (P) 1561

acidizing mixtures, 919

air pockets removal, 1558

alignment chart for pump displace-
ments, 456

allocation to individual wells, 1031

analysis of delayed drilling programme,
918

back pressure valves, 639

behaviour of oil and gas under high
temperatures, 1123, 128

blow-out, bringing in, 623, 638

prevention, (P) 799

bottom hole agitation, 63

regulation, 452

brine disposal, 459, 1463

calculation of gas-oil contact, 59

casing and tubing, 1567

chemicals in, 750, 894, 1561

cleaning wells, 1012, 1025, 1555

completion practices, 915

conservation measures, 48

core orientation, (P) 1372

costs, 1553, 1554

counterbalance weights installation,
1024

curtailed wells, recoverable oil, 1026

deep-well problems, 765

deepening and completion, 1287, 1297,
1362, 1475

depth measurement, (P) 1478

distillate fields, 1347, 1352, 1354, 1357,
1359

distribution of allowables, 783

draw-down method of taking poten-
tials, 1103

dyes used in tracing water, 1469

economics of, 1280

effect of fluid level, 464

of rod vibration on dynamometer
cards, 1116

of temperature on, 270

efficiency increase, 1282, 1283

efficient pool operation, 1367

El Trebol Oil-field, 1371

electric generating plants, 46, 1124

pumping, 277, 908, 1295

electrification of fields, 1288

Production of Oil—*cont.*

employment and output per man, 592
equipment of well under pressure,
(P) 1372

evaluation of leases, 912

flow characteristics of gusher wells, 640
of gas-liquid mixtures, 86, 1098

flowing well potentials, 1120

fluid control device, (P) 1032

operated pump, (P) 1372

forecast for 1940, 467

formation pressure increased by gas
injection, 910

formation testing, 1563

gas condensate well, 451

conservation project, 68

energy in reservoir, 71

injection, 50, 795, 1285

lock, 79, 1102

and oil separation, 1361

for power, 266

gas-driven pool data, 63

gas-lift, 263, 265, 267, 271, 453, (P) 471,
625, 1292, 1348, 1370, 1564

gas-production problems, 798

gas-recycling, 448

wells, (P) 1372

gasoline recovery on stripper lease, 770

generating plant for pumping, 1473

gravel packing, 780, 1121, 1275, 1544

gravelling wells, (P) 1478

gun perforations, 789, 1565

high-pressure development, 53

gas wells, 1470

fields, 57

wells, 1099

hot-oil circulation, 260

improved pumping operations, 768

increasing, (P) 1125, (P) 1299

"killing" wild gas well, 1027

liner hanger, (P) 1032

locating and blancing central pumping
powers, 790

location of leaks, (P) 471

low rate of flow wasteful, 1286

maintenance of high A.P.I. gravities,
457

metals used in, 771, 777, 906, 1003, 1100

methods, 1276, 1291

minimum profit level, 1281

mining (Slovakia), 469

motor-driven submerged pump, 1296

mud-sheath removal, (P) 921

multiple, 1122, 1562

natural gas and natural gasoline phase
diagram, 279

oil reservoir performance, 1022

oil-well shut off, (P) 1032

paraffin accumulation, 1023

problems, 635

removal, 458, 462, 111, 1356

perforating gun, (P) 1032

well casing, (P) 1372

permeability measurements, 1030

pipe clamp, (P) 799

plugging-off bottom hole water, 776

potential measurement, 1468

Production of Oil—*cont.*
 practice in California, 1293
 pressure distribution about a slotted
 liner, 1465, 1566
 injection, 1112
 maintenance, 76, 769, 779, 1359,
 1365
 sampling device, (P) 1032
 tank gauge, (P) 1032
 principles underlying equitable with-
 draws of oil, 784
 properties of reservoir fluid, 273
 proration, 48, 1106, 1281
 pump piston, (P) 1299
 submergence reduction, 268
 pumping, 61, 62, 72, 264, 466, 1119,
 1349, 1467, 1477, 1556, 1557
 costs, 788, 1108
 efficiency, 78, 454, 1282
 equipment, 455, 1295
 reconditioning of old wells, 626
 recovery methods, 1560
 re-cycling, 54, 58, 77, 764, 911, 1009,
 1010
 repair of oil wells, 1476
 repressuring, 461, 463, 1015, 1025,
 1289, 1471
 plant, 449
 research trends, 1290, 1291
 reservoir pressures, 1286
 results of shut down periods, 45
 retrograde condensation and distillate
 wells, 1016
 review of problems and methods, 262
 revised completion method, 781
 rod guide for pumping wells, (P) 1032
 rod-line crossings, 766
 efficiency, 772
 suspension, 52
 salt-water disposal, 769, 794, 914, 1017,
 1021
 sampling and testing gas, 51
 well-fluid, (P) 471
 sand squeezing, 1110
 screening effects of gravel on uncon-
 solidated sands, 1029
 sealing of abandoned wells, 1363
 off formations, (P) 1125
 secondary recovery, 80, 791, 1113
 shock absorbers for well shooting, 785
 shooting, 75, 258, 905, 1355
 slower withdrawals, 1107
 standardisation, 1283
 stopping leaks in pipe lines, (P) 471
 stress peaks relieved, 627
 submergence of standing pipe, 464
 submersible pump, (P) 1032
 sub-surface pump performance, 1284
 sucker-rod, 274, (P) 1032, 1472, 1474
 taking controlled intermitter, 1011
 taking of high water-cut samples,
 1277
 treating costs, 1366
 tubing repairs, 450
 waste in reservoirs, 1113
 water content of oil sands, 1569
 water-drive fields, Kansas, 1105

Production of Oil—*cont.*
 water-driven pool data, 63, 64
 flooding, 74, 259, 775, 907, 1013, 1115,
 1287, 1294, 1351, 1353
 -oil ratios, 275
 well casing performance, (P) 1125,
 (P) 1478
 completion, 754, (P) 921, 1010, 1094,
 (P) 1372
 data, load and power needs, 774
 diameter reduction, 85
 gauging, 1018
 heater, (P) 1032
 potentials, 468
 sanding problems, 1117
 spacing, 56, 84, 624, 628, 636, 1014,
 1101, 1109, 1280, 1466
 troubles, classified code for, 916
 wet gas recovery, 272
 wild well control, 632
 world history, 465

Quiriquire, oil geology, 394

Raoult's Law demonstrated in v.p.
 apparatus, 138

"Redistribution Reaction," 322, 323,
 324

Refinery Acids, recovery processes, 119
 Refinery Gases, sulphuric acid from, 118

Refinery Plant :

alloy steels for, 1575
 centrifugal pumps, packing, 126
 condensers, cathodic protection, 1138
 corrosion prevention, (P) 515
 Strateold treating plant, 929
 thermosyphon treating plants, 503

Refineries :

accident prevention, 1140
 algæ control in cooling water, 508
 automatic control in, 513
 combination unit at La Palata, 514
 corrosion in, 1139
 fuel consumption in American, 948
 Lujan de Cuyo, Mendoza, 124
 North America, 1038
 Rumanian, review of, 301, 302, 303
 specifications of materials for, 1387
 U.S.A., 1141, 1142

Refining :

animal and vegetable oils, (P) 1042
 catalytic desulphurization, 504
 clay treatments, 112, 1576
 condenser scale prevention, 1041
 copper sweetening, (P) 817, 1039
 counter-current absorption, 130
 crude oils, 299, 812, 813, 814, 1302
 deasphalting and acid treating, 117
 eddy diffusion, 131
 extraction of mercaptans with alkaline
 solutions, (P) 817, 1136, (P) 1316
 in spray and packed columns, 129
 filter aid action, 127
 rates of clay-oil slurries, 125
 gas oils, 109
 gasolines, 111, 112, 114, 115, 116
 gum stabilization processes, 1386

Refining—*cont.*

- Houdry catalytic gasoline-treating unit, 810
 - improved PbS sweetening process, 115
 - internal diameter of still tubes, measurement, 930
 - kerosine, 113
 - Lachman process, 111
 - motor fuels, use of gum inhibitors, 298
 - processes, (P) 515, (P) 1304, (P) 1388
 - regeneration of spent clay, 505, 507
 - salt extraction from charging stock, 108
 - selective solvent, (P) 817
 - sludge removal, (P) 1578
 - Solutizer Process, 506
 - solvent, 121, (P) 1042, (P) 1145, 1303, (P) 1304
 - sulphinic acid removal, 1577
 - sweetening processes, 1040, (P) 1145, (P) 1304, 1386
 - technology, 1142
 - wax separation, (P) 817, (P) 1578
 - with oleum, (P) 817
 - zinc silicate and hydrochloric acid, (P) 817
- Resins :
- from hydrocarbons, 1210
 - production, 1213
 - propane precipitation, 1211
 - wood, stabilization of mineral oil with, (P) 839
- Roads :
- anti-skid properties of surfaces, 1508
 - asphalt emulsion stabilization, 571, 572, 573
 - bituminous binders for surfaces, (P) 1513
 - skidding tests, 941
 - slipperiness, 941
 - subgrade pressures under flexible surfaces, 1420
 - surface treatment studies, 1512
 - use of tar in base stabilization, 1509
- Road Aggregate :
- bituminization, (P) 849
 - sieves for coarse, 1204
- Road Materials :
- bituminous, 191
 - stiffner, (P) 1315
- Road Research Board, Annual Report, 941
- Road Tars, chemical nature, 1203
- Rocky Mountain Region developments, 1439
- Rocky Mountains, Permian characteristics, 964
- Rubber :
- production from petroleum, 1208
 - synthetic, 943, 1382, 1481
- Rumania :
- consumption of petroleum products, 946
 - exports of petroleum products, 368, 602, 1227
 - new oil law, 385
 - oil production, 406, 595, 719
 - storage capacity, 596
 - prices of petroleum products, 947

- Safety Precautions, explosives tests, 815
- Saudi Arabia, commercial production, 709
- Scotland, drilling, 1231
- Selective Solvent Treated Oils, turbidity of, 122
- Separation Processes, 128, 134, 647
- Shale :
 - Alto Udinese, fuels from, 492
 - Fushan, 203
- Silicon, alkyl compounds of, 1161
- Sodium, condensations by, 669, 670
- Soil :
 - analysis, 1060, 1066
 - corrosivity, estimation, 472
 - stabilization, 567, 570, 571, 572, 573, 1205, 1423, 1424, 1602
 - surveys, 941
 - testing, 569
- Solutizer Refining Process, 506
- Solvents, hydrocarbon, phenol determination, 535
- South America, oil developments, 389
- South Texas, extension of Rincon Field, 1332
- Southern California, petrology of Whittier conglomerates, 966
- Soya-Bean Oil, production, 356
- Steam Turbines for Motor Vehicles, 690
- Stereoisomerism of unsaturated compounds, 148, 149
- Storage, inflammable liquids, 1127
- Stratcold Refining Process, 115
- Styrene :
 - production from commercial xylene, (P) 1056
 - reaction with bi-sulphite, 518
 - thermal polymerization, 830
- Sulphonamides, production, (P) 928
- Sulphonated Oils, manufacture, (P) 582
- Sulphonation reactions with sulphuryl chloride, 517
- Sulphonic Acids, production, (P) 582
- Sulphur :
 - determination in asphalts, 537
 - in productions of combustion 590
- Sulphur Trioxide, manufacture, (P) 928
- Sulphuryl Chloride, chlorinations with, 660
- Sumatra, oil exploration, 383
- Superfinish, 846
- Swiss Alps, test well, 759
- Switzerland, oil exploration, 387
- Synthetic Products :
 - general patents, (P) 809
 - 2-Methyl-3 : 4-Benzphenanthrene, 1155
 - 9-Methyl-3 : 4-Benzfluorene, 1154
- Tank-Cars, transport of liquid petroleum products, 1126
- Tanks, Storage :
 - corrosion, 922
 - evaporation losses from vented, 475
 - expansion roof, 800
 - inert gas system, success of, 288
 - valve for, (P) 1299
- Tankers, modern design, 87

- Tar :
 durability tests, 941
 hydrogenation, 95, 96
 Iraq, hydrogenation, 494
 soil stabilization with, 570
- Tar Emulsions, 686
- Tar Surfacing, fillers for, 688
- Tennessee :
 geology, 1521
 oil and gas prospects, 1242
- 2 : 2 : 4 : 4-Tetramethylpentane, preparation and properties, 1404
- Texas :
 Amelia oil-field, Jefferson County, 209
 deep oil search, 412
 deposition of Lissie and Beaumont formations, 967
 Lolita Field, 1523
 drilling developments, 1065, 1433, 1434, 1435, 1436
 east, oil discoveries, 704
 production, 877
 gas condensate fields, 49
 Goldsmith Field, Ector County, 3
 Gulf Coast, surface and subsurface formations, 208
 new oil and gas fields, 982, 983, 986
 north, drilling activity, 871
 Permian Basin, situation and outlook, 1118
 proration of marginal leases, 269
 west, Holt Horizon geology, 706
 wildcatting, 984, 1245
- Textile Oils, manufacture, (P) 1219
- iso-Thermal Flow in Pipes, 133
- Thermodynamic Properties, analytical calculations, 1176
- Thinners, change in solvency during evaporation, 538
- Thiophen Sulphur, oxidation by calcium hypochlorite solution, 931
- Tin, alkyl compounds of, 1161
- Toluene, derivatives, rearrangement of, 305
- Tractors, fuels for, 547, 1058
- Transport :
 filling stations for liquefied gas, 477
 hydrocarbon containers, protective coatings for, 476
 of Rumanian oil by Danube, 368
- Trichloroethylene :
 as solvent, 169
 oxidation, (P) 1316
- Trimethylhydroquinone, 160
- 2 : 2 : 3-Trimethylpentane, physical properties, 837
- Trinidad :
 drilling, 1540
 Fyzabad structure, 402
 oil production, 389, 977
- Truck Axles, hypoid lubricants for, 681
- Tulsa Exhibition, 996
- Turbidity measurement, 347
- Turbine, internal combustion, 856
- Turkey :
 oil deposit, 731
 search, 718
- Uganda, oil in, 414, 733
- Uruguay :
 annual oil production, 1517
 tax on refined fuel oils, 206
- U.S.A. :
 Eastern Interior Basin, developments in, 1321
 crude-oil production, 859, 971, 1364
 drilling activity and statistics, 245, 1334
 fuel consumption at refineries, 948
 natural gas consumption 1938, 860
 new oil-fields, 868, 1243
 petroleum refineries, 510, 694, 1038
 production and proven reserves, 869, 1330
 progress in development and production, 1248
 soil stabilisation, 1423, 1424
 South Mid-Continent, recent developments, 1432
 well completions in 1939, 970
 West Texas and New Mexico developments, 1433. *See also* Separate states
- U.S.S.R. :
 oil and gas content of Saratov, 9
 production, 597, 977
 survey, 989
 Permian Basin west of Urals, 951
 petroleum in Third Year Plan, 729
- Utah, San Juan Country, geology, 735
- Vapour-Liquid Equilibrium, 163, 1147
- Venezuela :
 crude reserves estimation, 224
 El Roble structure, 991
 geophysical methods, 427
 Maracaibo geology, 393
 oil concessions, 373
 developments, 8, 389
 production, 372, 375, 396, 711, 977, 1431
 report of Dept. of Petroleum and Hydrocarbons, 695
- Vinyl Polymers, structure of, 652, 653, 666
- Vinyl Resins, chemical composition and properties, 578
- Vinylacetylene, manufacture, (P) 502
- Viscometers, calibration of, 349
- Viscometry, present position, 534
- Viscosity :
 absolute system, 675
 and chain length, 1157
 constitution, 157
 determination of high, 540
 effect of pressure on, 182
 hydrocarbon solutions, 1182
 index, 143, 332, 333, 334, 335, 675
 measurement, 143, 1501
 of chemically related liquids, 145
 of dilute solutions of long-chain molecules, 165
 mixtures, 342
 pressure and temperature effects, 1184
 significance in use of oils, 530

- Viscosity—*cont.*
 temperature relationships, 337, 338,
 340, 341, 676
- Volatile Organic Liquids spreading pres-
sures, 1497
- Vollet machine for testing lubricants, 351
- Washington, oil possibilities, 605
- Waste :
 problems in petroleum industry, 304
 in oil reservoirs, 1113
 waters, dephenolising, (P) 1132
- Wells, filter tubes, arrangements of,
1273. *See also* Production and Pro-
duction Equipment
- West Indies, oil exploration, 405
- World :
 oil-fields, production activities, 261
 legislation on petroleum, 207, 376,
 600, 861
 production of petroleum, 465, 786,
 1236, 1331, 1431
- Wyoming :
 geology of Wind River Canyon Area, 1
 Salt Creek Oil-field, relation of tem-
 perature to structure, 741
- Xylenes, rearrangement of, 306
- Y.P.F., accident prevention, 1389
- Yugoslavia, bituminous shales in, 417
- Zinc, alkyl compounds of, 1161