

ABSTRACTS SUBJECT INDEX.

Numbers refer to Abstract Numbers. (P) denotes Abstract of Patent Specification.

- Absorption Oil, butane chilling, 158
- Acetone, high-temperature photolysis, 960
- Acetylene, copolymerization with butylene in silent electric discharge, 652
- Acid Clay, in Japan, 184
- Acidizing, 1075
- Adsorption Analysis of high-boiling petroleum oils, 511
- Aerial Survey, mapping from, 345, 818
- Aircraft Engines, diesel, performance, 675
- Air Photography, 345
- Airports, surfacing for, 1000
- Alabama, palaeozoic possibilities, 1051
- Alaska, drilling activity, 103
- Alberta :
 - extension of fields, 1054
 - gas and oil areas, 450, 451
- Alcohols :
 - catalytic dehydrogenation, 207
 - octane rating relationships, 770
 - synthesis and octane numbers, 612
- Alkanes, 1146
- Alkylation, 149
 - Californian plant, 489
 - hydrocarbons, (P) 143
 - isomerization of feed-stocks, 919
 - patents, (P) 1129
- Alternative Fuels, 74
- American Petroleum Industry, structure and opportunities, 442
- Analysis and Testing, general, 421
- A.P.I. specifications, 112
- Arctic Circle, aviation gasoline plant, 168
- Argentine :
 - crude production, 104
 - oil development, 257
 - oil production, 805
- Asphaltenes, researches on, 93
- Asphaltic Surfaces, testing permeability of, 424
- Asphalt Pavement :
 - tests of mixtures, 998
 - thickness determination, 999
- Asphalts :
 - coatings for pipes, 1185
 - composition, 1187
 - cutback continuous blending, 225
 - cutback revised specifications, 81
 - emulsified, specifications, 83
 - from Wyoming crude, 996
 - manufacture, (P) 227
 - patents, (P) 1190, 1319
 - pavements, 1186, 1189
 - production in U.S.A., 997
 - road materials, specifications, 82
 - specifications, 421
- Australia :
 - secondary recovery at Lakes Entrance, 248
 - Upper Palaeozoic of Western, 694
- Aviation Fuels :
 - from natural gasoline, 613
 - knock rating over 100 O.N., 772
 - safety, 218, 659
- Aviation Gasoline, storage drums, protection, 907
- Aviation spirit specifications, 1172
- Batch fractionation, 1292
- Batch effect of reflux ratio, 1291
- Bearings, oil retaining, 1178
- Benzenes :
 - alkyl, ferric chloride action, 956
 - boiling points, 637
 - effect of pressure on enthalpy, 638
 - hydrogenation, 328
 - mono-normal-alkyl synthesis and properties, 201, 202
 - polyalkyl nitration preparation, 58, 61, 62
 - polyethyl Jacobsen reaction, 60
- Benzole, fractionation of crude, 946
- Bitumen, Asphaltic :
 - adhesive properties improvement, (P) 435
 - distillation of, 987
 - flow properties, 85
 - identification in paving mixtures, 423
 - physical constants, 87, 89
 - soil stabilization with, 434
 - surface coverings, (P) 435
- Bitumen Emulsion, use on soil stabilization, 90
- Bituminous Materials, flow properties, 88
- Bituminous Road Materials, research and technology, 86
- Brazil :
 - drilling, 260, 812, 1047
 - oil development, 257
 - oil surveys, 797
 - petroleum investigation, 107
- Bromination of Cyclic Olefins, 952
- Butadiene, hazards, 94
- Butane :
 - depropanization, 175
 - isomerization, 634
- California :
 - Capitan field, 1057
 - drilling practices, 13
 - gas reserves, 8
 - geology, 689
 - Joaquin Valley, 1017
 - Mesa field, 1056
 - new discoveries, 344

- California—*cont.*
 new oil-fields, 1028
 Paloma field, 252
 Santa Maria field, 1058
 Temblor Range, 1016
- Canada :
 drilling, 1040
 oil industry, 806
 Turner Valley production, 1035
- Carbon, moulded, refinery uses, 939
- Carbon Black :
 isolation of fluoranthene from, 95
 in rubber compounding, 523
- Catalysts :
 from alloys, 604
 mixed, 194
 requirements in organic reactions, 603
- Charcoal Adsorption Test, 985
- Chemical Industry, fire hazards, 413
- "Chlorinolysis," 752, 753
- City Gas for special atmospheres, 912
- Clausius-Clapeyron Equation, nomograph for, 644
- Clay Suspensions, properties of, 119
- Clement-Pigneguy Knock Indicator, 238
- Coal :
 binding composition, (P) 769
 continuous distillation, 154
 hydrogenation, 917, 1126, 1127
- Colloidal Fuel, preparation, (P) 220, (P) 528
- Colombia :
 oil development, 257
 wildcatting, 809
- Colour designation, 1143
- Combustion, hydroxylation theory and modern furnaces, 187
- Condensation :
 elements of, 189, 190, 192, 193, 195, 197, 199, 325, 330, 414, 500, 632
 retrograde, 506
- Conductivity of hydrocarbons, 1294
- Co-operative Universal Engine for Aviation Single-Cylinder Research, 677
- Copper alloys for refinery, 1139
- Corrosion :
 cathodic control, 1116
 cathodic protection, 1119, 1133
 coating tests, 1118
 pipe-lines, 1120
 refinery, 1133
- Cracking :
 catalytic, 136
 catalytic, economic factors, 601
 on-stream time increase, 926
 patents, (P) 1125, (P) 1269
 processes, 389, 390, (P) 735
 skimming, 1284
- Cracking Plant :
 air-operated controllers, 476
 catalytic, 493, 1268
 furnace installations, 166, 915
- Cracking Processes, Houdry, 135
- Cracked Residues, solubility in some solvents, 32
- Creosote, fuel for C.I. engines, 1173
- Cresols, use as gum inhibitors, 324
- Crude Oil :
 analyses, 132, 733
 automatic treating plant, 588
 chloride content, 656
 correlation, 697
 cracking, 600
 desalting, 396
 gravity losses in production and handling, 292
 Illinois, analysis, 387
 Illinois Basin, refining characteristics, 35
 metering, 40
 Mississippi, refining characteristics, 1275
 refining progress, 394
 salts removal, 131
 Talco-treating methods, 388
 world production, 680
 world supply and demand, 337
- Crude Oil Emulsions :
 breaking, 592, (P) 903, (P) 923
 chemical treating, 587
- Crude Petroleum, world production, 804
- Crystal structure, solids, 1132
- C.F.R. Reference Fuels, calibration, 773
- Cuba, discoveries, 1045, 1049
- Dakota :
 leases, 1055, 1215, 1220
 potential oil area, 788
- Damp Courses, manufacture and testing, 92
- Density, hydrometers, petroleum tables for, 72
- Dehydrocyclization, 1297, 1298
- Detonation :
 octane-number race, 661
 theory of, 233
- Diazo Oxides, 1295
- Dienynes, cyclization, 63, 204
- Diesel Engines :
 control of smoke in, 99
 effect of atmospheric conditions on performance, 179
 underground, 438, 1329
- Diesel Fuels :
 cetane number, 991
 cetane-number increase, (P) 763
 evaluation in full-scale engines, 1007
 ignition characteristics, 1308
 ignition lag, 1196
 patents, 1177
 preparation of, (P) 220, 1326
 production of high-speed, 663
- Diethylene Glycol, use in dehydration-refrigeration plants, 177
- Diffusion :
 rôle in engineering operations, 969
 simplified calculation of processes, 1290
 thermal conductivity, 1288
- Distillation, azeotropic, 633
- Drilling :
 accidents, 1069
 acidizing, 1083
 acid-bottle readings, errors in, 18

Drilling—cont.

activity in 1941, 113
 adaptation of cementing plug, (P) 19
 bentonite, 1082
 bit performance, 837
 boiler plant for steam rig, 359
 casing deep wells, 568
 casing selection, 851
 casing size, 835
 cellulose filler to prevent loss of cement slurry, 278
 cement, acid-soluble, 374, 1225
 cementing, (P) 19, (P) 120
 cementing, water-cement ratio, 280,
 combination rotary and cable-tool, 822
 continuous logging, 16
 costs, 559, 711, 836
 crooked holes, 715
 deep, 274, 363, 566, 827, 850, 1233
 deepening of wells, 1091
 derricks, 1087, 1080
 depths, 558
 detailed studies, 452
 directional, 360, 714
 drill-pipe recovery, 556
 economic, 848, 849
 evaluation of rotary lines, 117
 fast records, 560
 filtering and dehydrating, (P) 19
 fishing, 453
 heaving shale, occurrence and treatment, 351
 heaving-shale problems, 456, 563
 hole straightening, 1081
 horizontal, 270
 horizontal wells, 1084
 increase in 1941, 794
 logging wells, (P) 282
 marine drilling barges, 279
 maritime and water-bed, 564, 1077
 mud treatment, (P) 19
 multiple sand, 102
 open water, 843
 orienting cores, (P) 19
 plotting slant holes, 281
 portable rigs, 1066, 1230
 Portland cement manufacture, (P) 282
 power-flow control, (P) 19
 power rigs, 820
 pressure maintenance, 853
 progress, 272, 847
 rapid penetration with high rotary table speeds, 353
 relationship of contractor to operator, 557
 removal of mud sheaths, (P) 19
 rig, portable, 357
 river-bed, 712
 rotary, 1067, 1070
 rotary mud treatment, (P) 282
 rotary speed of rotation, 460
 rotation of casing while cementing, 347
 safety in operations, 458
 sand-line coring, 269
 sealing water-bearing strata, (P) 120
 shallow, 567
 shooting, 356

Drilling—cont.

skidding derricks, 830
 slim-hole, 277, 716, 1068, 1228
 statistics, 854, 1024
 subsurface pressure records, 846
 surface casing repair, 562
 surveying wells, (P) 19
 tool-joints application to pipe, 115
 treatment for recovering lost circulation, (P) 120
 trends in 1941, 799
 under water, (P) 19
 unnecessary, 710
 wear of rotary lines, 348
 wire ropes, 346, 350
 Drilling Apparatus :
 apparatus for drilling wells, (P) 571
 roller cutter, (P) 365
 Drilling Equipment, 1072
 addition agent, (P) 462
 apparatus for cementing wells, (P) 571
 apparatus for surveying hose-holes, (P) 365
 bailer of the suction type, (P) 571
 barge mounted diesel electric rigs, 856
 bit-breaker, (P) 282
 bit for drilling well-bores by the rotary system, (P) 571
 blow-out preventer, (P) 19, (P) 462, (P) 571, (P) 857
 blow-out preventer and control lead, (P) 365
 boilers, 1078
 boilers, efficiency in firing, 824
 cable socket, (P) 19
 casing, A.P.I. specifications, 112
 casing and tubing-head assembly, (P) 462
 casing centraliser, (P) 282
 casing protector applicator, (P) 282
 cathad, (P) 19
 cathad drum, (P) 571
 cement dump-bailer, (P) 462
 cement spray bailer, 713
 cementing head, (P) 120
 cementing hook, (P) 19
 cementing plug, (P) 282
 cementitious composition, (P) 365
 choice of, 554
 clean-out bailer, (P) 19
 colloid mill, (P) 365
 colloidal suspension, (P) 365
 combination rope-socket and jar, (P) 462
 combustible gas indicator, (P) 365
 complete unitary derrick, (P) 282
 core-bit with roller cutters, (P) 462
 core-catcher, (P) 19, (P) 571
 core-drill for rotary drilling apparatus, (P) 365
 core-drill with a core barrel, (P) 571
 core-taker, (P) 282
 Crown-block construction, (P) 462
 Crown and travelling block for deep drilling, 555
 deep, 852
 deflecting tool, (P) 857

Drilling Equipment—*cont.*

- derrick crown construction, (P) 365
- derrick elevator, (P) 462
- detachable drill-bit for percussive drilling, (P) 462
- diamond bit, (P) 19
- directional apparatus, (P) 857
- directional firing casing and formation gun, (P) 282
- diesel-engined rigs, 841
- draw-work, (P) 571
- drill, (P) 19
- drilling apparatus of the rotary type, (P) 462
- drilling barge, (P) 571
- earth boring apparatus, (P) 571
- fishing tools, (P) 19, (P) 857
- float-valve, (P) 120
- go-devil, (P) 282
- guard, (P) 19
- hard-facing tool-joints, 844
- high-pressure, 1073
- high-speed chain, 834
- hoist, (P) 19
- hoisting cable, (P) 365
- hole under-reamer, (P) 282
- hose and coupling, (P) 19, (P) 571
- hose coupling, (P) 282
- hose reinforced, (P) 365
- hydraulic couplings, 358
- hydraulic head integrator, (P) 365
- instruments for logging and sampling, 461
- internal-combustion rigs, 855
- jar, (P) 857
- line-spools, (P) 571
- locating cement behind casing, (P) 365
- manufacture of Irish moss, (P) 365
- means and method of drilling wells by means of a rotary system, (P) 462
- and method for solidifying underground structures, (P) 462
- for protecting pipe-ends, (P) 365
- for recovering cemented well casings, (P) 365
- mechanism for driving pipe, (P) 365
- method and apparatus for completing wells, (P) 365
- method of determining volume of a lower uncased portion of well, (P) 571
- method and apparatus exploring drill-holes, (P) 462
- for suspending well-casing, (P) 571
- for surveying wells, (P) 462
- mid-line pressure-control valve, (P) 571
- oil-well rig-power transmission apparatus, (P) 571
- open-hole support, (P) 365
- outside pipe-cutter, (P) 365
- overshot fishing tool, (P) 462
- packer, (P) 19
- pipe-clamp, (P) 19
- pipe-cutter, (P) 120
- pipe-cutting tool, (P) 19
- pipe-joint tester, (P) 857

Drilling Equipment—*cont.*

- pipe and pipe flange tongs, (P) 857
- pipe-tong support, (P) 571, 1229
- portable derrick, 459
- portable, design and performance, 845
- portable oil-field boiler, (P) 365
- portable rig, (P) 19
- pressure control, 1074
- pressure core-barrel for rotary coring systems, (P) 571
- pumps, 1227
- reamer, (P) 282, (P) 571
- removable bridging plug for oil-wells (P) 365
- repair, 823
- replacement bearing sleeve, (P) 365
- rock-bit cutter, (P) 571
- rope-socket, (P) 462
- rotary tool joints, field care, 821
- rotary, (P) 19
- rotary bit, (P) 282
- rotary drill-bit, (P) 571
- rotary drilling snubbing ram, (P) 365
- rotary lines, 561
- rotary machine, (P) 120
- rotary slip, (P) 365
- rotary swivel, (P) 571
- service records, 842
- shale separator, (P) 282
- sheave-block, (P) 19
- slow-setting cements, (P) 462
- slush-pump, 838
- slush-pump valve, (P) 120
- spudders, 455
- stove-pipe fastening, (P) 282
- structural steel derrick, (P) 19
- structural steel tower to be used as a derrick, (P) 571
- submersible barge, (P) 19
- suction-pipe elevator, (P) 282
- surface-control, and maintenance, 582
- suspension of solids, (P) 462
- swedge, (P) 571
- swivel, (P) 19
- swivel for rotary drilling, (P) 571
- take-off tool, (P) 19
- tensioning device, (P) 282
- threadless drill-stem, (P) 365
- thread locking means in a tool-joint, (P) 571
- thread protector for pipes, (P) 282
- tool-joint, (P) 365, (P) 571
- tool-removing device to remove whipstocks from bore-holes, (P) 571
- travelling block, (P) 365
- two-engined rig, 839
- under-cutter, (P) 571
- unitized, 833
- valve-in-head packer, (P) 120
- water-tube boilers, 457
- weight indicator, (P) 571
- welded casing joint, 365
- welding tool joints on drill pipe, 362
- well-bridging plug, (P) 365
- well-drilling mast, (P) 19, (P) 365
- well perforator, (P) 120
- well-plug, (P) 365

Drilling Equipment—*cont.*

- well-reamer, (P) 19
- whipstock, (P) 282, 1232
- wire rope clamp, (P) 282
- wire ropes, 271

Drilling Fluids :

- chemicals for treatment of, 12
- control, 118
- effects of different properties, 15
- hydraulics of mud-circulating systems, 17

non-aqueous, (P) 19

oil-base, 11

properties, determination, 116

Drilling Muds :

- admixtures and chemicals used in, 275, 1235
- control, 354, 355
- clay and other minerals used in, 364
- deep drilling, 1071
- effects of different properties, 454
- flow, 825
- flow in circular pipes, 717
- logging, 1226, 1231
- oil-base, 819
- particle size distribution, 718
- plastering properties, 352
- refrigerated for heaving shale, 563
- sand-removing device, 268
- steel storage *v.* open pits, 361
- treatment of, 273, 276, 826
- viscosity, 1236

Drying Oils :

- polymerization, 639
- production, (P) 392

Economics :

- oil in international relations, 779
- validity of competition in natural resource industry, 1013

Ecuador, oil production, 810, 811, 813

Education, 1206

petroleum engineering, 780

Electric Power, use in Petroleum Industry, 376, 377

Emulsions, 1160, 1161, 1163, 1164

bituminous, 1188

patents, (P) 1193

stability of, 84

Engineers, place in petroleum industry, 840, 887

Engines :

aircraft, 1199

bearings, 1178, 1194

bearing metals, 678

bearing temperatures, 439

C.F.R. tests, 1198

C.I. creosote fuel, 1173

condenser-type indicator, 673

C.U.E., 677

diesel, 1195

diesel, cylinder liners, 676

diesel locomotives, 1203

exhaust-pipe pressure waves, 671

exhausts, 1197

fuel economy, 97

gasoline-coal fuel, behaviour in, 236

Engines—*cont.*

gas, cylinder liner wear, 670

Kadenacy, characteristics, 526

Kadenacy system, theory of, 1005

Kadenacy, tests on, 775

petrol, 669

petrol, conversion to gas, 672

piston deposits, 223

safety devices for heavy-oil, 1006

temperatures, 1328

valve deposits, 98

Ethane :

fluorinated derivatives, 48

hydrates, 635

Ethers, octane rating relationships, 770

Ethylene :

catalytic polymerization, 478

fluorinated derivatives, 48

Ethylene oxide, production, (P) 412

Europe :

oil search, 256

Explosions :

prevention in petroleum industry, 948

Explosives :

annual report of Explosives Division, 1008

petroleum, 1191

Extreme-pressure lubricants, (P) 1184

Filter, oil, (P) 437

Fire Extinguishers, 413

Fire-lighters, preparation with bituminous substance, (P) 436

Fire Prevention, 404

Fires :

fighting with CO₂ extinguishers, 949

prevention in petroleum industry, 948

Firing Time Test, 217

Flame Gases, temperature and latent energy, 776, 1286

Flame Temperature, 649

Flammable Liquids and Gases, properties of, 499

Florida, deep well at Niceville, Okaloosa County, 690

Flow :

of gas through porous media, 509

of heat through porous media, 728

method of control, 508

measurement, 944

Fluorescence, quenching in solution, 52

Fluorine, action on organic compounds, 208

Fractionating Columns, 1170

Fuel Oils, pour-point decrease, (P) 992

Fuel-tanks, corrosion, 904

Fuel Technology, recent developments, 514, 777

Furfural solvent, 1148, 1273

Furnace Oils, testing, 480

Gas-Liquid Equilibrium Constants, 327

Gas, Gases :

absorption in bubble-cap columns, 970

activity coefficients, 756

carburiing, 913

viscosity at high pressure, 502

- Gasoline-Coal Fuel, 236
 aviation specifications, 1172
 colour, 1143
 gum inhibitors, 323
 high octane by refining, 938
 lead determination in, 422
 lead response by desulphurizing, 1276
 octane rating calculation, 215
 oxidation prevention, (P) 426
 shipment in war-time, 927
 specifications, 421
 stabilization, 658
 tetraethyl lead, determination in, 216
 use of lecithin in, 660
- Gas Oil, hydro-cracking, 474, 475
- Gaseous Fuels, annealing atmospheres, 910
- Geochemical :
 exploration, 263
 methods, 1063
 prospecting, 553
- Geochemistry :
 prospecting principles, 9
- Geological Models, construction of, 241
- Geophysical Surveying :
 exploration, 1061, 1062
 general survey, 264
 gravimeter, 262
 magnetic, 1223
 radio-activity, 267
 seismic velocity, 1017
 seismic investigations, 551, 552
- Geophysics :
 advancements, 1059
 geodynamic prospecting, 1060
 gravity meter, 1064, 1065
- Glycerine, synthetic, from petroleum, 410, 521
- Greases :
 fluid, consistency determination, 982
 manufacture for special purposes, 432
 testing 1167, 1312
- Gulf Coast :
 development, 548
 geology, 545
 history, 542
 new fields, 541
- Holiday detector, 1121
- Hungary, oil industry, 791
- Hydrocarbons :
 aliphatic, preparation and properties, 56, (P) 145
 aromatic content, increase of, (P) 145
 boiling points, 1158
 carcinogenic, derivatives, 65
 carcinogenic properties, 953, 957
 catalytic de-hydrogenation, 49
 chemical constitution and carcinogenic activity, 54
 chlorinated, thermal conductivity, 1287
 chlorination, 749, 752, 753, 754
 contact phenomena, 976
 cracking chemistry, 914
 densities and refractive indices, 950
 destructive hydrogenation, 391
- Hydrocarbons—*cont.*
 electrical pyrolysis, 329
 equilibria in reactions, 331
 equilibrium constants, 123
 fluorescence, 1159
 freezing points, 1167
 gaseous, free energies of formation, 972
 halogenated, solubility of donor solutes, 53
 hydrogenation of unsaturated, 965, 966
 infra-red absorption studies, 50
 kinetics and mechanism of decomposition, 196
 mercuration of aromatic, 751
 octane rating relationships, 770
 olefins, preparation of higher, 955
 oxidation, 1154
 oxidation of aromatic, 646
 petroleum-like synthesis, 144
 phase equilibria, 640, 643
 polymerization, (P) 393
 production of branched-chain, (P) 307
 properties of paraffin, 971
 pure, octane ratings, 75
 pyrolysis, 1303
 refractive indices, 1155, 1300
 separation by selective absorption, 655
 specific heat of liquid, 415
 spontaneous ignition, 1200
 sulphur, 1304, 1306
 synthesis, 980, 981, 1302
 synthetic, 738
 thermal data, 1299, 1301
 unsaturated estimation by bromine additions, 419
 vapours, solubility in water, 964
 viscosities of homologous series, 978
- Hydrocarbon Systems, phase equilibria, 503
- Hydroforming, 400, 734, 742
- Hydrogenation :
 coal, 1126, 1127
 economic aspects, 681
 high-molecular-weight polymers, 504
 of benzene, mixed catalysts, 328
 of petroleum fractions, 306
 patents, 1128, 1270
 tar, 736
- Illinois :
 Benton field, 803, 1026
 crude oils, refining, 35
 daily production, 447
 development, 103
 drilling practice, 114
 Gallatin County, new pool, 5
 new fields, 801, 1213, 1217
 well logs and field data, 446
- Indiana, Ohio, drilling, 1042
- Insulating Oils, conductivity under alternating stress, 657
- Intramolecular Rearrangements, 951
- iso*-Octane, production by isomerization, 977
- Isomerization :
 hydrocarbons, (P) 143
iso-octane production, 977

Japan :
 acid and activated clay in, 184

Kansas :
 development, 1052
 discoveries, 1038, 1221
 gas reserves, 6
 production, 536
 stratigraphic traps, 255, 1021

Kerosine :
 absorption oil, 1137
 burning test, 71
 oxidation, 420

Ketones :
 octane rating relationships, 770
 use as high-octane fuels, 334

Knock Rating :
 Clement-Pignegy indicator, 238
 extension of octane scale; 771
 method of testing, 1327

Knocking :
 theory of, 233
See also Detonation

Kogasin, synthesis, 308

Lacquers used in internal proofing of
 tins, 436

Liquefied Petroleum Gases, market, 240

Lisbon Sugar Creek, oil possibilities,
 246

Los Angeles Region, future oil possi-
 bilities, 2

Louisiana :
 Cotton Valley, 1112
 discoveries, 1029, 1034
 Eola oil-field, 1018, 1210
 oil development, 544
 Olla field, La Salle Parish, 705, 1222
 production, 1044
 South, drilling activity, 4

Louisiana Gulf Coast, drilling develop-
 ment, 251

Lubricants :
 boundary, 1181, 1314
 extreme-pressure, (P) 1184
 four-ball test, 517
 heavy duty motor oils, 1183
 oxidation, 1180
 oxidation tests, 425
 percussion type drill lubricant, (P) 437

Lubricating Greases, analysis and test-
 ing, 73, 1312

Lubricating Oils :
 addition agents, 76, (P) 224, (P) 766,
 1313
 additives for, 428, 666
 catalytic effect of metals on ageing, 79
 dewaxing, (P) 630
 distillate, 1179
 effect of engine metals on deteriora-
 tion, 222
 engine tests for heavy duty, 993
 extreme-pressure addition agents, 765
 extreme-pressure, improvements, (P)
 224
 filtration and distribution, 77
 manufacture, 764

Lubricating Oils—*cont.*
 oxidation prevention in refining, (P)
 408
 performance indications, 335
 physical properties at high pressure,
 501
 preparation, (P) 433
 production, (P) 224
 recovery of used, 180, 181
 refining, 317
 speciality, 432
 synthesis by condensation, 33, 34
 synthetic, (P) 412, 610, 740
 stabilization, (P) 519
 used, recovery of, (P) 224

Lubrication :
 chemical plant, 431
 modern trends, 994
 non-fluid, 221
 oil flow through engine bearings, 427,
 1315
 plane sliders, 518, 665
 seizure between lubricated hard steel
 balls, 80
 static friction of lubricated surfaces, 78
 valve, 430

Macropolymerization, mechanism of
 activation, 66

Mercaptans, photolysis, 1162, 1306
 caustic-methanol extraction process,
 1283

Metering, 1117
 compressor losses caused by orifice
 meters, 744
 crude oil, 40
 displacement viscosity effect on, 37
 problems in distillate measurement,
 42

Meters :
 calibration in pipe-lines service, 41
 displacement, design and application,
 39, 43
 progress in crude pipe-line service, 44
 volume, 38

Methane, 1174
 chlorination, 68
 cracking in electric arc, 653
 hydrates, 635
 induced pyrolysis, 139
 solubility in *cyclo*Hexane, 647
 solubility in *n*-hexane, 975

Methane as Motor Fuel, 988

Methane-Propane-*n*-Pentane System,
 phase behaviour, 121

Mexico :
 drilling in, 807
 petroleum production, 109

Michigan, deep exploration, 110

Micropalæontology, 1014

Mid-Continent, drilling activity, 3

Mileage, methods of increasing, 237

Mississippi :
 well logs and field data, 343, 1216
 wildcatting results, 249

Missouri, geology and development, 1

Mosquito Larvicides, 524

- Motor Cars, design trends, 674
- Motor Fuels :
- anti-knock addition agents, (P) 515
 - C.F.R. Survey, 1171
 - high anti-knock, (P) 662
 - ketones, 334
 - liquefied gases, 989
 - methane as, 988
 - non-knocking production, (P) 1010
 - octane number improvement, 146
 - patents, 1175, 1311
 - production, (P) 426, (P) 762
 - synthetic, (P) 143, 610
 - trends in production, 513
- Morphine Determination in Opium Dross, 986
- Natural Gas :
- compressibility factors, 287
 - composition, 473
 - dehydration, 134
 - dehydration units for wells, 725
 - density, 1123
 - deviation from Boyle's Law, 191
 - estimating availability of, 296
 - hydrate troubles, 133
 - liquefaction plant, 908
 - liquefying for peak load supply, 470
 - methyl chloride, 1151
 - partial oxidation, 188
 - production in Ontario, 471
 - products from, 767
 - reserves at Hugoton and Panhandle, 6
 - reserves in California, 8
 - spacing of wells, 726
- Natural Gas hydrates, 1149, 1258
- Natural Gasoline, aviation fuel from, 613
- Natural Gasoline Extraction, stabilization process, 395
- Naphthenic Acids :
- in speciality formulæ, 228, 1322
 - synthesis, 205
- Nebraska :
- geology and development, 1
 - geology of Western, 707
 - leasing in, 537
 - well logs and field data, 253
- neo-Hexane for 100 Octane plus, 411
- New Mexico :
- drilling activity, 448
 - position of San Andres Group, 684
 - sodium sulphate source, 687
- New Zealand, oil-shale deposit, 778
- Nickel Catalysts, selective poisoning, 57
- Nitrogen compounds in petroleum distillate, 47
- Nitroparaffins, production, 608
- Northern Great Plains Basin, geology and economic significance, 790
- Octane Number :
- determination and concept, 234
 - "road" octanes, 235
- Octane Rating Trend, 990
- Octane Scale, extension above 100 O.N., 771
- Oil Shales, 679
- classification, 100
- Oklahoma :
- exploration of new fields, 532, 1209
 - geology, 682
 - opal sediments in Wichita Mountains, 691
 - Panhandle, drilling campaign, 800
 - reserves, 1031
 - rotary drilling, 1067
 - well logs and field data, 7
- Olefines :
- chlorination, 962
 - hydration, 1152
 - polymerization, 1296
- Ollett tube cleaner, 512
- Organic Liquids, volatile, spreading on water, 55
- Organic Molecules, free energy and structure, 755
- Orsat Analysis, accuracy in, 333
- Oxygen, reactions, 1150
- Paints, petroleum solvents for, 211
- Paraffin Waxes :
- cracking, 1124
 - development of special, 1003
 - separation, 67, 200, 759
 - solubility in petroleum fractions, 645
 - sweating, 322
- Paraffins, thermodynamic properties, 505
- Paraguay, oil possibilities, 250
- Paving Mixtures, identification of bitumen in, 423
- Pennsylvania, drilling results, 1039
- Pentane, thermal properties, 974
- Peru :
- Agua Calientes field, 106
 - refinery, 620
 - production, 449
- Petroleum :
- historical, 1205
 - hydrogenation, 605
 - improved pharmacopœia tests, 760
 - partial oxidation, 188
 - raw material, 979
 - war problems, 1201, 1202
- Petroleum Distillates :
- nitrogen compounds, 47, 958, 959
 - nitrogen compounds in, 47
- Petroleum Emulsions, breaking, (P) 300
- Petroleum Geology :
- acidizing oil reservoirs composed of sands, 783
 - Appalachian Geosyncline, 781
 - Appalachian structure, problems of, 695
 - applied sedimentology, 787
 - Arbuckle dolomite, 101
 - Chester and Illinois Basin, 784
 - Devonian in Western Kentucky, 703
 - Devonian production, 795
 - distillate sands production, 796
 - estimation of reserves, 688, 886, 888
 - faulting and dome development, 340
 - formation samples, 706
 - future of field, 693

- Petroleum Geology—*cont.*
 Hawkins field reserves, 339
 maritime development, 547
 Midway Fauna of Western Gulf Province, 701
 Northern Hemisphere oil possibilities, 342
 oil from known domes, prediction, 546
 sediments in fresh-water lakes, 782
 Simpson Group, Oklahoma, 702
 Western Michigan, 704
- Petroleum Industry :
 corrosion in, 183
 developments in, 141
 machine-design problems, 593
 welding in, 182
- Petroleum Substitutes, world production, 338
- Petroleum Sulphonic Acids, 229
- Petroleum Toluol, 400
- Phase Rule, 186
- Phenanthrene, synthesis, 206
- Phenol :
 catalytic hydrogenation under high pressure, 510
 synthesis, 750
- Philippines, Drilling, 1207
- Pipe-lines :
 anaerobic corrosion, 130
 cathodic protection, 301, 302, 303, 305, 597, 905
 corrosion prevention, review of progress, 304
 corrosion, prevention, 386
 development of charts, 45
 examination, 1121
 protective coatings, 385
 sodium silicate as corrosion inhibitor, 906
- Plant Exchanger Transfer Rates, 326
- Polybutene, rubber-like properties, 522
- Polyform Process, 390, 402
- Polyisobutylene, X-ray examination, 46
- Polymerization :
 catalytic, 138, 1271
 hydrocarbons, (P) 143, 1296
 patents, (P) 1129, (P) 1272
 polyform process, 140
 thermal, 142
- Pressure Vessels, welded, stress-relieving, 924
- Producer-Gas Vehicles, 672
- Production :
 acidization, 468, 586
 acidizing, 586, 595, 1134
 acidizing gas fields, 368
 acidizing treatment, 294
 air injection, 723
 allocation principles, 127
 apparatus for pumping oil-wells, (P) 383
 apparatus for washing perforations, (P) 596
 barge for wells in Lake Maracaibo, 290
 behaviour of oil and gas from Rio Bravo field, 122
 brine disposal, 285
- Production—*cont.*
 casing damage, 877
 casing pumps, 1086
 cathodic protection of casings, 722
 chart for calculating percentages of oil and salt water, 293
 cleaning out wells, 1099
 cleansing from organic deposits, (P) 31
 collapsing tool seal, (P) 596
 combination packer and swab device, (P) 469
 combined guide and scraper, (P) 596
 completion practices, 883
 completion problems, 349, 1239
 connate water, 1246, 1248
 control-valve for well-castings, (P) 469
 core-analysis interpretation, 861
 core analysis, 26, 126, 870, 898
 counterbalance device, (P) 469
 cycling economics, 464, 467
 cycling plant, 1107
 deep-well bridge, (P) 383
 deep-well pump, (P) 383
 dehydration, 1097
 dehydrogenation, 472
 densities of well fluids, (P) 596
 directional drainage, 1111
 earth boring, (P) 300
 electric drive, 376, 377
 electric power pumping plant, 724
 energy requirements for pumping, 465
 engineering research, 899
 field study of valve cups, 897
 filtration, 1245
 flooding, (P) 300, (P) 469
 flow in condensate reservoirs, 896
 flow-valve, (P) 469
 fluid-actuated pump, (P) 383
 fluid displacement in sands, 901
 gas-condensate fields, 378, 379, 380, 381, 382, 1259
 gas injection, 371, 576
 gas-lift, 594, 1243
 gas-lifting operations, 584
 gas-oil ratios, 1096, 1250
 gas-recycling project, 583
 gas-well gauging, 466
 gravel, use of in wells, 871
 gravelling, (P) 129
 gravel packing, (P) 300
 gravel-screens, 900
 high-pressure acidization of cores, 893
 hydraulic oil-well packer, (P) 383
 hydraulic pumping, 578
 hydropneumatic counterbalance, (P) 469
 increased recovery, 867
 intermittent gas-lift control, (P) 383, 1256
 lime wells, 792, 1234
 liquid recovery and gas recycle, (P) 31
 measurement, 1105, 1094, 1242
 method and apparatus for measuring depths in wells, (P) 383
 method and apparatus for producing oil and gas, (P) 383
 method of cleaning wells, (P) 469

Production—cont.

- method of producing oil and gas, (P) 383
- method of recovering oil, (P) 596
- method of repressuring, (P) 383
- method of treating well-bore walls, (P) 596
- method of treating wells to increase production, (P) 596
- method of treating wells with hydrochloric acid, (P) 469
- models, use of, 1249
- modern well studies, 21, 23
- mud-wall disintegrator, (P) 596
- multiple-zone completions, 892
- offshore hazards, 864
- oil recovery by air-drive, 28
- oil-sands treatment, 872
- oil-well cleaner, (P) 469
- oil-well pump and sand-trap, (P) 469
- oil-well testing device, (P) 383
- oil and gas life, 1101
- packing device, (P) 383
- paraffin formation prevention, 286
- paraffin removal, (P) 300, 463, 1093, 1108
- patents, (P) 1115
- permeability, 1114, 1252, 1254
- pipe-hanger for a well-head, (P) 383
- pipe-joint, (P) 596
- pitless pump, (P) 383
- plugback methods, 370
- plunger lift operation, 30
- pressure, natural gas, 298, 1255
- pressure-core analysis, 862
- pressure maintenance, 20, 24, 297, 572, 573, 1110, 1240
- prevention of flood delays, 128
- process for separating gas and oil, (P) 383
- processes for resolving petroleum emulsions, (P) 383
- proration, 296a, 375, 731, 1113
- pump, (P) 383
- pumping, 1089, 1092, 1106, 1109
- pumping and drilling unit, (P) 383
- pumping directionally drilled wells, 891
- pumping, electrical, 895
- pumping equipment, 367
- pumping mechanism, (P) 596
- pumping practices, 369
- pump-plunger, (P) 469
- reconditioning of wells, 858, 885, 889
- recovery of condensate, 125
- recycling, 730, 866, 869
- releasing pump-plunger, (P) 383
- repressuring, 366, 579, 580, 591, 1088, 1238, 1244, 1253
- reservoir performance, 29, 288, 1261
- resolution of oil and water emulsions, (P) 596
- re-working wells, 373
- salt-water injection, 574, 1241
- sampling distillate wells, 372
- sampling and flow measurements, 25
- sand-pump, (P) 596
- scrubbers, 1100

Production—cont.

- secondary recovery, 289, 585, 865, 868, 1260
- stripper well operations, 874
- submersible electrical motor, (P) 469
- subsurface flow control, 581
- subsurface lifting equipment, 890
- subsurface pressure, application of data, 729
- subsurface pressure measurements, 283
- sucker-rod with ratchet wheel, (P) 596
- treatment of calcareous wells, (P) 31
- treatment by a liquid sealing agent, (P) 31
- treatment of wells, (P) 469
- treatment of wells with hydrochloric acid solution, (P) 469
- treatment to increase flow, (P) 200
- treatment with acid, (P) 129
- treatment with an alloy, (P) 31
- trends in practices, 291
- tubing, (P) 596
- tubing-rack, (P) 596
- unitization and cycling, 882
- utilization of waste heat, 873
- water control, 27, 1263
- water-drive, 902
- water flooding, 575, 727, 1090
- water for flooding, 22
- water injection, 295
- water shut-off, (P) 383
- well-cap, (P) 596
- well-completing device, (P) 596
- well-completion methods, 14, 381, 894
- well completions, 815
- well completions in 1940, 1941, 341
- well-controlling apparatus, (P) 469
- well-control equipment, (P) 469
- well-packer, (P) 383
- well potentials determination, 863
- well-pump, (P) 383
- well-pumping apparatus, (P) 596
- well-pump lock, (P) 596
- well-shooting, 299
- well-shooting bridge, (P) 383
- well-spacing, 124, 284, 726
- well-spacing problems, 881
- Production Equipment :
 - adjustable flow-bean, (P) 31
 - aerating device, (P) 300
 - air balance, (P) 31
 - automatic controls for closing wells, 721
 - bore-hole pressure gauge, (P) 129
 - bridging plug, (P) 903
 - casing washer, (P) 300
 - economic selection of, 875, 876, 879, 880
 - flow device for gas-lift operations, (P) 903
 - fluid counterbalance, (P) 31
 - formation tester, (P) 31
 - gas-lift apparatus, (P) 300
 - gun perforator, (P) 31
 - inspection, 577
 - liner, (P) 300

Production Equipment—*cont.*

- locating perforating means, (P) 300
 - packer washer and well-booster, (P) 300
 - perforation cleaner, (P) 300
 - pipe couplings, (P) 31, (P) 300
 - pressure control tubing-head, (P) 129
 - pressure tester, (P) 129
 - pump anchor, (P) 300
 - pump, pumps, (P) 31, (P) 300
 - pumping, 859, 860
 - pumping, maintenance, 878
 - pumping unit, (P) 903
 - rocker-arm bearing, (P) 300
 - safety cleaning tool, (P) 31
 - sand-sucker, (P) 129
 - screen pipe, (P) 300
 - stuffing-box, (P) 31
 - submersible pump, (P) 31
 - submersible pump motor, (P) 31
 - sucker-rod fatigue-testing machine, (P) 903
 - swab, (P) 31, (P) 300
 - well-agitator, (P) 31
 - well-packer, (P) 300
 - well-pipe plug, (P) 31
- Production of Oil, oil recovery by air and gas drive, 720

Propane :

- chlorofluoro-, 209
- dehydrogenation, 636
- oxidation, 51

Propylene :

- P.V.T. relations, 642

Pumping Equipment, guide, (P) 31

Radiation Pyrometer, 650

Radioactivity, 1053

Rectifying Columns, reflux regulator for, 210

Reference Fuels, calibration of tetraethyl lead in, 1009

Refining :

- absorber performance and design, 627
- acid clay, 184
- air preheaters for petroleum heaters, 941, 942
- boiler feed-water treatment, 399
- bubble-plate columns, performance of, 745
- catalysts, 150
- centrifugal separation of doctor-black-strap emulsions, 481
- charging stock and products recovered, 318
- charts for solving orifice equations, 417
- close fractionation, 930
- cold acid treatment, 147
- condensate recovery, 761
- conversion of Pennsylvania Stock, 321
- copper-sweetening and stabilization, 408
- crude oils, 394
- delayed coking, 936
- desulphurization process, 490
- de-waxing, improved processes, (P) 408

Refining—*cont.*

- distillate recovery from doctor solution, 743
 - distillates recovery, 157
 - Doctor Test significance, 176, 212
 - flue-gas circulation, 934
 - fog prevention in cooler condensers, 943
 - gas lift and gasoline manufacture, 161
 - gum and sulphur removal, 615
 - heat insulation on cylindrical surfaces, 622
 - heavy hydrocarbons, (P) 748
 - high pressure absorption, 631
 - multi-component distillation problems, 625
 - multi-component rectification, 623
 - Perco copper sweetening, 482
 - performance of ejectors, 628
 - phosphorus pentoxide as refining agent, 316
 - pipng systems, rate of flow in, 162
 - plant design, 1140
 - processes, 174, 402
 - production of high octane fuels by, 616
 - propane treating with caustic solution, 311
 - reforming, 1138
 - refrigeration functions, 741
 - sharpness of separation in batch fractionation, 495
 - slurry-type copper chloride treater, 407
 - solid copper sweetening process, 156
 - solutizer process, 36, 146, 1274
 - solutizer sweetening, 483
 - "solutizers," 938
 - solutizers in mercaptan extraction, 624
 - solvent extraction, 317, 621
 - South African materials as substitutes for imported earths, 406
 - Stratcold process, 155
 - sulphur removal, 629
 - sulphuric acid fog, removal, 164
 - sweetening, 485, (P) 630
 - toluene-benzene purification, 618
 - water conditioning, 313
 - welding, 1281
 - world's facilities, 148
- Refineries :
- Arctic Circle, 168
 - boiler feed-water level control, 169
 - boiler operations, 159
 - dehydration, refrigeration plants, 177
 - equipment inspection, 151, 152
 - field lining of vessels, 153
 - fuel consumption in, 529
 - graphical methods applicable to problems in, 170
 - high-chromium alloys, 925
 - still tubes, re-use, 171
 - U.S.A., 747
 - world survey, 617
 - Y.P.F., capacities, 746
- Refinery Equipment :
- alloy steels, 1136
 - coolers, submerged, 1278

- Refinery Equipment—*cont.*
 copper alloys, 1139
 corrosion prevention, 935
 high-tensile steel, 310
 open-tank condensers, corrosion, 933
 pipelines, expansion in hot, 1277
 steels for, 928, 929, 931
 vertical pumping, 405
- Refinery Gases, H₂S removal, 178
- Refinery Plant :
 alloys for, 320
 caustic control of steam boilers, 160
 copper-chloride treater, 619
 failure of refractory lined wall, 173
 fractionation concentrated at one point, 172
 fuel-oil burner, 319
 heat-exchange apparatus, (P) 408
 layout and application of stainless strip lining to vessels, 312
 open-type cooler, 309
 packed columns for close fractionation, 416
 power requirements, 163
 propeller pumps for circulation of molten salt, 315
 refrigeration, dehydration and repressuring, 167
 scale removal, 165
 thermal insulation, 487
 tube grouping in round shell exchangers, 401
 water conditioning, 614
 water problems in cooling systems, 484
- Refractive indices, 1155
- Rerun unit, 1279
- Road Oils, sales increase, 226
- Roads, bituminous road surface, production, (P) 227
- Rocky Mountain production, 1033
- Roofing Felts, manufacture and testing, 92
- Rubber :
 carbon black in compounding, 523
 from petroleum gases, 409
 incorporation in lubricating oils, 429
 infra-red spectra, 757
 synthetic, 231, 611, 739, 921, 922
- Russia, *see* U.S.S.R.
- Sands, Recoverable Oil, 1015
- San Joaquin Valley, well logs and field data, 245
- Soil Mechanics in Foundation Engineering, 91
- Soil Stabilization, 90, 434
- Solvents, vapour pressures, 967
- South America, oil development, 257, 259
- Steam Generating Unit, 1282
- Steels :
 cracking tube service, evaluation of, 332
 creep, 492
 for low-temperature service, 314
 for refinery, 1136
 for Refinery Service, 310
- Steels—*cont.*
 protective atmospheres for hardening, 911
 refinery equipment, 928, 929, 931
- Stoddard Solvent, specifications, 421
- Storage Tanks :
 cathodic protection, 384
 contents nomograph, 598
 installation, 1251, 1266
- Sulphonation, 1153
- Sulphuric Acid from Refinery Sludge, 768
- Synthetic chemicals from petroleum, 609
- Synthetic Products, patents, (P) 1130
- Tar, hydrogenation, 736
- Tetraethyl Lead, manufacture and use, 96
- Texas :
 drilling practice, 569
 Dyersdale field, 444
 Edna Gas field, 685
 Hawkins field, 443, 786
 Hull-Silk field, 244
 La Rosa field, Refugio County, 692
 Mambro field, 1030
 new oil- and gas-fields, 1027
 North Cowden field, Ector County, 698
 Old Ocean field, 1091
 Page field, Schleicher County, 699
 Permian basin, 1037
 production, 1025
 Silurian production, Shipley field, 696
 well logs and field data, 802, 1211, 1214
- Texas East.*
 drilling campaign, 243
 Hawkins field, 549
 prospecting, 1032
- Texas North.*
 drilling, 539
 drilling shallow wells, 567
 oil development, 254
- Texas South.*
 production, 530, 543
- Texas South-West.*
 development and production, 531
- Texas West.*
 drilling activity, 1048, 1234
 well logs, 1020
- Toluol from Petroleum, 400, 1320
- Torbanites, 679
- Traberal gas, use in refining, 1135
- Transport and Storage :
 drum construction, improvement, 397
 economic pipe-size for viscous and non-viscous fluids, 599
- Transformer Oils, preparation, (P) 232, (P) 437
- Transvaal, technical study, 441
- Trinidad, drilling technique, 832
- Trinitro toluol, 1191
- Turbine Oil, preparation, (P) 232
- Ultra-Violet absorption spectrum, 1157
- U.S.A. :
 discovery rates, 817
 natural gasoline plants, 1012
 refineries, 747

- U.S.S.R. :
development of gas reserves, 247
natural gas reserves, greater use
planned, 708
new oil region, 550
oil situation, 1011
petroleum exploration, 242
- Uruguay, geological investigations, 250
- Vapour Pressure :
correlation with latent heat data, 507
determinations, 984
- Vaporization :
elements of, 189, 190, 192, 193, 195,
197, 199, 325, 330, 414, 500, 632
equilibria, 418
- Venezuela :
cracking crude oil, 600
drilling operations, 709
eastern fields, 808
new fields, 445, 789
oil development, 257
oil industry, 105
production, 533, 535
Vermiculite, 1224
- Virginia :
electric pumping, 1092
well logs and field data, 798
- Viscometers :
capillary style, 983
- Viscometers—*cont.*
rotating disc, 1168
Stormer, 213
- Viscosity :
and constitution, 70, 198
thermo-viscosity, 1165
- Vinyl Polymers, structure of, 64
- War :
effect on drilling, 816
effect on petroleum industry, 829
effect on special waxes, 1003
effect on world production, 804
gasoline shipment, 927
- Waxes :
preparation from fatty acids, 230
preparation from vegetable products,
1321
solvent recovery from, (P) 232
- World :
drilling activities, 258
refining facilities, 148
- Wyoming :
geology, 785
geology of Wind River Mountains, 686
oil areas, 1046
oil production, 814
- Zinc Hydroxide, desulphurizing pro-
perties, 945

