

ABSTRACTS SUBJECT INDEX.

Numbers refer to Abstract Numbers. (P) denotes Abstract of Patent Specification.

- Absorption Spectra, normal conjugated dienes, 169
- Acetylenes, phenyl-substituted, polarographic study, 876
- Acetylene-ethylene system, phase behaviour, 680
- Acetylenic Carbinols, decomposition, 835
- Aero Engines, thermal air-jet propulsion, 247
- Alberta :
- development, 3, 951
 - drilling, 1156
 - new field, 605, 931
 - oil areas, 1
 - production, 402, 533, 1043, 1054, 1155
 - wildcats, 1048
- Alcohols :
- acetylenic, catalytic addition reactions, 863
 - monoalkylamino, and esters, 854
 - nitro-, preparation, 853
- Alkanes :
- branched chain, preparation, (P) 1195
 - liquid, molecular volumes at corresponding temperatures, 48
- Alkylation :
- aromatic hydrocarbons, 33
 - benzene, 848
 - isoparaffins, (P) 761
 - low temperature, 168
 - methods and future application, 992
 - normal paraffins, (P) 136
 - processes, (P) 34, (P) 383, (P) 671, (P) 1170
- Alkyl Phenyl Ketones, hydrogenation, 829
- Anti-freezing solutions, dangerous, 595
- Appalachian district, oil developments, 85
- Argentine :
- development, 10
 - drilling activity, 104
 - production, 279, 1053
- Arkansas :
- completions, 1116
 - Cotton Valley formation, 432
 - new discovery, 95, 422
 - Schuler field, pressure maintenance, 820
 - production, 102
 - Smackover limestone, 434
 - South, development, 94
- Aromatic Molecules, orientation of substituents, 188
- Aromatic Systems, binary, vapour-liquid equilibrium, 760
- Arrhenius Equation, 899
- Asphalt :
- aggregates, preparation, (P) 1186
 - non-photosensitive, (P) 694
- Asphalt—cont.
- oxidation, 238
 - paving, preparation, (P) 393, (P) 593
 - preparation, (P) 328, (P) 1186
 - shipping container for, (P) 694
 - statistics, 1941, 600
- Asphaltic Bitumen :
- firmness tests, 917
 - preparation, (P) 66
- Asphaltic Materials, bleeding prevention, (P) 694
- Australia, Western, oil search, 6
- Aviation Fuels :
- n*-butane for, 1072
 - preparation, (P) 1180
- Benzoic Acid, extraction from toluene, 201
- Benzoquinones, compounds of, with aromatic hydrocarbons, etc., formation and structure, 583
- Beattie-Bridgeman Constants, 42
- 4 : 10-Ace-1 : 2-Benzanthrazene, synthesis, 185
- S*-Benzylthiuronium Chloride, identification of alcohols and alkyl sulphates with, 885
- S*-Benzylthiuronium Salts, 852
- Binary Mixtures :
- fractional distillation, 826
 - interconversions, 196
 - relative volatility, 320
 - separation, 220
 - vapour-liquid equilibria, 905
- Binary Systems, distribution of components, 895
- Bitumen, heat-stable, (P) 393
- Blow-pipe fuel, (P) 397
- Bolivia, production, 105, 283
- Brake-Cylinder Piston, plastics for, 1191
- Brazil :
- drilling activities, 106
 - exploration, geophysical, 11
 - production statistics, 773
- British Columbia :
- discoveries, 1125
 - geological exploration, 1044
- Bromine, reactions with carbon tetrachloride and tetrachloroethylene, 867
- Burners, rotary, 226
- Butadiene :
- preparation, 194, 239
 - properties, physical, 766
- 1 : 3-Butadiene, preparation, 919
- Butane, viscosity, 214
- iso*Butane :
- photochemistry, 167
 - viscosity, 214
- n*-Butane, solubility of hydrogen in, 761

- 2-Butanol, optically active, action of hydrogen fluoride, sulphuric acid, and phosphoric acid on, 847
- iso*Butene :
gaseous, compressibility and equation of state, 832
hydration, 884
vapour pressures and critical constants, 831
- Butylene, use in fruit-growing, 479
- California :
completion practices, 561
completions, 794
developments, 268, 410, 525
Edison field, 335
geophysical activities, 642
natural gas reserves, 655
oil development, 86
production, 336
reserves, 1106
Sunset field, 337
underground gas storage, 462
wildcats, 430
Wilmington field, 338, 431
- Calorimeter, C-H Thomas recording, 1014
- Camshafts, care and maintenance, 1096
- Canada :
Athabaska, gas well, 1126
tar-sands, 720, 774, 939, 1034
development, 12, 262, 950
Fort Norman field, 1119, 1123, 1135, 1136, 1150
Gaspé Peninsula drilling, 726
Mackenzie River field, 932
mineral production, 4
new field, 110
new wells, 948, 1035
Northern, development, 280
production, 424, 929, 936, 1036, 1038, 1042
Ram River field, 1151
Taber field, 1138, 1139
Turner Valley production, 273, 1031, 1032, 1045, 1119
Vermilion field, 1055, 1137, 1149
Western, drilling, 1051
oil-fields, 536, 1140
wildcats, 782, 783, 1041
- Carbon, activated, from hydrocarbons and chlorine, 75
- Carbon Black :
effect of conductivity on rubber-tread stock, 1021
relation of properties to surface area, 73
1941 statistics, 601
- Carbonization, gaseous products of, 598
- Carbonyl and Nitro-Compounds, aromatic, Raman spectra, 862
- Carbonyl Compounds, catalytic reduction, 872
- Carboxylation, 178, 179
- Catalysts :
advances, 222
aluminium halide, (P) 1177
- Catalysts—*cont.*
bead, 756
Paul and Hilly's iron hydrogenation, 180
- C.F.R. Bouncing-Pin Spring-Tension Balance, modification, 1178
- China, new field, 272
- Chlorides, aliphatic, action of sodium alkyls, 877
- Chlorobutanes, dielectric constants and specific conductances, 183
- Chloropentanes, dielectric constants and specific conductances, 183.
- Coal :
bituminous, hydrogenation, 174
destructive hydrogenation, 79
- Coal Seams, degasification, 555
- Coatings, air-drying vinyl copolymer resin, 1017
- Cokes, physical properties, 334
- Colombia :
Casabe field, 278
discoveries, 107, 729, 780
new law, effect, 719
production, 1127, 1131, 1152
Socuavo field, 1154
Tres Bocas-Socuavo wildcats, 282
wildcatting, 606, 777
- Colorado, Gore area, Palæozoic stratigraphy, 97
- Columns, plate, design calculations, 892
- Compressible Fluids, pressure drop, 206
- Compressors, 52
- Converters, catalytic, thermal equations, 903
- Core Compounds, mineral oils in, 1095.
- Coronene, ultra-violet absorption spectra, 874
- Corrosion, inhibitor, 379
- Cracking :
Californian residuum, 30
catalytic, 668, 990, 991
chemistry of, 582
cyclohexane, 991
high-boiling hydrocarbons, (P) 381
hydrocarbon oils, (P) 381
Phillips cycloversion process, 989
processes, (P) 31, (P) 301, (P) 669, (P) 1168
- Creosote Oil, use as I.C. engine fuel, 1089
- Cresol and Xylenol Mixtures, separation, 993
- Critical Constants, prediction of, 50
- Cresylic Acids, toxicity and antiseptic action, 492
- Crude Oil :
analysis of Trinidad, 490
changes in gravities, 467
stabilization, 678, 735
- Dakota, new wells, 20
cis- and *trans*-decahydronaphthalene, viscosity, 883
cis- and *trans*-Decalin, magnetic susceptibilities, 845
- Detonation, knock recorder, (P) 398

- Diastereomeric Dibromoalkanes, configurations, 839
- Dielectrics, Liquid, effect of sulphur and nitrogen compounds on, 332
- Diesel Engines, addition of natural gas to air intake, 248
- Diesel Fuels :
improvement with sulphur, (P) 689
preparation, (P) 689
specifications and performance, 228
- Difluorides, aliphatic, synthesis, 857
- 2 : 3-Dimethylpentane, (P) 397
- 2 : 4-Dimethylpentane, (P) 397
- Diolefins, conjugated, preparation, 186
- 1 : 2-Diphenyl-3 : 4-dihydronaphthalene, 846
- a, a*-diphenyl-*B*-piceryl hydrazine, dipole measurements, 861
- Diphenyl Trichlorethane Derivatives, insecticidal possibilities, 1023
- Docosanes, alkyl-substituted, 869
- Drilling :
advances, 441
blow-out control, 738
 repair, 954
bore-hole temperature gradients, (P) 292
cementing, 356, 736, (P) 739, (P) 961, 1157
difficulties in Texas, 650
directional, 118, 443, 548, (P) 1158
hydration-pressure relationship in clays and heaving shale, 350
logging, automatic, 357
 electric, 442
 temperature, 737
marine exploitation, 287
mud sheath removal, (P) 961
pipe location, (P) 119
pipe removal, (P) 445
prospecting, geophysical, (P) 961
restrictions effect, 545
sealing of strata, (P) 119
shallow wells, 354
slim hole, 651
soundproof, 646, 734
surface hole protection, 796
well logging, (P) 119, (P) 292, (P) 445, 799, (P) 1158
 survey, (P) 119, (P) 292, (P) 739, (P) 800, (P) 961
- Drilling Equipment :
bailer, (P) 961
barge for supporting drilling equipment, (P) 445
 submersible, (P) 1168
belts, installation and care, 543
bits, (P) 119, (P) 292, (P) 445, (P) 739, (P) 961, (P) 1158
blow-out preventer, (P) 652, (P) 800, (P) 961
boilers, 117
borehole electrode, (P) 445
bridging plug, setting tool for, (P) 1158
cable-tool drilling lines, causes of breakdown, 288
- Drilling Equipment—*cont.*
casing centring apparatus, (P) 652
 head, (P) 445, (P) 652, (P) 800
 protector, (P) 119
 recovery, 440
 repair of corroded, 985
cathead, (P) 119, (P) 652, (P) 961, (P) 1158
catline apparatus, (P) 961
cementing apparatus, (P) 119, (P) 292, (P) 445, (P) 652, (P) 1158
cement retainers, setting tool for, (P) 1158
cements, thermal characteristics, 289
chain-drive maintenance, 348
cleaners, 353, (P) 652
completion apparatus, (P) 652
control head, (P) 739
coring devices, (P) 445, (P) 652, (P) 800, (P) 961, (P) 1158
coupling, tube, (P) 800
deflecting tool, (P) 800, (P) 961
depth measurement device, (P) 1158
derrick, (P) 445, (P) 961
 pipe handling platform for, (P) 1158
 portable, (P) 119, (P) 292, (P) 652, (P) 739
directional, (P) 119, (P) 652
draw-works, (P) 739
drilling head, (P) 292
drilling sleeve, (P) 1158
drill, lateral, (P) 119
 stem, semi-threadless, (P) 739
drill-pipe protector, (P) 445, (P) 1158
drums, inspection, 1059
 electric drive, 22, 546
 fishing tools, (P) 445, (P) 652, (P) 800
float collar, (P) 652
gas analyser, (P) 445
hoist, (P) 1158
hooks, latch mechanism for, (P) 1158
hose-coupling, (P) 119
inclination indicator, (P) 445
kelly bar guide, (P) 652
kelly-driver assembly, (P) 445
maintenance, 346, 439, 648, 953
metallizing, 347
mixing jets for mud tanks, 645
mud-pump piston, (P) 119
mud-weight indicator, (P) 652
pipe-cutter, (P) 445, (P) 961, (P) 1158
pipe-jack, (P) 292
pipe-miller, (P) 961
 protector, installation, (P) 1158
 rack, (P) 652
 slotting tool, (P) 1158
 thread cleaner, (P) 445
 thread protector, (P) 652
 tongs, (P) 292, (P) 445, (P) 652
 vise, (P) 1158
 wrench, (P) 652
piston, (P) 961
pump piston, (P) 800
reciprocal, 649
 sizes, calculation of, 644
reamer, (P) 445
releasing socket, rotary, (P) 292

- Drilling Equipment—*cont.*
 rigs, diesel-electric, 286
 direct-current, 798
 interchangeable, 351
 unitized, 116
 ropes, care of, 544
 rotary, (P) 652, (P) 800
 rubber hose, care of, 547
 safety collar, (P) 292
 samplers, (P) 292, (P) 652, (P) 1158
 sand pump and boiler combination,
 (P) 1158
 scraper, (P) 652
 screen, (P) 652
 shab-shaker, (P) 961
 shock absorber, (P) 652
 skid, unitized, 797
 slush-pump piston, (P) 445
 rods, reclamation, 958
 valve, (P) 739
 splicing tool, (P) 1158
 telescope for inspection of pipe walls,
 1060
 temperature measurement, (P) 800
 thermometer, (P) 739
 tool jar, (P) 652
 joint protector, (P) 800
 joints, (P) 119
 orientation, (P) 292
 travelling block, (P) 652
 true dip determination, 23
 weight indicator, (P) 445, (P) 1158
 well straightener, (P) 739
 strings, releasable joint, (P) 292
 survey apparatus, protective housing
 for, (P) 1158
 washing tool, (P) 445
 well-casing attachment, (P) 961
 well-logging apparatus, (P) 652, (P) 961
 whipstock deflector, (P) 652
 removal, (P) 292
 wire-rope clamp, (P) 961
 clip application, 735
 maintenance, 349, 957, 959, 960
 wrench, rat-hole, (P) 961
- Drilling Fluid :
 oil base, (P) 800
 electric logging in, 956
- Drilling Muds :
 addition agent, (P) 652
 chemical influences in, 643
 conditioning, (P) 292, 647, (P) 961
 control, 352
 effect of gums and starches on filtra-
 tion, 444
 fractionation by supercentrifuge, 291
 preparation, (P) 961
 properties, 290
 response to chemicals, etc., 549
 sodium silicate, 955
 technology, 285, 355
 weighting materials, (P) 119
- Drying Oils, synthetic, 503, 697, 1092
- Ecuador, exploration, 938
- Elastomers, vinyl, low-temperature flexi-
 bility, 330
- Electrical Circuits, interrupting devices,
 1075
- Emulsions :
 bitumen, 693
 crude oil, treatment, 664
 oil-and-acid, breaking, (P) 667
 oil-in-water, preparation, (P) 388
 treatment, (P) 986
 petroleum, breaking, (P) 473, (P) 667,
 (P) 821, (P) 986, (P) 1166
 resolution, (P) 986
 water-in-oil, breaking, (P) 223, (P) 229,
 (P) 388, (P) 684, (P) 821
- Engineering Geology, development and
 use, 507
- Epichlorohydrin, reaction with Grignard
 reagent, 828
- Ethane-Water System, dew-point gas
 composition, 1010
- Ethers :
 cleavage with boron bromide, 858
 halogenated, preparation, (P) 1195
- Ethyl Mercaptan, inflammability and
 ignition temperature, 386
- Ethylene Derivatives, halogen addition
 to, 842, 843, 844
- Evaporators, multiple effect, heat balance
 equations, 221
- Exploration, problems, 92
- Fires :
 bacterial origin, 1175
 liquid, 166
 oil-storage tanks, 580
- Flow, interstitial, 59
- Fluids :
 high viscosity, flow properties, 770
 viscous, theory of, 906, 915
- Formaldehyde, preparation from natural
 gas, 394
- Formation Logging, 604
 samples, inspection and analysis,
 613, 723
- Fractionating Columns, binary mixtures
 for testing, 218
- France, petroleum substitutes, 587
- Frictional Phenomena, 487
- Friedel-Crafts Reactions, aluminium-
 aluminium chloride catalyst, 187
- Fuel Oils :
 preparation, (P) 325
 research equipment, 227
 vegetable, 324
- Fungicides, oil-soluble copper com-
 pounds, 1194
- Gas Industry Research Board, 705
- Gas Mixtures :
 analysis, 585
 separation, 387
- Gases :
 flow through porous media, 27
 flue, corrosion of metals by, 300
 P.V-T relations, nomograph, 1073
 scrubbing process, (P) 333
 solubility in liquids, 193

Gases—*cont.*

- specific gravity determination, 685
 - heat calculations, 249
 - thermodynamic properties, 53
- Gasoline :
- flowing, electrical charges produced by, 129
 - isolation of sulphur compounds, 203
 - 100 octane production, 1015
 - octane number and lead susceptibility, 246
 - Panuco, sulphur compounds in, 581
 - tetraethyl lead in, 60
- Geochemistry :
- future of, 540
 - surface analysis, 733
- Geology, strategic applications, 509
- Geophysical Survey :
- 1942 activity, 732
 - advances, 284
 - application, 541
 - dip data computation, 633
 - earth materials, attenuation constant, 637
 - electric logging, 539, 542, 1057
 - Fourier integral analysis, 635
 - graphical method for geological calculations, 87
 - gravimeter, Gulf, 629
 - underwater, 630
 - gravitational and magnetic anomalies, 628
 - gravity anomalies, calculation, 641
 - micromagnetics, 538
 - need for increased, 623
 - network adjustment, 640
 - neutron logging, 438
 - prospecting results, 1058
 - radioactivity determinations, 345, 436
 - refraction-reflection profiles, vertical velocities, 639
 - seismic reflection, amplitude range, 638
 - reflection, effect of density on, 631
 - survey, resolution control, 632
 - seismometers, effect of placing, 636
 - S.P. Dipmeter, 437
 - sub-strata, determination of dip in, (P) 1158
 - wave-front chart, 634
- Germany, petroleum supplies, 251
- Greases :
- development and application, 1184
 - low-temperature characteristics, 591
 - properties and problems, 1091
- Gulf Coast :
- Louisiana, discoveries, 421
 - production, 1111
 - Texas, discoveries, 415, 1107
- Halomethanes, heat capacity, 74
- Helium, properties and characteristics, 822
- Heneicosanes, 11-substituted, 878
- Heptaldehyde, catalytic hydrogenation, 873
- Heptane, enthalpy, effect of pressure, 47
- Hexa-arylethanes, dissociation, 880

- 1 : 5-Hexadiene, dehydration, 886
 - Hexamethylethane, structure, 859
 - Hexane, commercial, composition, 1082
 - cyclo*Hexane, preparation from naphthenic distillates, (P) 77
 - cyclo*Hexanol and *cyclo*Hexanone, dipole moments, 887
 - Hungary, development and production, 715
- Hydrocarbon Gases :
- analysis, 1084
 - heat capacities, 1003
- Hydrocarbons :
- aliphatic, conversion to branched-chain hydrocarbons, (P) 333
 - density correlation, 1009
 - halogenation, 309
 - nitration, 310
 - oxidation, 484
 - aromatic, nitric acid oxidation, 182
 - C₈, solvent properties, 1022
 - sources of, 767
 - ultra-violet absorption spectra, 769
 - effect of corona discharge on, 67
 - high molecular weight, conversion, (P) 397
 - low boiling point, physical constants, 191
 - natural gas and natural gasoline, utilization, 485
 - oxidation inhibitor, (P) 597
 - paraffinic, isomerization, (P) 1195
 - physical properties, 893
 - polymethylene, isomerization, 41
 - recovery from vapour mixtures, (P) 333
 - rubber, reinforcing pigments, 69
 - solubility in water, 171
 - specific dispersions, 209
 - straight chain, separation from mixtures, (P) 333, (P) 388
 - thermodynamic properties, 56
 - vapour-liquid equilibria, 764
 - vapour pressure, 308
- Hydrocarbon Mixtures, infra-red analysis, 321
- Hydrocarbon Systems, relative volatility, 1011
- Hydrocarbon-Water solubilities, 205
- Hydrogen Chloride-*n*-Butane System, liquid-vapour equilibrium, 762
- Hydrogen Fluoride :
- catalyst, 1078
 - properties, 1001
 - use as a condensing reagent, 868
- Hydrogenation :
- catalytic, determination of rates, 823
 - heat measurement, 870
 - processes, (P) 32, (P) 302, (P) 382, (P) 572, (P) 670, (P) 1169
- Illinois :
- Chester sandstone production, 256
 - discoveries, 412, 1108
 - discovery prospects, 8
 - output decline, 713
 - Western, Devonian production, 724

- Indiana :
 Chester sandstone production, 256
 development, 425, 1121
 Insecticides, 331, 395, 696, 922, 925, 1023,
 1187
 Insulating Oils :
 effect of additives, 1095
 test cell for, 923
 Internal Combustion Engines, friction in
 air-inlet and exhaust systems,
 1196
 Intramolecular Condensations, in poly-
 mers, 172, 175
 Isomerization :
 methods and future application, 992,
 1000
 normal hydrocarbons, (P) 333
 paraffins, straight chain, (P) 1177
 Italy, oil-fields, 1039
- Japan, processing of surplus rubber to
 gasoline, 588
- Kansas :
 Carmi field, 1027
 completions, 718
 dual, 557
 flooding practices, 562
 wildcats, 416
- Kentucky :
 Burbank field, 270
 completions, 1029
 prospecting opportunities, 626
- Kerosines, toxicity, 491
 Ketene Dialkylacetals, 851
 Kinetic Reactions, use of mass spectro-
 meter, 190
 Knock Rating, effect of altitude on, 702
- Lantern Slides, preparation, 260
 Liquefied Petroleum Gases :
 density of hydrocarbons, 57, 316
 1941 statistics, 603
 Liquid-Liquid Equilibrium, effect of
 temperature, 891
 Liquid-Liquid Extraction Data, 198
 Liquid-Vapour Phase Equilibria, 311
 Liquids, flow under critical conditions,
 29
 Liquids, viscous :
 motion of solid through, 488
 thermodynamic properties, 889
 Logs, electrical resistivity, 26
 Long-Chain Molecules, viscosity of dilute
 solutions, 898
- Lubricants :
 additives, (P) 392, (P) 692, (P) 1185
 radioactive tracer study of, 1182
 anti-welding, (P) 692
 bearing temperature and friction data,
 914
 bullet, preparation, (P) 1195
 colour deterioration inhibition, (P) 692
 conservation, 391
 emulsion, 912
 engine, vegetable oil for, 913
 tests on, 691
- Lubricants—*cont.*
 evaluation, 236
 extreme pressure, (P) 392, (P) 692
 low-temperature performance of, 703
 oxidation, 916
 characteristics, 234
 inhibitor, 1091
 preparation, (P) 65, (P) 237, (P) 327,
 (P) 392, (P) 592, (P) 692, (P) 1185
 purification, 229, (P) 327
 recovery, 235, 590
 regeneration, 64
 stabilization, (P) 327
 tall oil in, 1181
 viscosities of saturated solutions, 326
 viscosity pole and pole height, 233
 wear inhibition agents, 232
- Lubricating Oil :
 oxidation stability test, 1086
 solvent extraction of, 1173
- Lubrication :
 fluid friction problems, 231
 inspection of bearings, 230
 journal-bearing systems, temperature
 relations, 1183
 metallic films, 690
 mine plant, 63
- Mass Spectrometer, gas analysis by,
 1085
- Methane :
 chlorination, 240
 ignition, 888
 nitration, 71
 utilization in Italy, 478
 volumetric behaviour, 1074
- Methane-*iso*Butane System, phase be-
 haviour, 215
- Methane-Decane System, phase equili-
 bria, 319
- Methane-*n*-Pentane System, phase equili-
 bria, 219
- Methane-Propane Mixtures, surface ten-
 sion, 763
- Methane-Propane Systems :
 Joule-Thomson coefficients, 211
 viscosities, 1007
- Methane-Water System, dew-point gas
 composition, 314
- Methylcyclopentane-Benzene System,
 vapour-liquid equilibrium, 760
- Methylenecyclobutane, structure, 859
- 17-Methyloctadecanoic Acid, synthesis,
 856
- 4-Methyl-1 : 3-Pentadiene, preparation,
 184
- Mexico :
 new discovery, 781
 Northern, exploration, 1153
 production, 793, 930, 1148
- Michigan :
 discoveries, 419, 1118
 oil developments, 84
 producing areas, 108
- Micropalæontology, 2
- Microscope, electron, 322, 894
- Mississippi, discoveries, 1117

- Missouri, Forest City Basin, 418
- Mixtures, multi-component, spectro-photometric analysis, 1176
- oil and coal, use in boiler furnaces, 1025
- Mollier Diagrams, 78
- Montana, oil-field waters, 96
- Motor Fuels:
- C.F.R. reference fuels, calibration, 1088
 - deterioration prevention, (P) 390
 - immunity from explosion and inflammability, (P) 1180
 - low-temperature performance of, 703
 - preparation, (P) 62, (P) 225, (P) 323, (P) 390, (P) 589, (P) 688, (P) 1180
 - substitute, 224
- Multi-component Systems, graphical interconversions, 896, 897
- Naphthenic Acids and Soaps, 594
- Natural Gas:
- chemicals from, 502
 - conservation, 124, 1102
 - hydrate removal, 1071
 - increased demand for, 571
 - liquefaction, 132
 - pipe-line dehydration, 1167
 - reserves, California, 655
 - specific gravity determination, 686
 - 1941 statistics, 602
 - viscosity, 962
 - war-time products from, 596, 1018
- Natural Gas Wells, production curves for, 977
- Natural Gasoline:
- plant survey, 996
 - 1941 statistics, 603
 - war products from, 1018
- Nebraska, Forest City Basin, 418, 1028
- Neopentyl Halides, hindrance to displacement reactions, 830
- Netherland Indies, petroleum situation, 5
- New Brunswick, production, 940
- New Mexico:
- crude oils, 253
 - Ellenburger discoveries, 1105
 - pressure maintenance project, 746
 - Square Lake pool, 409
- New Zealand:
- drilling, 775
 - production, 608
- Nitro-compounds:
- compounds of, with unsaturated hydrocarbons, formation and structure, 583
- Nitromethane, heat capacity, 864
- Nitromethane-*isopropyl* Alcohol-Water System, vapour-liquid equilibria, 242
- Nitroparaffins, solvent properties, 244
- Nomographs:
- absorption factor equation, 318
 - calcium chloride brines, 134
 - emergent stem correction, 1179
 - mean driving forces in diffusional problems, 313
- Nomographs—*cont.*
- minimum reflux ratio and theoretical plates for separation of binary mixtures, 195
 - molalvolume, for aliphatic hydrocarbons, 46
 - molecular refraction, 45
 - pressure drop in isothermal flow of compressible liquids, 317
 - refraction, critical temperature, 197
 - volume, for liquid alkanes, 204
 - P-V-T- relations of gases, 1073
 - reduced temperature, 312
 - surface tension-viscosity of organic liquids, 315^a
 - viscosity, for organic liquids, 43
- North Dakota, stratigraphy, 100, 506
- Nuclear Substitution, effect of structure on, 177
- iso*-Octane, enthalpy, effect of pressure, 47
- n*-Octane, liquid, compressibility, 879
- Octane Number, relation with molecular structure, 1087
- Ohio, discoveries, 426, 1030
- Oil-Coal Suspensions, use as fuel, 584
- Oil-field Structures:
- regional high, Panhandle and Hugoton fields, 114
 - truncated shore line, 17
- Oil-fields, dimensional models, 25
- Oil-Gas-Water Systems, productivity factors, 24
- Oil Reservoirs, development and control, 807, 813
- Oklahoma:
- discoveries, 411, 1114
 - oil development, 81
 - Oklahoma City wells, 454
 - output decline, 713
- β -Olefins, preparation from α -olefins, (P) 1195
- Olefins, phenyl-substituted, polarographic study, 876
- Ontario, deep drilling, 1141
- Paint:
- anti-corrosive, 698
 - anti-fouling, 698
 - asphalt-polybutene, 918
 - bituminous, (P) 77
 - black-out, 68
- Paraffin Systems, two-component, critical states, 208
- Paraffin Wax, colour formation inhibition, (P) 245
- Paraffins:
- isomeric, solvent properties, 243
 - normal, phase transformation, 1079
 - properties, 681, 682
- Peat Fuel, utilization, 704
- Pennsylvania, discoveries, 1120
- Pentane, enthalpy, effect of pressure, 47
- iso*Pentane, heat capacity, etc., 849, 850
- n*-Pentane, thermodynamic properties, 202

- Peru :
 Agua Caliente field, transport of oil, 281
 production, 109, 787, 1037
- Petroleum :
 hydrocarbon structure, 58
 optical rotation of distillate fractions, 61
 photomicroscopy of salt in, 385
 standard methods of test, 489
 transport problems, 988
- Petroleum Chemicals :
 Gulf Coast production, 493
 manufacture from natural gas, 503
 from refinery gas, 494
- Petroleum Distillates, nitrogen compounds in, 189
- Petroleum Fractions, pressure-temperature relations, 907
- Petroleum Geology :
 California, Temblor Range, 257
 Costa Rica, Amoura Shale, 259
 Cretaceous system, Nebraska, 103
 Dakota Basin, 254
 Ellenburger formation, West Texas, 98
 folded beds, calculation of thickness, 508
 formation samples, inspection and analysis, 778, 979
 Gulf Coast microfossils, 89
 Illinois Basin, 535
 and Iowa, Pennsylvanian correlations, 255
 lithification processes, 788
 Louisiana, Morehouse formation, 261
 Montana oil-field waters, 96
 Ordovician well-core graptolites, 505
 Paleozoic stratigraphy, Colorado, 97
 porosity of rocks, 795
 reservoir rocks, derivation, 790
 salt domes, relation to crustal mega-shearing, 341
 sedimentary petrography, need for, 730
 rocks, classification, 779
 rocks, compaction, 435
 source sediments, influence of bacteria on, 717
 stratigraphic analysis, 504
 Upper Pennsylvanian anhydrite, West Texas, 99
 Wilmington and Torrance fields, California, 342
- Petroleum Hydrocarbon Acid Sludge, preparation of derivatives, (P) 245
- Petroleum Industry :
 capital flow and formation, 927
 war developments, 999
- Petroleum Sulphonate Stock, preparation, (P) 397
- Phenols, preparation, (P) 245
p-Phenylphenacyl Esters, 852
- Pipe Lines :
 bonding, 129
 coating, 131
 corrosion, 128, 380, 475
- Pipe Lines—*cont.*
 Elliott-Buchi turbo chargers, 474
 experimental data, 569
 long, engineering economics, 28
 somastic coating, 570
- Plastics :
 chart, 700
 Silicones, 1192
- Poland, natural gas deposits, 706
- Polyisobutylene, cryoscopic and viscosity data, 329
- Polymerization :
 catalysts, (P) 573
 olefins, 135, (P) 671
 processes, (P) 136, (P) 303, (P) 383, 855
- Polyphenylnaphthalenes, 833, 834
- Polystyrene-Xylene System :
 rigidities of, 865
 viscosities, 866
- Producer Gas, fuel for, 599
- Producer Gas Vehicles, calorific values and road performances, 80
- Production :
 acidization, 963, 978, 1162
 advances, 458
 allocation methods, 366
 cased-off wells, location of, 722
 casing corrosion, 125
 channel plugging, 815
 completions, dual, 814
 multiple zone, 368
 compression recovery, 477
 conservation, 121, 365
 cores, air-drive, experiments on, 660
 corrosion problems, 659, 665, 1164
 costs, 126
 counterbalances, beam and rotary, 568
 calculation, 565, 657
 counterbalancing of well pumping units, 120
 dehydration system, simplification, 970
 drawdown productivity tests, 469
 emulsification prevention, (P) 299
 flow-line cleansing, 981
 fluid-friction data, 360
 formation plugging process, (P) 986
 gas cycling plant, 741
 flow in gas reservoirs, 457
 injection, 464, 975
 -lift oil-recovery system, (P) 473, 804, 967, 968, 973
 -lift technique, 460
 measurement, 744
 wells, capacity and reservoir pressure, 466
 gravel packing, 553, 554, 819, (P) 1166
 gravitational drainage of liquids, 472
 gun-perforation, 375
 job design, 468, 470
 lifting efficiency, calculation, 566
 metering, 123
 mud-carrier removal, (P) 1166
 Navier-Stokes equations, 359
 oil reservoir behaviour, 456
 electrical analyser of, 463

Production—*cont.*

- perforations, effect on productivity, 297
 - porosity, determination of effective, (P) 1166
 - pressure maintenance, 448, 558, 820
 - pressured sands, prevention of oil-traps, 559
 - proration, 372
 - pump performance factors, 449
 - rods, load and stroke calculation, 801
 - pump-capacity determination, 661
 - pumping practices, 969, 1064, 1065, 1160
 - wells, application of engineering methods to, 654
 - pumps, plunger-travel length, 1163, 1165
 - reconditioning, 740, 745, 803
 - recoveries from different extraction methods, 451, 453
 - repressuring, 370, 747, 968, 980
 - reservoir rocks, wetting by reservoir fluid, 367
 - reservoirs, analysis and structure, 296
 - performance analysis, 298
 - principles of behaviour, 984
 - surface energy relationships, 295
 - salt-water disposal, 742
 - samples, sub-surface, 358
 - secondary recovery, 293, 369, 653, 810, 965, 971, 982, 1062
 - shooting, selective, 808
 - shrinkage of crude-oil reservoirs, 377
 - Shuler field methods, 964
 - starting system for central power engines, 122
 - sucker-rod load measurement, 1067, 1159
 - strings, design, 1161
 - turbulent flow, Reynolds' number and velocity distribution relationship, 802
 - ultimate recovery, 361
 - under-pressuring, 373
 - velocity, oil saturation and flooding efficiency, relationship of, 805
 - water-flooding, 377, 556, 562, 564, 666, 806, 816, 818, 917, 1061, 1063
 - water location, (P) 127, (P) 821
 - well cleaning, (P) 127, (P) 667, 1068
 - counterbalancing, 551, 662
 - repair expense, 1066
 - spacing, 372
 - treatment, (P) 473, (P) 986, (P) 1166
 - withdrawal rates and water encroachment, 459
- Production, Equipment :
- beam-saddle for pumping beans, (P) 473
 - bomb, temperature, 972
 - cable-spooling device, (P) 1166
 - constant-intake mechanism, 567

Production Equipment—*cont.*

- coupling device, (P) 748
- driving unit, electric, 658
- dynamometer, 974
- "electric pilot," 812
- explosion detector, (P) 473
- explosives, (P) 127
- flow-bean, (P) 299
 - controller, (P) 667
 - device, (P) 127, (P) 473, (P) 667, (P) 748, (P) 1166
- flow-meter, (P) 1166
 - valve, (P) 473, (P) 1166
- fluid level gauge, 461
- gun perforator, (P) 127, (P) 473, (P) 667, (P) 821
- heater, (P) 299, 374
- intermitter design, 656, (P) 821
- jack, (P) 473, (P) 821
- liner hanger, (P) 473
- maintenance, 362, 363, 364, 450
- meter, fluid, (P) 748
- motor, submersible, (P) 473, (P) 667
- packers, (P) 299, (P) 667, (P) 1166
- paraffin solvent, (P) 821
- perforators, (P) 299, (P) 473, (P) 667, (P) 748, (P) 1166
- pipe collar, (P) 127
- plug, (P) 667
- pressure gauge, (P) 127
 - maintenance, (P) 127
 - wave detector, (P) 1166
- pull-rod adjuster, (P) 748
- pump anchor, (P) 127
 - controller, (P) 748
 - counterweights, concrete, 455
 - filter, (P) 1166
 - jack, (P) 667
- pumping unit, 371
- pumps, (P) 127, (P) 299, (P) 473, (P) 667, (P) 748, (P) 986, (P) 1166
 - duplex, 446
 - heavy duty, maintenance, 741
 - hydraulic, installation, 819
 - materials for, 452
 - plunger, 378
 - submersible, (P) 667, (P) 986, (P) 1166
- rod catcher, (P) 986
 - rotator, (P) 821
- samplers, (P) 473, (P) 748, (P) 1166
- sand extractors, (P) 473
- scrapers, (P) 748, 811, (P) 986, (P) 1166
- screen, deep well, (P) 473, (P) 667
 - tubular, (P) 1166
- sealing tool, (P) 986
- signal apparatus, (P) 473
- stripper-well surface equipment, 471
- sucker-rod, (P) 127, 1070
 - coupling, (P) 748
 - grapple, (P) 127
 - guide and paraffin scraper, (P) 473
 - safety coupling, (P) 986
- swab, (P) 667, (P) 1166
 - cup, (P) 473
 - valve, (P) 1166

- Production Equipment—*cont.*
 tank, demulsifying and settling, (P) 1166
 treating plant for heavy oil, 294
 valve regulator, (P) 986
 spacer, (P) 667
 washing device, (P) 821
 waste water disposal, plant, 447, 983
 well cleaner, (P) 127
 head, (P) 667
 packer, (P) 986
 testing tool, (P) 299, (P) 473, (P) 667, (P) 1166
 well-tubing, protective apron, (P) 821
- Propane:
 thermodynamic properties, 904
 viscosity, 214
- Propane-*iso*Pentane System, P-V-T-x relations, 212
- Propargyl Halides, electron diffraction measurements, 875
- Pyrethrum, water emulsion, 1024
- Quaternary Systems, phase equilibrium relationship, 213
- Quenching Oils, 1019
- Refineries:
 conversion to war production, 672, 673
 lighting, protective, 753
- Refinery Plant:
 agitators, power consumption, 1077, 1078
 arc-welding of baffles, 577
 automotive engines, conversion to water pump drive, 752
 boilers, 38
 operation and maintenance, 480
 bubble-cap plates, liquid capacity, 306
 cathodic protection, 997
 compressors, installation and servicing, 481, 754
 condenser design, 305
 conservation of materials, 163
 conversion for *isobutane* extraction, 161
 corrosion, 759
 flanges, development, 674
 fractionating-tower fabricating, 578
 fractionating towers, multi-draw, 1172
 fractionating, controlled, 675
 furnace tubes, reclamation, 998
 heat exchangers, 825, 1076
 heater, portable, 994
 liquid-level indicator, 164
 maintenance, 482, 677
 pipe-length determination, 676
 pumps, hot-oil centrifugal, 483, 751
 scale removal, 575
 scrap-metal salvage, 750
 stacks, steel, 757
 topping plant, thermal efficiency of, 1171
- Refining:
 absorption oil, automatic control, 37
- Refining—*cont.*
 acidic organic compound removal, (P) 679
 carbonyl sulphide removal, (P) 679
 dehydration, (P) 307
 dewaxing, (P) 165, (P) 307, (P) 384
 floridin, adsorption capacity, 576
 Gray clay-treating process, 486, 995
 hydrocarbon absorption, 1081
 impurities, removal of, (P) 384
 mercaptan removal, (P) 40, (P) 165, (P) 679, (P) 1174
 multi-component rectification, 39
 multi-pass heat exchangers, 36
 processes, (P) 165, (P) 307, (P) 384, (P) 579, (P) 679, (P) 1174
 reactor design, 901
 salt removal, (P) 307
 scrubbing, (P) 307
 solvent treating process, (P) 40
 stabilization of crude, (P) 307
 sulphur removal, (P) 384, (P) 679, (P) 1174
 sweetening, (P) 40, (P) 307, (P) 679
 treating, 758
- Research, 251
- Resins, petroleum, preparation, 304
- Rocky Mountains:
 discoveries, 423, 1115
 Wasatch formation, 1047
- Rubber:
 extenders for, 1016
 fracture point determination, 921
 solutions and gels, properties, 749
- Rumania, production, 935
- Shale, fused, structure, 250
- Solids, porous, permeability, 1069
- Solutions, non-ideal, vapour-liquid equilibria, 55
- Spectrograph, infra-red, accuracy, 389
- Spectroscopy, infra-red, use in hydrocarbon analysis, 768
- Storage Tanks:
 calibration method, 663
 seals for floating roofs, (P) 821
- Styrene:
 preparation and properties, 695, 1094
 properties, physical, 766
- Superphosphates, preparation from acid sludge, 395
- Sweden, shale-oil output, 1026
- Synthetic Chemistry, alkyl carbonates in, 836, 837, 838
- Synthetic Rubber:
 Ameripol, 35
 brittle points, 1083
 Buna-S, 1012
 vulcanizates, 1020
 butyl rubber, improved process, 574
 materials used in manufacture, 497
 methods of synthesis, 70
 progress, 1013
 raw materials for intermediates, 498
 resistance to low temperatures, 241
 significance, 499
 styrene manufacture, 496

- Synthetic Rubber—*cont.*
 swelling in mineral oils, 76
 symposium, 137-160
 Thiokol, 1198
- Tanks, Storage Type :
 breather, (P) 1166
 calibration, 987
 capacity determination, 476
 floating roof, (P) 986, (P) 1166
 water drain, (P) 748
- Ternary Mixtures, interconversion
 methods, 210
- Ternary Systems, 44 :
 correlation, 199
cyclohexane, water, and *isopropyl* and
 normal propyl alcohols, 882
 distribution of components, 895
 partial pressures, 200
 phase equilibrium relationship, 213
- Tetraphenylcyclopentadienone, conden-
 sation with cyclic 1 : 3-diene
 systems, 840
- Texas :
 closing of high gas-oil wells, 465
 East, discoveries, 1110
 production, 420, 519
 salt water disposal project, 563
 Woodbine Sand repressuring, 560
 Jackson County fields, 1147
 new discovery, 615
 North Central, discoveries, 413, 1112
 oil-fields, 9
 Payton Pool, 258
 South, wildcats, 21
 South-West, discoveries, 417, 1109
 well spacing, 101
 West Central, discoveries, 1113
 Central, Wimberly field, 414
 Ellenburger formation, 98, 408
 Ordovician developments, 784, 1132,
 1133
 production, 1052
 prospects, 611
 Wasson field, production, 976
- Textile Fibres, lubricant for, (P) 1185
- Thermodynamic data, application to
 industry, 49
- Thermodynamics, application to multi-
 component systems, 51
- Thixotropic Structure, breakdown time,
 1006
- Toluene, reaction with *t*-butyl chloride,
 841
- Toxic Products :
 2-chloro-2-butene, 1 : 2 : 3-trichlorbu-
 tane, and 1 : 2-dichlorethane,
 comparative toxicity, 495
 cresylic acids, 492
 kerosines, 491
 mosquito larvicides, 500, 501, 502
- Transformer Oil, deacidification, 911
- trans*-2 : 2 : 6-Trimethylcyclohexane Car-
 boxylic Acid, isolation of, 181
- 1 : 1 : 1-Trifluoropropane, preparation
 and chlorination, 860
- 2 : 2 : 4-Trimethylpentane, heat-capacity
 data, 173
- Trinidad, production increase, 1131
- Tri-*o*-tolymethane, preparation, 881
- Turkey, bitumen deposits, 607
- United States :
 United States. *See also* under separate
 States.
 completions, 16, 18, 263, 267, 269, 271,
 400, 405, 428, 515, 521, 610, 627,
 712, 725, 731, 786, 791, 934, 942,
 946, 947, 1124, 1129, 1142
 crude-oil, post-war demand, 789
 production, 1098
 discovery-rate decline, 111, 622, 708,
 709, 772
 drilling, 512, 514, 518, 523, 527, 530,
 532, 725, 786, 1104
 exploration, 274, 526, 616, 727, 776,
 952
 effect of prices on, 625, 710
 foreign, expansion of, 1146
 new discoveries, 264, 344, 404, 520,
 1040
 oil development, 82, 83
 prices, 112
 oil zones, Cambrian and Lower Ordo-
 vician, 609
 Lower Cretaceous, 1128
 Lower Mississippian, 721
 Middle Ordovician to Devonian, 624
 Pennsylvanian, 785
 Permian, 792
 Triassic-Jurassic, 941
 Upper Cretaceous, 1130
 Upper Mississippian, 728
 production, 1943, 399, 401, 406, 427,
 516, 517, 943, 1033, 1046, 1049,
 1099, 1100, 1144, 1145
 reserves, 7, 266, 403, 429, 511, 522,
 528, 529, 531, 614, 707, 944, 1097,
 1101
 location of, 113
 need for, 617, 619, 620, 711, 933
 P.A.W. estimates, 433
 wildcatting, 265, 339, 340, 343, 513,
 524, 537, 612, 618, 621, 714, 716,
 928, 937, 945, 1143
 stimulus for, 710
- U.S.S.R. :
 production, 534
 Ural-Volga fields, 1134
- Vaporization, heats of, 108
- Vapour-Liquid Equilibrium, measure-
 ment, 1002, 1004
- Vapour Pressure, correlation with latent
 heat, 217
- Venezuela, production, 15, 1131
- Vinyl Polymers, structure, 170
- Vinyl Chloride Polymers, viscosities, 176
- Vinyl Resins, 699
- Vinylidene Chloride Polymers, 72, 920
- Virginia, West, completions, 1122
- Viscometer, recording, 908

Viscometry, 586, 687
Viscosity, fluid, correlation, 1005
measurement, equipment for, 909, 910

Wax :
 floor, 924
 sugar cane, 1193
Welding, recent developments, 827

World :
 consumption, 926
 production, 14, 276, 277, 407, 510,
 1103
Wyoming, discovery, 19

Zinc Hydroxide, desulphurizing pro-
 perties, 192