

## ABSTRACTS SUBJECT INDEX.

Numbers refer to Abstract Numbers. (P) denotes Abstract of Patent Specification.

- Acetophenone, fluorine derivatives, 630  
 Acetylones :  
   alkyl and aryl, electrolytic reduction, 511  
   disubstituted, hydrogenation, 239  
 Acetylenic Compounds, addition of hydrogen fluoride, 406  
 Acids :  
   aliphatic from Californian petroleum, 418  
   naphthenic from Californian petroleum, 419  
   normal aliphatic, esters, 530  
 Acrylonitrile, manufacture and uses, 1263  
 Adsorption Data, correlation, 441  
 Air Cargoes, carriage of, 562  
 Alabama, Gilbertown discovery, 1070  
 Alaska :  
   Northern, prospecting, 1272  
   Point Borrow, 728, 931  
 Alberta :  
   new wells, 685  
   Pinhorn area gas-field, 718  
   production, 32  
   Ram River field, 1057  
   South, Shell's new lease, 942  
   Taber area, 14, 575, 724  
 Alcohols :  
   catalytic dohydrogenation, 436  
   dehydration, 254  
   normal aliphatic, esters of, 530  
   trihydric, aryl ethers of, (P) 1368  
 Aliphatic Hydrocarbon Derivatives, availability, 1514  
 Alkathene, properties, 553  
 3'-Alkyl-1:2-cyclopentenophenanthrenes, synthesis, 537  
 Alkylation :  
   combination with isomerization unit, 81  
   hydrogen fluoride, 770  
   processes, (P) 371, (P) 882, (P) 1230, (P) 1436  
   propane refrigeration units, 987  
 Alkylation Plant, hydrogen fluoride, 504, 769  
 Alkyl Benzenes, identification, 801  
 Alkyl Phenols, *meta*-substituted, separation from mixtures of *meta*- and *para*-substituted phenols, (P) 1368  
 Alkynes, addition of hydrogen fluoride to, 229  
 Aluminium Bromide, solubility in *n*-butane, 1480  
 American Petroleum Institute, papers presented before, 188  
 Amino Alcohols, condensation with benzene, 417  
 Anthracenes, phenylated, fluorescence, 1485  
 Arkansas :  
   discoveries, 696  
   Dorcheat Pool, dual completion, 1197  
 Arylothylenes, ultra-violet absorption spectra, 783  
 Asphalt :  
   coating, (P) 1502  
   modifiers, 124  
   non-photosensitive, (P) 903  
   oxidized, softening of, 550  
   preparation, (P) 1260  
   road, durability, 551  
   surface consistency of, 291  
 Automobiles, electrical equipment of, 1522  
 Aviation Fuels :  
   filter freezing temperature, 280  
   isomerization of *n*-butane, 111  
   100-octane, post-war requirements, 1354  
   plant modifications for manufacture of, 113  
   production of hydrocarbons for, 96, 110  
   refinery for production, 376, 996, 1123  
 Bahrein Island, refinery capacity increase, 928  
 Bauxite, uses in refining, 885, 1326, 1327  
 Benzene :  
   catalytic hydrogenation, 421  
   heat capacity, 233  
   liquid, action of ultra-violet light on, 1467  
   metalation, 515  
   substituted, dipole moments and resonance effects, 225  
   thermodynamics, 677  
 Benzene-d<sub>6</sub>, heat capacity, 236  
*o*-Benzhydrylphenones, cyclodehydration, 399  
 Benzole Recovery, effect of hydrocarbon duty on, 1527  
*o*-Benzylphenones, cyclization, 533  
 Biphenylene, structure, 523  
 Bitumen :  
   acids in Russian, 1361  
   waterproofing, (P) 1502  
 Bitumen Emulsions, hydrogen-ion concentration, 539  
   preparation, (P) 1348  
 Book Dealers, secondhand in Canada and U.S.A., 1382  
 Brazil, exploration, 586  
 Bubble formation, 1126  
 Butadiene :  
   Houdry process applied to manufacture, 125

- Butadiene—*cont.*  
 preparation, 299  
 production, 302, 808  
 stability, 906
- iso*-Butane :  
 heat capacity and hindered rotation, 384  
 reaction of hydrogen atoms with, 432  
*meso*- and *dl*-Disubstituted Butanes, Raman spectra, 424
- n*-Butane :  
 362  
 heat capacity and hindered rotation, 384  
 mercury photosensitized decomposition, 428  
 solubility of aluminium bromide in, 1480  
 surface tension, 267  
 volumetric behaviour, 1459
- n*-Butane-Water System, equilibrium data, 1463
- Butene-1, mass spectrum, 387
- cis*-2-Butene, thermodynamic properties, 1486
- 3-Butenoic Acid in Hexane, hydrogen bromide addition, 411
- iso*Butylene Copolymers, structure, 908
- Butylene Glycol, preparation, 150
- Cables :  
 insulating oils for, 293  
 plastic for, 1268
- California :  
 Aliso Canyon Field, 1128  
 Antelope Hills Field, 813  
 Del Valle Field, 1128  
 developments, 1141  
 drilling, 162, 1282  
 East Coalinga Extension field, 564  
 exploration, 1397  
 Greely Field, 1  
 Huntington Beach Field, 563  
 need for discoveries, 169, 1282  
 Newhall-potrero Field, 1128  
 Oak Canyon Field, 1128  
 oilfield operations, 1942  
 production, 156, 683, 929  
 Rincon Field, 3  
 Rio Bravo Field, 2
- Canada :  
 Athabaska area, 582, 825  
 Del Bonita well, 574  
 discoveries, 1398  
 Eastern, oil possibilities, 1174  
 Fort Norman production, 322, 481  
 Gaspé well, 1164  
 Mackenzie River basin, 851  
 Moose River basin, 720  
 Norman Wells field, geology and development, 1047  
 Northern, development possibilities, 1177  
 oil-wells in, 160  
 Peace River gas output, 13  
 Prince Edward Island wildcat, 576  
 production, 170, 332, 479, 567, 932
- Canada—*cont.*  
 refineries in, 88, 507  
 second deepest wildcat, 1051  
 synthetic rubber programme, 463  
 Taber Field, 583, 587, 593  
 Turner Valley, 475, 480, 579, 581, 594, 719, 854, 1089  
 Vermilion field, 15, 18, 164a, 584, 719, 858  
 West, oil search, 321, 1149  
 wildcat, deep, 328
- Carbon :  
 thermal and electrical conductivity, 1125  
 trivalent, 405
- Carbon Black, 912  
 density, 300  
 recent research, 914  
 properties of rubbers using, 1362
- Carbon Dioxide, estimation in air samples, 1489
- Carbon Disulphide, preparation, 896
- Castor Oil, Nigerian, use as lubricant, 1359
- Catalysts :  
 bead, 137  
 boron trifluoride, 247  
 hydrogen fluoride, 208  
 magnetic susceptibility, 633  
 palladium- and platinum-polyvinyl alcohol, 396  
 Raney nickel, 259  
 use in industry, 138
- Centrifugal Separation, 202
- Chemical Industry, coal and oil as basic materials for, 919
- China :  
 exploration, 580  
 geology, 924  
 Kansu Field, 849  
 Szechuan Province, 927
- Chlorinated Naphthalenes and Diphenyls, precautions in use, 904, 905
- Chlornitroparaffins, dielectric constants, 251
- Chrysene Derivatives :  
 preparation by Robinson-Mannich synthesis, 400  
 ultra-violet absorption spectra, 782
- Clinograph, gyroscopic, 172
- Coal :  
 gasification of, 654  
 carbon and hydrogen in, 276  
 hydrogenation, 1525  
 liquid fuels and organic chemicals from, 1019  
 low-temperature distillation, 1524  
 oil from, 154, 653  
 and smokeless fuel from, 305  
 synthetic lubricants from, 306
- Coal Gas :  
 determination of benzene and toluene in, natural, in West Virginia, 1119, 1491
- Cold Rolling Mills, oils in, 466
- Colloidal Solutions, rheological properties, 288

- Colombia :  
 Barco field, 1163  
 completions, 477  
 drilling, 1052  
 exploration, 590  
 new field, 1150  
 oil-fields, 161  
 production, 946, 1086, 1411  
 Tibu area, 1406  
 wildcats, 469, 723, 844, 943  
 Combustion, economics of, 622  
 Core Oils, preparation, 136  
 Coroneno, attempted synthesis, 230  
 Cracking :  
 catalytic, effect on post-war supply of  
 fuels, 880, 1429  
 catalytic, 367, 614  
 cycloversion process, 1315  
 fluid catalytic process, 78, 879  
 Houdry catalytic unit, 77  
 process, 1120  
 Latin American Crude Oils, 1223,  
 1224, 1432  
 processes, (P) 369, (P) 500, (P) 881,  
 (P) 986, (P) 1229, (P) 1316, (P)  
 1433  
 suspensoid catalytic, 1227  
 T.C.C. processing, 368  
 technology, 79, 80, 193, 194, 195, 196,  
 197, 366, 615, 616  
 Creosote-Pitch Fuel, development, 155  
 Cresols, separation, 467  
 Crude Petroleum :  
 aviation gasoline content evaluation,  
 66  
 Colon (Venezuela), cracking of, 1432  
 containing dissolved gases, surface  
 tension of, 53  
 disposal of surplus, 1160  
 Eastern Venezuela, cracking of, 1223  
 hydrocarbons in lighter fractions of  
 some Russian, 1311  
 influence of temperature on yield, 1312  
 Ishimb, variability of, 1313  
 New Mexico, analysis of, 65  
 sour, refining of, 199  
 Turner Valley, aromatics in, 431  
 examination of, 427  
 West Texas, refining of, 192  
 Western Venezuela, cracking of, 1224  
 Cumene :  
 density and refractive index, 255  
 preparation, 780  
 Cyclization Reactions, mechanism of,  
 252  
 cycloDehydration, aromatic, 786, 791  
 Dakota, South :  
 drilling, 308, 1050  
 stratigraphy near Rapid City, 1045  
 test wells, 937  
 D.D.T. Synthetic Insecticide, 554, 1017,  
 1018, 1365, 1507, 1516, 1519, 1520  
 Decahydronaphthalene, hydrogenation-  
 cracking of, 1468  
 Decahydro- and Tetrahydro-naphtha-  
 lenediols, synthesis, 422  
 Docyltrimethylammonium Docanesul-  
 phonate, electrolytic properties,  
 414  
 Dehydrogenation, catalytic, 781  
 Dermatitis, 1023  
 Detergent, synthetic, manufacture, etc,  
 1509  
 1 : 2 : 3 : 4-Dibenzphenanthrone, syn-  
 thesis, 518  
 1 : 2 : 3 : 4-Dibenzphenanthrene, prepara-  
 tion, 532  
*p*-Dibutylbenzenes, isomeric, prepara-  
 tion, 529  
 Dibromoethylenes, gaseous, equilibrium,  
 519  
 Dicyclopentadiene, vapour pressure, 238  
 Dielectrics, internal discharges in, 1503  
 Diesel Fuels :  
 additives for, (P) 1255  
 desulphurization, 1319  
 ignition accelerators, 1372  
 post-war outlook, 1497  
 preparation, (P) 899  
 removal of oil-insoluble impurities,  
 (P) 1255  
 2 : 2-Dimethylbutane, P-V-T relations,  
 628  
 1 : 1-Dimethylcyclopentane, preparation,  
 262  
 Dimedone (Dimethyldihydroresorcinol),  
 catalytic hydrogenation, 262  
 $\alpha$ ,  $\omega$ -Dimercaptans, properties, 524  
 Dimethylacrylic acid, reaction with *m*-  
 xylene, 386  
 Diolfins :  
 conjugated, 1478  
 synthesis from allylic chlorides, 1477  
*m*-Diphenylbenzene, halogenation, 237  
 Dipmeter, S. P., 36  
 Disinfectants, halogenated hydroxy-  
 diphenyl methanes, 644  
 Dispersions :  
 bituminous base, (P) 903  
 oil and water, separation, (P) 767  
 transparent water-in-oil, oleopathic  
 hydromicelle, 103  
 Dominican Republic, drilling, 829, 1417  
 Drilling :  
 annular space between casing and wall,  
 volume determination, (P) 876  
 blow-out control, 865, 1187, 1196  
 casing bridge, removal from gas-well  
 under pressure, 1195  
 design, 732  
 failure, causes and control, 595  
 scraping, 1192  
 sealing method, (P) 1426  
 selection charts, 1181  
 caving and sliding prevention, (P) 1426  
 cementing, 596, 734, (P) 876, 956  
 core contamination prevention, 1193  
 orientation, geometrical, 1296  
 coring with reverse circulation, 42,  
 1188  
 costs, 598, 975  
 deep, 41  
 water method, 957, 1190

Drilling—*cont.*

- deepest well, 950, 962, 1108, 1109
  - depth measurements, 40
  - directional, (P) 189, (P) 498, 740
  - elements of, 869
  - exploratory, classification of terms, 1186
  - fluid losses, 867
  - formation sealing, (P) 767
  - gas detection, (P) 876
  - gravelling method, (P) 1426
  - Heidelberg field practice, 1293
  - hole deepening, 731
  - horizontal, 338, 487
  - interpretation of cable-tool drilling logs, 1383
  - methods, (P) 767
  - mud acid treatment, 337
  - mud-conditioning in Rocky Mountains, 488
  - new methods in South Arkansas, 1111
  - problems of steeply dipping formations, 1295
  - radioactivity logging, 1185
  - reverse circulation, 733, 737, 866, 961
  - rotary, in Rocky Mountains, 738
  - sealing off porous formations, (P) 1426
  - tool orientating, (P) 189, (P) 498
  - tools, stuck, freeing of, 171, (P) 498
  - triple completions, 736
  - war-time conditions, 173
  - well-bore survey, (P) 876
  - well-logging, (P) 189, (P) 356, (P) 498, (P) 610, (P) 767, (P) 876, 1298, (P) 1426
  - Gamm ray, 597
  - well-surveying, (P) 1426
  - wild well control, 735
  - workers wage analysis, 812
- Drilling Equipment
- a.c. rigs, power for, 174
  - ball-thrust bearing, (P) 1426
  - barge, floating, (P) 610
  - bit protectors, (P) 189
  - bits, (P) 189, (P) 498, (P) 610, (P) 767, (P) 876, (P) 1426
  - bridging plug, (P) 876
  - caliper, electric, (P) 876
  - casing string design, 1194, (P) 1426
  - world's deepest, 1183
  - welded, 739
  - well, (P) 498
  - catheads, mounting for, (P) 189
  - cement retainer, (P) 610
  - cementing tools, (P) 189, (P) 498
  - collar, composite, (P) 189
  - combination-rod safety joint, (P) 356
  - coring devices, (P) 189, (P) 356, (P) 876, (P) 1426
  - cutter, drill, (P) 498
  - deep well, (P) 1426
  - deflecting tool, (P) 876
  - derricks, (P) 189, (P) 356, (P) 498, (P) 610, (P) 767, (P) 876, (P) 1426
  - development, 730
  - deviation detector, (P) 189, (P) 610
  - draw-works, (P) 189, (P) 876, (P) 1426

Drilling Equipment—*cont.*

- fishing tool, (P) 498, (P) 1426
  - formation testers, valve for, (P) 356
  - gun perforators, (P) 189, (P) 610, (P) 767, (P) 1426
  - hook, (P) 356
  - hose-coupling, (P) 189
  - hydraulic, (P) 876
  - jar, (P) 876
  - kelly-rod and drive bushing, (P) 610
  - lateral bore drilling apparatus, (P) 498
  - leak detector, (P) 356
  - liner hanger, (P) 610, (P) 876
  - milling cutters, reconditioning, 339
  - oil saver and rod stripper, (P) 876
  - pipe cutter, (P) 1426
  - measuror, (P) 767
  - protectors, (P) 189, (P) 498, (P) 1426
  - tongs, (P) 189
  - threader, (P) 767
  - portable, 489, 960
  - pumps, flush, (P) 356
  - radiographic and magnetic inspection, 1297
  - rate-of-penetration indicators, (P) 189
  - reamer, (P) 189
  - rotary, (P) 189, (P) 498
  - setting tool, (P) 876
  - side-wall corer, (P) 498
  - swivel shaft, wear and tear on, 1182
  - throat protector, (P) 189
  - trip tube, (P) 876
  - tubing anchor, (P) 356, (P) 1426
  - make-up device, (P) 356
  - turbine, (P) 767
  - well surveying apparatus, (P) 610, (P) 767, (P) 1426
  - valves, steam, (P) 189
  - walking beam rockers, reconditioning, 336
  - whipstock, (P) 356, (P) 610, (P) 767
  - wire lines, reeling unit for, 958
- Drilling Fluids, (P) 189, (P) 498, (P) 610, (P) 1426
- detection of salt in, (P) 189
  - shallow well completion, 1189
  - loss prevention, (P) 767
  - non-aqueous, (P) 1426
  - treatment, (P) 356, (P) 498
  - water-base and oil-base, 1110
- Drilling Muds, (P) 189, (P) 767
- colloidal, for heaving shale, 864, 1191
  - conditioning, 868
  - ejection control, (P) 189
  - salt water, (P) 1426
  - screen for, (P) 189
  - treatment, (P) 610, (P) 876, (P) 1426
  - turbine for, (P) 1426
- Drums, rust-proof lining, 61
- Dry Cleaning Solvents, 649
- Drying Oils, preparation, 807
- Dusts, inert, action on insects, 1021, 1025
- Ecuador :
- developments, 826
  - production, 816, 1056

- Edible Fats, anti-oxidants in, 1498, 1499  
 Electron Tube, 635  
 Emulsions :  
   asphalt, (P) 459  
   bituminous, preparation, (P) 903, (P) 1260  
   mineral oil, dehydration, (P) 189  
   petroleum, broaking, (P) 189, (P) 498, (P) 610, (P) 767, (P) 876, (P) 1426  
   treatment, (P) 767  
   water-in-oil, resolution (P) 893a  
 Engines :  
   aircraft, intake systems for, 652  
   diesel, cold-starting tests, 559  
   development trends, 639  
   exhaust gases composition, 651  
   fuel consumption, 1030  
   injection nozzles, 1031  
   influence of ozone on performance, 1371  
   gas-turbine, 1271  
   internal combustion, causes and effects of roughness in, 1370  
   oxidation of fuels in induction systems, 1369  
   military, dust problems, 560  
   motion analysis by high speed photography, 1029  
   oil-testing, 1253  
   preventive maintenance and inspection, 558  
 Entropy, use in diesel engine applications, 153  
 Equation of State, gases at high pressure, 223  
 Ethane :  
   heat capacity, 383  
   heat of solution, 269  
 Ethylbenzene, fluorine derivatives, 630  
 Ethylene, use in wheat storage, 650  
*cis*- and *trans*- *cis*-Eugenol, toxicity to flies, 1518  
 Exploratory Wells, classification, 1152  
 Fatty Acids, normal saturated, refractive index and densities, 246  
 Fibrous Material, asphalt saturant for, (P) 552  
 Filtration, 621  
 Finance, oil companies, 1934-1942, 1374  
 Fire Prevention :  
   fireproofing of wood, 1456  
   training of refinery plant personnel, 1228  
 Fire Risks, industrial, 1455  
 Fischer-Tropsch Process, 538, 1445, 1448  
 Fischer-Tropsch Water-Gas Synthesis, composition of paraffin waxes from, 112  
 Flooring Composition, preparation, (P) 1260  
 Florida :  
   Eastern, new well, 470  
   new well, 936  
   North, exploration, 566  
   South-Western, oil discovery, 314, 697  
 Fluidization, principles and application, 1250  
 Fluorine, use in organic synthesis, 1251  
 Fluorobenzene, heat capacity of, 233  
 Formic Acid, catalytic reduction by, 435  
 Fractionation Processes, application of unit operations to, 1002  
 Freons, 1251  
 Friction, external, between sliding solids, 118  
 Fractional Phenomena, 287  
 Friedel-Crafts Reaction, 234, 258  
 Fuel Feed, vapour-lock elimination, 556  
 Furnace Oils, stability, 284  
 Furoic Acid, reaction with tetralin, 241  
 Gas Generator, portable, 272  
 Gases :  
   heat capacity equations, 240  
   hydrocarbon, analysis by adsorption fractionation, 448  
   heat capacities, 443  
   spectrometric analysis, 1493  
   vertical migration of, 1106  
 Gas Oils :  
   future rôle of, 1357  
 Gasoline :  
   analysis of, 634  
   catalytic, octane number variation, 365  
   desulphurization, 1319  
   high-sulphur, refining, 372  
   octane-number improvement by isomerization, 1431  
   straight-run, catalytic reforming, 76  
   Sunray process, 365  
   synthesis, 1003  
   by Fisher-Tropsch process, 538  
 Gas Wells, drowning and revival, 970  
 Geochemical well logging, 1097  
 Geophysical Survey :  
   deep correlation reflections, 1094  
   *delta-t* velocities, errors, 1101  
   depth/lithology/seismic wave velocity, relation in Tertiary sandstone and shales, 1099  
   direct-current prospecting, 1104  
   earth-resistivity measurements, empirical interpretation of, 1422  
   electrical prospecting method, 1180  
   fluorescent surface surveys, 335, 670  
   future of, 1091  
   gravity/structure relationship in Northern Appalachian area, 1096  
   Kansas, Oklahoma, and Missouri zinc and lead district, 661  
   measurement problems, use of gamma-ray logs in, 1107  
   natural potential survey, 39  
   off-shore, 1423  
   phase shift meter, direct-reading, 1098  
   progress, 861, 862  
   prospecting effectiveness, 1105  
   method, (P) 1426  
   reflection seismograph performance, 954  
   refraction prospecting, 1103

- Geophysical Survey—*cont.*  
 sedimentary rocks, natural potentials in, 38  
 seismic receptors, 1092  
 velocities, San Joaquin Valley, California, 1100  
 weathering problems, adaption of refraction theory, 1092a  
 seismograph shooting, accident prevention, 803  
 subsurface correlation, 953  
*t-delta-t* velocity determination, 1102  
 viscosity of shale, 1093  
 Wellington Field, Colorado, 1095  
 well-logging, electrode spacing in, 37
- Georgia :  
 drilling, 482  
 south-east, exploration, 566
- Germany :  
 oil requirements, 938  
 oil shortage, 1288
- Graphite, thermal and electrical conductivity, 1125
- Grignard Reactions, course and mechanism, 1483
- Gulf Coast, developments, 1130  
 Louisiana, exploration, 687  
 reflection seismograph performance, 954  
 south-eastern, geological developments, 948  
 Texas, discoveries, 693
- Halogenation, aromatic, kinetics of, 433, 434
- Hand Coring, orientated, 859
- Hazardous Areas, installation of electric plant in, 1335
- Heating Services, domestic, 1523
- Helium, 140
- Heptaldehyde, pyrolysis, 426
- bicyclo*(2 : 2 : 1)Heptane, preparation, 1460
- bicyclo*(2 : 2 : 1)-2-Heptene, preparation, 1460
- n*-Heptane, surface tension, 267
- Hexa-aryl-ethanes, dissociation of, 227, 534, 1479
- 1 : 1 : 3 : 3 : 5 : 5-Hexamethyl-cyclohexatriol-2 : 4 : 6, rearrangement to hexamethylbenzene, 235
- Hexanes, heats of vaporization, 385
- cyclo*Hexane :  
 hydrogenation-cracking of, 233, 1468  
 thermal data, 260, 531
- δ-Hexanoic Acid in Hexane, hydrogen bromide addition, 411
- cyclo*Hexanols, preparation, 1474
- Hungary, production, 731, 1063
- Hydrocarbon Gases :  
 centrifugal compression of, 1239  
 cracked, "Grain" alcohol from, 555  
 viscosity, 1341
- Hydrocarbons :  
 acetylenic, formaldehyde derivatives, 784
- Hydrocarbons—*cont.*  
 carcinogenic, and synthetic oestrogens, 1466  
 effect of oxygen on fluorescence of, 528  
 solubility, of water in, 1249  
 low-boiling, high-pressure absorption, 440  
 olefin, synthesis, 404  
 paraffin, catalytic isomerization, 792  
 paraffin, correlation of physical properties, 1458  
 petroleum, 102  
 P-V-T relationship, 1324  
 thermal decomposition, 407  
 unsaturated, polarographic study of reduction of, 232  
 volatile, vapour-pressure chart, 101
- Hydrofluoric Acid, anhydrous, handling, 143
- Hydrogenation :  
 catalytic, mechanism, 439  
 stereochemistry of, 214, 215, 216, 217, 218, 219, 220  
 coal, catalysis of liquid-phase stage, 1434  
 processes, 370, (P) 1435
- Hydrogen-Bond Theory, current trends, 1464
- Hydrogen Chloride, anhydrous, manufacture, 131
- Hydrogen Fluoride :  
 addition to halo-olefins, 513  
 use as condensing agent, 512
- Ignition Temperature Test, 107
- Illinois :  
 Lower Ordovician and Cambrian oil possibilities, 1145  
 Plymouth pool repressuring systems, 1307  
 undiscovered reserves, 852  
 water-flooding of oil-sands, 969  
 wildcats, 692
- Immersion Heaters, glass, 1490
- Immiscible Liquid Systems, application of Gibbs phase rule, 893
- Indene, vapour pressure, 238
- India, drilling problems, 955
- Indiana, new fields, 700
- Insecticides, 152, 292, 554, 645, 646, 647, 803, 804, 805, 915, 1010, 1017, 1018, 1021, 1025, 1261, 1265, 1266, 1267, 1365, 1506, 1507, 1510, 1516, 1518, 1518, 1520  
 tests on synthetic organic compounds, 1015
- Insulating Oils :  
 maintenance, 296  
 manufacture and testing, 297  
 preparation, (P) 918  
 relation to circuit-breaker failures, 295
- Iowa, Forest City Basin, 695
- Kansas :  
 discoveries, 694  
 Forest City Basin, 695

- Kentucky, Western, wildcats, 699
- Kerosine :  
 applications and qualities, 460  
 determination of deposit on citrus leaves, 1014
- Ketones :  
 anhydrous, preparation, 1515  
 preparation, 1476  
 reaction of ketone with, 226
- Kimmeridge Shale Tar :  
 diesel oils from, 811  
 hydrogenation, 810
- Kuwait, geophysical survey, 952
- Laboratory Equipment :  
 low-hold-up column, 1006  
 timing clock, 1007
- Lake Erie, gas well, 380
- Lighter Fuels, properties, 1367
- Linear Condensation Polymers, molecular-weight distribution, 224
- Linsced Oil, drying of, 1024
- Liquified Petroleum Gases :  
 demand, 613  
 developments, 71  
 storage, 69
- Liquids :  
 film formation by, 265  
 pure, viscosity, 999, 1000
- Livestock Sprays, effect of base oils on cattle, 1264
- Louisiana :  
 Frio discovery, Vinton field, 329  
 North, discoveries, 696
- Lovibond and Saybolt Chromometers, correlation of colour measurements, 449
- Lubricants :  
 additives for, (P) 1259, (P) 1501  
 aircraft, evaluation of ring-sticking properties, 1492  
 anti-ring-sticking, (P) 358  
 castor oil, 1359  
 emulsion, 285  
 examination of, 642  
 extreme pressure, (P) 458  
 graphite, 117  
 Pennsylvanian, optical rotation of, 1461  
 preparation, (P) 458, (P) 547, (P) 902, (P) 1013, (P) 1259, (P) 1501  
 press tools and wire drawing, 901  
 reclamation, (P) 1501  
 stabilizers, (P) 1259  
 stopcock greases, 544  
 synthetic, preparation, 1347  
 vegetable oil, 121
- Lubricating Oils :  
 additives, (P) 458, (P) 547, (P) 902, (P) 1360  
 asphaltization tests, 636  
 classification, 641  
 contamination, deterioration and decomposition, 900  
 conversion from asphaltic hydrocarbons, (P) 1360  
 corrosion tester, 543
- Lubricating Oils—cont.  
 fluorescence, 104  
 heavy duty, 1127, 1256  
 oxidation-corrosion test, 109, 290  
 physical properties, 119  
 preparation, (P) 458, (P) 902  
 pour-point stability, 120  
 purification, (P) 453  
 Quaker State plant for, 997  
 reclamation, 455  
 rock-drill, 123  
 synthetic, 546  
 testing, (P) 1348  
 treated, pour-point stability, 116
- Lubrication :  
 boundary, 1012  
 friction measurements, use of radioactive indicators, 1258  
 heat effects in lubricating films, 1257  
 industrial problems, 115  
 oil aeration, 1358  
 engine, 122  
 oxidation in relation to, 289  
 "oiliness" and surface roughness, 286  
 stick-slip process, 545
- Magnesium Carbide, preparation, 408
- Mass Spectra :  
 butene-1, 387  
*n*-propyl chloride, 249  
*t*-butyl chloride, 249  
 isobutylene, 250  
 propane, 250  
 propylene, 250
- Mass Spectrometry, analysis by, 447, 540, 1008, 1009
- Mercaptan Sulphur, estimation of, 279
- Methallyl Chloride, sulphonation, 402
- Methane, conversion to hydrogen and carbon monoxide, 626
- Methane-Carbon Dioxide System, phase equilibria, 891
- Methyl Butadienes, dipole moments, 785
- 2-Methyl-buten-1-yne-3, addition of triphenylmethyl, 401
- Methyl Furoate, reaction with benzene and chlorobenzene, 222
- Methylcyclohexane, heat capacity of, 233
- Methyl *iso*Propenyl Ketone, physical constants, 228
- 1-Methylnaphthalene, synthesis, 393
- $\alpha$ -Methylnaphthalene, preparation from tar-oil, 263
- 3-Methylphenanthrene, acetylation and succinylation, 514
- Mexico :  
 northern, discovery, 569  
 petroleum industry status, 309  
 Poza Rica field, 939  
 production, 333, 484, 833, 835  
 refineries in, 88  
 Tampico area, 846
- Michigan :  
 developments, 1138  
 production, 684  
 traverse rocks, Thunder Bay region, 1039

- "Microdoser," 446  
 Middle East :  
   American holdings in, 941  
   U.S. development scheme, 928  
 Mineral Aggregate, coating of, 548  
 Mississippi :  
   discoveries, 697, 1070  
   exploration, 1054  
   Heidelberg Field drilling practice, 1293  
 Missouri, Forest City Basin, 695  
 Mixtures :  
   benzene-carbon tetrachloride, thermo-  
     dynamic functions, 629  
   binary, chart for distillation of, 1467  
   hydrocarbon,  $C_4$  volume correction  
     factors, 1487  
   hydrocarbon, stage separation of, 1337  
   oil, rheological properties, 288  
 Molecules, Long-Chain, viscosity, 245  
 Montana :  
   exploration and development, 1083  
   Gage field, 1277  
 Montan Wax, 304  
 Motor Fuels :  
   additives, (P) 898, (P) 1254, (P) 1496  
   analytical data, fuels sold in U.S., 1375  
   anti-knock, (P) 454, (P) 542, (P) 898,  
     (P) 1356, (P) 1496  
   combustible gases as substitute, 1345  
   continuous automatic lead blender,  
     1355  
   gasogenes, 283, 499  
   high octane, production, 1318  
   inflammability control, (P) 898  
   100 octane, post-war requirements,  
     1354  
   specific heat in the gaseous state,  
     1353  
   post-war problems, 1010  
   preparation, (P) 454, (P) 542, (P) 898,  
     (P) 1011, (P) 1254, (P) 1356, (P)  
     1496  
   safety, (P) 454, (P) 1356  
   search for synthetic, 1252  
   supply and demand, 1352  
 Naphthalene :  
   *t*-butyl homologues, 631  
   dialkylation, 398  
   vapour-phase oxidation, catalyst for,  
     253  
 Naphthalene Derivatives, sulphonation,  
   800  
 2 : 7-Naphthalene-dialdehyde, synthesis,  
   230  
 Naphthenates, uses, 149  
 Natural Gas :  
   analysis, 72  
   catalytic dehydrogenation, 1228  
   dehydration, 70, 342  
   enthalpy-entropy charts for, 1424  
   high-pressure, measurement, 67  
   hydrate formation in, 1425  
   Oriskany, 1428  
   post-war supply and demand, 1225  
   storage, 768  
   utilization, 1314  
   Natural Gas-Crude Oil Systems, vapour-  
     liquid equilibria, 343  
   Natural Gasoline, use as gas enricher, 68  
   Nebraska, Forest City Basin, 695  
   Neophyl Chloride, reactions, 526  
   Now Mexico :  
     developments, 1132  
     Maljamar Pool extension, 680  
   New Zealand :  
     exploratory drilling, 474  
     production, 592  
   Nicaragua, wildcat, 817  
   3 : 2-Nicotyrine, preparation, 292  
   Nitro Compounds, aliphatic, acid  
     strengths, 521  
   Nitroethane :  
     dielectric constants, 251  
     preparation, 509  
   Nitroparaffins :  
     ionization constants, 388  
     properties and uses, 281  
     recent developments, 282  
     toxicity to California Red Scale, 1016  
   Nitrotriols, preparation, 409  
   Nomographs :  
     Dittus-Boelter Equation, 213  
     *k* in Smoker's Equation for binary  
       distillates, 105  
     rate-of-flow in natural-gas pipe-lines,  
       611  
     tangent intersection of pipe-bend, 91  
   Nonane and Decane  $\alpha$ ,  $\omega$ -Dicarboxylic  
     Acids, preparation, 525  
   Nova Scotia, test drilling, 845  
   *iso*Octane, preparation, (P) 898  
   Octyltrimethylammonium Octanesul-  
     phonate, electrolytic properties,  
     414  
   Ohio, discoveries, 698  
   Oil-Fields :  
     development, (P) 189  
     exploitation, 606  
   Oklahoma :  
     Anadarko Basin, 818  
     developments, 1135  
     discoveries, 689, 936  
     water-flooding projects in, 1373  
     West Edmond Wells, 741, 1399, 1412  
   Olefins :  
     aryl, restricted rotation in, 632  
     phenylated, addition of metals to, 391  
     reaction with sulphur dioxide, 794  
   Organic Compounds :  
     micro-analysis, 445  
     silver vanadate in combustion analy-  
       sis of, 277  
   Organo-Silicon Compounds, 1512  
   Paints, coal tar, 1026  
   Paraffin-Chain Quaternary Ammonium  
     Salts, electrolytic properties, 413  
   *n*-Paraffin Solutions, viscosity, 268  
   Paving Mixtures :  
     preparation, (P) 552  
     testing, 549  
   Peat Fuel, utilization of, 158



- Peat Wax, 304  
 Pennsylvania, future oil pools, 1274  
 Pentacene Ring System, synthesis, 527  
*cyclo*Pentadiene, use in synthesis of sterol-like compounds, 425  
*cyclo*Pentane :  
   preparation, 264  
   thermal data, 395  
*iso*Pentane, heat capacity and entropy, 257  
*n*-Pentane, viscosity, 442  
*cis*- and *trans*-2-Pentene, co-ordination of silver ions with, 389  
 4-Pentenoic Acid in Hexane, hydrogen bromide addition, 411  
 Perbenzoic Acid, oxidation of an ethylene derivative by, 1472  
 Persian Gulf, reserves, 842  
 Peru :  
   aerial survey, 1162  
   drilling, 944, 1166  
   production, 478, 1076  
 Petroleum :  
   analysis by radiation, 1005  
   packed, shipment of, 878, 985  
 Petroleum Distillates, nitrogen compounds in, 248  
 Petroleum Ether, desulphurization, 1319  
 Petroleum Geology :  
   Alberta, Moose Mountain, 657  
   Anse La Butte dome, Louisiana, 1390  
   California, Western Santa Ynez Mountains, 655  
   Carolina Bays, 1385  
   China, 924, 927  
   core-testing, 659  
   Cretaceous system, 668, 669, 670, 671  
   Dakota Basin, 663  
   economic mineralogy, 1376  
   palaeontology, 1376  
   Florida, 578, 857  
   folded beds, calculation of true thickness, 1142  
   Franciscan-Knoxville problem, 664  
   Georgia, south, 857  
   ground water in Houston district, 1388  
   Gulf Coast, erosion of salt stock, 660  
   Haplolepidæ, 1526  
   Illinois, Lower Ordovician and Cambrian oil possibilities, 1145  
   Kansas, Ellis County, 662  
   Louisiana, Jennings Field, 1389  
   Mexico, eastern, Upper Jurassic landmass, 1036  
   Michigan, Thunder Bay region, 1039  
   New Mexico, Devonian fauna, 666  
   North Texas, Lower Cretaceous Fredericksburg-Washita boundary, 1387  
   oil reservoir classification, 667  
   Palæozoic shales, radioactivity and organic content, 951  
   Peace Creek Field, 471  
   Rocky Mountain region, structural conditions for oil accumulation, 1034  
   Sakhalin Island, 1405  
 Petroleum Geology—*cont.*  
   salt dome formation, mechanics of, 658  
   salt domes, 30  
   Siliceous Dockum conglomerates, origin, 1042  
   stratigraphic type fields, classification of reservoir traps, 1038  
   units, measurement, 665  
   structuro diorama, 1291  
   Tertiary sediments, Morgan Hill, California, 1044  
   Texas, Bowers Field, Montague County, 656  
   Central, Jackson County, 168  
   Seguin formation, 1041  
   Wasson Field geology, 1035  
   Michigan, Thunder Bay region, 1039  
   Tuscaloosa formation, Gulf Coast plain, 1040  
   Upper Desmoinesian and Lower Missourian rocks in Oklahoma and Kansas, 1043  
   Wyoming, Big Horn Basin, 165  
 Petroleum Industry, war-time changes in, 1380  
 Petroleum Oils, constitution, 895, 1004  
 Petroleum Products :  
   butane and pentane in, 106  
   use in aircraft, 557  
 $\beta$ -substituted Phenethylamines, preparation, 410  
 Phenols, substituted, preparation, 917  
 1-Phenyl-2-Alkyl-*cyclo*Propanes, action of sulphuric acid on, 1484  
 Phenyl Group, 1 : 3-rearrangement, 1470  
 9-Phenyl-dodecahydrophenanthrene-10-carboxylic Acid, Friedal-Crafts reactions, 517  
 Pigment Suspensions, rheological properties, 288  
 Pipe-Lines :  
   cathodic protection, 1329  
   corrosion, 359  
     bacterial, 191  
     control, 64, 983  
     effects of alternating current, 64  
     inhibitor, 360  
   fluid flow in, 625  
   gas, pressure drop calculation, 75  
   Magnolia, anti-corrosion measures, 877  
   mechanical couplings for, 982  
   natural gas, flow equations for, 62  
   war emergency, post-war conversion to natural gas, 1427  
 Piperylene, geometric isomers, 420  
 Pipes :  
   energy and momentum correction factors for flow in, 382  
   high pressure, internal insulation, 358  
   incompressible *versus* compressible flow in, 1226  
   Saran plastic, 126  
 Pirylyene, constitution, 243, 244  
 Plastics :  
   alkyl, physical properties, 1364  
   analytical aspects, 1269  
   preparation from petroleum, 136

Plastics—*cont.*

- raw materials for, 1022
- uses for insulation, 303
- Plastics Industry, developments, 1366, 1504
- Polyethylene, use as cable insulator, 1268
- Polyisobutylenes, molecular weights and intrinsic viscosities, 256
- Polyisopropylbenzenes, 39
  - acetylation, 799
  - bromo derivatives, 798
  - carboxylic acids, 798
  - chlorosulphonation, 797
  - nitration, 796
  - nitriles, 798
  - preparation and properties, 394
- Polyvinyl Chloride, rheological properties, 1469
- Polymerization Reactions, kinetics, 415, 416, 1482
- Polymerization, chemistry of, 1346
  - gaseous olefin hydrocarbons, 1317
  - remote control codimer unit, 617
- Polystyrene Fractions, osmotic and viscosity measurements, 1342
- Polyvinyl Alcohol :
  - chemistry and applications, 909
  - end-group structure, 536
- iso*Prene, Copolymers, structure, 908
- Prince Edward Island, drilling, 472
- Production :
  - abandoned wells, sealing off, 59
  - air injection, 1112
  - cased-off oil location, 765
  - casing perforations, effect on productivity, 44
  - clogging prevention, (P) 1426
  - completions, dual, 604, 1197
    - triple-zone, 181
    - method, (P) 498
  - conductor pipe spacing, 180
  - co-operative engineering committees, 602
  - core examination, 493
  - corrosion in gas and condensate wells, 1117
  - cycling operations, 492
  - distillate well problems, 55
  - effect of pre-perforated liners on, 966
  - electrolytic corrosion, 748
  - flow calculation, 349, 978, (P) 1426
  - flowing wells, 1210
  - fractionation and other vaporization problems, application of unit problems, to, 1198
  - Frio formation, analysis of water from, 1302
  - gas injection, 1299
    - life, 757, 1300
    - pilot controlled, 973
  - gas-sands, exclusion of water from, 1201
  - gravel packing, 744
  - gravity drainage, 341
  - hydrocarbon recovery, (P) 1426

Production—*cont.*

- interstitial heterogeneity of sand reservoirs, statistical approach to, 1303
- material-balance equations, 753, 964
- micro-organisms in water, 673
- multi-zone, 752
- oil reservoir calculations, 976
  - well capacities, 45
- oil-field, remedial work, 47
- orifice buttons, 1310
- paraffin removal, 871, 1308
- pipe recovery, (P) 876
- plugging, plastic, 601
  - selective, 1215
- polished-rod acceleration, correlation with well-load, 605
- porosity determination, (P) 876, 1206 of solids, measurement, (P) 189
- pressure maintenance, (P) 767, 759, 870
- pumping, deep sucker-rod, 1116
  - hydraulic, 1113, 1118
  - hydraulic, paraffin removal in, 1114
- installations, prime movers for, 599
  - need for counterbalancing, 178
  - problems, 761, 763, 766, 872
  - units, installation calculation, 743
  - units, peak-power requirements, 747
- pump performance determination, 58
- rapid extraction, 50
- re-designing, 762
- repressuring, 344, 1307, 1199
- reservoir control, co-operative, 496
  - efficiency, 745, 749
  - performance analysis, 46, 608, 672, 980, 1207, 1217
  - physical properties, 977
  - review of, 742
- rôle of capillarity in, 175
- salt-water disposal, 52, 1115, 1306
  - disposal flow chart for, 968
- saturation determination, 874
- secondary recovery, 345, 348, 352, 353, 354, 494, 495, 497, 603, 609, 746, 754, 974, 1211
  - rôle of connate water in, 1212
- selective plugging, 1202
- shallow sands, 163
- siliceous strata, increases production from, (P) 356
- Smackover limestone, reservoir behaviour, 1301
- sucker-rod failure, 51
  - fatigue, 49
  - string proportions, 1309
- torque analysis, 875
- tubing perforation, 490
- use of abandoned wells as induction centres, 873
- water-coning, 48, 965
  - control, (P) 189, 965, 1214
  - entry location, (P) 498
  - flooding, 57, 750, 764, 969, 979
  - injection, 346, 351
  - sands, plugging-off, (P) 356

## Production—cont.

- well-cleaning, 43
  - diameter determination, 971
  - head pressure reduction, 607
  - spacing, 745, 749, 751, 963, 967, 972, 1213
  - treatment, (P) 189, (P) 610 (P) 767
- Wertz Field, pressure maintenance, 600
- worker's wage analysis, 812
- Production Equipment :
  - backside pumping installations, 760
  - bailer, sand, (P) 356, (P) 498
  - bore-cleaner, (P) 610
  - bottom-hole chokes, 177
    - regulator, (P) 1426
  - cathead cooler, (P) 356
  - circulation valve, (P) 189
  - completion fluid, (P) 876
  - controlling device, (P) 356
  - cord, explosive, 179
  - corrosion of in high pressure wells, 1203, 1218
  - counterbalance, pneumatic, (P) 767
  - drivehead, (P) 1426
  - electric heater for wells, (P) 356
    - log headings, standardization, 347
  - float-valve, (P) 189
  - flow device, (P) 1426
    - meter, (P) 498, (P) 1426
    - starting apparatus, (P) 767
  - intermittors, (P) 189, (P) 767, (P) 1426
  - jack, (P) 876
  - liner-ranger, (P) 189
    - shut-off equipment, 1221
  - leakage testing of, (P) 498
  - oil treater, 766
  - packing valve, (P) 610, (P) 767, (P) 1426
  - paraffin heating device, (P) 498
  - perforation cleaner, (P) 876
  - perforator, (P) 876, (P) 1426
  - plug-backs, plastic, 184
  - prime movers, selection of, 350
  - pumping equipment, prime movers, 187
    - rod-lines, 755
    - selection, 355
    - speed reducers, 185
    - surface, 491
  - pump-plungers, size selection, 56
  - pump-pressure equalizer, (P) 876
    - rod shield, (P) 610
  - pumps, (P) 189, (P) 498, (P) 610, (P) 767, (P) 876, (P) 1426
    - separators for, (P) 1426
    - sucker-rod, 176, 183
  - rod-line equipment, installation, 758
  - scraper, (P) 876
  - screen cleaner, (P) 498
  - screens, (P) 498, (P) 767, (P) 1426
    - deep well, (P) 189, (P) 876
  - secondary recovery apparatus, (P) 1426
    - servicing mast, (P) 498
  - sucker-rod stripper, (P) 189
  - treating apparatus, (P) 189

## Production—cont.

- trip device, (P) 189
- tubing, wall-thickness determination, 1219
- valves, (P) 356, (P) 767
- well head, (P) 610
  - packer, (P) 189, (P) 356, (P) 610, (P) 876
  - tester, (P) 610, (P) 1426
  - treatment equipment, (P) 1426
- Propane :
  - fluorinated derivatives, 793
  - heat capacity, 383
  - of solution, 269
- cycloPropane Systems, conjugation in, 1473
- isoPropanol, peroxides in, 270
- Prospecting, soil analysis for, 1179
- Pyrethrin Concentrates, products formed in storage, 152
- Pyrethrum Insecticides :
  - activated, 646, 647, 915, 1027
  - aerosol, 645, 1261
  - biological evaluation, 803, 804
  - history, chemistry and applications, 1506
  - testing, 1510
  - toxicity, in oil and aqueous media, 805
- Pyridene, synthesis, 392
- Quarternary Liquid Systems, tie lines in, 890
- Quenching Oils, mineral, 141
- Rates of Reaction, measurement, 535
- Refineries :
  - Bayway, crude pipe-still at, 884
  - hazardous areas in, 1335
  - Houston, gas cycling plant, 887
  - Quaker State Oil Refining Corp., lubricating oil plant, 997
  - small, problems of, 1334
  - Sun Oil at Marcus Hook, 769, 776, 777, 778, 779
  - United States, Canada and Mexico, 88, 888
- Refinery Engineering, 1241, 1243, 1245, 1247, 1338, 1339, 1444, 1445, 1448, 1449, 1451, 1452, 1453, 1495
- Refinery Gas, surplus, reforming, 363
- Refinery Plant :
  - automatic controllers, 100
  - catalyst screener, 1246
  - caustic embrittlement in boilers, 1437
  - cleaning problems, 992
  - codimer unit, 619
  - compressors, 623, 991
  - condenser design, 1441
  - continuous reactor design, 201, 293, 204
  - corrosion in, 1122, 1240
    - resisting alloys, 206, 1240
  - effect of sulphur on, 772
  - electronic controls, 94
  - elevated towers, foundations for, 989
  - fluid catalytic cracking, 774, 775, 776
  - fractionating plant, 505

Refinery Plant—*cont.*

- furnace efficiency, 501
  - gate valves, 97
  - heat exchanger surface, 83
  - high vacuum measurement, 211
  - integrated cycling units, 373
  - materials for anhydrous hydrofluoric acid, 209
  - motor starters, 1325
  - 100 octane gasoline, 375, 378, 773, 1123
  - packing materials, 771
  - pipe-stills, 205
  - pressure vessels, linings for stainless steel, 210
    - welded, test pressure and safe dimensions, 1323
  - pumps, centrifugal, 624
    - high vacuum, 207
    - positive displacement and centrifugal, 1322
    - rotary, refinery application, 82, 95
  - stack and tower foundation design, 92
  - tube cleaners
  - tubes and tube headers, rebuilding, 377
  - vapour recovery systems, 1242
  - welding cable, storage reels for, 990
  - welded vessels, test pressures, 502
  - Wiggins Piston-Balloon tank, 1242
- Refining :
- absorption factor, 379
  - acidic organic compounds removal, (P) 889
  - acid-treated oils, corrosion-reduction, (P) 381
  - bauxite uses, 885, 1326, 1327
  - colour removal, (P) 381, (P) 889
  - contact filtration, 84
  - cooling water analysis, 1330
  - desiccants, activated bauxite, 200
  - eddy diffusion, 1440
  - emulsion treatment, (P) 381
  - exchanger size selection, 883
  - filtration data analysis, 1442
  - fluorine compound removal, (P) 381
  - Girbotol process, extension to liquid hydrocarbons, 1121
  - gum inhibition, (P) 381
  - gum, resin, etc., removal, (P) 1340
  - heat transfer, 618, 1231, 1232, 1233, 1234, 1235, 1237, 1241, 1243, 1245, 1247.
    - coefficients for condensers, 85
    - film coefficients, 1338, 1339, 1443, 1444, 1447, 1495
  - high-sulphur gasolines, 372
  - Houdry process, use of gas turbines in, 1321
  - hydrogen sulphide detection, 1439
  - liquid-phase cracked gasolines, treatment with zinc chloride, 90
  - Mercapsol process, 995
  - mercaptan removal, (P) 508, (P) 889, 993, 995, (P) 998, 1328, (P) 1454
  - pressure-drop data for flow through beds of granular adsorbents, 1336
  - in heat exchangers, 1449, 1451, 1452

Refining—*cont.*

- processes, (P) 381, 503, (P) 889, (P) 998, (P) 1248
  - specific heat charts, 1453
  - stage separation of mixtures, 1337
  - sulphur removal, 89, 374, (P) 381, 886, (P) 1248, (P) 1259, 1319, 1320, 1328, (P) 1340, (P) 1454
    - catalytic, 212
    - superfractionating, 98
    - sweetening, (P) 381, (P) 889, (P) 1454
  - Tannin solutizer process, 886, 1244
  - terminology, 506
  - thiophenol elimination, 988
  - toluene separation, (P) 381
    - Unisol separation, 994
  - waste gas combustion, 73
  - water treating, 86, 87, 99, 1438
  - wax separation, (P) 889, (P) 1248
  - zinc chloride treatment of cracked oil, 1318
- Reforming, thermal, 1430
- Refractometer, Abbe, 541
- Residues, aromatic petroleum, vulcanization of, 910
- Resins, synthetic, dermatitis from, 1023
- development trend, 1505
  - 1943 production, 1513
- Ring and Ball Test, rapid, 275
- Rock Drills, lubricants for, 123
- Rocky Mountains :
- discoveries, 686, 1140
  - Elk Basin, 166
  - mud-conditioning, 488
  - rotary drilling hazards reduction, 340
- Rubber :
- conductivity, 907
  - linking with phenol-formaldehyde resins, 437
- Rumania, drilling, 476
- Sampling, portable gas aspirator, 1488
- Santo Domingo, drilling, 1151
- Saudi Arabia, development, 928
- Sewage Sludge :
- production and use of gases from, 74
  - recovery of grease from, 1500
- Shaker, vibratory, 271
- Shale Oil, 1032
- Sludge :
- acid, use for production of HCl, 151
  - flow-friction data, 620
- Smokemeter, improved Penn State, 114
- Soaps, anhydrous sodium, physical states, 429, 430
- Solubility Curves, line co-ordinate representation, 892
- Solvents :
- chloro-hydrocarbon, physical properties, 450
  - mixed, osmotic pressures, 1481
  - petroleum, 301, 806
- South America, oil areas, 856
- Spectrometric Analysis, 1493, 1494
- Spekker Photo-Electric Absorptiometer, phenol estimation by, 274

- Spindle Oils, Venezuelan, carcinogenic material in, 456
- Steam-Carbon Reaction, mechanism, 522
- Storage Tanks :  
 concrete, 984  
 evaporation from, 60  
 prevention, (P) 189, 981  
 floating roof, roof-seal, (P) 189  
 side wall for, (P) 189  
 supporting structure, (P) 189  
 horizontal, calculation of fractional contents, 357  
 ring girders for, 1331  
 vapour loss calculation, 1332  
 recovery, 190  
 space elimination, 1447  
 volatile liquid, 1450
- Styrene :  
 high temperature, 1363  
 manufacture, 142, 911  
 polymerization, 403, 1343, 1344  
 vapour pressure, 238
- Styrene Derivative, optically active, synthesis, 1482
- Sulphonates, preparation and description, 412, 1521
- Sulphur, estimation in light petroleum fractions, 1349
- Sulphur Compounds :  
 hydrogenation, 261  
 hydrogenolysis, 259  
 organic, removal, 198
- Surface-Active Agents :  
 industrial applications, 1517
- Switchgear Oils, 294
- Synthetic Oils, German processes, 452
- Synthetic Rubber :  
 acrylonitrile manufacture for Buna-S, 1263  
 Buna-S plant, 1262  
 styrene for, 145  
 butyl, production, 298  
 Californian plant, 1351  
 Canadian programme, 463  
 conductivity, 907  
 development, 129  
 effect of aviation gasoline on low temperature flexibility, 1511  
 elasticity tester, 461  
 flex life and crystallization, 465  
 manufacture at Institute, 146  
 manufacturing capacity, 144  
 production, 133  
 of hydrocarbons for, 110  
 refinery conversion projects, 128  
 utilization in oil industry, 464  
 utilities involved in manufacture, 134
- Synthetics, patent literature, 451
- Tankers, cleaning and gas freeing, 1222
- Tar, viscosity control, 278
- Tar Emulsions, hydrogen-ion concentration, 539
- Tar Products, use as building materials, 1033
- "Teepol," 1509
- Tennessee :  
 Central, structure of, 1386  
 oil and gas possibilities, 1285
- Ternary Distillation Problems, graphical solution, 1462
- Test Engines :  
 correlation of results from, 638  
 Gulf Oil Corporation design, 640
- 1 : 2 : 9 : 10-Tetramethylantracene synthesis, 787
- 2-Substituted-5 : 6 : 7 : 8-tetrahydronaphthalene derivatives, catalytic dehydrogenation, 423
- Taxes :  
 Alta Mesa field, 483  
 Emblar Field geology, 1037  
 Hildreth Field, 317  
 Galveston Bay discovery, 727  
 Lake Creek triple completion, 54  
 production, 708  
 triple-zone completion, 181  
 Wasson Field geology, 1035
- Texas, East :  
 developments, 1134, 1158  
 New Hope Field, 682  
 Water injection, 182
- Texas, North :  
 developments, 1133
- Texas, South :  
 developments, 1131
- Texas, North Central :  
 discoveries, 690
- Texas, South-West :  
 extensions, 681
- Texas, West Central :  
 discoveries, 691, 1133
- Texas, West :  
 deep drilling, 41, 959  
 developments, 1132  
 Ellenburger Fields, 935  
 Permian Basin, Panhandle, 679
- Thermoplastic Polymers, Softening of, 1001
- Thixotropy, effect on plasticity measurements, 1124
- Toluene :  
 heat capacity of, 233  
 metalation, 515  
 preparation, 743, 1020  
 vapour-phase nitration, 795
- Transformer Oils, 294
- 1 : 1 : 1 : -Trifluoroethane, thermal data, entropy and vapour pressure, 1471
- Trimethyleneethylene and cycloHexane Mixtures, co-ordination of silver ions with, 390
- 2 : 2 : 4-Trimethylpentane, pressure-volume-temperature relations, 510
- Triptane, commercial production, 148
- Triptycene (9, 10-ortho-benzene-anthracene), properties, 242
- Turkey, oil discovery, 1165
- Tygon, properties and applications, 1270



- United States, see also separate States :
- Appalachian area developments, 1139
  - completions, 10, 34, 35, 325, 327, 334, 485, 480, 567, 572, 589, 701, 703, 705, 713, 725, 729, 815, 819, 822, 823, 824, 828, 834, 837, 850, 855, 860, 925, 926, 934, 945, 947, 949, 1048, 1049, 1053, 1055, 1058, 1061, 1062, 1064, 1065, 1067, 1068, 1069, 1072, 1077, 1079, 1082, 1084, 1085, 1088, 1154, 1156, 1157, 1161, 1167, 1168, 1172, 1173, 1178, 1273, 1276, 1278, 1279, 1281, 1284, 1286, 1287, 1289, 1290, 1292, 1293, 1393, 1401, 1402, 1403, 1407, 1409, 1410, 1413, 1418, 1419, 1420, 1421
  - crude oil output, 12, 22, 28, 164, 573, 577
  - discoveries, 5, 9, 11, 20, 25, 167, 311, 314, 315, 318, 325, 327, 329, 334, 486, 589, 676, 705, 727, 739, 819, 822, 831, 838, 850, 855, 860, 925, 926, 947, 949, 1049, 1055, 1059, 1064, 1068, 1077, 1082, 1088, 1157, 1161, 1168, 1173, 1178, 1279, 1284, 1287, 1292, 1392, 1396, 1402, 1409, 1413, 1419, 1420
  - discovery decline, 4, 7
  - drilling, 310, 316, 326, 714, 715, 815, 820, 1060, 1275
  - deep, 1394, 1395
  - Eastern Gulf Region, exploration, 1073
  - Eastern Interior Basin developments, 1137
  - exploration, 950, 1090, 1391, 1400
  - future oil supply, 307
  - Gulf and Mid-Continent reserves, 1081
  - North Mid-Continent developments, 1136
  - natural gas production, 716
  - supply and reserves, 1078
  - new geological survey, 320
  - oil resources, 814
  - shale and shale oil, 561
  - shortage, 21
  - zones : Eocene, 9
  - Oligocene, 24
  - Miocene-Pliocene, 313
  - Permian Basin Pays, 841
  - post-war oil consumption, 921, 1528
  - production, 33, 186, 331, 565, 677, 710, 711, 712, 717, 722, 1170, 1277, 1378, 1404, 1415
  - refineries, 88
  - reserves, 675, 709, 836, 839, 930, 1153
  - South-Eastern, developments, 1381
  - probable major oil province, 1066
  - wildcats, 20, 25, 36, 167, 310, 311, 315, 318, 319, 324, 325, 327, 334, 473, 485, 486, 572, 585, 587, 589, 680, 699, 703, 705, 729, 819, 821, 822, 830, 850, 855, 860, 923, 925, 926, 936, 947, 949, 1049, 1055, 1059, 1064, 1068, 1077, 1082, 1088, 1129, 1157, 1161, 1168, 1173, 1178, 1279, 1284, 1287, 1292, 1396, 1402, 1409, 1413, 1419, 1420
- U.S.S.R. :
- Arctic, refinery in, 933
  - crude oils, 361, 1311, 1313
  - developments, 1159
  - production and refining expansion, 1171
  - Sakhalin Island, 1405
  - "Second Buka," 1169
  - Tatar Republic discovery, 1155
  - Volga Fields, 846
- Vapour Pressure, slide rule for variations in, 266
- Velometry, 802
- Venezuela :
- Creole company's production, 1408, 1416
  - drilling, 1046
  - Eastern, cracking of crude oil from, 1223
  - Jusepin discovery, 1074, 1080
  - San Joaquin area, multiple pays problem, 1087
  - Socony-Vacuum concession, 1075
  - Western, cracking of crude oils from, 1224
- Vinyl Chloride and Vinyl Acetate, structure of copolymers, 231
- Vinyl Compounds, heat of polymerization, 520
- Viscosimetry, 108, 894
- Viscosity Function, 516
- Vistanex, 127
- Waxes :
- definitions, 444
  - high-melting-point, recovery, 132
  - refining, 130
  - paraffin, breakdown by bacteria, 139
  - chlorination, 913
  - properties and utilization, 648
  - sugar cane, 916
- West Virginia, exploration, 688
- World :
- deepest well in, 959, 962, 1108, 1109, 1184
  - oil production, American control of, 27
  - supply, availability, 312
  - reserves, 843
  - production, 31, 159, 186, 612, 706, 707, 840, 1071
  - surplus crude disposal problem, 1160
- Wrappings, transparent, permeability of, 273
- Wurtz Reaction, 221
- Wyoming :
- Big Horn Basin, black oil horizons, 323
  - exploration and development, 1083, 1283
  - Gobo pool discovery, 1414
  - geological aspects, 1283
- Xylene, metalation, 515
- o*- and *p*-Xylene, alkylation, 1475