
Vol. CXXXVI. No. 3520

MAY 11, 1945

9d. WEEKLY





OIL ENGINE GENERATING PLANT

R USTON
Oil Engine
Generating
Sets from
5 to 1,000 kW
output

A UNIQUE example of the greatly increased horsepower which can be made available in an engine room of restricted size by using a Pressure Charged Ruston Oil Engine.

The installation is at an important Government Factory and is working in parallel with the Grid to carry Peak Loads and reduce Maximum Demand Charges.

There are three Ruston Engines, although only two can be seen in the photograph, each with an output of 750 kW, giving a total of 2,250 kW from a small engine room. The pressure charger for the centre engine shows clearly on the left of the picture.



OIL ENGINES

RUSTON & HORNSBY LTD., LINCOLN, ENGLAND



War, no less than peace, demands silent electric motors.

Bull Super Silent Motors have served where lives depend on perfection.

New developments and technique have kept Bull Super Silent Motors in a class of their own ready to play their important, though inaudible, part in the post war world.

BULL MOTORS (E.R.E.F. TURNER LTD.) IPSWICH.
ALSO LONDON, MANCHESTER, BIRMINCHAM, SHEFFIELD, NEWCASTLE & GLASCOW





A complete range of self-contained A.C. Motors in sizes up to 1600 B.H.P. at 1000 r.p.m. possessing extremely robust features for hard service conditions.

BRUCE PEEBLES & CO. LTD. ENGINEERS, EDINBURGH -






LONDON: A W ZELLEY 73. GREAT PETER ST. WESTMINSTER.SMI

BIRCHFIELDS . SOII (4 LINES)

BILL SWITCHGEAR LTD BIRMINGHAM.20 MANCHESTER GLASGOW-BELFAST EURTON-ON-TRENT EXETER SOUTNAMPTON

AICHO" BIRMINGHAM





Bullers' works for the British Thomson-Houston Co. Ltd. It measures 15 ft. 1½ inches overall and is one of the largest bushings of this kind yet produced. Only the skill and knowledge acquired by long experience could produce insulators of such dimensions free from flaws

How much larger will be called for in vears to come, only the future can say. But one thing is certain, whatever the size, Bullers will be ready with their unrivalled resources and experience to cope with the problem.

Bullers

AND IRONWORK

BULLERS, LTD. THE HALL OATLANDS DRIVE
WEYBRIDGE, SURREY

Telephone: Walton-on-Thames 2451
Manchester Office: 196 Deansgate, Manchester



FLAMEPROOF CONTACTOR STARTERS

DIRECT-ON-LINE

for motors up to 10 Horsepower at 400/550 volts.



STARTER, with mechanically and electrically interlocked isolator, for motors up to 10 Horsepower.

Cover cannot be removed unless isolator is open.

Isolator :-

In separate flameproof chamber.

Starter can be examined with isolator open in perfect safety, and complies with Coal Mines Draft Regulation 14(iii).

STARTER (without Isolator) for motors up to 7; Horsepower.

Flameproof Reversing Starters up to 6 Horsepower at 400/550 volts.

Flameproof Star-delta Starters up to 15 Horsepower at 400/550 volts.

Conform to BSS.229/1940

BTH


RUGBY

THE BRITISH THOMSON-HOUSTON COMPANY LIMITED, RUGBY, ENGLAND

A3501



COMMUTATOR SECTIONS



IN COPPER OR COPPER ALLOY

of unsurpassed quality and durability—ensured by careful selection of raw materials, expert workmanship and high manufacturing standard.

We shall be pleased to quote for these sections.

EQUIPMENT for ALL INDUSTRIES



Hicycle AERO DRILLS

Continuous production conditions call for sturdy machines that can be relied upon to get through a lot of hard work without fear of constant breakdown. His tools possess these essential characteristics for such conditions, i.e.:

- No armatures to burn out.
- Maximum possible power per lb. weight of tool.
- Constant speed giving increased production.

The machine illustrated is one of the many theyele Aero Drills, capacity in steel or 1 in duralumin.

CONSOLIDATED PREVMATIC

AIR COMPRESSORS . PNEUMATIC TOOLS . ELECTRIC TOOLS . DIESEL ENGINES . VACUUM PUMPS

CONTRACTORS' EQUIPMENT . ROCK DRILLS . DIAMOND DRILLS . OIL WELL TOOLS

TESTED AND PROVED IN PEACE AND WAR

The RIGHT Gear for the job. DELIVERED from STOCK


We can now supply your immediate requirements of REVO Switch and Fuse Gear for essential installations and property repairs without delay. Send us your enquiries. Prices on application.



SWITCH

AND

FUSE GEAR



Revo S.6052, 15 Amp. 250 V. D.P. Switch and Fuses.



REVO SWITCH AND FUSE GEAR includes:—IRONCLAD SWITCHES and SWITCHFUSES, IRON-CLAD FUSES and FUSE-BOARDS, SHOCKPROOF SWITCHFUSES, TEAK-CASED FUSEBOARDS, CHANGEOVER SWITCHES COOKER CONTROL UNITS, BUSBAR CHAMBERS, FUSE ELEMENTS, ETC., ETC.

REVO ELECTRIC CO. LTD., TIPTON, STAFFS



This B.E.T. 62,500 kVA Transformer is going into its tank to give years of service. Its duty will be a responsible one but it goes out with the confidence of its makers. B.E.T. have specialised

in transformers for 47 years. There is nothing in transformer construction for which B.E.T. experience does not provide an answer. This experience is at your service.

The

British Electric Transformer

Company Limited

In association with CROMPTON PARKINSON LIMITED

LECTRA HOUSE, VICTORIA EMBANKMENT, LONDON, W.C.2

SELENIUM BATTERY CHARGERS

For Industrial Applications

THE MOST RELIABLE AND EFFICIENT METHOD OF CHARGING STORAGE BATTERIES

For all Applications including:—

Railway Signalling
Telephones
Telegraphs
Fire Alarms
Burglar Alarms
Electric Vehicles
Industrial Trucks
Electric Handbarrows
Electric Locomotives
Emergency Lighting
Railway Coaches
Rail Cars
Electric Clocks
Portable Handlamps




PLEASE WRITE FOR ILLUSTRATED 12 pp. CATALOGUE

CRYPTON EQUIPMENT LTD . # GEORGE STREET . BRIDGWATER . SOM

Laboratories

OGUE

another



- let it be a


FERRANTI

TRANSFORMER

FERRANTI LTD., HOLLINWOOD, LANCS.

Landan Office: Kern Hause, Kingsway, W.C.2.

FT58



Electric POWER is a mighty sinew of the nation's effort. It must be GUARDED against leakage.

Tullis Russell Rothmill Cable Insulating Papers are called upon by leading cable manufacturers to perform this task, and it is carried out admirably by these renowned, uniformly high-quality insulating papers.

Rothmill Papers are guaranteed free from metals and grit.

Write for details of the complete range.





CABLE INSULATING PAPER

Tullis Russell 7 Co. Ltd.
Auchmuty & Rothes Paper Mills, Markinch.

Tudor St.

MANCHESTER

BIRMINGHAN

945

D will


safer all

min

Feper III

100

SWITCHGEAR



illustrated is a typical example of a large number supplied to Government Departments for service in Ordnance and kindred factories and for many industrial applications at home and abroad. Our Oil Circuit Breakers, which are manufactured in a range of sizes from 30 to 1600 amps. capacity, have earned a reputation for reliability and service.


Descriptive literature will be sent on request.



M. & C. SWITCHGEAR LTD.

KELVINSIDE WORKS, KIRKINTILLOCH, GLASGOW







MANY municipalities and industrial concerns have adopted Petter Engines for Power and Electricity Generation because of their proved reliability, the result of sound design and the high standard of materials and craftsmanship used in their construction.

Details of any of the following engines sent on application:

Petter "Superscavenge" 2-stroke Oil Engines, range from 150 to 450 B.H.P., 2 to 6 cylinder. Petter etrol or range Engines, range 11 to 3 B.H.P.

Petter-Fielding Horizontal Oil Engines 18 to 65 B.H.P.




PETTERS LTD

LOUGHBOROUGH

ENGLAND

PLANT MOTORISATION

USING ENGLISH ELECTRIC MOTORS AND OVERHEAD BUS-BAR SYSTEM



This changeover is fully described in our publication entitled 'PLANT MOTORISATION'

WRITE FOR YOUR COPY to Fusegear Dept. STAFFORD.

THE ENGLISH ELECTRIC COMPANY LIMITED

London Office: QUEEN'S HOUSE, KINGSWAY, LONDON, W.C.2


WORKS: STAFFORD - BRADFORD - RUGBY - PRESTON




WIRE WHEELS AND BRUSHES

We manufacture a full range of Wire Brushing Wheels and Brushes for Munitions, and have solved many problems in brushing and cleaning shell cases, bomb castings, hand grenades, fuse parts, etc.

Send your Brushing or Cleaning problems to us for immediate attention






GREAT HAMPTON STREET, BIRMINGHAM 18

Industrial Contact

IRONGLAD SWITCH PLUG UNITS



ELECTRICAL ACCESSORIES FOR ALL WAR-TIME INSTALLATIONS

The Outstanding Quality of "BRITMAC" Ironclad Accessories is well known. The Switchplug illustrated, Catalogue No. P.1402, fully justifies its popularity, resulting in ever-increasing demands which, bearing in mind present day conditions, we are endeavouring to satisfy. May we send you full details of the "BRITMAC" Ironciad Range?



POINTS OF PERFECTION

C.H.PARSONS.LTD

Telephone: ACOCKS GREEN 1642 SLINES Britannia Works Wharfdale Rd. Tyseley RIRMING HAM 11

Telegrams: HECTOMAR BIRMINGHAM



The Isle that Grew from the Sea

A little land above the surface of the sea; white surf and leaning palms... but underneath, out of sight, the foundations go down deep and wide to the bed of the ocean.


So, too, with great industrial organisations like that of Philips. Their achievements

and the high reputation of Philips products are broad-based on persistent research, skilled technicians, highly-developed factories and long-accumulated knowledge and experience of the application of electricity to the needs of the modern world.


PHILIPS




LAMPS * RADIO * X-RAY
COMMUNICATIONS EQUIPMENT
AND ALLIED ELECTRICAL PRODUCTS



Months in 5% brine





could not harm

Crompton D.C. field coils.

A recent Crompton development in the construction and impregnation of field coils greatly increases the ability of D.C. motors to withstand the onerous conditions met in marine and other exacting services.

The coils are doubly impregnated with a special varnish which has extraordinary penetrating and moisture-resisting properties and the absence of a former ensures thorough impregnation and, at the same time, freedom from crevices that harbour dirt, oil, moisture, etc. The exterior of the

coil presents a smooth, glossy, sealed surface, and there are no air pockets inside the coil.

The coils have been subjected to prolonged heating and cooling cycle tests whilst immersed in water; immersed in 5% brine solution; atmospheres of 99% humidity; and other artificially created onerous conditions. Daily high-voltage tests to earth failed to cause break-down. The new coils are now fitted as standard to Crompton D.C. Motors. Crompton have been prominent in perfecting the D.C. motor ever since its earliest days.

CROMPTON PARHINSON

ANKMENT, LONDON, W.C.2





IN SUPPORT OF THE MINISTRY OF FOOD HERE IS ANOTHER RECIPE FOR YOUR **DEMONSTRATIONS:**

Maids of Honour

Ingredients:

I oz. Margarine

2 Tablespoonsful golden syrup 4 Tablespoonsful quick cooking oats

I Dried egg (reconstituted)
I Teaspoonful Baking Powder

Almond essence to taste

A little jam

Short crust pastry to line patty tins

Method:

Melt the margarine and syrup, add the oats and reconstituted egg, then the baking powder and almond essence.

Line patty tins with pastry putting a little jam in each and then a teaspoonful of the mixture

in each.

Bake in a moderate oven for about 20 mins.

NOTE :- Sweetened condensed milk may be used in place of syrup. Breadcrumbs, ordinary rolled oats or parmeal may be used in place of the quick oats.



COOKING

CABINET






ELECTRIC STOVE Co. Ltd.

143 SLOANE STREET, LONDON, S.W.I

RAWLPLUG FIXING DEVICES


Solve all your Fixing Problems



RAWLPLUGS

There is a RAWLPLUG for every size of screw and coach screw, from the tiny No. 3 for light wiring to the large No. 28 which will withstand a direct pull of

over 4 tons. Rawlplug fixing is safer, quicker and neater than any other method.



RAWLPLUG METALPLUGS

(Screw Anchors)

Specially suited for use where the plug is likely to be subjected to extreme climatic conditions. Made in sizes to take screws from No. 8


to No. 14 and lengths from 1 in. to 2 in. Designed with flange for hollow brick work and to stop plug being inserted too far in hole.



RAWLBOLTS

The use of RAWL-BOLTS requires the minimum of time, labour and tools. No grouting is needed. No time-lag waiting for cement to dry. Made in two types—bolt projecting and loose


bolt type—they solve every bolt-fixing problem. Available with pipe clips, round and square hooks and eye bolts. Size $\frac{1}{4}$ in. to $\frac{3}{4}$ in. diameter. Standard Whitworth thread.



BOLTANCHORS


The RAWLPLUG BOLT ANCHOR is especially designed for fixings of a specialised nature. Unaffected by atmospheric conditions it can be fixed below water if necessary. Full range of

sizes available and the anchors will take bolts from $\frac{1}{4}$ in. to $\frac{1}{4}$ in. diameter.



TOGGLE BOLTS

Toggle Bolts provide an ideal means of making secure fixings to hollow partition walls or ceilings, i.e. lath and plaster, asbestos board, etc., as they distribute the strain over a wide



WHITE BRONZE PLUGS

Specially designed for outdoor jobs where a metal plug is specified or preferred. One end of the plug is "coned" to facilitate

the entrance of the screw when it is first inserted.

B311

THE RAWLPLUG CO., LTD., LONDON, S.W.7

UKB

THE PERSON NAMED IN

320

Aprili

201

1.185

100

5W)

FOR IMPROVING FACTORY LIGHTING

WITHOUT INCURRING HIGH CAPITAL COST

INSTALL



ELECTRIC DISCHARGE LAMPS

A combination of Electric Discharge and Tungsten Filament in one lamp, giving UP TO 50% MORE LIGHT than gasfilled lamps of equal wattage.


No choke coil, condenser or re-wiring required.

MADE THROUGHOUT IN ENGLAND BY SIEMENS

Deliveries from Stock for Essential Industrial Installations

We will gladly send a Lighting Engineer to advise you on a lighting layout using these lamps, without obligation.

SIEMENS ELECTRIC LAMPS AND SUPPLIES LTD. 38/9 UPPER THAMES STREET, E.C.4





BRANCHES: LONDON, MANCHESTER, LEEDS, BIRMINGHAM, NEWCASTLE, GLASGOW, CARDIFF, BELFAST, DUBLIN

AUSTIN WALTERS & SON LTD.

MANUFACTURERS OF
STORAGE EQUIPMENT



Bins and Shelving

single and double-sided



STORAGE RACKS

for
Small Parts
Removable Trays

S ;"







STEEL WORK BENCHES

8' 0" × 2' 6" × 2' 8'

Two Lockers with Padlock and Key

AUSTIN WALTERS & SON LTB.
Old Trafford, MANCHESTER 16

L.WEEKES (LUTON) LIMITED

Switch-fuses

WEEKES' "Safetee" Combined Switchfuses with Interlocked Plugs, Incorporate in one unit the advantages of efficient quick-break switch coupled with the use of indicating Cartridge Fuses, for protection, and plug-in connectors.

The range includes :-

D.P., T.P., T.P. and N., 4-pole types in standard ratings up to 500 amps, 250 or 500 volts, A.C. or D.C.

Plugs and Sockets

WEEKES' Watertight Plugs and Sockets are available in the following standard forms:—

- (i) Fixed Plug, Socket and cable box.
- (ii) Fixed Plug, Socket and cable box with interlocked Isolating Switchfuse.
- (iii) Swivelling Plug and Socket with cable box.
- (Iv) Swivelling Plug and Socket with cable box and interlocked Isolating Switchfuse.

Cartridge Fuses

WEEKES' Indicating Cartridge Fuses are available in over 50 types, and those of 2-amp size and over give definite indication when "blown."

Weekes' Fuses carry their rated current indefinitely, and give overload protection against currents 150% of normal or over.

Standard Ratings:—0.5-500 Amps up to 600 V. Higher ratings supplied to order. Special designs also made for replacements.

Full details will be sent on request.

Contractors to H.M. Admiralty, War Office, Air Ministry, etc.

L.WEEKES
(LUTON) LIMITED
LUTON, BEDS.

London Office: 36-38 KINGSWAY, W.C.2


Telephones: Holborn 1091; Luton 278 Branches: Birmingham, Glasgow, Newcastle



POST WAR PLANS


NEW PRODUCTIONS

ELECTRICITY METERS
INSTRUMENTS
AND OTHER
ELECTRICAL APPLIAN



BRITISH ELECTRIC METERS LIMITED MORDEN ROAD, MITCHAM, SURREY

REYROLLE SWITCHGEAR



ESTABLISHED BY



SERVICE SINCE 1906

AND FURTHER PROVED BY

CONTINUOUS SHORT-CIRCUIT

TESTING SINCE 1929


STANDS FIRMER THAN EVER



M.S.M. are specialist manufacturers of tilting type mercury switches suitable for instrument work, domestic and industrial apparatus and power control gear.

THE MERCURY SWITCH MANUFACTURING CO. LTD. MIDDLESEX

Standardise on DENNIS Fuses



N.P.L. APPROVED for GATEGORY D.C.3
Perfection in Design — Reliability in Service

G. P. DENNIS LIMITED

Specialists in Switchboards, Control Panels, Switch Fuses, Distribution Boards, Fuses, etc.

ST. MICHAELS STREET, CHESTER
Telephone 3763/4

Telephone 3763/4
LONDON OFFICE: ABFORD HOUSE, WILTON RD., S.W. I
Telephone: Victoria 5780

TEVIEW ...

BRIGHT STEEL HEXAGON

Aircraft

Guaranteed
Accuracy to

Also made in brass for all electrical purposes including oil circuit breakers, etc., etc. Standard

VISLOK

ENGINEERING LTD.

A.I.D. Fully Approved
MARKET
HARBOROUGH

Phone: 2245 (3 lines)







for the Efficient Driving of all classes of Machinery, Conveyors, etc.

Horse-Powers up to 150 h.p. Gear Ratios up to 50,000 l. Fixed or multiple Speed Output Shafts.

We have the widest range of Standardised Geared Motor Units in Design and Sizes to meet all general industial requirements.


Output Shafts any angle Horizontal to Vertical —Units can be Floor, Wall, Ceiling or Flange Mounted.

Our New Catalogue E 240 now available. Most comprehensive yet issued on Geared Motor Design and Application. Copies on request.

CROFTS RADFORD

C&H

A SYMBOL OF RELIABLE METERING



POLYPHASE kWh METER WITH kVA DEMAND INDICATOR

SIMPLICITY—always a feature of C. & H. design—is strongly evident in this combination meter. One set of terminals and connections ensures correct installation. The testing and adjusting of the meters is simplicity itself.

Manufacturers:

CHAMBERLAIN & HOOKHAM LTD., BIRMINGHAM



PURITY

"Pure as the lily," though poetic, is not very precise. We can be precise as to the purity of hydrogen and oxygen produced by Knowles Electrolytic Plant—guaranteed to give hydrogen 99 95% pure with oxygen 99 8% pure.

Hydrogen of this purity can be used without further treatment for processes such as the hydrogenation of oils for foodstuffs, synthetic processes involving catalysts, reduction of metals, etc.

Besides the merit of producing such pure gases, Knowles equipment has many technical and operating advantages, including absolute safety under all conditions, very low maintenance charges and long trouble-free life.


Plants in operation all over the world, from small to the largest sizes. A typical large plant absorbs 10,000 amps. at 650 volts, yielding 49,500 cu. ft. of hydrogen per hour. Electrolytic plant forms a highly suitable off-peak load.





THE INTERNATIONAL ELECTROLYTIC PLANT Co. Ltd. SANDYCROFT - - - CHESTER

HO.13



THE forms of control for Street Lighting are many and varied, but now CENTRALISED CONTROL is generally accepted as essential.

Sordoviso Street Lighting Control units embodying the Sordoviso nontilting Mercury Switch with its inherent features of non-burning contacts, low energising current, silence in operation and freedom from climatic effects, provide a most efficient remote or automatic control with low installation and maintenance costs.


If you are contemplating a new scheme or modifications to an existing one, the advice of our Technical Staff is always available.

We should be pleased to forward, on application, our brochure, "Controlled Street Lighting."

SORDOVISO SWITCHGEAR LTD.

Falcon Works, Loughborough LOUGHBOROUGH 3131

FLUSH FITTING



Here is Britain's most popular motor starter arranged for flush fitting to save space and improve the appearance of the machine. The M.E.M. "Auto-Memota" Push-button Automatic Direct Starter is available in all sizes in enclosed or open versions of this inset form. M.E.M. "Auto-Memota" Inset Starters are suitable for motors from $\frac{1}{8}$ to 15 H.P. and give complete overload protection. Designers will find them a great help in giving machines a clean, modern appearance. Full details can be obtained on application. Write for List No. 249.

MEM

I ME

100

台曲

10 20

g 1 0#

100

11 Coo-


RLI

INSET STARTERS

MIDLAND ELECTRIC MANUFACTURING CO. LTD., TYSELEY, BIRMINGHAM, 11

Specialists in the manufacture of Switch, Fuse and Motor Control Gear.

London Showrooms and Stores: 21-22 Rathbone Place, London, W.1 · Manchester Showrooms and Stores: 48-50 Chapel Street, Salford, 3





Pull back the curtain on the age of electronics — the era of industry that will begin with the end of this war. The development of new services on land, at sea and in the air are all part of the Marconi post-war plan.


From the first great adventure of wireless communication nearly half a century ago Marconi's have never looked back.

Today they are looking forward—to the reconstitution of old services and the introduction of new achievements in the world of wireless communications.

MARCONI the greatest name in wireless

MARCONI'S WIRELESS TELEGRAPH COMPANY LTD * THE MARCONI INTERNATIONAL MARINE COMMUNICATION COMPANY LTD ELECTRA HOUSE, VICTORIA EMBANKMENT * LONDON, W.C.2





by the OA/66 DUO BLAST' CIRCUIT BREAKER

Exhaustive tests have proved it to be a Breaker of outstanding merit

Enquire for fuller details from :-

FERGUSON, PAILIN LIMITED

MANCHESTER, 11

phone DROYLSDEN 1301 (8 lines)
BIRMINGHAM Sutton Coldfield 2744



ENGLAN

LONDON: Temple Bar 8711/2 GLASGOW: Central 5080



Accuracy Reliability

These moving coil instruments are manufactured from the finest raw materials and assembled with great care to ensure many years of trouble-free and accurate measurement.

accurate measurement.
All these instruments are supplied in black moulded insulated cases, and mirror scales and illuminated dials are available if required with models 400 and 500. Rectifier or Thermocouple type instruments can also be supplied in all the usual ranges.

We also manufacture the following instruments :-

MODEL 200. 2" instrument with either round or square covers.


MODEL 250. 2½" instrument for flush or projecting mounting.

Taylor
electrical in truments

Send your enquiries to your usual factor or direct to— TAYLOR ELECTRICAL INSTRUMENTS LTD. 419-424, Montrose Avenue, Slough, Bucks. Tel.: Slough 21381 (4 lines). Grams: "Taylins, Slough"



YORKSHIRE COPPER WORKS



J.&P. CABLES FOR **BRITAIN'S VICTORY** SHIPS

DAY and night production of J. & P. cables for ship wiring helped Britain's great shipbuilding yards to hasten the completion of new warships and merchantmen. 70 years' experience was behind every yard of cable supplied . . . reliability where and when-it was most needed.

JOHNSON & PHILLIPS LTD..

CHARLTON, LONDON, S.E.7

Telephone: Greenwich 3244 (13 lines). Telegrams: "Juno," Charlton, Kent

The mark that means that "little more in quality,




ELECTRIC PUME is one of a range particularly useful where light and efficient duty is required. It has a capacity of 250 G.P.H. to a head of 80 feet and is fitted with Totally enclosed Self-oiling Mechanism with BALL BEARINGS throughout. Other special features include non-corrodible GUN METAT. PUMP HOUY, STAULESS STEEL PISTON ROD and also AUTOMATIC GLAND ADJUSTMENT which reduces friction to a minimum. Write for fully illustrated lists, prices and generous discounts of the comprehensive range of Godwin Electric Pumps and Water Systems.

H. J. GODWIN LTD







Good Stocks of . . .

... Romac H.T. Terminals are available on cards for re-sale in one dozen boxes of 4... or in dozen or gross lots for workshop use.

Price list sent on request.


Enquiries for bulk supplies are invited.

H.T. Terminals

Handy, quick - fitting type; size 7 mm. No baring of wire, no solder or tools required.

ROMAC INDUSTRIES LIMITED
The Hyde, Hendon, London, N.W.9


ROMAC



DISTRIBUTION PANELS FOR

SUBSTATIONS

These typical Sub-station Distribution Panels built up with Henley standard tailless type units, show how readily any desired arrangement of fuses, instruments, etc., can be assembled on an angleiron framework, making a neat and compact assembly for installation in a Sub-station. We shall be pleased to put forward suggestions for panels to meet your particular requirements.






Figure 1. Two Panels fitted with standard Tailless Units having Current Transformers for operating the instruments. The Instrument Panel contains an Ammeter with Selector Switch for reading the current in each phase, a Voltmeter with Selector Switch and protective Fuses, three Maximum Demand Indicators and a Watthour Meter.

Figure 2. A Henley Unit Panel fitted with two Feeder Units with direct-reading Ammeters connected in the busbars on the phases, and nine Distributor Units. The Voltmeter, with Voltmeter Fuses and Selector Switch, is mounted above the Panel and woven wire screens and doors are fitted.

HENLEY

UNIT TYPE
DISTRIBUTION
PANELS

TRADE HARE

W. T. HENLEY'S TELEGRAPH WORKS CO. LTD

AILTON COURT . WESTCOTT . DORKING . SURREY PHONE DORKING TELEGRAMS: HEL

ELECTRICAL REVIEW

May 11, 1945

Contents:-

				Page
Editorial War and	Peac	e .		667
The G.P.O. During t	he V	Var	-2	669
Plugs and Sockets in	Fact	ories.	Ву	
K. M. Mackenzie	4			673
Cable Testing	4	- 4		674
Unremunerative Co	nsun	ners.	Ву	
F. S. Naylor	4	-6		675
Correspondence	-		4	676
Personal and Social	-	- 1	-	677
I.E.E. Council's Repo	rt			680
Low-Capacity Switch	es. B	y R. V	√. J.	
Cockram, A.M.I.E.	E., A	.I.Mecl	h.E.	681
Recent Introductions		-	-4	683

Managing Editor: Hugh S. Pocock, M.I.E.E.


Technical Editor : Commercial Editor : C. O. Brettelle, M.I.E.E. J. H. Cosens

Contents continued :-	Page
Commerce and Industry	685
Views on the News	688
Electric Vehicles. By T. C. Elliott	689
Meter Jewels and Pivots	691
Fuses and Relays	693
Electricity Supply	695
Financial Section	696
Advice for Contractors	699
Forthcoming Events	700
New Patents	701
Contract Information	702
Classified Advertisements	71
Index to Advertisers	80

EDITORIAL, ADVERTISING & PUBLISHING OFFICES: Dorset House, Stamford St., London, S.E.I Telegraphic Address: "Ageekay, Sedist, London." Code: ABC. Telephone No.: Waterloo 3333 (35 lines), Registered at G.P.O. as a Newspaper and Canadian Magazine rate of postage. Entered as Second Class Matter at the New York, U.S.A., Post Office.

Annual Subscription, Post free: British Isles, £2 7s. 8d.; Canada, £2 3s. 4d.; Elsewhere, £2 5s. 6d.

Cheques and Postal Orders (on Chief Office, London) to be made payable to ELECTRICAL REVIEW LT D. and crossed "Lloyds Bank."




FIRTH - VICKERS

STAINLESS STEELS

FIRTH-VICKERS STAINLESS STEELS LTD

SHEFFIELD





N.B. No likeness to any living character is intended

BERRY'S

ELECTRIC

LONDON

BIRMINGHAM

MANCHESTER



A Jewel Beyond Price

A Kingdom has been offered for a horse . . . but even greater, in the time of emergency, was the value of having available the process for the production of "SANWEST" jewels when supplies of other instrument bearings were cut off almost overnight. The "SANWEST" V Type bearings which have been produced since those vital days have given complete satisfaction under the most arduous conditions.

In 3 sizes: I It and 2 mm.



ELECTRICAL REVIEW POLITECHI

THE OLDEST ELECTRICAL PAPER - ESTABLISHED 1872

Vol. CXXXVI. No. 3520.

MAY 11, 1945

9d. WEEKLY

War and Peace

Electrical Industry's Key Position

JITH the formal declaration of cessation of hostilities in Europe comes the opportunity to consider in an atmosphere that is relatively calm, because more remote from the actual scene of battle, the ways and means by which electrical activities can best be switched over from armament production to meeting the normal needs of the public when the world war is ended with final victory in the Pacific. Electrical engineers are unlikely to suffer from the delusion that any peace worth having means merely an absence of foreign military aggression. They are in the fortunate position of being able to realise that the winning of the peace will depend increasingly on their own unrelenting efforts. This knowledge together with the inherent interest of their work provides them with the dynamic, which has been called "the moral equivalent of war," that is required for summoning all their energies to the service of their country.

National Reconstruction

No

Yet with all the will to take its leading place in national reconstruction and development, the electrical industry may well feel some uncertainty as to what will be required of it. Much that is of immediate moment to the industry perforce depends upon questions of Government policy, which itself is dependent upon the post-war international situation.

Some action will doubtless be taken, after the prior claims of full industrial electrification have been satisfied, in the direction of standardising distribution

voltage and tariff structures, rationalising supply areas, and possibly generation, and making further provision for co-operative research. There will be urgent problems to tackle in the mass electrical equipment of new dwellings and in catching up with the normal growth of domestic load after five years of suspended animation. This may entail concentrating on models which lend themselves to rapid production, probably of pre-war types, and (of at least equal importance) easy installation with some modification in wiring methods to the same end. Rural areas and transport are among other matters that will probably come up for consideration.

Need for Export

That is only one aspect of the matter. Ultimate electrical progress in Great Britain is intimately associated with the ability of electrical manufacturers to secure unhampered export of their potential output. An urgent claim on their productivity will be provided by the needs of a devastated Europe, in whose prosperity our own is deeply involved, and this may entail some sacrifice on the part of consumers here.

The electrical industry is in an especially favourable position for meeting all the calls upon its resources that the future seems likely to make. Enjoying the advantages peculiar in each case to large, medium and small organisations, it has shown a remarkable degree of resilience, both before and during the war, in satisfying the varied demands on it. In addition to fulfilling the requirements of munition

In his report on elec-

production here, it has continued to supply equipment of all kinds to the Empire and Dominions and also to our Allies. Electricity's contributions to the war effort have been largely in the nature of an extension or adaptation of its ordinary functions and its return to the serving of constructive ends, reinforced by warstimulated developments, should be free from the obstacles that will unfortunately confront many other trades.

DISCUSSION of week's two I.E.E. Installa-**Protective** Devices tions Section papers on excess-current protection on medium-voltage circuits by Mr. R. T. Lythall (fuses) and Messrs. A. G. Shreeve and P. J. Shipton (relays) emphasised the outstanding importance of providing for open-phase and earth-leakage faults. Of these the second kind is the more important because of the accompanying risk of fire—a risk that increases with the size of installation—and of the greater number of those it affects. Some difference of opinion was evident as to whether earth-fault tripping or merely indication is generally more desirable, but not about the need for a wider realisation of the harm that may come from quite small current leakages.

In view of the possibility The Law of further legislation affecting electricity supply, some knowledge is desirable of how the industry is governed and the steps which led up to the present position. An outline of the subject was given in Mr. L. S. Atkinson's inaugural address as chairman of the I.E.E. Dundee Sub-Centre. Those interested should also take cognisance of some of the private Acts promoted by power companies in pursuance of the recom-mendation made by the Cross Committee of 1898. In these Parliamentary approval was first given to the supply of electricity over wide areas, thus making rural electrification possible, instead of practically confining the development within urban municipal boundaries.

Without Record sented before scientific and technical bodies have often nowadays to answer criticisms of incomplete treatment of certain aspects of their subjects by reference to the limits imposed by space considerations.

While such restrictions are undoubtedly necessary in view of the quantity of paper required for the advance proofs circulated and for subsequent publication in the journal of the institution concerned, probably on their account much valuable data remains unrecorded. Could not authors be encouraged to deposit for reference in the library of the institution a full record of their work in typescript? The additional labour entailed would generally not be great, probably far less than in the subsequent condensation required for the printed versions of the papers.

Portable trical accidents during 1943 Mr. H. W. Swann. Senior Electrical Inspector of Factories, emphasised the need for ensuring that earthing connections on portable appliances have been made correctly and remain effective. Electrical Contractors' Association has previously drawn attention to its members' responsibilities in this matter and it now recommends the affixing of labels to portable tools warning the user to make sure that the earth connection is in order and also stipulating that the tool is to be used only by the firm's employees. While it is not certain that this precaution would absolve the employers from all blame for possible accidents it should at least mitigate any penalties which might be imposed.

Flexible normally has in view more economical production or greater convenience to the

user. It therefore finds no place in enforceable regulations that are designed to secure safety. Nevertheless non-standard articles may introduce risks even though individually they may be of good quality. In this issue Mr. K. M. Mackenzie draws attention to risks that may arise in factories from the near paradox of a too ready interchangeability of different types of plugs and sockets, which is potentially a contributing factor to the high percentage of electrical accidents that is associated with flexible connections. Works electrical engineers have, of course, to make shift with what they can get nowadays. But chance of danger can be reduced by segregation of different types of fittings that are used.

BR

1

N

-

4

500

1 22

BI 100

sin

55

是

ø

555

The G.P.O. During the War

Maintaining the Telephone and Telegraph Systems

the maintenance of the telephone and

have been very similar to those which have been met with by the electricity supply industry and which have already been described the Electrical Review. The important difference, however, may be summed by the word "intricacy." If, for example, a power station is hit by a bomb or damaged by fire, the boilers, condensers, alternators and even the switchboards and instruments are of a reasonably large size and stand a fair chance of being repairable.

On the other hand a direct hit or a fire at

N general, the experiences encountered in and the masses of complicated fine wiring. Again, the repair of an electric cable is telegraph systems in the face of air attack child's-play compared with dealing with a



a telephone exchange is almost certain to multicore telephone cable which may have play havoc with the delicate equipment, as many as 1,400 pairs. Sometimes perhaps particularly automatic exchange apparatus, a hundred cables converging on a telephone

> exchange and lying beneath one roadway have been damaged by a single bomb. Damage was not confined to the limits of the bomb craters in the streets and often faults were found a considerable distance from the explosion. Plumbed joints have been destroyed as far as 200 yards from the bomb crater, and the centre conductor of a coaxial cable has been disconnected three joints away. While cables have sometimes been stretched, bent



A general view of the damage at Wood Street exchange

apparatus and prevents it from operat-

and flattened in a fantastic manner with no effect on efficiency, on other occasions faults have occurred, perhaps a considerable time afterwards, in cables which on inspection have appeared undamaged. Frequently, too. work on repairing damaged cables has been

particularly suited to withstand the effects of bombing. Switchboards are usually placed on the top floors of exchanges to get the maximum amount of light. Even where a bomb has not scored a direct hit, it has often shattered windows and thrown up clouds of dust, which settles on

Plymouth telephone exchange

with equipment that has been corroded owing to the mixing of water used in fire fighting with the battery acid, namely, shot or sand blasting and the

held up because of debris making access impossible.

Improvisation has played a big part in carrying out temporary repairs. Often, to avoid a bomb crater, interruption cables have been run, usually in service troughing, from the nearest manholes or from shafts sunk down to the duct on each side of the crater. At other times bridges formed of poles or steel scaffolding have been employed

to carry the interruption cables over the crater. Besides reconstructing manholes it has sometimes been necessary to build additional manholes in in the craters.

Unlike power stations, telephone exchanges and their equipment cannot, except in the case of a few steel-framed buildings, be claimed to be use of dental type rotary brushes. For use when the electricity supply has failed, portable charging sets (in four sizes) have been brought into service, the Engineering Department's pre-war fleet of 160 portable generators with a total capacity of

ing. Vacuum cleaners not аге always sufficient to remove this dust and so use has been made of portable spraying equipment employing "Dekalin." a nontoxic solution. Thanks largely to

> well-trained fire-fighting parties, only rarely has any appreciable damage been done to exchanges by cendiaries.

> methods have, however, been successfully developed for dealing

Two

1,200 kW having been increased during the



A crater in Charing Cross Road showing temporary road bridge and telephone cables being repaired

war to 275 with a capacity of 2,500 kW. In addition to these portable sets a large reserve of stationary engine generating sets has been formed. At eight zone centres sets with a total capacity of 2,000 kW are installed. In addition twelve 50-V 1,500-Ah battery sets have been provided for use with semiautomatic emergency exchanges, while existing plant at fifty exchanges has been converted to work on the float system to meet the increasing load.

To ensure that subscribers with "immediate action" lines can originate calls in all circumstances, emergency arrangements have been made whereby their circuits are segregated into groups with sole access to a number of automatic first-selectors. In case both main and emergency exchanges should be disabled, a scheme has been devised whereby their circuits can be diverted to

satellite or "fringe" exchanges.

Damage to overhead equipment has been insignificant compared with that occurring to exchange buildings and underground cables. There have, however, been instances of poles being burnt by incendiaries or broken or deflected by h.e. bombs, though they often



Repairing damaged cables at the Bishopsgate exchange, London

escaped'damage by the latter even when quite close. Aerial cables have been severed not only by bombs, but by anti-aircraft shells and barrage balloons.

The most severe blow suffered by the Post Office telecommunication system occurred during the "Second Fire of London," when severe damage was sustained by both the Central Telegraph Office and the Wood Street buildings containing three automatic telephone exchanges (London Wall, Metropolitan and National), as well as the Head-



Repair work in progress near Cadby Hall, Hammersmith

quarters exchange and hundreds of repeaters for circuits passing through to terminate at Faraday Building. Although the Central Telegraph Office handles more than a quarter of the total telegraph traffic of the country, services were fully restored in alternative accommodation within three weeks.

By diverting circuits to spare equipment in neighbouring exchanges and by re-establishing the old Clerkenwell exchange (which had been taken out of service when the automatic exchange was opened) and renaming it "Kelvin," the more important subscribers affected by the damage at Wood Street were speedily reconnected and several special tele-

phone bureaux for the use of the general public were brought into service, the first opening on January 9th. By January 21st service had been restored to 700 subscribers, the Kelvin exchange opening on the following day. Altogether the restoration work involved, among other things, the laying of 7.3 miles of maximum size cable in the street, 235 joints to main cables, 250,000 pairs of wires jointed and 88,000 pairs of wires tagged and jointed on main frames, and a 100,000 soldered jumper joints.

All the more remarkable, therefore, with all these difficulties is the way in which, with a very much depleted personnel, telephone and telegraph services have continued to function so satisfactorily and with so little interruption, and at the same time have been extensively expanded to meet wartime demands. A large number of telephones was required for the Service Ministries and the civil defence organisation, the whole of the air-raid precautions system being linked with the Post Office system.

At the height of the raids 15 million local calls a week were dealt with in London alone, and, despite appeals to the public to use long-distance lines as little as possible, toll calls throughout the country have increased from about 1,400,000 to 2,400,000 a week and trunk calls from 800,000 to 1,600,000 per week since the beginning of the war.

Apart from the maintenance of the telephone and telegraph network many new radio services have been brought into operation, while new problems in radio and other aspects of telecommunications have been solved. Teleprinter working has been extended to all but the lightly loaded telegraph routes where telegrams are disposed of by telephone.

No praise is too high for the work of the telephone operators and the repair and maintenance personnel. To keep the telephone system working operators have remained at their posts during the height of the bombing, usually, as already mentioned, on the top floor of the telephone exchange building.

Innumerable cases have been recorded of personal bravery and devotion to duty on the part of the Post Office workmen, who have been among the first on the scene of an "incident" and have frequently worked, with raids still in progress, amid bombs and A.A. shell splinters, close to unexploded bombs and buildings in imminent danger of collapse, in floods and escaping gas. The Submarine Section deserves special mention for its work in dangerous circumstances around the coasts.

We thank the *Post Office Electrical Engineers' Journal* for permission to use certain material contained in this article.

Aids to Public Speaking

of the Institution of Electrical Engineers was held on April 23rd, when Mr. P. G. A. H. Voigt, B.Sc., opened a discussion on "Electrical Aids to Public Speaking." He recalled the Institution's first electrical aid to speakers when, some years before the present war, a piece of apparatus, described as the "Speaker's Friend" was placed on the chairman's desk in the lecture theatre. Its function was to indicate to speakers in any part of the theatre whether they could be heard. The apparatus showed a light when the loudness of the speaker's voice was adequate. It was a help, but undoubtedly few speakers relied upon it.

Mr. Voigt said it was usual to see pictures of people addressing the public, hidden behind an array of microphones. He maintained that something far less conspicuous should be used and showed two types of small microphones, one of which was a ribbon type made for labora-

An important factor was the loudspeaker, which, broadly speaking, could be either directional or non-directional. His own view was that the audience should not be aware that electrical aids were being used and he deplored the effect when loudspeakers were heard from a different direction from that of the speaker. Tone controls in amplifiers could be very helpful owing to the differences of response in different halls. Referring to the use of reflectors with microphones, he showed how a horizontal reflector which he had made could be "aimed" at the speaker to improve audibility.

In the discussion attention was drawn to the value of attenuating the lower frequencies in

speech, it being pointed out that when the human voice is amplified beyond its original intensity, the lower frequencies are proportionally louder and tend to mask the higher frequencies. Complaint was made that not enough had been done to improve public address systems. Speakers using a microphone should endeavour to address themselves at least to the two front rows of the audience, as in this way the effect throughout the hall would be improved. The need for collaboration between sound-engineers and architects in the case of theatres, music-halls and large buildings was emphasised.

Mr. Voigt in his reply said that maintenance

Mr. Voigt in his reply said that maintenance was always a difficult matter. It seemed to be thought that installations would work for years

without attention.

Newcastle Trolley-bus Plans

T a town's meeting held recently, the Newcastle-on-Tyne City Council's plans to convert the remaining tram routes to trolley-buses and operate trolley vehicles over other routes, were approved. The chairman of the Transport Committee (Alderman G. Dixon) explained that the plan would cost £785,000, while to keep the tram system and buy 200 new trams and renew 50 miles of tram track would cost £2,000,000. The transport manager (Mr. H. C. Godsmark), replying to a question, said that trolley-buses were slightly cheaper to run than petrol buses.

Wallsend Town Council is taking steps to have the Bill amended so that the consent of the Wallsend Council must be obtained to

additional routes in its area.

2 3

bel,

20,11

Ser in

日本の日本

я

Plugs and Sockets in Factories

Too-Easy Interchangeability a Source of Danger

UCH has been said and By K. M. Mackenzie written lately on the (A. Reyrolle & Co., Ltd.) subject of plug and socket connectors, especially on the inconvenience in the home caused by the non-interchangeability of various sizes and types in common use. There is another matter, however, of a rather opposite kind, which affects almost every factory in the country, and which is serious because life and limb are very often Here it is too-easy interchangeability and not non-interchangeability that is at the root of the trouble. Attention is drawn to the subject because publicity appears to be the best method of minimising

the danger. First let us consider the possibility of making the outer casing of apparatus alive by inserting a wrong plug into a socket. For example, some two-pole-and-earth-pin plugs can have their three pins inserted into the three live contact-tubes of some three-phase sockets in common use. Such sockets are usually connected to a 440-V supply, and the safety earth-wire in the flexible lead and the framework to which it is attached thus become alive at full voltage. Accidents from

this cause have occurred.

Risk of Overhang

The operation of inserting the plug appears to be quite normal to any average workman, but the result might easily prove fatal, either from direct shock or indirectly from a resulting fall or stumble. Another frequent cause of trouble, including burnt hands, is the arcing that occurs when overhanging live pins come into contact with the earthed metal casing of a socket. Every electrical man will recall accidents from this cause, and the number of unrecorded burns or shocks, and of fortuitous "near misses," must far exceed the recorded accidents, which merely arouse

temporary and local interest.

The term "overhang" is understood by plug and socket designers and other specialists, but an explanation is offered here to assist the user in recognising this dangerous snag. If one pin only of a plug can be inserted into one live contact-tube of a socket so as to leave another pin exposed and overhanging the socket, the exposed pin may be alive and dangerous. The danger can only be detected by the engineer on site after a trial of all the types he has in use, and it will be found that plugs with unshielded pins are the ones that it may be possible to insert

in the way described.

The Government is, of course, well aware of all this through its factory inspectors, and

the Electricity Regulations made under the Factory and Workshop Acts refer explicitly

to the dangers that have been mentioned. For example, an extract from the memoran-

dum on Regulation 13 reads:

"Where portable apparatus has to be earthed, the connector may have to provide for the earth connection in addition to the circuit connections. It should be so arranged (a) that in plugging in and out, the earth connection is made before, and broken after, the circuit connections, and (b) that, in plugging in, the connections cannot be wrongly made. It should not be possible to put the earth contact of the plug portion into connection with a live contact of the socket portion, as the metal work of the portable apparatus would then be made live, very possibly bringing about just such an accident as the earthing is intended to prevent.'

Another extract from the memorandum on

the same Regulation reads:

"The most common accident in the use of connectors is for the user to get his hand severely burned when putting in the

plug of the connector.

There is, however, nothing in the Regulations to prohibit the use of a mixture of different types of plugs and sockets in the same establishment, and many accidents result from this cause. Most of the plugs and sockets available are in themselves safe and sound when they are used with their proper complementary parts, but the varied nature of portable equipment, radiators, tools, lamps, and so on inevitably brings together many different makes of connectors.

Need for Careful Selection

The vagaries of weather, the ever-changing needs of production, and the unpredictable whims of individuals, all contribute to the moving about of equipment, and it is the resultant mixing of the connectors that can, and does, bring about very dangerous conditions. It is evident, therefore, that those responsible for industrial electrical installations must exercise their authority and be vigilant in selecting and controlling the types and sizes of plugs throughout their establishments, eliminating the dangerous ones.

The range of plugs and sockets now on the market can be divided broadly into two main kinds, namely, the metalclad protected type, designed exclusively for industrial use, and the open-pin bakelite type, usually fitted in domestic or office premises. Large quantities of the latter are also used, however, in factories, especially in many of the light industries. If these two distinctive kinds of fittings could be kept strictly apart in service much of the danger would be eliminated, and

many accidents avoided.

In the absence of regulations to ensure this separation it is left to electrical installation engineers themselves to provide for it. Plug and socket manufacturers cannot control the problem, because they do not know when and where the various types will come together, and the hands of the Government would appear to be tied because individual forms of plugs and sockets cannot be classed as unsafe in themselves, when properly used. It is unreasonable to condemn a socket because someone has inadvertently inserted,

or tried to insert, a wrong plug. It is equally unreasonable to blame either the plug or the

unfortunate operator.

The responsibility must rest with the engineer who permits a situation to exist whereby interchangeable fittings can produce danger. He is already responsible for the safety of operatives in respect of the screening of running machinery, the elimination of noxious fumes, the provision of adequate lighting, and so on; and the plug and socket problems discussed are simple in comparison.

Finally, it is suggested that a memorandum from the Factory Inspectorate of the Government on this subject would be most timely. in view of the many new factories now being built for post-war industrial activities.

Cable Testing

Recently Developed Methods

OCALISATION of faults in low-voltage cables, with special reference to manufacturing procedure, is the subject of a paper written by Mr. J. H. SAVAGE (W. T. Henley's Telegraph Works Co., Ltd.) for the Transmission Section of the Institution of Electrical Engineers.

The paper deals mainly with special methods developed within the last few years for determining insulation and conductor faults in cable-making factories, where a very high order of accuracy is required without resorting to "burning" the fault, which may destroy the evidence necessary for preventing a recurrence. Another reason for exact localisation is the avoidance of undue mutilation or cutting of the cable, which causes wastage or makes repairs difficult. The usefulness of some of the methods described is not confined to lowvoltage cables or to factory requirements, but outside determinations do not usually favour precision testing.

Practical limitations well-known to methods of ascertaining the positions of faults along cables are discussed first and then some new tests, which are capable of being carried out with great accuracy, are They include a DC valve-volt meter circuit for core-to-sheath insulation faults, audio-frequency search methods for open circuits and radio-frequency tests for

conductor defects.

In most cases the basic principle is that of a search device which is passed along the cable to cause, or detect, local changes in electrical characteristics, instead of the more usual procedure of making tests at the cable ends for calculating the fault position from length measurements.

The need for improved means of measuring sheath potential differences led to a method being devised (U.K. patent No. 556,884)

whereby exploring contacts moved along the cable sheath cause indication on a DC valve voltmeter, which is energised by a 6-V cartype battery. The circuit is an inversion of that employed for fall-of-potential tests: this method depends upon the measurement of very small voltages, the highest convenient sheath current being about 20 A and, within wide limits, the accuracy of localisation is independent of cable length. Very high resistance faults have been located to within less than one inch on ten-mile lengths of armoured cable in coil form, which degree of exactitude is believed to be unobtainable by any other method.

Radio-frequency detection of conductor defects, which are difficult to find after the insulant has been applied, will be required at infrequent intervals only. The construction of special apparatus may not be justified, but radio apparatus used for other test purposes may sometimes be adapted for

this purpose.

Fault location by reflection of wave, surge and pulse effects is also mentioned. In the present state of its development this means appears to be mainly suited to long overhead lines and submarine telephone cables. In such cases the risk of breakdown of important service justifies the provision of somewhat expensive and complicated equipment when skilled personnel is available to make the tests and interpret the results.

Institute of Fuel Students' Medal

To encourage the reading of papers by student members of the Institute, also those taking courses at universities and technical colleges, the Council of the Institute of Fuel has decided to make an annual award of a medal together with a prize consisting of books and instruments to the value of £5. Particulars are obtainable from the secretary. Institute of Fuel, 30, Bramham Gardens. London. S.W.5. 000

日間の日

五年

COL

telon

1

en.

MILE

世世

bs

五世

(m)

dis

20

巡

201

100

Unremunerative Consumers

Operation of "Purse's Index" in relation to Guarantees

of March 23rd, Mr. F. W. Purse discussed


By F. S. Naylor (Borough Electrical Engineer, Gravesend)

NaylorIndex (a) as a measure of the efficient use of total capital, but whether they would be prepared to recognise Purse's index

various points arising out of two ratios derived from data he had collected relating to undertakings throughout the country, viz. (a) annual expenditure/total capital expenditure, and (b) annual revenue/expenditure on mains and services only. The second ratio should be given a name (1 suggest "Purse's index").


is another matter.

In ratio (b) the denominator is that part of the total expenditure on mains and services only from the commencement of the undertaking up to the year under consideration. It deals only with averages and has other limitations, so that misleading conclusions may be drawn from it unless care is exercised.



The two indices (a) and (b) are plotted in Fig. 1 for Southwark electricity undertaking over a period of thirty-four years. Purely from a commercial angle the indices might be high because the profit per kWh is high, which might be good for business, but from the consumer's point of view the lower the better. With the small margin of profit that an electricity undertaking may make, revenue can be regarded as practically equal to annual costs and abnormally low figures such as are shown in Fig. 1 are not necessarily good from any angle. During the war years Southwark did not pay its way because the population fell to about half and conditions in consequence were extraordinarily difficult.

Fig. I.—(a) Total expenditure. (b) Capital expenditure on mains and services only



because it is a sufficiently new and perhaps important idea to warrant a means of easy reference.

Fig. 2.—(a) Total capital expenditure. (b) Capital expenditure on mains and services only. (c) Capital expenditure on meters only

Ratio (a) was used by Kennedy and Noakes (I.E.E. Journal, August, 1933) as a measure of efficient use of capital. Annual revenue is the revenue for the year under consideration, e.g., ending March 31st, 1944, and capital expenditure comprises all capital assets from the inception of the undertaking to the year under consideration. It is true that much of this capital expenditure has been paid off and the loan charges no longer appear as an ingredient of the price per kWh, which decides the annual revenue. Comparison with the procedure adopted by a company undertaking is, however, relevant. When a company borrows £100 of share capital, it makes no difference whether the borrowing is in, say, 1899 or 1944 because, as soon as it has been borrowed and presumably turned into capital works, the under-taking has incurred the liability of paying some shareholder a dividend on the £100 and this in turn would require a specific revenue for all time to reap the profit required to pay the dividend. On these grounds most supply engineers would probably recognise

To indicate certain limitations to Purse's index I have taken the matter one step further and considered only the expenditure on meters. Using this item for the denominator the ratio (c) becomes annual revenue expenditure on meters only. Indices (a), (b) and (c) have been plotted in Fig. 2 for Gravesend undertaking for the years 1923 to 1943.

From index (c) one might conclude that, under present conditions, for every £100 spent on meters an annual revenue of at least £400 from the kWh these record should be obtained. As an ordinary slot meter costs about £4, following the strict argument an annual revenue of £16 should be obtained from each consumer; otherwise the situation on the undertaking is becoming worse. This extreme case is introduced not to condemn but only to emphasise the need for care, especially since meters are responsible for only a fraction of the capital expenditure and we are dealing with averages. Expenditure on mains and services, however, constitutes about half the total capital expenditure and should therefore be a fairly reliable basis on which to draw conclusions.

Dealing with Purse's index, if the individual index for new business is lower than the average, then the stability of the undertaking can be maintained only when existing consumers are increasing their revenue at a continually compensating rate. A supply engineer must be satisfied that he stands a

fair chance in due course of bringing up the revenue from a new consumer to the existing average. If not, then he has every right to deal with the matter differently. For example, where temporary houses are supplied with with gas equipment throughout except for electric lighting, this state of affairs will be maintained to the end of the life of the houses and there is therefore no chance of revenue increasing.

Consequently supply undertakings should step very warily in offering to do anything beyond their statutory obligation for the local authorities concerned. The idea of allotting lighting only for the whole life of these dwellings is the very negation of the progressive anticipation upon which the financial stability of electricity undertakings is built, and the maximum contribution in capital toward the cost of making these meagre supplies available should be demanded. Even if payment of the whole cost be demanded the undertaking will still lose money on the deal. At least that is what Purse's index shows.

CORRESPONDENCE

Letters should bear the writers' names and addresses, not necessarily for publication.

Responsibility cannot be accepted for correspondents' opinions.

Supply Authorities as Contractors

WOULD again direct Mr. Moss' attention to the provisions of Clause 48 of the 1926 Act under which municipal electricity undertakings are empowered to "sell electric lines, fittings, apparatus and appliances for lighting, heating and motive power and for all other purposes for which electricity can or may be used and to install, connect, repair, maintain and remove the same." These undertakings are restricted from manufacturing any of the items so stated or from selling them except to a consumer or a person who intends to be a consumer of electricity supplied by them, or even to a contractor except for the same purpose. In addition, the prices charged to a consumer must not be less than the recognised retail prices and to a contractor not less than the recognised trade prices. Finally, these trading operations have to be self-supporting.

Now Mr. Moss (or any other contractor) is not under any such obligation; he may carry out work and sell his goods to anyone anywhere. Can anyone argue that the supply undertaking in this respect has no competition, is a protected industry, and is in a powerful and safeguarded position? Even the question of recognised retail or trade prices is safeguarded, as the 1926 Act requires the Electricity Commissioners to appoint a committee (which they have done) to determine any question so raised, and in

addition there is in existence a Fair Trading Council which has issued various statements

setting out such prices.

I assume Mr. Moss will contend that supply undertakings have no competition in regard to the sale of electricity, but the public are not compelled to use the public supply of electricity for lighting, heating, cooking, power and other purposes. They can install their own plant and use coal, gas or oil for this purpose, or they can use such mediums direct and will do so unless the public electricity supply is cheaper and more convenient. In addition to this competition, electricity undertakings are controlled as to the maximum prices which they may charge, and must not give preferential treatment for the same class of supply, and are compelled to furnish a supply to any premises within fifty yards of their distribution mains whether it is a paying proposition or not.

Finally, Mr. Moss claims that the phenomenal development since 1926 has rendered the Act out of date. The pamphlet, from which I quoted in my last letter, sets out at length the reasons why the special powers should be conferred upon municipal undertakings; those reasons, far from being out of date, could be greatly reinforced because the powers have been responsible for the electrical development to which Mr. Moss refers,

London, W.C.2.

F. W. PURSE.

2

E

PERSONAL and SOCIAL

News of Men and Women of the Industry

HE first occupant of the Chair of Electrical Engineering at Cambridge University established under the auspices of the Institution of Electrical Engineers is to be Dr. E. B. Moullin. He is at present Donald Pollock Reader in

Engineering Science at Oxford. Dr. Moullin, who was born in Dorset in 1893, holds the M.A. degree of both Cam-bridge, where he was a University lecturer from 1920 to 1929, and Oxford, where he has been a Fellow of Magdalen College for some years.

Dr. Moullin's work has been largely in the radio field, particularly measurement. In 1922 invented and patented the original



Dr. E. B. Moullin

thermionic voltmeter which was manufactured by the Cambridge Instrument Co., and in 1926 he published the first work on radio-frequency measurements. He also developed a standard ammeter for very high frequencies as well as other radio-measurement devices. The subjects of his studies have included background noises in radio receivers and radio aerials. Dr. Moullin is a vice-president of the I.E.E. and was chairman of the Wireless Section in 1939-40. He is also a member of the Radio Research Board.

Mr. Thomas Coates, senior engineering assistant in the Liverpool undertaking, has been appointed deputy city electrical engineer at a salary of £1,400 per annum rising to £1,700. At the meeting of the City Council on May 2nd at which the Electric Power & Lighting Committee's recommendation was approved a councillor wanted to know why the post had not been advertised and asked whether a new principle was being introduced. The deputychairman of the Committee said that there was no obligation to advertise a post of this kind as this was a promotion, but if the position was advertised, all replies would have had to go to the Ministry of Labour and this would have complicated the whole procedure.

The Committee of the I.E.E. South Midland Students' Section has nominated Mr. S. A. Hunter (Electric Construction Co., Ltd.) for the chairmanship for the next session.

Sir James S. Pringle, K.C.B., O.B.E., M.I.E.E., late Director of Electrical Engineering, Admiralty, has undertaken, with the permission of the Admiralty, to act in an advisory capacity to the Metropolitan-Vickers Electrical Co., Ltd.

Mr. W. R. Allcock, deputy borough electrical engineer of Stockport since 1931, has been appointed borough electrical engineer, to succeed Mr. G. H. Oldroyd, as from August 25th next. Mr. Oldroyd was due to retire on pension last year, but owing to war conditions he consented to continue in office in a temporary capacity.

Mr. W. T. Andrews, constructional and development engineer with the Poplar Electricity Department, has been appointed chief engineering assistant at a salary of £810 per annum.

Mr. F. L. Hallard has joined Suflex, Ltd., as Northern representative and is working from the Manchester office at 2, Brazil Street.

Mr. Felix Levy, a director of George Cohen Sons & Co., Ltd., is relinquishing the position of Assistant Director of Scrap Supply, Ministry of Supply, to return to his company.

Mr. A. H. Spindler, B.Sc.Tech., A.M.I.E.E., for twelve years divisional manager and chief electrical engineer to George Cohen, Sons & Co., Ltd., has been appointed managing director of A. Cooksley & Co., Ltd., woodworking machinery specialists. He was at one time in Canada with the Harland Engineering Co., Ltd., engaged on electrical work in connection with the Welland Ship Canal (by-passing Niagara). Mr. Spindler plans to extend the manufacturing side of Cooksleys with particular attention to the electrical aspect as connected with woodworking machinery

The Minister of Supply has released Mr. A. G. E. Briggs from the post of Deputy Controller of Iron and Steel Supplies. His services, however, will continue to be available in an advisory Mr. K. G. Lampson succeeds him as capacity. Deputy Controller.

The Hon. Geoffrey Cunliffe, a director of the British Aluminium Co., Ltd., has been appointed president of the newly-formed Aluminium Development Association. Mr. Horace W. Clarke, managing director of James Booth & Co., is vice-president.

We reported last week that Mr. C. M. Cock had been appointed chief electrical engineer to the Southern Railway. Mr. Cock was born in Melbourne and received his

engineering training at Newport Locothe motive Carriage and Wagon Workshops of the Victorian Railways. During the last war he served in the Royal He became an Navy. engineer lieutenant in January, 1919, and left in the service towards the end of that year to join the staff of Merz and McLellan.

While with Merz and McLellan Mr. Cock



worked as personal Mr. C. M. Cock assistant to the late Mr. E. P. Grove, the firm's chief resident Mr. E. P. Grove, the firm's chief resident engineer on the electrification of the Melbourne suburban lines of the Victorian Railways and the construction of Newport "B" power station for the Victorian Electricity Commission. On completion of these works in 1924 Mr. Cock went to India as one of Merz and McLellan's supervising engineers on the electrification of the G.I.P. Railway suburban lines, the B.B. and C.I. Railway suburban lines and the main lines of the G.I.P. Railway to Poona and Igatpuri. In 1929, when the electrification was completed he joined the G.I.P. Railway, holding appointments as distribution engineer, rolling stock engineer, traction superintendent and divisional superintendent for the area including Bombay.

In addition to his railway duties Mr. Cock, in 1940, organised the Bombay Harbour motor boat patrol manned principally by local yachtsmen and was in command until he was "lent" to the Royal Indian Navy, but while serving afloat overseas as lieut.-commander, R.I.N.V.R., it became necessary, owing to the increasing pressure on Indian railways, to recall him to railway duties early in 1942. He is a member of the Institution of Electrical Engineers and an associate member of the Institution of Engineers (Australia).

At this year's Royal Academy Exhibition which opened on Saturday there is a painting in oils by Dame Laura Knight, R.A., entitled "Skill." The picture was completed at the Birmingham works of George Ellison, Ltd., where the artist chose as her subject a scene in the bay where the drawout distribution switchboards are assembled. The picture,



4 Skill," a painting by Dame Laura Knight, R.A., at this year's Royal Academy Exhibition

which measures 56 in. by 40 in., is later to be exhibited in other parts of the country. The accompanying illustration is reproduced from a photographic copy of the painting received from Walter Judd, Ltd., publishers of Royal Academy Illustrated.

A football match between married and single members of the Contracts Department of A. Reyrolle & Co., Ltd., was played recently in

aid of the Electrical Industries Benevolent Association.

卤

Ser.

10

1

dis

200

23

20

10

Die.

99

The last

(4)

No.

N

10

h

E

F Se

14

10

Mr. F S. Jones, of Birkenhead, has been appointed chief clerk and administrative assistant with the Eastbourne Corporation Electricity Department.

Rotherham Corporation Transport Committee has appointed Mr. E. V. Dyson, of Stalybridge, as rolling stock superintendent at a salary of £550 per annum.

Mr. A. C. Baker has been elected president of the Bristol Electric Club in succession to Mr. A. J. Newman. At the Club's eighteenth annual meeting a presentation of an oil painting was made to Mr. F. R. Ashmead who was secretary for many years until the suspension of the Club's activities in the early days of the war.

Mr. E. Robson is retiring from the chairmanship of Pinchin, Johnson & Co., Ltd., on June 30th.

Mr. A. E. Hammersley, area manager. West Kent, is chairman of a committee set up by the County of London Electric Supply Co. and its associate companies to deal with inquiries regarding the reinstatement of employees upon their discharge from the Forces. Other members include Lieut.-Col. N. W. S. Halsey, welfare officer, and Mr. R. Stubbins of the legal department.

The G.E.C. Well Wishers' Club, formed early in the war to maintain contact with the men and women employees of the company in the Forces, last month despatched its 30,000th parcel. The occasion was marked by compounding an extra large parcel the recipient of which was chosen by ballot. The "draw" was made by Mr. Leslie Gamage, vice-chairman of the G.E.C. and president of the Club, who also packed the parcel. The winner was Private A. H. Mansell, a former member of the Despatch Department at Magnet House and now serving in the Mediterranean area.

The annual sales conference of the Sloan Electrical Co., Ltd., was held at the Waldorf Hotel, London, on April 18th and 19th when some thirty of the executive and sales staff were present. At this function it was announced that Mr. F. C. Guildford, who is chairman of the company, has taken over the managing directorship. Mr. W. J. Bensley, who has been sales manager for many years, has been appointed general manager.

Mr. F. M. Barnett, A.M.I.E.E., has retired after forty-two years' service with Bradford Corporation Electricity Department. Entering the Department in August, 1903, as charge engineer, he later transferred to the consumers' sub-department, of which he was appointed head in 1914. The Bradford Civil Defence Emergency Committee has placed on record its appreciation of his services in connection with the air-raid warning system.

Mr. P. H. Coales has retired from the Witton works of the General Electric Co., Ltd., after thirty-seven years' service with the company. He had held the post of chief draughtsman of the Switchgear Department since 1911. Mr. Coales served his apprenticeship with J. W. Haswell & Co., Leicester, and before joining the G.E.C. held positions with various electrical engineering firms in the Midlands. During his

1

in les

10 16

Min

一世

B-D-H

service with the G.E.C. he was actively assoclated with the development of switchgear of every type. He is succeeded by Mr. S. R. Spruce, A.M.I.E.E., who has been with the G.E.C. for thirty-five years, during fifteen of which he was Mr. Coales' chief assistant.

Mr. J. W. Spark, who has been city electrical engineer of Bath since 1925, is retiring from that position at the end of August next.

Mr. H. E. Walker presided at a dinner in Birmingham recently to celebrate the jubilee of Walker Bros. (Electrical Engineers), Ltd. With him were his sons and co-directors Major G. N. Walker and Mr. N. C. Walker and his nephew, Mr. E. Walker, another director, whose father was one of the founders of the firm.

Mr. W. Dean and Mr. P. L. Crawford, joint managing directors of W. H. Dean & Son, Ltd., sheet metal workers and aluminium founders, etc., Burnley, have been appointed to the board of Burco, Ltd., while Mr. D. K. Ward and Mr. L. F. Hiles (Burco, Ltd.) join the board of W. H. Dean & Son.

Sheffield Corporation Electricity Committee has appointed Mr. W. H. Smith, senior and relief shift charge engineer at Blackburn Meadows power station, as assistant power station superintendent at a salary of £683 per annum.

Mr. Arthur Willis has been presented with a long-service testimonial by the directors and management of the English Electric Co., Ltd., from whose Stafford works he has retired after an aggregate of forty-eight years' service. The presentation was made by Mr. Milligan, manager of the Stafford works.

Sir George Nelson, president of the Federation of British Industries and chairman and managing director of the English Electric Co., Ltd., and Mr. D. B. Williamson, B.Sc., A.M.I.E.E., have been elected to the Council of the Town and Country Planning Association. The Earl of Lytton, chairman of Central London Electricity, Ltd., is president of the Association.

The Hoover Sports Club Dramatic Section has recently presented its second show, "The Distaff Side," by John Van Druten. Margaret Popham (assistant producer) took the part of Alex Millward, and Leslie Keatley (producer) that of Gilbert Blaize. Other players were Phyllis Brown, Flora Stabbs, Renee Roberts, Alan Dawson, Marion Fulton, Edward Hall, Cynthia Hedger, Robert Simpson, Cyril Tomkins, Peggy Wilcock and Jean Wilsher. The stage manager was Phil Hanham and the orchestra was conducted by J. Tierney.

Mr. N. T. Evans has been nominated for the chairmanship of the I.E.E. Bristol Students' Section for 1945-46.

Mr. S. J. Smith has been elected chairman and Mr. W. H. Howard vice-chairman of the Dundee Sub-Centre of the I.E.E.

Obituary

Mr. A. V. M. D'Arcy.—We regret to announce the death at the age of seventy-one of Mr. Arthur Vivian Mervyn D'Arcy who, before his retirement in June, 1943, had been in the service of the British Thomson-Houston Co., Ltd., for forty-eight years. After being educated at the Regent Street Polytechnic, London, Mr. D'Arcy served an apprenticeship with Spagnoletti & Crookes, electrical engineers and contractors, joining the B.T.H. Co. in 1895 as a tester in the meter department, then situated at Westminster. In 1902 he was transferred to the Rugby works, in charge of standardising work and the experimental laboratory. When the meter department was moved to Willesden in 1916, Mr. D'Arcy went there as head of the meter department and standardising laboratory. He returned to Rugby in 1931 to take charge of the instruments and meters in the research laboratory, and retained this position until he retired. Since his retirement he has occupied his time in the pursuit of his chief hobby, radio experimenting.

Mr. T. R. Renfree.—We regret to record the sudden death on April 30th of Mr. T. R. Renfree, Companion I.E.E., A.M.Inst.C.E., senior technical sales engineer with the British Electric Transformer Co., Ltd. Mr. Renfree was born at Redruth and following his early education and engineering training in Cornwall he took his electrical training at King's College, London. After a short period on the educational staff at the College he went into industrial engineering. He was for some years with the British Westinghouse Co., Ltd., Trafford Park, before joining the British Electric Transformer Co., Ltd., in 1907 as senior technical sales engineer, a position which he held until his death. He leaves a widow and daughter.

Mr. A. Dickinson.—We regret to record the death in hospital on May 1st of Mr. Arthur Dickinson, A.M.I.Mech.E., superintendent of the Agecroft power station. Mr. Dickinson, who was fifty-five, joined the Salford municipal electricity undertaking as steam engineer and works chemist in 1926 and was appointed superintendent at Agecroft three years ago.

I.E.E. Luncheon

SOME 280 members attended the informal luncheon of Measurements Section of the Institution of Electrical Engineers at the Connaught Rooms last week. Dr. W. G. Radley, chairman of the Section, presided and remarked that the nearness of the end of the war must not mean the termination of effort, for there was much ground to be regained in restoring the amenities of life that had come to be expected. The Measurements Section claimed to be unique in that all the other specialised sections depended upon the ability to make measurements.

in that all the other specialised sections dependent upon the ability to make measurements.

Mr. T. G. N. Haldane, vice-president, deputising for the president, Sir Harry Railing, referred to the increasing importance of the specialised sections and the parts they could play in the corporate life of the I.E.E. Recent revisions of the bye-laws had given the Sections increased voting representation on the Council and premiums offered for I.E.E. and section papers had been made equal. Reconstruction of the post-war world would largely depend on engineering and so measurement would exert a great influence, particularly in grappling with shortages of many kinds during the next few years, which would necessitate the best possible instrumentation.

instrumentation.

Mr. H. W. Grimmitt returned thanks on behalf of the chairmen of the other technical Sections and the health of the chairman was proposed by Mr. H. L. Kirke.

0

25

五古

10

82

22

ы

IN N

no b

20

12

畑

Re

Ib

2

2

H

20

90

I.E.E. Council's Report

Committees to Advise on Various Problems

THE report of the Council of the Institution of Electrical Engineers for the year 1944-45, which was to be presented to the annual general meeting yesterday (May 10th) shows that the number of elections to all classes increased to 2,639 during the year, the number of applications for election and transfer having been 5,113. The total membership (12,573 corporate) reached 26,665, being a net increase of 2,107.

reached 26,665, being a net increase of 2,107.

By-law revisions have become effective, particular interest attaching to amendments modifying the procedure of election and transfer of members. Changes have also been made in the constitution of the Council.

More than £10,000 has already been received towards the financial resources of the Professional Engineers Appointments Bureau, which is sponsored as a separate entity jointly by the three senior Institutions.

Following a recommendation of the I.E.E. Post-war Planning Committee a permanent Research Committee has been appointed in to advise the Council on matters connected with electrical research which affect the Institution, to assist in the selection of Institution representatives on external bodies concerned with research, to help such representatives and, when necessary, to provide liaison between them and the Council on matters of policy."

Further substantial progress has been recorded by the Codes of Practice Committees and final draft codes have been prepared in respect of lightning protection, private generating plant and the lighting of dwellings, while the drafting of a code on the installation and maintenance of flame-proof equipment is well in hand.

Radio Interference

In response to a request from the Post-master-General the I.E.E. Committee on electrical interference with broadcasting has been reconstituted to review its previous recommendations and consider modifications that may have been made desirable by the introduction of new forms of high-frequency equipment. This Committee's deliberations are to be pressed forward so that its findings may be of assistance in the framing of legislation.

Acceding to a request from the Air Registration Board an I.E.E. Committee has been appointed to undertake, as a matter of urgency, the preparation of regulations for the electrical equipment of civil aircraft. At the request of the Air Ministry another Committee has been set up to formulate, with high priority, technical airworthiness

requirements for the design and installation of radio equipment in civil aircraft.

The average attendance at ordinary meetings in London grew to 228 and local Centre activities have been well supported. A Sub-Centre at Rugby has been formed and new Installations Groups established in the North-Western and Western areas.

The membership of the Installations Section is 1,968 with an average attendance of 135; Measurements Section 1,088 and 98; Radio Section 2,600 and 202; Transmission Section 1,767 and 99; but attendance at the informal meetings dropped to 73.

The Central Register

Through the electrical section of the Central Register of the Ministry of Labour 1,758 members have been placed in work of national importance and 743 applications have been dealt with for technical commissions in certain branches of the fighting forces. Some 4,100 members of all classes have been listed as being in military service.

War Office correspondence courses (14,350 registered for engineering subjects) are being revised to satisfy the requirements of the new associate membership examination and a special refresher course has been introduced. There will not be any more enrolments for Ministry of Education engineering cadetships, but there are still a number of courses to be completed; 3,545 candidates have already been examined in Part I and 1,665 in Part II of the course while 1,239 cadet diplomas have so far been awarded. Successful candidates are granted exemption from a large part of the associate membership examination. The latter was held at 22 centres at home and 33 overseas, the number of candidates being respectively 774 and 503. In addition, special arrangements were made at 112 centres for 1,432 candidates. Revised regulations for this examination become effective in the autumn of this year and a detailed schedule of accepted qualifications will be published this summer. As a guide to interpretation of the new syllabuses a list of books is obtainable for 6d. post free.

Theses were submitted by 48 candidates as an alternative to examination, 21 of which were recommended for acceptance. The numbers of National certificates and diplomas awarded were 1,865 in England and Wales and 101 in Scotland, while in Northern Ireland 15 higher certificates were awarded.

During the year under review 6,573 readers, of whom 1,560 were non-members, used the 1.E.E. library, and the lending library issued 3,963 books to 1,635 borrowers.

Low-Capacity Switches

Slow Breaks for AC Circuits

the most serious obstacles facing a designer.

Thus, early observations of the life of DC switches showed that the larger the arc the shorter the working life. This led designers to minimise the duration of the arc, thereby lessening the burning of contacts by heat from the arc energy. Switches were consequently provided with quick-break mechanisms which drew the contacts apart under heavy spring tension. Hence was built up a convention that a quick-breaking action was desirable to give long working life, and the greater the "crash" with which

the reputation of the switch.

With the advent of general AC supply in this country, this form of control persisted

this country, this form of control persisted mainly on the grounds of convention and the considerable costs involved in changing manufacturing methods. Incidentally, the distraction caused by the metallic click of the quick-make-and-break action of the tumbler switch calls for attention from planners of post-war houses, a slow-break quick-make action being more easily silenced.

the switch contacts separated, the higher

Basic Theory of Slow-Break Switch

If, by chance, the contacts are separated quickly at the instant of zero current (100 times per sec. on a 50-cycle supply) no arc is formed; but should the break be on or just before the crest of the wave, root two times the normal RMS current is broken. Furthermore, should the load controlled be inductive, then an induced EMF will be superimposed as a transient on the EMF wave, thereby increasing the current to be broken. Should the instant of breaking, or rather attempted break, occur during the rise of current towards maximum value, these conditions will again be amplified. These effects may be observed by opening an AC circuit by means of an air-break switch having quick-break mechanism, the arc set up for different breaks varying considerably.

If the contacts be arranged to open slowly, arcing will be reduced to small intensity, since the instant of break is not now important. Should the instant of break occur at the peak of the wave, the gap between contacts is very small (due to slow travel of contacts) and the voltage quickly falls to zero when the circuit is automatically broken. On the next wave building up the contacts have usually moved sufficiently far apart to preclude the restriking of the arc. If the instant of break occurs at zero, the

m, rising voltage will probably restrike the arc, which will persist for possibly a single a before being extinguished at the

half cycle before being extinguished at the next zero. In all cases speed of break controls the arc energy set up between the contacts, but normal hand operation of the switch is found to give the best results.

Slow-Break Rotary Switch Mechanism

In an article which appeared in the Electrical Review of August 21st, 1942, it was shown that the quick-break mechanism used with rotary switches connects various terminals together in the registering positions by rotating a contact bridge assembly through angular displacements of 90 or 60 deg. for four- and six-position switches respectively. In slow-break mechanism, instead of the spring-drive feature there is a direct drive with control springs arranged to impede rotation on opening the contacts and to assist rotation on closing.

On rotating the central spindle (1) in Fig. 1 the star wheel (2) forces the spring




Fig. 1.—Slow-break rotary-switch mechanism showing (1) centre spindle, (2) star wheel, (3) carriage, (4) rollers and (5) tension springs

carriage arms (3) apart by means of the rollers (4). This motion extends the tension springs (5) until the points of the star are reached, thereby severely impeding the rotation of the spindle. Immediately on passing top dead centre of the star wheel points, the resistance force exerted by the springs is changed to one of assistance, and the spindle is quickly rotated to the next position. This quickly moves the rotating contact bridges in the disc build-up section

g/s

18

30

DI

EG

100

pg2

31

出

la k

21

4

20 2

Ve a

200

-

124

PH.

STAR WHEEL

ROLLER

to the next operative position. Since the centre spindle is one solid member giving direct drive to the contact bridges the speed




Fig. 2.—Incorrect design of roller star proportions Fig. 3 (right).—Correct design

of break is slow, due to the impeding action of the springs. On the contacts being well separated the action of the springs ensures

quick engagement of the contacts, thereby raising the conductivity of the mating surfaces to a maximum in the least possible time.

Design Features of the Mechanism

The formulating of the correct star-wheel contour and engaging rollers is largely a matter of drawing-board development on an almost completely trial and error basis. Certain features, however, are imperative, as follows:—(1) The points of the star must be of rugged proportions to resist wear; (2) the rollers must give positive location at the roots of the star; (3) the mechanism must reciprocate with the same operational characteristics in each direction; (4) the entire mechanism must fall reasonably within the space occupied by quick-break mechanism; (5) the springs must be worked well within their elastic limit; (6) assembly and manufacture must be of the utmost simplicity to meet the demands of quantity production.

To meet condition (1) the star wheel for the four position switch was developed from a range of basic squares, the sides of which were cut as far as possible from the apices to cover requirement (2). This, in turn, decided the radius of the engaging roller, which must be greater than that of the depression in the star wheel, as will be seen from Figs. 2 and 3. The equivalent force diagram shown in Fig. 4 shows how the stabilising moment is controlled by the proportions of these two components through the angle α , which, if increased, will reduce the necessary initial tension of the springs.

From conditions (1) and (2) it would appear that the larger the star wheel and roller

the more positive will be the location of the switch positions. Conditions (3) and (4), however, severely limit these dimensions, for (3) gives a general restriction to space occupied, and (4) requires that the operating arms lie normal to the sides of the star. For smaller switches the fulcrum centres of the arms were swung out but for the six-position and larger switches the framebolts could be used as bearing spindles and to offset the hole for the shaft passing through the star wheel as shown in Fig. 1. All that remained was to obtain optimum relative dimensions of star wheel and rollers to satisfy point (5),

at the same time maintaining the widest possible limits to facilitate manufacture.

A prototype switch of this design was in satisfactory condition after a mechanical test on a motor-driven gear box for one million operations. After electrical tests involving

10,000 operations on full rated load of 60 A at 250 V satisfactory operation was still obtained on full load without renewal of contacts. For these tests a speed of 40 RPM was used, and the handle was allowed to travel to each new position under control of the tension springs after the rollers had been turned to the top of the star-wheel points. In the event of both tension springs failing the switch may still be operated—a feature of particular advantage for airborne applications where mechanisms are not permitted to depend entirely upon springs.

The complete action of a switch fitted




Fig. 4.—Force diagram showing component of initial spring tension giving stabilising moment

with this type of mechanism is entirely out of the operator's control. The handle may be turned in any manner and the mechanism always functions with the same characteristic quick break and make. The converse of this has been referred to, at times, as a disadvantage of slow-break mechanism, but with the considerable change in resistance of the springs assisting the handle movement, only one operation is usually necessary to show the user that finger and thumb operation is most suitable.

Where any degree of inductance is present in an AC circuit beyond that normally associated with an induction motor, quick break is usually more suitable than slow break, because voltage and current com-ponents are not in phase and the induced EMF set up on changing the current conditions of the inductive circuit with slow break is often sufficient to increase the

restriking voltage so that the arc persists over a number of cycles, and in this way does much more damage to the contacts than that which is caused under quick-break con-

These last considerations give an advantage to quick-break mechanism regarded as universal gear. However, the increasing use of alternating current has made possible the achievement of better performance from control apparatus of the rotary switch type by means of the slow-break mechanism.

The author is indebted to Santon, Ltd., for permission to use the drawings illustrating this article and to recount the stages involved in the development of the mechanism described.

RECENT INTRODUCTIONS

Notes on New Electrical and Allied Products

Diffraction Outfit

TEWLY developed X-ray diffraction apparatus, suitable for both university and industrial laboratories, is announced by PHILIPS

Avenue, London, W.C.2.

This Type 41.D outfit is self-contained, the circuit being arranged for a centre-earthed transformer and two oil-immersed rectifying valves. The base of the cabinet houses the high voltage generator as well as the tube-filament transformer, a full-wave rectified output being delivered to the cathode of the X-ray tube at high voltage. The control panel on the front of the cabinet is conveniently sloped and indirectly illuminated, permitting stepless variation from 10 to 60 kVp, which is directly indicated, while the filament current is stabilised and can be regulated, being indicated on a 0 to 50 mA meter. In addition the control table incorporates a main switch, overload circuit-breaker, pressbutton high-voltage switch, pilot light and an hour meter (10,000 hours and reading to 1/10 hr.) for recording exposures and tube life.

The top of the cabinet is formed from an accurately machined iron casting, which provides a flat instrument surface right up to the tube housing. The latter is constructed from a beaded bronze casting, providing complete X-ray protection, and accurately machined so that every tube inserted takes up precisely the same position. This means (since the tubes themselves are also accurately constructed) that the necessity for re-alignment of cameras is eliminated. The four window faces are machined to an angle of 6 deg. to the vertical (to correspond with the angle of emergence of the maximum X-ray beam) and provided with four tapped holes so that if desired special devices (mono-chromators) can be semi-permanently and rigidly A rotatable disc carrying the accommodated. necessary filters is built into each window housing so that the appropriate filter can be immediately brought into position. The main tube support and the window housings are water-cooled to avoid any drift of the X-ray beam due to thermal variations during long exposures.

The X-ray tubes have four windows of Lindemann glass, the thickness of which is kept to a close tolerance, thus ensuring maximum and constant output. The focus, which is located very precisely with respect to the tube housing, is 12 x 1·2 mm so that by taking off at an angle



tion of the cathode assembly ensures that the radiation is uncontaminated. Target materials of W, Mo, Cu, Fe, Co and Cr are available. The maximum continuous ratings are 1,000 watts for W, Mo and Cu, and 600 watts for Fe, Co and Cr. The tubes are inserted into the housing and secured by four screws, the water and electrical connections being automatically made; tubes can

be changed in a matter of minutes. The water-cooling system for the tube, window housings and high-voltage generator is automatically switched on and off, and a protective relay shuts off the apparatus the moment the water pressure gets too low or too high. A comprehensive selection of accessory equipment is also available to accommodate five types of camera and four power sockets in the cabinet are provided for driving the camera motors and other equipment.

Moffat Cooker Modifications

In common with other electric cooker manufacturers, MOFFATS, LTD., Blackburn, do not expect to have their new models on the market until probably a year after the cessation of hostilities with Germany. In the meantime, however, the opportunity is being taken to make various minor modifications to pre-war designs.



Modified horizontal Moffat cooker

By the substitution of drawers for legs in the pre-war horizontal type unit illustrated above a cooker is produced which compares favourably with the latest ideas both in design and appearance.

Switches for Inductive Loads

To comply with B.S. 861, medium-voltage air-break switches must be suitable for substantially non-inductive loads. The standard "HH" range made by A. REYROLLE & Co., LTD., of Hebburn-on-Tyne, is good for this duty up to 600 A, but conditions of load and operation often require that switches should be suitable for making and breaking inductive and/or capacitative loads, such as AC motors, condensers, and welding transformers, so a new range has been developed expressly for this duty.

Each phase is fitted with an arc-control device and there is a screen inside the lid to prevent arcing to the earthed case. The main high-pressure butt contacts are of heavy copper


section, with strong backing springs. Arcing contacts are also fitted to make before and break after the main contacts, thus considerably reducing wear on the latter.

The mechanism has a high-speed quick-make and quick-break action operated by heavy

springs, which prevent hesitant closing and hold the contacts firmly in the closed or open

Reyrolle switches for inductive and capacitative loads

position. A flag indicator is sitted to show when the switch is "on" or "off" through a





Low-voltage Soldering Iron

Having completed a large Ministry of Supply contract for specially designed soldering irons of 25 W at 6 V rating, the ACRU ELECTRIC TOOL MANUFACTURING Co., LTD., 123, Hyde Road, Ardwick, Manchester, 12, has decided to market the same model for general use, as there seems to be a demand for a low-voltage battery type. It is in appearance exactly the same as the 45-W "Pyrobit" model designed for wireless instrument makers, differing only in respect of the heating element and copper bit.

"Gun" Blower

An addition to the range of compressed air blow guns made by B.E.N. PATENTS, LTD., High Wycombe, Bucks, is an insulated version which is specially designed for the electrical industry. It is supplied with an 8-in. extension nozzle to facilitate blowing dust out of motors and similar uses wherever a risk of electric shock exists. The new gun, which is formed of moulded bakelite, is in all other respects



sizes. A ½ in. diameter male screwed hose connection is fitted and provision is made to enable the tool to be suspended from a how when not in use.

COMMERCE and INDUSTRY

Shorter Working Hours. Fuel Policy and Smoke Abatement.

Young Electricians' Wages

THE National Joint Industrial Council for the Electrical Contracting Industry announces an amendment of the rates of wages in respect of labour under twenty-one years of age which comes into operation on the third pay-day in May. The rates in relation to those of journeymen are increased as follows:—Category II. Age 16, from 15 to 19 per cent. Age 17, from 20 to 25 per cent. Category III. Age 16, from 20 to 25 per cent. Age 17, from 27½ to 35 per cent. The rates for other age groups remain unaltered.

To the above rates is to be added the current amount of the cost of living (war) adjustment applicable to the age groups concerned. In accordance with a further agreement dated April 28th the amounts applicable to Categories II and III as from the third pay-day in May are to be: under 18 years, 33\frac{1}{2} per cent. of the journeyman's cost of living (war) adjustment. Between 18 and 21 years, 66\frac{2}{2} per cent.

Unions and Tir John Appointment

It was reported at last week's meeting of the Swansea Electricity Committee that the A.E.U. was threatening to place an embargo on overtime at Tir John power station unless a member of that Union was chosen for the position of instrument mechanic instead of a member of the Transport and General Workers' Union. The Committee decided to support the appointment of the better man.

Engineers for Colonial Service

It is announced that arrangements for the appointment to the Colonial Service of engineers who are normally required to possess academic or professional qualifications and also of qualified architects and town planners, are now to be conducted by the Colonial Office. Information regarding appointments of this nature will in future be obtainable from the Director of Recruitment (Colonial Service), 15, Victoria Street, S.W.I. The arrangements were formerly undertaken by the Crown Agents for the Colonies.

Iron and Steel Distribution

The Iron and Steel Control of the Ministry of Supply announces that any "M" form authorising the acquisition of "steel" is now valid for the acquisition of any quality or composition (including alloy and high-speed steel) unless it bears a condition to the contrary.

Hours of Work

In 1942 the hours of work in the building and civil engineering industries were limited by a Direction under Defence Regulation 56AB to a maximum of 60 hours per week on weekdays. The industries and the Government consider that it is not practicable to maintain these very long hours and heavy overtime for an indefinite period. Accordingly the Minister of Works,

after discussion with both sides of the two industries, has accepted their unanimous recommendation that the working week should be reduced throughout the country to a maximum of 54 hours. A Direction under the Defence Regulation to this effect is being issued and will come into force on May 14th. The general permission for Sunday work in London will also cease as from that date. No excess of 54 hours or Sunday work will be permissible other than the present specified exceptions or by special permission of the Ministry of Works.

Canteen Staffs' Wages

The Minister of Labour and National Service has made the Wages Board (Industrial and Staff Canteen Undertakings) (Amendment) Order, 1945, which extends the scope of the Industrial and Staff Canteen Undertakings' Wages Board so as to bring within it certain workers employed in connection with the provision of food or drink or living accommodation provided wholly or mainly for workers covered by the Industrial and Staff Canteen Undertakings' Wages Board Order, 1944 (No. 266).

Hammersmith Showrooms

When the Hammersmith Electricity Department's showrooms, offices and workshops in Uxbridge Road were seriously damaged by enemy action in 1940, adjacent premises were taken on a temporary lease. Recently the Electricity Committee has been considering the post-war erection and extension of its premises and has negotiated unsuccessfully for the acquisition of shops and land adjoining the site of the original showrooms. In the circumstances efforts have been made to find a suitable alternative site on which to build entirely new and up-to-date premises and an opportunity has arisen to purchase the site of Arlington House, Uxbridge Road. The price is £7,500, and the Finance Committee has approved the acquisition of the property.

New Zealand Imports

The latest abstract of statistics issued by the New Zealand Government shows that last year the Dominion imported electrical machinery and equipment to the value of £3,852,000 compared with £2,329,000 in 1943 and radio apparatus to the value of £836,000 compared with £437,000.

Smokeless Zones

The establishment of smokeless zones and a national fuel policy to ensure the best use of coal in new housing and damaged areas was proposed by Mr. Arnold Marsh, general secretary of the National Smoke Abatement Society, in an address at Glasgow last Friday. Mr. Marsh said that the rational thing to do was, first, to adopt a national fuel policy that would ensure the best possible use of coal, and then plan all reconstruction in complete harmony with that policy. Speaking on the creation of

smokeless zones, he said it was proposed that in suitable areas of our towns, especially in the central business areas, rebuilt bombed districts, and zoned industrial areas, any emission of smoke should be prohibited by making it a statutory nuisance. This could be achieved with little difficulty in the business areas, where industrial premises and dwellings were normally absent, and could readily be planned for in new and rebuilt areas.

Licensing of Philips' Patents

The Journal of Commerce reports a statement by Mr. Otto Schairer, vice-president of the Radio Corporation of America, that the R.C.A. is considering the advisability of an arrangement with Philips' Incandescent Lamp Works, Eindhoven, Holland, which will enable the R.C.A. to continue to license other companies under Philips' patents. As reported last week, the 20-year contract between Philips and the R.C.A., General Electric and Westinghouse Electric is due to expire on July 1st.

Precision Engineers and Export Trade

A number of the leading precision engineering concerns have formed a new company, the British Engineers' Small Tools & Equipment Co., Ltd., for the purpose of developing their export sales. The organisation is intended to supplement existing agency arrangements and satisfactory export or overseas agents will not be displaced but will have the assistance of the new company. The companies concerned are the Brooke Tool Manufacturing Co., Ltd., the Coventry Gauge & Tool Co., Ltd., A. A. Jones & Shipman, Ltd., F. Pratt & Co., Ltd., Taylor, Taylor & Hobson, Ltd., and E. R. Watts & Son, Ltd. The chairman is Mr. H. H. Harley (Coventry Gauge & Tool Co.) and the company has offices at Buckingham House, Buckingham Street, Adelphi, W.C.2. (Telephone: Temple Bar 0958/9.)

South Australian Inquiry

The South Australian Government has set up a Royal Commission to inquire into and report upon the supply of electricity by the Adelaide Electric Supply Co., Ltd., and "all matters connected therewith and the question whether further legislation relating to the company is desirable." The chairman of the Commission is Mr. Justice Reed, of the Supreme Court of South Australia, and the other members are Mr. J. W. Wainwright (nominated by the Government) and Professor A. L. Campbell, Adelaide University (nominated by the company). The company's nominee is Bonython Professor of Law and graduated with honours as Bachelor of Mechanical and Electrical Engineering at Sydney University.

On-load Tap Changing

At a meeting of the Coventry Electric Club on May 1st, Mr. G. A. P. Jewiss read a paper dealing with the modern fully automatic on-load tap changing transformer. The paper was illustrated by slides and a colour film. The author pointed out that with the growth of power stations and transmission systems, the internal reactance years ago was kept as low as possible to keep the voltage drop to a minimum, but reactance was now recognised

as a valuable aid in limiting short-circuit currents. To overcome the voltage drop due to this reactance and to obtain the desired flexibility of voltage control under normal variations of load, it was increasingly necessary to-day to be able to adjust the transformer voltage ratio with the transformer on load.

A brief historical survey covered the evolution of the present day equipment and showed that with mercury switches in conjunction with copper-to-copper contacts (at present fitted to transformers up to 15 MVA) maintenance had

been reduced considerably.

E.D.A. Bulletin

Reports of the British Electrical Development Association's annual meeting and luncheon appear in the April number of the "E.D.A. Bulletin." Another feature is an account of the operation of an all-electric school kitchen by Mr. P. Wardle, chief engineer, Cannock U.D.C. Electricity Department, in which the connected load is 97 kW, including 81 kW of cooking equipment. The figures given show that in the second week of operation 848 meals were served with a total electricity consumption of 210 kWh, costing an average of 0.205d. per meal. This issue also contains, as usual, reports of the Centres' activities and the names of members of the Council for 1945-46.

Australian Imports

The following are the values, published in Canberra, of the chief groups of electrical goods imported into Australia during the second half of last year with a note of increase or decrease (only in the case of cable and wire) compared with July-December, 1943.

Classification	JunDec. 1944 £ (000)	Inc. or dec. £ (000)
Dynamo electric machines Telephone and telephone switchboards Covered cable and wire Batteries and accumulators Filament lamps Other electrical machinery and	525 486 417 45 44	+ 284 + 151 - 169 + 27 + 20
appliances	1,379	+ 257

Northern Ireland Electrical Wholesalers

Considerable progress has been made by the Electrical Wholesalers (Northern Ireland) Association since its formation just over a year ago. The main task of the Association, which we are told includes all the leading electrical wholesalers in the area, is to ensure a smooth transition from war to peace by close collaboration with the various Government Departments, transport and railway companies in an endeavour to secure adequate supplies of all classes of electrical products for distribution to the electrical trade. To further this end marked progress has also been made with several kindred associations and with certain manufacturers and groups of manufacturers in England.

The Association is also working in close harmony with the local E.C.A. and joint meetings are held regularly every month at which all problems of common interest are freely discussed. This joint body, which also includes representatives of manufacturers with branches

in Belfast, has accepted the Fair Trading Agreement as the basis of all discussions. Perhaps the most notable feature of these meetings has been the broad attitude adopted by all sides which has certainly avoided the "dog in the manger" attitude sometimes encountered at meetings of this kind.

The secretary of the Association is Mr. R. S. Neilson, 53, Chichester Street, Belfast, and manufacturers interested in the Northern Ireland market are invited to communicate with him.

Works Visit

On April 26th the Lord Mayor and Lady Mayoress of Birmingham (Alderman and Mrs. W. T. Wiggins-Davies) together with their daughter, Miss Joan

Wiggins-Davies, paid a visit to the works of William McGeoch & Co., Ltd. They were received by Mr. William McGeoch, managing director, and Major and Mrs. Percy McGeoch. During the tour of the works the Lord Mayor inspected the works fire brigade and after lunch and a concert by E.N.S.A. artistes, he responded to an address of welcome by Major McGeoch.

Stores Control

A 30-page book let entitled "Stores Control" by W. Nelson Wright, stores controller at the Fitzroy Works of Frederick Braby & Co., Ltd., should prove of particu-lar interest to those in

charge of engineering stores. It is obtainable from Richard Madley, Ltd., Newton Works, Fitzroy Court, Tottenham Court Road, London, W.1, price 2s.

Fire-proofed Doors

Wood doors and bulkheads have been submitted to resistance-to-fire and spread-offlame tests conducted at the testing station of the Fire Offices Committee by officers of the Building Research Station at Garston, Herts., of the Department of Scientific and Industrial Research. The tests were made for the Timber Fireproofing Co., Ltd., 81, Cannon Street, London, E.C.4, in accordance with British Standard Definition 476-1932 (building materials and structures) and indicate how certain grading and classification conditions may be satisfied by treating the timber with "Oxylene." The latter is the company's registered name for a freproofing process that consists of im-pregnation with a mixture of mono-ammonium phosphate and borax.

Trade Publications

English Electric Co., Ltd., Stafford.—Illustrated publication (TD/101) describing Dieselelectric locomotives for railways, the first of which went into service in Great Britain in 1934;

by 1941 the number built had reached 178 and some are in service in the Sudan, South Africa, Australia and Brazil.

Macrome, Ltd., King Street, Enderby, near Leicester.—Bound catalogue of 344 pages with index and fully illustrated for reference to almost every type of cutting tool and drill, including unusually complete information about sizes, pitches, angles, equivalents and alternatives the purchaser is likely to want to know. Also 20-page brochure dealing with soft-faced hammers, mallets and hand saws.

Siemens Electric Lamps & Supplies, Ltd., 38, Upper Thames Street, London, E.C.4.—
Illustrated price list (Z.156) briefly specifying intake house-service units suitable for flush or



The Lord Mayor of Birmingham at William McGeoch & Co.'s works.
With him are Mr. William McGeoch, Miss Joan Wiggins-Davies,
Major Percy McGeoch and Mr. C. Andrews

surface mounting and of two types for accommodating either a quarterly or prepayment meter together with rewirable fuses and accessories.

Trade Announcement

Electrical, 6-8, Brighton Terrace, London, S.W.9, ask us to mention in connection with their advertisement in our issue of April 20th that they can only deal with trade inquiries for their "Rectostats."

TRADE MARKS

PPLICATIONS have been made for the registration of the following trade marks. Objections can be entered within one month from May 2nd:

FLOOROLA. Class 9. No. 630,995. Electric PLOOROLA. Class 9. No. 630,995. Electric waxing, polishing and scrubbing machines for domestic use, and parts thereof not included in other classes.—Floorola Products, Inc., York, Penn., U.S.A. Address for service, c/o Marks & Clerk, 57 & 58, Lincoln's Inn Fields, W.C.2. MINIBANK. Class 9. No. 632,254. Electric switches.—A.B. Metal Products, Ltd., Hatton Works, Great South-West Road, Feltham, Middlesey

Middlesex.

Views on the News

Reflections on Current Topics

WEEK or two ago it was briefly reported in the British newspapers that the first German coal was being supplied to the Allies. And yet I have seen in the March 31st issue of the American Electrical World a picture of the generating room of the Karl Alexander coal mine at Basweiler, the caption under which says:—"The town, 12 miles north-east of Aachen, was captured last October by the U.S. First Army and within three weeks the German miners were back at work producing coal for the Allies." In view of our own coal position we might have had such heartening information earlier; who held it up?

Public ownership, which is so often advocated nowadays, can take various forms. A large part of the electricity supply industry is already publicly owned, being in the hands of local authorities, but many advocates mean nationalisation when they talk of public ownership. For instance, Mr. Herbert Morrison in a recent speech, referring particularly to electricity supply, said, according to The Times, "The only question was whether this common public service was to be handed over to public ownership and management or whether the country was to tie itself into knots in order to keep private ownership—or municipal ownership for that matter—in the picture." This places Labour members of borough councils in a quandary. For instance, at Swansea the Socialist Electricity Committee has declined to support nationalisation of the local undertaking. As reported in the Western Mail, one of the aldermen there said that the town should not sacrifice the advantages it had earned by its foresight in building a generating station of its own. But many companies have built generating stations too.

It is customary to refer to the hotel and catering "industry," but very few of us look upon it as industrial in the generally accepted sense. Nor do electricity supply authorities, who class hotels and restaurants as "commercial" for the purpose of their tariffs. Yet at the recent annual meeting of a London company concerned in this type of business the chairman complained that the cost of the unit, particularly in London, was high and "compared unfavourably with the cost of current supplied to other industries." He went on to say that with progress on modern lines it was probable that the consumption of electricity would increase considerably and the charge against income would be a very

serious problem. He said nothing of the savings to the company which electricity would bring about in other directions. In this he was in line with a good many other people who judge electricity entirely upon price and have no regard to its service.

A new name has appeared in the domestic appliance field, Clifton Aircraft, Ltd., I am told that the Appliance Department of this concern has secured a licence to convert a part of its Lytham (Lancs) factory from the production of aircraft parts for the post-war manufacture of electrical domestic appliances. What is described as a first-class team of engineers and salesmen has been gathered together and the Board of Trade has been asked for accommodation in a Government factory in the area, sufficient for the employment of 600 people, or alternatively, for permission to build a model factory at the seaside. The company is already producing electric irons and "Streamline" breakfast cookers and it proposes to follow these up with domestic cookers, water heaters and various types of fires.

The production by the Brush Electrical Engineering Co., Ltd., in collaboration with Mavor & Coulson, Ltd., of "Joy" shuttle cars for collieries is another reminder of the interdependence of the coal and electrical industries. In this country not only is over 95 per cent. of electricity generated by means of coal but if the level of coal production is to be restored and increased much more electrically-operated mining machinery will have to be employed. It is indeed essential for the electrical industry to assist to its utmost in coal production, for without doing so the whole future of electrical development and the improved standard of living that follows will be jeopardised.

There is much to be said for the E.C.A. proposal to affix a "water-slide" transfer upon appliances which are taken to members for repair and are not fitted with proper earthing arrangements, urging the owners to consult their electrical contractors before using them. Nevertheless two thoughts occur to me. The first is: What will the consumer think (and say) when he finds his kettle, iron, or whatever it is, thus decorated? And then, supposing he consults his electrical contractor, what will his reaction be to any suggestion that his two-pin outlets shall be replaced by three-pin?—REFLECTOR.

Electric Vehicles

Consideration of "Battery Factor"

THERE has been some controversy about the lightweight, or so-called one-year, battery for electrically driven road vehicles, but no marked tendency to utilise it. One manufacturer has published a statement that he is beginning to employ thin-plate cells and although Continental practice has included the use of 300-cycle accumulators it is significant that in the same quarter the heavy-plate, or so-called three-year, battery is still in favour.

In both France and Germany, 1938-39 catalogues all listed four types of batteries for vehicles, namely, the pasted

for vehicles, namely, the pasted type (one year), "Panzer" type (three years), Plante type (seven

to eight years) and Edison alkaline type (ten years), with the first-named predominating, although all four types were in use.

The Société des Ingénieurs de l'Automobile had this subject under discussion at two conferences held in Paris in November, 1943, and May, 1944, which indicated the efforts that were being made to increase the output of electric vehicles. Notwithstanding the arduous conditions under which the French makers were working, and that in 1942 the Germans endeavoured to stop vehicle manufacture, a good measure of success was obtained. Up to the end of 1943 the number went up 600 per cent., whereas in Great Rritain during the same period the increase in licensed electric vehicles was 52 per cent.

Some abstracts of the proceedings taken from the publications of the S.D.V.E. (Société pour le Développement des Véhicules Electriques) may be quoted, with the permission of the director, Mr. Maurice Bouchon, whose statistics and arguments

rather favour the heavy type of battery. He holds that the electric vehicle must be established on a permanent basis and endeavours to demonstrate by actual results after twenty years' exploitation of electric vehicles by a company that they are not only practicable, but in certain applications they "will maintain a regularity of service that none would dare to expect from a petrol vehicle."

M. Bouchon insists that the electric vehicle must be used within its proper sphere and that electricity can be of good service in transport, but it cannot do every-

thing. Financially, the electric vehicle consumes a low-priced fuel and, moreover, only when the motor is running. Strictly the battery should be classed as consumable energy and its amortisation should be added to the costs of electric power. The vehicle itself requires little upkeep, few repairs and a long period can be assigned for writing off the cost.

If the maximum profit is obtained from the inherent advantages of the motor, the contrary influence of the battery will be less noticeable. Applications must be so chosen as to minimise long journeys and in which maximum speed is only of secondary importance.

What may be called the "battery factor," all other things being equal (in particular life and price per kWh of capacity) represents the relationship between the weights of the battery and of the vehicle as well as their performances. In the following table four vehicles are compared under equivalent conditions on normal running tests. The route travelled by the vehicles was about ten

"BATTERY FACTOR," BASED ON RESULTS OF EQUIVALENT RUNNING TESTS OF FOUR VEHICLES, UNDER NORMAL OPERATION

Type of Vehicle	Type of Battery	CU (I)	PB (2)	PV (3)	PV+CU (4)	PT = PV + PB + CU (5)	km.	Speed (7)	CU×km 1,000 (8)	PB CU×km 1,000 (9)	PB PV+CU (10)
Lorry	Lead, heavy	6,000	2,535	4,000	10,000	12,535	59	18-8	354	7.15	0.25
Lorry	Lead, heavy	2,700	1,760	2,740	5,440	7,200	68	17-1	184	9.5	0.32
Van	Lead, heavy	880	880	1,220	2,100	2,980	68	18.2	60	14.6	0;42
Saloon, 2-seater	Lead, light- weight	75	550	525	600	1,150	98	31.7	7.35	75	0.92

⁽¹⁾ Pay-load in kg. not including driver. (2) Weight of battery, kg. (3) Total empty weight, including driver. This is similar to our taxing weight, e.g. exclusive of battery, but adds the weight of the driver. (4) Gross weight, less battery weight. (5) Gross weight, (6) Distance covered during tests, km. (7) Av. speed during test in km./h. (8) Ton-kilometres pay-load during test. (9) Weight of battery (kg.) per ton-kilometre of pay-load. (10) Weight of battery in relation to gross weight, less battery weight.

miles, including the steep rise to Sacré-Cœur de Montmartre via the rue Lanark, and repeated until the battery had discharged to 80 per cent. of its nominal capacity with the usual stops expected in service. The first three vehicles were of the industrial type, all made by the same manufacturer; the fourth was a private saloon car. The type of battery is according to the specification in U.S.E. Publication 79.

The penultimate column recording the weight of the battery per ton-km. of pay-load without any boosting charge is instructive as it indicates the influence of the battery on the net cost because in reality it is the merchandise carried that needs to be transported. It will be noticed, for instance, that the "battery factor" rises rapidly as the pay-load falls; in fact it is doubled if the effective load of the vehicle drops from six to one ton.

The saloon car shows a still greater variation in "battery factor" when compared with the 6-ton vehicle, but the purpose of a private car is different from that of a goods vehicle. To arrive at a comparison the "battery factor" can be considered as the

weight (expressed in percentage) of a battery which must be applied to a loaded vehicle that is to say, a displacement of useful load in order to travel the required distance.

This is shown in the last column, $\overline{PV-CU}$ which indicates that the "battery factor" of a saloon passenger car is twice that of a one-ton van, three times that of the 3-ton lorry, and four times that of the 6-ton class of vehicle.

This factor affords some indication of the type of battery most favourable for each case; that is, whether it should be of the heavy or lightweight type. If the proper allowance is made for the shorter life of the lighter pattern, its net cost will work out at eight times more than on a 6-ton industrial vehicle and four times more than on a 1-ton electric van.

These figures are not intended to be absolute, but clearly show that it is in the carriage of goods for suburban and local delivery that the most economical results are obtained and that the larger the vehicle the better will be the results financially and technically.

North of Scotland Board

First Report Published

THE first report of the North of Scotland Hydro-Electric Board just published (price 6d.) covers the period from September, 1943, to December last. It records the setting up of the Board; the preparation of the Development, Constructional and Distribution Schemes required by the Act under which the Board was constituted; and the obtaining of information on such matters as rainfall, river flow and geological formation.

The report states that the first Constructional Scheme (Loch Sloy, Loch Morar and Lochalsh projects) into which an inquiry was held has now been confirmed and became operative on

March 28th last.

Future Policy

With regard to the Board's future policy, the report says that surveys of schemes both large and small have been pressed forward as rapidly as possible and they are continuing. Schemes to supply ordinary consumers appear without exception to be uneconomic; in the aggregate the annual loss will be very large and it will have to be covered by profits earned in other directions. Schemes to supply authorised undertakings and large power users will be published during the present year, but supplies to these are not expected to yield much profit as they must be cheap to be attractive. Consequently projects of the same exporting type as the Loch Sloy Scheme are required and are being prepared, which will help to pay for the many uneconomic distribution schemes and to finance a "grid" in the North of Scotland District.

For the present the Board's financial requirements are being met by temporary borrowing

from the Scottish banks. Up to the end of 1944 the total expenditure amounted to £136,846; this was incurred on surveys, the preparation of schemes and other preliminary and administrative expenses and interest on borrowed money. Interest on the capital cost of works is a large element in the total cost of hydro-electric schemes and in order to reduce it to a minimum application is to be made to the Treasury for a guarantee in accordance with the Act. The Board emphasises, however, that while such a guarantee will reduce the annual charges it is not a grant and the Board must pay its way.

Prototype Houses

THE House-Building Industries Standing Committee, an organisation sponsored by the National Federation of Registered House-Builders, and supported by trade associations connected with the building industry, is preparing for the erection by competition of a number of prototype houses in England and Wales. The houses will provide a "testing ground" for new ideas. The Committee is prepared to consider any suggestions for the introduction of new fittings and equipment. Firms and individuals who believe that they can contribute sound and practical improvements to post-war housing are invited to send concise particulars for consideration and possible incorporation in the houses now being planned. In the first instance, brief details should be sent in writing to the Organising Secretary, House-Building Industries Standing Committee, 82, New Cavendish Street, London, W.1.

-

Meter Jewels and Pivots

Results of Life Tests

VITH the object of obtaining more fundamental knowledge about the phenomena associated with watt-hour meters and other instrument bearings with a view to their improvement, research has been proceeding for a number of years in the meter testing laboratories of the Northmet Power Co. on behalf of the British Electrical and Allied Industries Research Association.

Various aspects of these extensive investigations are briefly outlined in a paper by Mr. G. F. Shotter (Northmet Co.) submitted to the Measurements Section of the Institution of Electrical Engineers last week. The paper is a precis of some of the salient features of the second interim E.R.A. report (ref. T/T.39) on the subject and deals mainly with the sapphire/steel combination of jewel and pivot, both dry and lubricated, but also discusses other combinations of materials.

Scope of Investigation

Test methods and apparatus are described, followed by a survey of the results of life tests, including an analysis of the several factors which contribute to wear and discussion of the microscopical examination of the specimens tested at the end of their life run. A theory of the boundary lubrication existing in such bearings is briefly stated with a short extract from the detailed discussion of the various factors disclosed in E.R.A. reports (T/T.31 and T/T.39), while the mathematical formulæ developed during the research are simplified into nomograms.

The results of experimental determination of the resistance of sapphire jewels to impact forces are stated and phenomena associated with bottom beatings at various loads, caused by parasitic forces existing in meters, are also discussed. The actions of bearings of both the ball and pivot types are compared and an approximate estimation, based on life tests, has been made of the life of bearings

in practice.

There is no doubt that there is a definite limit to the weight that can be carried on a steel/sapphire bearing and one of the outstanding facts revealed by these experiments is the extraordinary effect of specially refined Pennsylvanian "meter oil No. 2" on the extension of bearing life. Medicinal paraffin is practically devoid of lubricating value because it is too highly refined; its use can increase friction above dry running values. In these experiments the "life of a bearing"

In these experiments the "life of a bearing" has been determined by the permissible increase of friction. The latter generally increases rapidly at first until it reaches a stabilisation period; then, although generally

showing an upward trend, the rate of increase will be considerably less. When the bearing is reaching the end of its useful life a more rapid rate of increase of friction generally occurs which, particularly in dry specimens, can become high and variable. When lubricated with a sufficient quantity of suitable oil the rate of increase of friction at the end of life is considerably smaller and will probably never reach the value attained by dry specimens.

Taking the film-rupturing stress of mineral oil as about 2·2 tons/in.² it has been argued in the past that a film cannot exist under pressures upward of 50 tons/in.², but such criticism has not taken into account boundary lubrication, the occurrence of which

has been confirmed by this research.

Friction between smooth surfaces is caused by the unbalanced forces of molecular attraction of the surfaces acting across the interface; the function of a lubricant is to neutralise those unbalanced forces. When the surfaces are separated by a layer of lubricant that is thick enough to place the plane of slip beyond the influence of the enclosing solids, the frictional resistance is due solely to the internal friction (viscosity) of the lubricant, which is of the "fluid type or complete. But when the slippery film is so thin that every part of it is within, and has its properties modified by, the strong attraction forces of the solid surfaces, then the frictional resistance of the surface of slip is due mainly to those attraction forces and the lubrication is of the "boundary" type or incomplete.

The ratios between the average "life revolutions" of unlubricated specimens under a weight of 17 g with jewels cut so that their optical axes are at 0, 45, 62 and 90 degrees to the pivot are respectively 1-15 to 1 to 1.8 to 540. The reasons for the observed variation of the rate of wear with angle can only be sought in the crystalline structure of the sapphire, it being softer in the direction of the optical axis and harder at right angles to it. Such difference of hardness is not confined to the sapphire Surface cracks and shaling within the wear area will produce excessive friction; this kind of breakdown is to be least expected in 90 degree jewels.

Discussion

MR. E. FAWSSETT (North Eastern Electric Supply Co.), in opening the discussion, said that as chairman of the Committee of the E.R.A. concerned he would not criticise, but would detail some aspects which he had not felt able to dispose of entirely. The

speed at which the tests were made (280 RPM) was no doubt adopted to save time, but it was very different from the actual speed of an ordinary meter which varied from 0 to 50 RPM. There was justification for the author's conclusion that ball bearings " if in perfect order to start with " should last very much longer than the pivot type "in present designs." The paper clearly indicated that it was not wise to over-run a meter of the present conventional design or contemplate a considerably larger full load torque from such a meter, though it must be remembered that the number of hours in a year during which the meter was operating at high loads was usually very small. Much more serious, probably, was the statement which ought to have been in italics or capitals —that "a normal meter has no-load wear equivalent to 157 million revolutions per annum." If the author could combine the effect of this with the load tracking, and apply it to a typical meter load programme over the year, he should get an extremely interesting answer, not too comforting to the meter engineer and likely to reduce the term usually thought satisfactory for a meter to remain out on service. Other oils than those mentioned in the paper had been developed with similar properties as regarded dispersion, stability, etc., and with a flatter viscosity curve and he had heard it said that they gave better results in a cold climate.

DR. D. CLAYTON wondered whether oils from other sources than Pennsylvania would not be equally satisfactory. He did not think this particular job called for anything special in the way of the source of the lubricant. Also, the author was a little too strong in his statement that medicinal paraffin was practically devoid of lubricating value as evidence existed that for clean steel surfaces the friction could be reduced one-third by the use of such an oil. He was surprised at the statement that Pennsylvania oil was the only one that would maintain a film under high pressure.

Supply of Jewels

MR. L. J. MATTHEWS (Electrical Apparatus Co., Ltd.) said that while the paper was not controversial because it contained the results of research, he would like to know to what extent the tests approximated to service conditions. He said it was of the utmost importance to instrument and meter makers and users that, at the earliest possible moment, free access should be available once more to all sources of supply of jewels.

MR. P. GROZINSKI (Diamond Research Department) said it was not clear whether other jewels than sapphire had been experimented with, particularly in respect of orientation. While it was suggested in the paper that the sapphire was "softer" in the direction of the optic axis and "harder" at

right angles to it, that was opposite to findings by other workers in this field.

MR. L. B. S. GOLDS (Edmundsons Electricity Corporation) remarked that the results could be applied to many other types of apparatus. It was due to Mr. Shotter's enthusiasm that this work started and continued for so many years. The paper indicated how unwise it would be to attempt to standardise meter design at the present stage of development and it was also important not to jump to conclusions. He hoped that Mr. Shotter would continue his fundamental analysis of other parts of the meter, such as the top bearing. Having had some eighteen years' experience of the ball bearing, he had found that it gave as good results as, if not slightly better than, the pivot bearing and, strangely enough, the ball bearing had been run so-called dry. Actually that was not so because a certain amount of oil was always present on the surface, even of jewels. Therefore it seemed that if the ball bearing were properly oiled with the right type of oil it might be actually better than the jewel.

Developments in Oil Refining

DR. N. L. ANFILOGOFF (Texas Oil Co.) stated that since this work was started nine years ago a great number of changes had taken place in the refining of oils and it did not follow now that Pennsylvania No. 2 oil would give the best results. Moreover, there was no reason to think that a less, or more, viscous oil would give better lubrication.

MR. H. COBDEN TURNER (Salford Instruments) expressed the view that the instrument bearing was a much greater problem than the meter bearing. Meters were recalibrated periodically and it was easy to put in a new jewel, but an instrument might go throughout its life with the same bearing. He thought the diamond would be better than the sapphire, because it was the hardest jewel known.

MR. G. E. MOORE (Sunderland Electricity Department) asked if there was any intention of investigating whether jewels should be sprung or not. He also suggested that the jewel should be cemented into the mount, otherwise a certain amount of oil was bound to seep away in the interstices between the mount and the jewel. Again, would the author recommend that the jewel should be more deeply sunk into the mount so that a fair amount of oil could be put into the well and if a meter was laid on its side a certain amount of oil would always be retained on the inside walls of the well.

MR. L. C. MASKELL (Silvertown Lubricants) said that while he had been responsible, with others, for developing the oil used by Mr. Shotter, there appeared to be no reason why other oils should not be equally satis.

had not been able to find one which gave the same result as Pennsylvanian No. 2.

MR. SHOTTER, in the course of a brief reply, said that he thought the results showed there was a decreased coefficient of friction with the oil that was used. The paper did not suggest that the sapphire was "softer" than the diamond in the direction of the optic axis. He had never claimed that there was no oil in existence as good as Pennsylvania No. 2, but it was necessary to start

somewhere. He did not agree that the instrument was a more difficult problem than the meter from the point of view of bearings; certainly he had never seen an instrument which went through its life with the same jewel. He agreed that a spring would help the jewel, but some makers, when they put in a spring, used one strong enough to hang the meter on! The best way of keeping the oil in the bearing and preventing damage during transport was to lift the disc off the jewel, but it cost a little money to do that and the makers did not like it.

Fuses and Relays

Excess-Current Protection in Medium-Voltage Circuits

N opening the discussion on the two papers by Messrs. R. T. LYTHALL, A. G. SHREEVE and P. J. SHIPTON (Electrical Review, May 4th) before the Installations Section of the Institution of Electrical Engineers, Mr. H. W. Swann emphasised the statement that the problem of providing excess-current protection in medium-voltage circuits could be solved by co-operation between user and manufacturer. The earth fault strike described by Mr. Lythall was a welcome innovation. When the occupier of a large in for many years was faced with the installation of earth-leakage protection or indication on a large scale, it might present considerable financial problems and usually meant a compromise arrangement, which was never really satisfactory. The fact that the earth fault striker carried with it the additional advantage of being a protection against single phasing on local circuits was all to the good because the latter led to burn-outs which resulted in fires.

Education of the User

The theme of both papers was the need for studying and tackling this problem from a strictly technical angle and he emphasised the unbridged gap there was between engineers and a considerable section of people who used these products. He was thinking of the small one-man contractor and the single-handed electrician in works who was sometimes just a "handy" man. This problem was important ten years ago and in ten years time it would be far more important when the load demanded might be ten times what it was now. Hence the importance of ensuring an intelligent selection on the basis of the requirements. What could be done to get the facts over to a larger and more directly affected body of people than were represented at that meeting?

MR. H. E. Cox (B.T.H. Co.) remarked that although the h.r.c. fuse had already carved a place for itself, it suffered from

certain disadvantages. The question was whether those new devices became a member of an already existing family, with complementary functions; did they increase the usefulness of an already existing family, or did they displace existing members because they could do the job better and more economically? It was possible to determine average characteristics for types of motors and make relays to match. He hoped eventually it would be possible to solve the problem along those lines.

Marking Fuses

MR. L. H. WELCH (Central London Electricity) suggested that each fuse manufacturer should use a distinctive number or letter so that the user would know what it meant. At the present time there were so many fuses and so many boxes in use that the expense of changing to a standardised type was too great for the theoretical considerations set out in the paper to be applied. If the job was best done by a circuit breaker, then it should be employed and not a hybrid affair of a fuse with a circuit breaker. He appreciated that economically at present that was not possible. He favoured earth fault indicators, but was against earth fault trips.

MR. J. W. GIBSON (General Electric Co.) said that the single-phasing solution put forward by Messrs. Shreeve and Shipton was much less complicated than that of Mr. Lythall. Remarking that many people were afraid to take advantage of the benefit to be obtained from the use of h.r.c. fuses, he said he was pleased with the manner in which Mr. Lythall had put the matter over. On the question of selection, he agreed that design conditions should be brought into consideration and said that too often the designer heard nothing more about his design except when there was trouble. For slip-ring motors he suggested a larger fuse should be put in than was recommended by Mr. Lythall, but a 60-A fuse for a 15-HP

motor, as indicated in one of the illustrations, was too large. He did not think the 6 per cent. tolerance recommended by Mr. Lythall on fuses in service was high enough and suggested that the correct figure was somewhere between that and the 33 per cent.

given in the other paper.

Mr. S. J. R. Allwood (L.M.S.), speaking as a user of h.r.c. fuses, said there could be no disagreement on the principle of using h.r.c. fuses for fault protection of equipment and leaving the overload protection to the switchgear, but there was a need for a satisfactory overload relay. It was important that the fuse should maintain its rated fusing and clearing time. There were various factors which affected this, such as fuse temperature, the nature of the load and the quenching powder with which the fuse was filled. This latter was most important for he recently had a case in which a fuse, filled with the wrong grain of powder, performed in a most unsatisfactory manner. The physical dimensions of the fuse and its associated mountings should receive careful consideration, as on several occasions he had experienced severe flashovers between the caps of the fuses.

Co-operation Needed

MR. J. COLLINS (English Electric Co.) said the popularity of the standard h.r.c. fuse was the simplicity of the equipment with which it was used, but he wondered whether the advantages claimed for equipment incorporating the tripping type of contacts would make up for the very considerable elaboration of switchgear necessary if the advantages of the tripping fuse were to be fully utilised. The whole question of motor protection was tied up with the heating caused by the excess current, and it would be better to use this heating to operate some sort of relay rather than use the current itself. In other words, he was pleading for co-operation between the control gear manufacturer and the motor manufacturer, for the incorpora-tion of a thermal type of relay in the motor windings on the lines suggested by the authors of the second paper. Then it would be possible to use a simple type of switch fuse and a simple type of fuse board; these were the lines on which development should take place.

MR. H. W. M. PARKER (Brookhirst Switchgear) said the fuse had many advantages which were not always appreciated and the circuit breaker could be used in a different field in many cases. The h.r.c. fuse could protect cables against sudden shocks and had a considerable advantage over the circuit breaker. In boiler-house equipment single-phasing protection was particularly

necessary.

MR. J. R. TAYLOR also stressed the importance of co-operation between the manu-

acturer and user. The control gear maker should be told what the motor was going to drive because the starter was there more for starting the machine than starting the motor.

MR. F. C. FUKE said Mr. Lythall rather implied that there was strict interchangeability between fuses, and asked if that were so.

MR. N. N. HUMPHREYS called attention to the fact that no mention was made in Mr. Lythall's paper of the ambient temperature in which the fuses were installed. A fuse might be installed in a cold place or in a boiler house and it was advisable to ask the fuse maker what effect this would have on the fusing curve. With regard to the second paper, he said it was about time that somebody spoke up in public and exposed the inconsistencies of the specifications.

MR. J. SOLOMON said that in regard to earth fault protection it was necessary to educate users as to the limits of the cartridge

fuse in relation to earth faults.

MR. LYTHALL, in a brief reply, said it seemed to him that two if not three major points had emerged from the discussion. The first was the need for some additional education effort among the users of fuses to enable them to study, on the lines suggested in his paper, the correct selection of the fuses they were going to use. That was probably the most difficult of the problems. Then there was co-operation between manufacturer and user and he believed that the correct answer to the correct fuse selection-or the biggest part of the answer-lay in the user giving the manufacturer much more information than usual about the circuit on which the apparatus was to be used. Then there was the point as to whether these new developments were part of an existing family or did they form a new family. The new fuses fell into the category of a new family.

MR. SHREEVE, in his reply, said trouble was found most frequently when the problem was not handled by a professional electrical engineer or where there had not been cooperation between the various manufacturers. Generally, the trouble was due to the manufacturer not obtaining the necessary information from the user. As regards education, if equipment based on British Standard specifications was to be used, there must be education of the user; without that, he did not see how mechanical or non-electrical

ì

engineers could select apparatus.

Fatality

While hanging clothes on a wire line Able Seaman Edward Smith received a fatal electric shock. At the inquest at Sheerness it was stated that there was an aerial leading to the post to which the clothes line was attached and the end of the aerial had come in contact with the line. At the radio set the bare end of the aerial wire was free. A voltage of 260 was measured between the radio chassis and earth.

ELECTRICITY SUPPLY

Increased Costs at Leeds. Rebuilding Bankside Station.

Bolton.-LOAN FOR POWER STATION EXTENsions.—The Electricity Committee is seeking sanction to borrow £655,373 for power station extensions and £9,050 for coal-handling plant.

Hull.—Loans.—The Electricity Committee is seeking sanction to borrow £28,685 for mains, £1,050 for substations and £17,081 for substation equipment.

Leeds.-INCREASED COSTS - Speaking at last week's meeting of the City Council the chairman of the Electricity Committee (Councillor C. Goodall) said that the latest increase of 3s. 6d. a ton in the price of coal as from May 1st meant an additional expenditure of £70,000 a year to the Electricity Department. Moreover, wage increases for several sections of employees came into force this month. It would be clear, therefore that the Department's estimates had been absolutely "cut to ribbons."

LOANS FOR PLANT EXTENSIONS.—The Elec-

tricity Commissioners have sanctioned the borrowing of £100,000 for civil engineering works and £800,000 for generating plant in connection with the Kirkstall generating station

extensions.

London.—REBUILDING BANKSIDE STATION.—Southwark Works Committee is objecting to the proposal of the City of London Electric Lighting Co., Ltd., to rebuild its Bankside power station because it will prejudice any scheme for the redevelopment of the south bank of the Thames. Plans indicate that the new power station will be a building with two chimneys, somewhat on the lines of the Battersea power station.

METERS. — Southwark Borough Council Electricity Committee proposes to purchase from the Poplar Electricity Department up to 1,500 DC 20-A prepayment meters at 30s. each and to convert them from Id. coin to 1s. coin calibre at an estimated average cost of 10s. per

meter.

Manchester. — Modernisation of Street LIGHTING.—A special street lighting committee appointed to consider the question of modernising the city street lighting has invited the Electricity and Gas Committees to prepare memoranda indicating their views on certain aspects of the matter.

Norfolk.—Supply to VILLAGES.—In the House of Commons last week Mr. De Chair asked the Minister of Fuel and Power whether he was aware that 46 villages in the South-west Norfolk Parliamentary Division were without an electricity supply at present and that only 37 of those were provided for in the post-war development schemes of the East Anglian Electric Supply Co.; and would be institute an immediate inquiry into the position of electricity supplies in South-west Norfolk with a view to supplying all these 46 villages with electricity

in the shortest possible time.

Major Lloyd George said that it had been necessary during the war to restrict electricity development because of the shortages of manpower and material. Such restrictions could not yet be relaxed. The post-war development

schemes of the East Anglian Electric Supply Co. would result in supplies being available in 85 of 94 villages and hamlets in that part of South-west Norfolk which was in the area of supply of that company. Limited supplies were already being given in most of the remaining nine places. In view of these facts he did not consider it necessary to institute any inquiry.

Salford.-Loans.-The Light, Heat and Power Committee is seeking sanction to borrow £4,000 for meters and £10,000 for substations.

Worcester.—Cable-Laying. — It is proposed to apply for a loan of £33,000 for cables and It is proposed ancillary work in connection with the bulk supply to Malvern.

London J.E.A.

T last week's meeting of the London & Home Counties Joint Electricity Authority the following matters were reported:-

West Ham Power Station Extension

The Technical Committee had received from the West Ham Corporation a copy of an application which had been made to the Electricity Commissioners for consent to the extension of the Corporation's generating station by the installation of a 60,000-kW turbo-alternator, with the necessary boiler and auxiliary plant, switchgear, buildings and land at an estimated cost of £2,428,455. The Committee observed that the capital cost represented £40-5 per kW installed. On present prices the cost would amount to £32 per kW when the whole extension, totalling £180,000 kW, was completed.

New Transmission Cables

An application to the Commissioners by the Metropolitan Electric Supply Co., Ltd., for consent to lay 25,000-V transmission cables was reported. The company stated that these cables (from Uxbridge substation to Hayes substation at a cost of £65,800 and from Hayes substation to Staines substation at a cost of £68,875) were required to deal with increases of load in the Hayes, Staines and Sunbury Cross areas. The Technical Committee of the Authority stated that it had given instructions for certain questions to be raised with the Commissioners.

Metropolitan Company's Charges

The General Purposes Committee reported that representations were made earlier in the year by the Ealing, Heston and Isleworth, and Maidenhead Corporations with regard to an application by the Metropolitan Electric Supply Co. to the Electricity Commissioners for a direction under Section 3 (2) of the Electricity (Supply) Act, 1935 (this section relates to the computation of prices for indirect bulk supply).
An inquiry was held in March and as a result

the Commissioners decided that in all the circumstances it did not appear to be in the general interest to give the direction applied for and they therefore proposed to give no direction.

FINANCIAL SECTION

Company News. Stock Exchange Activities.

Reports and Dividends

Brush Electrical Engineering Co., Ltd.—Speaking at the company's annual meeting last week, Sir Ronald Matthews (chairman) explained why the trading profit had been reduced in spite of an increased turnover. First, careful consideration had been given to the re-design of one of the company's main products, in consequence of which manufacturers' stock work in progress, which had been produced to old designs, had been valued bearing this in mind. Secondly, the factory of one of the subsidiary companies had been removed to Loughborough and its trading position had thus been adversely affected. Thirdly, there had been variation in demands for their war products, a dislocation which had caused fluctuations in turnover with consequent effect on profits and on the valuation of stocks and work in progress.

Sir Ronald referred to the company's South African subsidiary, Brush (South Africa) (Pro-Arrican subsidiary, Brush (South Africa) (Proprietary), Ltd., which started trading in Johannesburg in January, 1944, and in which the company owned more than half of the issued capital. This company would have a deficiency on its first year's working, but provision had been made for this. During the year Petters, Ltd., with certain other oil engine companies, had formed British Oil Engines (Export), Ltd., offer to the export market a comprehensive to offer to the export market a comprehensive range of engines. Practically the whole of the considerably increased engine turnover had been taken by the Ministries of Aircraft Production and Supply, first for use in the European zone and latterly for the S.E.A.C. Since the beginning of the war the company had been producing gun mountings for tanks and the whole of the resources of the coachwork division had been concentrated on war supplies, including general service vehicles and radiolocation cabins. Other work had been the repair of aircraft fuselages and the production of complete wooden aircraft. Steps were being taken to see that during the transitional period from war to peace, dislocation of production was reduced as far as possible. The company had an advantage in this respect inasmuch as many of its normal products, with slight modifications, had been used for war purposes. In conclusion the chairman referred to the company's apprentice training programme and educational work.

British Electric Resistance Co., Ltd.—The company's adjourned ordinary general meeting was held last week, Mr. H. Paul-Huhne presiding. In a statement which had been circulated the chairman explained that the delay in the presentation of the accounts was due to the fact that the directors considered it desirable to obtain price agreements on contracts executed during the year, and also to the effect of the constantly increasing volume of work undertaken. He pointed out that the trading profit had doubled, but after taxation the profits available for distribution did not vary substantially from those of the previous year. The company had increased the sales of its products within the Empire; this applied particularly to

the heavy transformers manufactured by their subsidiary company, the British Power Transformer Co., Ltd. Extensive research work had been undertaken and the results were being incorporated in their post-war designs. He stated that the directors had under consideration the acquisition of additional premises.

Johnson & Phillips, Ltd., report that the gross profit for 1944, after charging £66,000 (£62,000) for maintenance of buildings, plant, etc., was £458,402, compared with £510,224 for the preceding year. The amount provided for taxation is £100,000 lower at £180,000, and after meeting various charges, including £20,698 (£10,406) A.R.P. expenditure written off, the net profit is £180,325 (£139,873). A sum of £25,000 (£15,000) is transferred to research and development account and £80,000 (£30,000) to special reserve for contingencies. The final ordinary dividend is again 1 per cent., making 15 per cent. for the year, and £108,340 is carried forward (against £93,015 brought in after deducting £23,226 bonus to staff and workpeople for 1943).

Veritys, Ltd.—It is reported that negotiations with the Admiralty regarding price fixing are not sufficiently advanced yet to enable the directors to submit accounts. The accounts for 1944 are in draft, and it is hoped that it will be possible to publish both the 1943 and 1944 accounts about July next. The directors do not propose to recommend any further dividend in respect of 1943 and are satisfied that the profits justify an interim dividend of $7\frac{1}{2}$ per cent. for 1944.

Heatrae, Ltd.—The accounts for the year ended February 28th show a net profit of £15,192 (against £11,312 for the preceding year). Allocations include £1,000 for deferred repairs, £2,000 for general reserve and £4,310 for reducing the book value of property, plant and machinery. The ordinary dividend is again 12½ per cent. and £7,500 (£7,368) is carried forward.

The West London & Provincial Electric & General Trust, Ltd., proposes to pay a final dividend of 4 per cent. on the ordinary stock, making 6 per cent. (same) for the year ended March 31st. The net profit was £12,836 (against £12,383).

The Rawlplug, Co. Ltd., recommends a final dividend of 30 per cent. on the ordinary shares, making 40 per cent. as before. The net profit for 1944 amounted to £65,830 (against £65,314).

Altrincham Electric Supply, Ltd., is paying a final dividend of 4s. 4-19d. on its deferred shares.

Pinchin. Johnson & Co., Ltd., report a net profit for 1944 of £526,661 (against £573,237) to which are added £173,343 (£169,202) brought in and £60,000 (nil) transferred from contingencies reserve. By a change of accounting practice £180,000 (nil) is provided for income tax in respect of 1944 as well as £238,379 (£189,479) for 1943 and £180,000 (£200,000) for E.P.T. The ordinary dividend is main-

CONTROL

Oil Immersed Rotor and Stator Starter

Up to 90 H.P., 400/440 VOLTS



ASTON, BIRMINGHAM 6

Sales Headquarters:

BRETTENHAM HOUSE, LANCASTER PLACE, W.C.2



Maintenance more important than ever before

MAKE REGULAR USE OF . .

MARTINDALE COMMSTONES

■ Cut copper, brass and steel without clogging. Edges of every bar left clean; no dragging of copper. Save 75% of time and cost of turning commutator in lathe. Give longer life to motors, etc. Over 50 sizes in stock, in 3 grades: coarse, medium and fine. 20 different types of handle. Over 25,000 regular users all over the world.

MARTINDALE ELECTRIC CO. LID WESTMORLAND ROAD, LONDON, N.W.9

Phone: Colindale 8642-3 Grams: Commistones, Hyde, London


Insulated Wises & Cables for All ELECTRICAL PURPOSES

THERMOPLASTIC INSULATION (P.V.C)

"POLYKOL" is our registered title and trade mark for a plasticised Polyvinyl chloride, which material is recognised by B.S.I. and authorised by Ministry of Supply Cable Planning Organisation.

Manufacturers of all classes of conductors with rubber or "Polykol" insulation.

made to a Standard



WARD&GOLDSTONE LTD. PENDLETON, MANCHESTER, 6.

tained at 10 per cent, by a final payment of $7\frac{1}{2}$ per cent. and 141,526 is carried forward free of

any tax liability.
The directors state that the decrease in the net profit is due to a drop in dividends from subsidiary companies and to an increased proportion of direct sales to Government Departments.

The Ever Ready Trust Co., Ltd., held its annual meeting last week, Mr. Magnus Goodfellow presiding. The chairman, in a statement cir-culated with the report and accounts, while admitting the possibility that over a short period values might show some decrease, anticipated that producers, manufacturers and traders of this country, given some relief from the enormous burden of taxation, the minimum of Government interference, and such help as the Government might be able to contribute, would ensure quite quickly a flourishing post-war condition in our industries.

Allen West & Co., Ltd., record a trading profit, after taxation, amounting to £102,281 for the year ended January 31st last, the previous year's figure being £97,294. Dividends £5,757 (same) increase the totals to £108,038 and £103,051 respectively. After providing for debenture interest £8,838 (£9,080), directors fees £3,000 (same), depreciation £15,000 (same), war risks £6,418 (£11,747), deferred repairs £10,000 (nil), debenture redemption sinking fund £4,585 (£4,350) and buildings reserve £10,000 (same), the net profit is £50,197 (£49,874). General reserve again receives £15,000 and the dividend is maintained at 7½ per cent., leaving £60,738 (£62,104) to be carried forward.

John Shaw & Sons, Wolverhampton, Ltd., announce that a further sale of redundant land by their subsidiary, T. E. Thomson & Co., Calcutta, has recently been made at a substantial profit, increasing the capital reserve to £50,000, which has been declared as a capital bonus and transferred to the John Shaw capital reserve. When conditions permit it is proposed to form a new subsidiary with the name of John Shaw to continue the merchanting business and to change the present company's name to one more indicative of the business as a whole.

The Marconi International Marine Communication Co., Ltd., has announced a final dividend of 5 per cent., again making $7\frac{1}{2}$ per cent. for the year. The net profit was £90,138 (against £93,392).

Babcock & Wilcox, Ltd., propose to pay a final ordinary dividend of 6 per cent., plus a cash bonus of 2 per cent., making 12 per cent. (against 11 per cent.) for the year.

Ransomes & Rapier, Ltd., recommend a final dividend of 4 per cent., again making 6 per cent. for the year. The net profit was £29,603 (£25, 186).

The Metropolitan Electric Cable Construction Co., Ltd., has increased its final dividend from 5 per cent. to 10 per cent., making 15 per cent. for the year (7½ per cent.).

Ransomes, Sims & Jefferies, Ltd., recommend a first and final ordinary dividend of 7½ per cent.

The British Vacuum Cleaner & Engineering Co., Ltd., has announced an interim dividend of 12½ per cent. (same).

New Companies

S. Goodchild, Ltd.—Private company. Registered March 20th. Capital, £2,000. Objects: To carry on the business of electrical, radio, mechanical and general engineers, etc. Directors: Stanley J. Goodchild, and Mrs. Ivy F. Goodchild, both of Journey's End, London Road, Brent-wood. Registered office: 36, High Street, Brentwood, Essex.

Shipley Fan Co., Ltd.—Private company, Registered April 17th. Capital, £7,000. Objects: To acquire the business of fan manufacturers and merchants carried on by H. Summersgill and W. Keighley at Valley Road, Shipley, as the Shipley Fan Co. First directors: H. Summersgill, 1056, Bolton Road, Bradford, and three others. Registered office: Valley Works, Valley Road, Shipley.

Parkers (Electrical Supplies), Ltd.—Private oppany. Registered April 30th. Capital, company. Registered April 30th. Capital, £1,000. Objects: To acquire the business of a dealer in electrical appliances carried on by John Parker at 24, Sadler Gate, Derby. Directors: J. Parker and Mrs. Amelia Parker, both of 50, Birchwood Avenue, Littleover, Derby. Registered office: 24, Sadler Gate, Derby.

A. S. Duran & Co., Ltd.—Private company. Registered April 26th. Capital, £2,000. Objects: To carry on the business of manufacturers of, wholesalers and dealers in radio sets, gramophones, electrical components and accessories, etc. Directors: A. S. Duran and Juanita E. Duran, both of Thatched Cottage, Twyford, Berks. Registered office: 58a, King's Road, Reading.

James Wright (Mayfair), Ltd.—Private company. Registered April 24th. Capital, £200. Objects: To carry on the business of electrical and contractors, etc. Directors: F. J. A. Wright, 8, Dorset Chambers, Chagford Street, N.W.I, and A. Upton, 55, Amesbury Road, Hanworth, Middlesex. Registered office: 15, Davies Street, W.I.

Company to be Struck off Register

Unless cause is shown to the contrary the Blockley Electrical Engineering Co., Ltd., is to be struck off the Register at the expiration of three months from April 27th.

Liquidations

Western Battery & Maintenance Co., Ltd., 57-58, Finsbury Court, Finsbury Pavement, London, E.C.—Liquidator, Mr. H. P. Naunton, Senior Official Receiver and Liquidator, Columbia House, Aldwych, London, W.C.2, released April 30th.

Electrical Utilities, Ltd. - Last day for receiving proofs for dividend, May 15th. Liquidator, Mr. C. L. Walker, 10-11, Park Place, St. James's Street, S.W.1.

Bankruptcies

G. S. Whiston, electrical engineer, 112, West Street, Crewe. — Supplemental dividend of 1s. 3½d. in £, payable May 14th, at the Official Receiver's Office, 12, Lonsdale Street, Stokeupon-Trent.

STOCKS AND SHARES

TUESDAY EVENING.

RICES of stocks and shares in most of the markets pursue an even course in spite of the excitements which have attended this present month of May. Uncertainty and suspense, which at all times serve as a severe handicap upon activity in the House, have played their usual part this time in the contraction of the volume of orders, and in inducing a slightly reactionary tendency. The majority of price-movements are, however, still in favour of holders of shares, and the strength shown by preference issues is worthy of notice as an indication of the attitude of investment towards the outlook.

Electricity Supply

Buyers come along, with hardly a halt, for the ordinary shares of the home electricity supply companies. Metropolitans are 45s., London Electrics 32s. and City Lights 31s. 6d. Southern Areas hardened to 24s. All the rises of a week ago have been retained: the advance in the price of coal failed to stem the intentions of share buyers. In the foreign section, Cawnpores keep their gain at 48s., acquisition hopes continuing optimistic. The feature in this group is a rise to 16s. 6d. in Perak Hydro Electrics. The successes against the Japanese encourage hopes of the company being restored to its rightful owners, Singapore Traction preference are 1s. 6d. higher at a guinea.

The Rise in Prices

A fresh jump in Oriental Telephones carried the price to 59s. 6d. which is 8s. up in less than three weeks. Improvements of 3d. or 6d. made Veritys 9s., Revo 44s., Laurence Scott 14s. 6d., Burco 16s. 3d. Switchgear & Cowans, the price of which rarely moves, are ½ higher at 22s. Amongst the "heavy" shares, Babcock & Wilcox at 56s. 6d. have responded to an increase of 1 per cent., to 12 per cent., in the dividend. British Electric Traction deferred is 20 points to the good at 1235. London Passenger Transport "C" rose to 66½, the 'bus and tram strike having no effect on the price. British Insulated eased off to 6½. The 5½ per cent. "A" preference are harder at 29s. Great Northern Telegraphs are £2 up at 30. Rises of 6d. carried Callender's 6½ per cent. preference to 35s. and the 7½ per cent. "B" preference to 38s.

Radio Shares

The radio market is steady, without showing any great change. E.M.I. shares have revolved around 35s. 3d. and at that price are 9d. down on the week. Cossor at 33s. 6d. have also lost 9d. and Philco at 15s. are 3d. lower. Last week's gains were sharp and led to profit-snatching.

Enfield Cable Works

Enfield Cable ordinary shares have risen 2s. 6d. to 68s. a comparatively modest inquiry coming upon a market in which the supply of shares is limited. A fortnight ago. the price went ex the final dividend of 61 per cent., making 12½ per cent. for the year. At the current quotation, the yield on the money is £3 13s. 6d. per cent., which seems modest enough regarded merely from the point of view of present return. In 1938 and 1939 the dividends were 161 per cent. Capital bonuses were distributed in respect of 1935 and 1937. The chairman's recent statement referred to the 132,000-V underground compression cable, the first of its kind in the world, which the company has developed. The board believes that this type of cable has a great future.

Brush Electrical

Brush Electrical Engineering shares are quoted ex dividend, the price remaining without alteration at 11s. At the company's meeting last week the chairman dealt with the period of change-over from a war to peace basis. He forecast a heavy demand in the post-war years for the company's engines, public transport vehicles, power plant and other products. Much of what he said will apply to other companies engaged in similar branches of industry.

Johnson & Phillips

Johnson & Phillips are making up their dividend for the year to 15 per cent. as before, the fall in the trading profits of £51,800 being offset to some extent by the reduction for tax provision. This reduction, with other movements, left the net profit at £180,000, being £40,500 up on the year. At to-day's price of 76s. 6d. the shares give a return of £3 18s. 5d. per cent. on the money. Johnson & Phillips ordinary take rank amongst sound industrial investments.

Ever Ready

Ever Ready (G.B.) will issue its report and accounts on May 11th, the net profit of £589.000 showing a decrease of about £33,000 as compared with the previous year. The profits, for the past year ended March 31st, are sufficient amply to cover the dividend which again makes 40 per cent. for the full year, the rate paid annually since 1940 inclusive. For the four years, 1940-1943, 5 per cent. of the 40 per cent. was declared as bonus, but in each of the past two years the full amount was regarded as dividend. The shares stand at 45s. 3d. which may be compared with the 16s. 3d. to which the price fell in the year of the French collapse, 1940. The yield is 4½ per cent. allowing for the dividend included in the price. This is not a bad return, as yields go nowadays.

N fin

田田田田

2 70

761

2

del les

100

HE.

de

THE REAL PROPERTY AND ADDRESS OF THE PARTY AND

世紀

63

出日本の日本か

Advice to Contractors

Effects of Wartime Legislation

FINE Director and Secretary of the Electrical Contractors' Association (Mr. L. C. Penwill) has informed his members that the Board of Trade has issued a General Licence (S.R. & O. 1945' No. 245) under the Location of Retail Businesses Order, which permits building and civil engineering undertakings, as defined in Defence Regulation 56AB, to supply at any premises such articles of ironmongery and such electrical goods (other than radio goods, electric torches and orch batteries) as are used in the course of building and civil engineering contracts, without obtaining individual licences. He says that it appears to be desirable to give an up-to-date review of wartime legislation as it affects electrical contractors and retailers.

Licences and Certificates of Registration

Where a trader comes within the scope of the Location of Retail Businesses Order, a licence is necessary in respect of each place from which such trade was not carried on during the "basic period," December 1st, 1940, to October 23rd, 1941. Certificates of registration under Defence Regulation 56AB must be held by all undertakings carrying out registrable work, irrespective of when that type of work was commenced, but only one certificate is necessary for each undertaking.

Electrical contractors exclusively engaged upon work within the scope of Regulation 56AB and who come within the definitions "Building undertaking" or "Civil Engineering contracting undertaking" must hold a certificate of registration from the Ministry of Works. Electrical contractors who, coupled with the work described above, undertake work outside the scope of Regulation 56AB in the course of which they supply electrical goods in pursuance of "contracts of work, labour and materials" and who did not undertake such work during the "basic period" must hold a licence under the Location of Retail Businesses Order, as well as a certificate under Regulation 56AB.

Electrical contractors who are not, for the purposes of Defence Regulation 56AB, "Building or civil engineering contracting undertakings" and who do not undertake work registrable under Defence Regulation 56AB, but who supply electrical goods in pursuance of contracts of work, labour and materials, must hold a licence issued under the Location of Retail Businesses Order in respect of each address from which they did not so trade during the "basic period" but they do not need a certificate of registration under Defence Regulation 56AB. (Within this category come, for example, such persons

as "spare time contractors" who employ no full-time labour to assist them, and/or contractors who exclusively undertake work of, say, machinery installation and work not covered in the definitions.)

Those who supply electrical goods solely in pursuance of contracts to repair customers' own goods do not require a licence under the Location of Retail Businesses Order. Should such a business sell electrical goods, either new, second-hand or reconditioned, a licence will be necessary unless such sales were made during the "basic period" from the addresses now utilised.

In the case of retailers only a licence issued under the Location of Retail Businesses Order must be held in respect of each establishment opened since the "basic period."

"Building undertakings" include those consisting solely or mainly of the doing of work for the purpose of providing water, light, heating, or other services for a building. "Civil engineering contracting undertakings" are those carrying out a number of civil engineering works, including the doing of work for the purpose of providing water, light, heating or other services for any such works as are mentioned in this sub-paragraph.

Fluorescent Lamp Installations

Several members of the E.C.A. have recently raised the question as to what part of fluorescent lighting installations comes within the licensable limit under the Control of Civil Building Order. Mr. Penwill says that the Ministry of Works has ruled that the installation of this form of lighting is licensable, but that it is not necessary to include the cost of the fitting (e.g., discharge lamp and control gear) in the cost of the work to be licensed. This ruling applies whether the control gear is housed in the fitting or whether it is separated from it (for instance, in a corridor adjoining the room in which the fitting is placed).

Portable Electric Tools

A short time ago Mr. Penwill advised his members regarding precautions which might be taken in respect of employees who were called upon to use portable electric tools. He now says that this advice has been resisted by the E.T.U. The matter has been further considered and the Association recommends that it would be of considerable assistance to members in meeting any difficulty which may arise if a label were affixed to all electric tools with the following inscription:—" This equipment may be used only by the employees of . . . and while it

is in use it must be earthed." The suggested wording, in addition to giving an effective warning, prescribes that the tool is provided by the employer for use only by his employees.

Non-earthed Appliances

The advice of the Association is frequently sought by members who are asked to repair various electrical appliances in which there is no provision for earthing. If a member who is presumed in law to be qualified to give service to the public returns such an appliance having carried out the work for which it was sent to him, it can be argued that a responsibility devolves upon him to give proper advice as to its installation. The Association has prepared wording which it suggests should be applied to every piece of such apparatus which passes through the hands of members; it is as follows:-"Important: This apparatus has no provision for earthing. Consult your electrical

contractor before installing.

Tie-on labels are ineffective, as they can easily be removed by the customer and it would be difficult to prove that they had been affixed; it has therefore been decided that water transfers should be available to members, to be supplied by the Association at cost, should the requirements of the membership justify this. Members are asked to state the number of water transfers which they would wish to purchase, so that the necessary order can be placed.

Forthcoming Events

Saturday, May 12th.—Cardiff.—Physics Department, University College, Cathays Park, 2.30 p.m. Institute of Physics (South Wales Branch). "Use of Infra-red Radiation in Medicine," by Prof. W. V. Mayneord. (Open to visitors.)

Manchester .- At Engineers' Club, 3 p.m. Association of Supervising Electrical Engineers

(Manchester Branch). Branch annual report.

Leeds.—Yorkshire Hussar Hotel, Eastgate,
1.15 p.m. I.E.E. North Midland Students'
Section. Luncheon. The annual meeting will be held at the Electricity Department's Offices, Whitehall Road, at 2.45 p.m., followed by a film show.

Monday, May 14th.—London.—Institution of Electrical Engineers, 7 p.m. London Students' Section. "AC Generator Protection," by D. S. Daoud (to be read by P. W. Castle and G. Lyon).

Nottingham.—Corporation Gas Showrooms, Parliament Street, 6 p.m. Nottingham Society of Engineers. Films of engineering interest. Compère, M. A. Crosbie. (Date altered from May 21st.)

Tuesday, May 15th.—London.—Institution of Electrical Engineers, 5.30 p.m. Radio Section. Discussion on "The Characteristics of Luminescent Materials for Cathode-Ray Tubes," to be opened by C. A. Hill. opened by C. G. A. Hill.

London.—At Institution of Mechanical Engineers, 5 p.m. Illuminating Engineering Society. Annual general meeting and (5.30 p.m.) address

on "Daylight and its Penetration into the Sea," by Dr. W. R. G. Atkins.

London.—Lighting Service Bureau, Savoy Hill, 6.15 p.m. Association of Supervising Electrical Engineers. Winning entries in Branch papers competition.

Wednesday, May 16th.—Cardiff.—Park Hotel, 1 p.m. Radio Industries Club of Wales and Monmouthshire. Luncheon address by W. E. Warrilow, M.I.E.E., on "Radio-Past, Present and Future.

Thursday, May 17th.—London.—Institution of Electrical Engineers, 5.30 p.m. (tea at 4.45 p.m.). Repetition of Kelvin Lecture on "The Scientific Principles of Radiolocation," by Sir Edward Appleton, K.C.B., F.R.S. London.—At Institution of Structural Engineers, 11, Upper Belgrave Street, S.W.1, 6 p.m. British Institution of Radio Engineers (London Section). "Measurement of Cable Characteristics at Ultra-high Frequencies," by F. Jones and R. Sear.

Friday, May 18th.—London.—Institution of Electrical Engineers, 5.30 p.m. Measurements Section. Lecture on "Magnetic Materials," by Sir Lawrence Bragg, O.B.E

Tuesday, May 22nd.—London.—Institution of Electrical Engineers, 5.30 p.m. Radio Section. Discussion on "Non-Ferrous Contact Springs." to be opened by Dr. H. G. Taylor and Dr. L. B. Hunt.

Wednesday, May 23rd.—London.—Royal Society of Arts, Adelphi, 1.45 p.m. Thomas Howard Lecture: "Wire Broadcasting," by Paul Adorjan, A.M.I.E.E.

London.—At Institution of Mechanical Engineers, 6 p.m. Institution of Heating and Ventilating Engineers. "Heating by Electrode Boilers Without Thermal Storage," by J. Jamieson, B.Sc. (Eng.), A.M.I.E.E.

Saturday, May 26th .- Birmingham .- Grand Hotel. Birmingham Electric Club. Luncheon.

Scientific Advisory Committee

Scientific Advisory Committee, under the chairmanship of Prof. J. D. Bernal, M.A., F.R.S., Professor of Physics, Birkbeck College, University of London. The Committee, which held its first meeting on May 2nd, is to advise on and to suggest lines of scientific research in relation to suggest lines of scientific research in relation to matters for which the Minister of Works is responsible; to suggest, having regard to existing research organisations in Government Departments, universities and industry, where this research could best be carried out and to keep it under review to ensure that it is properly correlated; and to advise on the practical possibilities and further development of the results of current research and to review the results of such development. Professor P. M. S. Blackett, M.A., F.R.S., Professor of Physics, University of Manchester, is among the members of the committee.

100

No.

20年1

78

THE REAL PROPERTY.

S. R. L.

tool by the same of the same o

母馬

SE

料用

NEW PATENTS

Electrical Specifications Recently Published

The numbers under which the specifications will be printed and abridged are given in parentheses. Copies of any specification (1s. each) may be obtained from the Patent Office, 25, Southampton Buildings, London, W.C.2.

S. ADIE.—" Fittings for electric lamps."
9338. June 10th. 1943. (568702.)
H. Allday & Son (1922), Ltd., and R. Bain.—
"Electric switches." 19722. November 25th,

Automatic Telephone & Electric Co.. Ltd., E. Frydman and G. H. F. Seiflow.—" Contact spring sets for electrical switching devices." 16760. October 13th, 1943. (568750.) British Insulated Cables, Ltd., T. Broadbent & Sons and F. Broadbent.—" Method of and apparatus for impregnating articles and materials with liquid." 14544. September 6th, 1943. (568766.) British Iron & Steel Communications of the series o

British Iron & Steel Corporation, Ltd., and A. Douglas.—"Electro-magnetic apparatus for

A. Douglas.—" Electro-magnetic apparatus for measuring and indicating small displacements." 8916. June 3rd, 1943. (568701.)

British Thomson-Houston Co.. Ltd.—
"Means for regulating power factor and voltage n alternating current circuits." 16197 42. November 25th, 1941. (568689.) "Noise suppression circuits for radio receiving apparatus and the like." 8205 43. May 23rd. 1942. (568697.) "Radio receivers." 12699 43. August 6th, 1942. (568747.) "Speed control arrangements for induction clutches." 13835 43 arrangements for induction clutches. 13835/43 August 26th, 1942. (568760.) "Mount August 26th, 1942. (568760.) "Mount structures for electric lamps and similar devices." 13836 43. August 26th, 1942. (568761.) "Electric temperature control apparatus." 16105 43. October 1st, 1942. (568827.) "Condenser boilers." 18289 43. November 4th, 1942. (568841.) "C. O Browne.—"Electrical devices and circuits for producing alternating currents with a desired phase." 1757. January 29th, 1940. (568785.)

(568785.)

H O. Burge, J. C. M. Sanders and Crompton Parkinson, Ltd.—"AC commutator motors." 14541. September 6th, 1943. (568823.) C. A. V., Ltd., and T. Curzon.—"Thermostatic suitables for controlling alegatic girguits."

C. A. V., Ltd., and T. Curzon.—"Thermostatic switches for controlling electric circuits." 16149. October 1st. 1943. (568714.)
R. M. Chamney.—"Electrical cable manufacture." 16335. October 5th, 1943. (568775.)
J. A. Crabtree & Co., Ltd., and R. W. Morgan.—"Multi-position electric tumbler switches." 18137. November 2nd, 1943. (568837.) Enclosed electric tumbler switches." 18138. November 2nd, 1943. (568838.)
R. H. Crouch.—"Apparatus for the electrical treatment of water." 9789. June 17th, 1943. (568707.)

(568707.)

E. L. Damant .- " Measurement of electric current and more particularly current of a short or transient duration." 14205 43. November 3rd, 1942. (568765.)

Electrocraft, Ltd., and W. D. Rosenberg.—
"Electrical connectors." 8768. June 1st, 1943.

English Electric Co., Ltd., and H. S. Carnegie.

—" Electromagnetic slip coupling arrangements for controlling the speeds of boiler auxiliaries

and of other rotating devices." 10548. June 29th, 1943. (568730.)

Evershed & Vignoles, Ltd., and D. D. Walker. -" Mechanism for the electrical actuation of engine controls and like controlled elements."

engine controls and like controlled elements."
13539. August 19th, 1943. (568758.)
General Electric Co., Ltd., and S. W.
Richards.—" Electric terminals." 14885. September 10th, 1943. (568767.)
General Electric Co., Ltd., and W. G.
Thompson.—" Systems comprising an alternator and a rectifier fed thereby." 13989.

August 27th, 1943. (568762.)

Krebs & Co.—"Mercury cathode electrolytic cells." [1135 43. July 1st, 1942. (568735.)

Laurence, Scott & Electromotors, Ltd., W. Clarke and E. Barraclough.—"Control arrangements for induction regulators." [16617.

October 11th, 1943. (568780.)
J. Lucas, Ltd., and R. L. Neill.—" Electric lamp bulb-holders." 11951. July 22nd, 1943. (568738.)

(568738.)
Marconi's Wireless Telegraph Co., Ltd.—
"Voltage indicators." 14104 43. August 29th, 1942. (568821.) "Circuit arrangements for generating signals suitable for automatic frequency control." 15977 43. September 29th, 1942. (568825.)
Mawdsley's, Ltd., C. W. H. Minchin and A. J. Parsons.—"Dynamo-electric machines." 16454. October 7th, 1943. (568778.)
Micafil, Ltd.—"Machine for winding the stators of electric motors." 10978 43. June 19th, 1942. (Addition to 563932.) (568733.)
F. Moss.—"Electrical equipment associated with the traction motors in electric rail vehicles."

with the traction motors in electric rail vehicles."
16989. November 30th, 1942. (568817.)
"Methods of and apparatus for controlling electric motors." 18669 43. November 30th, 1942. (Divided out of 568817.) (568847.)

M-O Valve Co., Ltd., and H. S. Smith.— "Capping of thermionic valves, electric lamps and like devices." 8420. May 26th, 1943.

(568698.)

S. Newberry.—" Electric master switches or electrical timing devices for controlling the operations of laundry or other plant or apparatus." 10799. July 2nd, 1943. (568732.)
Okonite-Callender Cable Co., Inc.—" Electric cable systems." 16377143. November 25th, 1942. (568777.)

Power Equipment Co., Ltd., and H. C. Heath.—"Electrical magazine fuses." 16595. October 11th, 1943. (568779.)
T. R. Rider and R. W. Wassell.—"Electric immersion heaters." 12011. July 23rd, 1943.

(568806.)

F. Sauter Akt.-Ges. Fabrik Elektr. Apparate. Electric regulators." 6337 43. May 7th, 1942. (568796.)

Siemens Electric Lamps & Supplies, Ltd., and J. N. Aldington.—" Electric discharge lamps." 13665. August 21st, 1943. (568810.)

Standard Telephones & Cables, Ltd.-"Device for coupling two high-frequency electrical circuits." 17462 43. August 15th, 1942. (568831.)

M. Strode (G. Hagerup-Larssen).—" Self-

baking electrodes for electric furnaces." 16353.

October 6th, 1943. (568776.)

Telephone Manufacturing Co., Ltd., and C. O. L. Ward.—" Attachment of ceramic insulators to metal containers or sheet metal supports." 16965. October 15th, 1943. (568715.)

K. Wessely.—" Capacity and inductance measuring apparatus." 17701. October 27th, 1943. (568836.)

Westinghouse Electric International Co .-"Voltage regulating systems for electric current converting systems." 12750/43. August converting systems." 12750/43. August converting systems." 1942. (568748.) "Induction heating coils." (568830.) 17296'43. October 31st, 1942. "Elevator control systems." 18212 43. November 4th, 1942. (568839.)

A. G. Williamson and Metropolitan-Vickers Electrical Co., Ltd. — "Dynamo-electric machines." 9274. June 9th, 1943. (568803.)

CONTRACT INFORMATION

Accepted Tenders and Prospective Electrical Work

Contracts Open

Where "Contracts Open" are advertised in our "Official Notices" section the date of the issue is given in parentheses.

Adwick-le-Street. — May 19th, U.D.C. Electricity Department. E.h.v., steel-wire armoured and l.v. steel-tape armoured cables; 250-kVA indoor transformer; and substation distribution panel. (May 4th.)

Australia. — PERTH. — June 21st. ment of Western Australia. Govern-Switchgear, motor-generator sets and batteries. (May 4th.)

Birkenhead.-May 14th. Electricity Department. Cables, meters and general stores. (April 27th.)

Dunbar.—June 9th. Town Council. Supply and installation of street lighting equipment including poles, lanterns, wiring and control gear. Specs. from burgh surveyor.

Long Eaton.-May 12th. Electricity Department. H.v. switchgear. (April 27th.)

Salford.-May 26th. Electricity Department. Thirty-six steel street lighting standards. (May

Swansea. — May 16th. Waterworks Department. Supply and erection of electric pumping plant. (May 4th.)

Orders Placed

Aberdeen.—Electricity Committee. Recommended. Boilers for the electricity works (£131,000).—Yarrow & Co.

Bolton.—Electricity Committee. Accepted. Steam pipes, pumps and valves.—Stewarts & Lloyds. Stoker-fired boiler complete with auxiliaries. — Babcock & Wilcox. L.v. auxiliary switchgear. - Metropolitan-Vickers.

London.-Joint Electricity Authority. following contracts have been extended for twelve months:—Cable.—Crompton Parkinson; Connollys (Blackley); Hackbridge Cable Co. Electrical accessories.—Drake & Gorham Wholesale.

Manchester. - Electricity Committee. Manchester. — Electricity Committee.

Accepted. Battery for stand-by to DC auxiliary machinery. — Chloride Electrical Storage Co. Automatic voltage variation equipment and reactors. — Metropolitanylickers. 500-kW mercury arc rectifier equipment.—Hewittic Electric Co. (Sub-contractors for transformer.—Hackbridge Electric Construction Co.) DC switchgear. — Bertram Thomas (Engineers) Thomas (Engineers).

Contracts in Prospect

Particulars of new works and building schemes for the use of electrical installation contractors and traders. Publication in this section is no guarantee that electrical work is definitely included. Alleged inaccuracies should be reported to the Editors.

Bexhill. Restoration of De La Warr pavilion (£15,443); borough engineer.

Birkenhead.—Hospital for children, Wexford

Road: borough engineer.
Rebuilding Christ Church School: managers. Vyner estate (£25,239); Lloyd & Houses, Cross, Ltd.

Bolton.-Boiler house, Adelaide Street; Rutland Mills Co., Ltd.

Bournemouth.-Works additions, Pine Road; Austin & McLean.

Restaurant, Holdenhurst Road (£2,173): Clarincrete, Ltd.

Cheshire.—Primary and junior schools Grange estate and Old Timperley Village: E. M. Parkes, county architect, The Castle, Chester.

Hull.—Temporary shops, Bilton Grange estate; city architect.

Huntingdonshire.—Farm institute, Alconbury; county architect, Walden House, Huntingdon.

Isle of Ely.—Dining hall and kitchen (£7,603), Hereward School, March; R. D. Robson, county architect, County Hall, March.

Lanarkshire. -- Additional garage accommodation at Bellshill for County Council (heating and electrical installation); W. R. Watt, county architect. 34, Albert Street, Motherwell.

Lancashire.—Huts at Stretford, Bacup and Chorley schools (£4,400) and extensions to police station, Seaforth (£3,000); county architect, Lancaster.

London.—St. Marylebone.—Shops and flats, Church Street site; Stanley Hall & Easton & Robertson.

Northants.—Extension of Monotechnic Institute, Corby (£8,500); county architect, County Hall, Northampton.

Oxford.—Extension of joint tuberculosis sanatorium: borough engineer, Municipal Buildings, Oxford.

Wallasey. - School kitchens; borough engineer.

Warlingham (Surrey). — Laundry buildings, Farleigh Road; Crew Bank Laundry, Ltd.

Warrington. Sanatorium after the war (£60,000); borough engineer. ct

age: E

o (£7,8%

accord i (brani

thois !





PRODUCTS

EL'ECTRICAL AND RA'DIO ENGINEERING

Precious Metal Contacts. Silver-on-Copper Bi-Metal. Bi-Metal Contact Units. Non-Ferrous Metal and Alloy Wires and Strips for Resistances and Fuses. Platinum, Silver and Precious Metal Alloy Wires and Strips. Silver Plated Copper Wires. Low Temperature Brazing Alloys including "Easy-Flo," "Sil-Fos" and "Silbralloy." Nickel Valve Tubes, Pure Nickel Gauze. Fusible Alloys. Selenium, Mercury and other Non-Ferrous Metals.

You are invited to write for fuller information on any of the above to:

JOHNSON, MATTHEY & CO LTD

HEAD OFFICE:

73/83 HATTON GARDEN, LONDON, E.C.I



SELENIUM SenTerCel RECTIFIERS

HEN we were the only manufacturers of Selenium Rectifiers in this country there was no need to give a special name to our product.

The many advantages of the "Standard" Selenium Rectifier over other types has inevitably introduced competition, and we have therefore adopted the name of "SenTerCel" as our trade mark, so that our customers may know that rectifiers bearing this name will have the high standard of performance to which they have become accustomed.

The name "SenTerCel" combines the idea

The name "SenTerCel" combines the idea of centre-contact construction, which is an exclusive feature of our rectifiers, with the S.T.C. registered trade mark which is known all over the world as the symbol of the highest quality in tele-communication equipment.

Standard Telephones and Cables Limited

Oakleigh Road - New Southgate - London N.11



Manufacturers of Switchboard and Portable Pattern Microammeters Milliammeters Ammeters Voltmeters Wattmeters and Testing Sets

INSTRUMENTS (PULLIN) MEASURING ELECTRIN WORKS, WINCHESTER ST., ACTON, W.3



FLAT TWIN CABLE

insulated and sheathed in rubber or in synthetic material for domestic and

MERSEY CABLES

MERSEY CABLE WORKS LIMITED LINACRE LANE, BOOTLE, LIVERPOOL

Wires, Cables and Flexibles insulated with rubber, synthetic or thermoplastic material, made in all sizes for all purposes

uler.

N ai

Process

物

tetan ten m g Set

330

Spearhead Spearhead for your for your production production

Brush it on Apply heat Job's done

FRYOLUX SOLDER DAINT

Write for full details and samples


FRY'S METAL FOUNDRIES LTD.

Tandem Works, Merton Abbey, London, S.W.19. Telephone: Mitcham 4023

and at Manchester, Glasgow, Birmingham and Dublin

CH-HANNAH LTD

CORONATION ROAD



POUR YOUR ENQUIRIES AUTOMATIC CONTROL GEAR



The
INTEGRITY
of First Class
Engineering
lies behind all
our Products

CHARLES CLIFFORD Products

INCLUDE

BRASS, COPPER & PHOSPHOR BRONZE and the undernoted SPECIALITIES

Tubes Copper Tubes for all purposes. Brass Tubes in various alloys and specifications. Aluminium Brass Condenser Tubes "Al-dur-bra" Pat. No. 308647. Phosphor Branze Tubes, solid-drawn. Gun Metal Tubes, solid-drawn.

Sheet & Strip Brass and Copper Sheet and Strip to any specification and in suitable temper for requirements. Phosphor Bronze Sheets and Strip.

Castings Chill-cast Phosphor Bronze and Gun Metal Bars.

Rods Phosphor Bronze Rods (Drawn). Gun Metal Rods (Drawn). Zinc Battery Rods.

Wire All Wires for the Metallisation process of Metal Spraying. Zinc Wire. Phosphor Bronze Wire.

Ingots Phosphor Copper. Phosphor Tin.



CHARLES CLIFFORD & SON LTD WORKS AT: FAZELEY STREET MILLS, BIRMINGHAM 5 (HEAD OFFICE) & DOG POOL MILLS, BIRMINGHAM 30

M-W.

USE DU BOIS 'Plus Quality' RESIN CORED SOLDER.

Manufactured with Flux continuity assured, no bare patches are existent

Speedily makes a sound Mechanical and Electrical Joint

A.I.D. Approved

Being used by the Principal British RADIO AND ELECTRICALE QUIPMENT manufacturers engaged on Air Ministry, Admiralty, and Ministry of Supply contracts.



Supplied on :I-lb., 4-lb., 7-lb. and IO-lb. Reels

You are invited to send for details and samples of this special Solder with flux uniformly distributed throughout the whole length.

THE DU BOIS CO. LIMITED
16 BRITANNIA STREET, KING'S CROSS. W.C.1

Telephone : Terminus 6624/5

M

DATE:

INDUCTION INSTRUMENTS






Modern instruments for Modern Switchboards—Induction ammeters, voltmeters, watt-meters, power-factor meters, frequency meters and synchroscopes—all available in round sector and edgewise cases which are uniform in appearance and dimensions with "Metrovick" moving iron, moving coil and dynamometer instruments.

Outstanding features :-

★ Long, clear scales.

* Robust movements.

* 1st grade accuracy.





Descriptive leaflets will be sent on request

G/Y401

ualiti

LOER.

decinal) redictor

HITELD IN THE

ORDER EL

"MICALOID"

(Registered)

CONTACT RING HOUSINGS

With Manganese Bronze Rings and Terminals moulded in with "MICALOID"

Supplied in thousands to Government Departments, and to over twenty of the most important manufacturers in the Country.

Machined to fine limits.

Size 9" long \times 6" dia.

Weight II lbs.

" MICALOID"

- I Is impervious to moisture.
- 2 High dielectric and mechanical strength.
- 3 Non-tracking heat resisting (up to 180° C)
- 4 Produced from our
 "MICALOID" moulding
 compositions, manufactured in our own works.



- ALSO -

MICA,
MICANITE,
BAKELITE
MOULDINGS,

etc.

Mica Manufacturing Co. Ltd., Volta Works, Bromley, Kent

Telephone:
RAVENSBOURNE 0118 (3 lines)

Telegrams : MICAMANU, LONDON



BHITANNIC CABLES



(03

AN INDEPENDENT COMPANY, MAKERS OF E.H.T. AND L.T. PAPER MAINS CABLES, VARNISHED CAMBRIC C.T.S. MINING TRAILING, "IVERITE" INSULATED CABLES AND THERMOPLASTIC CABLES (P.V.C.

BRITANNIC ELECTRIC CABLE & CONSTRUCTION CO. LTD. IVER BUCKS Telephone: IVER 491 Telegrams "BRITANNIC, IVER"



Export Division : DARWINS-TOLEDO OVERSEAS LTD., SHEFFIELD

For quick, safe and economical repair of commutators and other electrical equipment

Westminster Commutator Cement offers a cheap, efficient, quick method of curing damaged insulation without holding up the machine for more than half an hour. There is no need to remove the armature or skim the commutator with a grinder. Damaged mica can be easily removed and gaps filled with Westminster Commutator Cement on the spot, making a permanent repair and saving considerable time, money

Used by Electrical Undertakings Government Departments, London Passenger Transport Board, National Physical Laboratory, Railway and Shipping Companies, Collieries, Stores, etc.

and labour.



until trouble develops before ordering. With present delays in delivery valuable time may be lost and the machine may remain idle for several days or weeks.

Every user of electric motors should keep Westminster Commutator Cement outfits handy in case of emergency. A sound investment! Obtainable direct from the manufacturers.


A complete outfit 17/6



WESTMINSTER LABORATORIES LTD., West Works, PENN, Bucks.









mitchell vitreous enamelled resistors are made to a high standard of accuracy and finish. All approved types are available.

We invite enquiries for these and any other form of resistance.

PPROVED Send details of your requirements to:

MITCHELL ELECTRIC

88-90, TENNANT STREET,
Tel.: MIDland 3096 BIRMINGHAM 15

air

Bucks

100



You can't stump the House of Collins. Our leading position in the repair world means that must "know onions"-whether for Central Station repairs or redesigning "pre-historics." And, of course. with our twenty-four-hour service-it's never too late to mend.



115 Clerkenwell Road London EC1

22 St. Albana Place Upper St. Islington N Canonbury 3227-8

& 11 Featherstone Rd. Southall Southall 0168

C.E.L.10 sawell advertising . REPLATING?



Britannia)

LEAD ACID

BATTERIES

From 10 to 14,000 Ampere hours for POWER STATIONS HOUSE-LIGHTING EMERGENCY LIGHTING

BRITANNIA BATTERIES LTD. REDDITCH . WORCS.

B.T.9/41

Apply for Leaflet No. 13-1044 LONDON OFFICE, WINDSOR HOUSE, VICTORIA STREET, LONDON S.W.I. Phone, ABBEY 3559



DIRECT-ON-LINE CONTACTOR UNIT WITH ISOLATOR 12 AMPS MAXIMUM

AIREDALE ELECTRICAL & MNFG. CO., LTD.

MACTA WORKS, LOW MOOR, BRADFORD. Phone, Low Moor 703-4

CERAMIC INSULATORS
FOR RADIO







ALSO FOR
HIGH TENSION
LOW TENSION
AND
REFRACTORIES

JAMES MACINTYRE & Co. Ltd.
WASHINGTON WORKS
BURSLEM

REWINDS
AND REPAIRS
A.C. AND D.C.
UNLIMITED HR

INDUSTRIAL PLANT MAINTENANCE. COMPLETE OVERHAULS. ELECTRICAL AND MECHANICAL.

HEAVY MACHINE CAPACITY

HOUCHIN LIMITED

GARFORD STREET · LONDON · E·14
EAST 3768 GRAMS: GARFODIA · LONDON

Your Additional Machinery

will benefit from

HOFFMANN BALL & BEARINGS

as has

Your Present Machinery.

By.

Smooth Easy Running
No Sliding Friction
No Appreciable Wear
Allowance of Small Air-Gap
Negligible Lubrication and
Upkeep Costs

THE HOFFMANN
MFG. CO. LTD.
CHELMSFORD
ESSEX



WEATHERPROOF SWITCHES




N 900. 5-amp 250-volt C.I. Switch screwed 2" conduit.

N 910. 5-amp 250-volt C.I. Switch complete with 3-pole earthed-type plug. N 660 A.



SIMMONDS & STOKES LTD. Victoria House, Southampton Row, London, W.C.I. Holborn 8637 & 2163





This photograph shows a group of grey and high duty alloy iron castings produced in our foundry and includes a number we supply to well-known electrical gear manufacturers. We have every modern facility for producing light precision castings for the electrical trade, and shall be pleased to quote for your requirements on receipt of drawings and/or samples.

Newman, Hender & Co. Ltd

WOODCHESTER GLOS ENGLAND.

20109-1-1-- WOODCHESTER FOLDON GO U OF MALISMONTO

CONCORDIA

CONTACTS



- IN TUNGSTEN

SILVER & SILVER ALLOYS
IRIDIO - PLATINUM

ON AIR MINISTRY LIST

Made by the London Platinum Screw Mfg. Co. Ltd.

ELCORDIA LIMITED

2 Caxton St., Westminster, London, S.W.I

Telephone: ABBEY 4266



Specialists in the moulding of Polystyrene, Polythene and Cellulose Acetate as applied to the Electrical Industry.

We shall be very pleased to forward any information requested.

INJECTION MOULDERS

Ltd. (Bureau I)

Westmoreland Road, London, N.W.9
Telephone: COLindale 8868/9





Have enjoyed undisputed World Leadership for over 80 years

TELCON

POWER TRANSMISSION & DISTRIBUTION CABLES

Single & Stranded Hard Drawn Copper Conductors sables for voltages to 22 kV.

WIRING CABLES WITH THERMOPLASTIC INSULATION

TELCOVIN

P.V.C. Compound insulated and sheathed.

RADIO FREQUENCY CABLES Polystyren disc insulation. Coax

TELCOTHENE

insulated types.

Semi-Air space Solid Coaxial, Solid Balanced Terin Delay & High Attenuation

CONNECTING WIRE & INSULATION SLEEVING LETCOLHENE " LETCOAIN

insulated.

ires, plain, coloured or bracked for the Siceving, plain, coloured or bracked for the second for

HIGH PERMEABILITY LOW LOSS ALLOYS

RADIOMETAL MUMETAL RHOMETAL

HIGH RESISTANCE NICKEL-CHROMIUM ALLOYS PYROMIC CALOMIC

LOW TEMPERATURE COEFFICIENT ALLOYS TELCONSTAN TELCUMAN

AGE-HARDENING ALLOYS . BERYLLIUM-COPPER

(Thermoplastic)

TELCOTHENE

FILM . TAPE . SHEET . ROD TUBE - SPECIAL COMPONENTS

GUTTA PERCHA


TISSUE . G.P. BACKED FOIL, PAPER, CLOTHS, ETC . HYDRAULIC PACK-INGS - ACID BOTTLES - TUBING CHATTERTON'S COMPOUND



THE TELEGRAPH CONSTRUCTION & MAINTENANCE CO. LTD.

Head Office: 22 OLD BROAD STREET, LONDON, E.C.2.

Telephone (ONder Well 1/4)






These approved and certified Condults and Fittings are consistently reliable under the most arduous conditions of service. You can specify none better.

HILDICK & HILDICK
WALSALL TUBE WORKS
PLECK ROAD WALSALL WALSE

Landon Stores: 9 Hawland Mews West, Howland St., W.1. Phone: Manera 6225

SPRING OPERATED



CABLE

DRUMS

All sizes and types of self-winding drums supplied for electrical cable or pressure hose.

Our experience is at your disposal. Quotations promptly upon receipt of particulars of your requirements.

The NEWEY ENGINEERING CO. LTD.

BROOK ST., NOTTINGHAM

Telegrams: "Newbeck, Nottm "Phone: 41045/6 Nottm.

POLYVINYL CHLORIDE

THERMOPLASTIC CABLES

FOR POWER



BRITISH STANDARD SPECIFICATION No. 7/1939

E LIGHTING

PROMPTI DELIVERIES FROM HEAD OFFICE AND BRANCHES . .

FALKS

An advertisement of Falk, Stadelmann & Co. Ltd., 91, Farringdon Road, London, E.C.I

889.41 A



UMS

LOOK AFTER YOUR INSULATING OIL

The importance of maintaining the full insulating value of oil in circuit-breakers and transformers at all times can hardly be exaggerated.


This desirable result, ensuring freedom from electrical breakdown, can be achieved reliably and conveniently by means of a portable Stream-Line filter.

Complete de-hydration, de-aeration and purification in a single passage!

STREAM-LINE FILTERS LTD.

Write to-day for details

INGATE PLACE, LONDON, S.W.8



No. I Pump

HERBERT

MOTOR-DRIVEN CENTRIFUGAL PUMPS

A robust, self-contained pump for either A.C. or D.C.

Will give long, trouble-free service.

	No.1	No. 2
Height overall	16 <u>3</u> in.	22in.
Maximum immersion	$4\frac{1}{4}$ in.	$5\frac{3}{4}$ in.
Approximate weight	40lb.	56lb.
Gallons per minute, suds	5	13
against a head of	6ft.	10ft.
Gallons per minute, oil.	2	7
against a head of	6ft. 6in.	10ft.

CATALOGUE SHEET ON REQUEST

ALFRED HERBERT LTD. COVENTRY

A.A.I.I

Manufacturers of





THERMOPLASTIC CABLES & FLEXIBLE CORDS

and conserveber STOCKS HELD AT ALL B.I. BRANCH **OFFICES**






IN ADDITION
TO A
COMPREHENSIVE
RANGE OF
STANDARDISED
SIZES,
SPECIAL TYPES

SPECIAL TYPES
ARE MADE AT
SHORT NOTICE

Send particulars of your requirements to our Technical Service Dept.



ALWAYS IN STOCK

CR (SISTALL MENUFACTURING 31-32 TOWER STREET ... BIRMINGHAM 19

PHONE: ASTON CROSS 3463-4 GRAMS: OHMIC - BIRMINGHAM









West Drayton

Natural In all Grades and Qualities, Stove Micas, Plates, Washers, Commutator Segments, Condenser Films, etc.

Middlesex

Moulding, Commutator, Flexible, Heat-resisting Qualities, Commutator Rings, Spools, Tubes, etc.

Mouldings of any shape or form, Tubes, Plates, Weshers, Sheets in all thicknesses, etc.

SEND TO THE MANUFACTURIES

The BIRMINGHAM MICA Co. Ltd.

South Road, Hockley, Birmingham Telegrams: "Insulation, Phone, Birmingham." Phone: Northern 0118.

Trusted by those carrying great responsibility

1 A A A A

The engineers responsible for equipping 500 of Britain's Power Stations pinned their faith to Tudor Accumulators. This confidence was justified by the Tudor record of unsurpassed efficiency and reliability. Many of the largest battery installations in the country are Tudor, and some of these

have been functioning without pause or hitch for over 30 years. You should specify Tudor for important jobs.

SAFETYLYTE (Patent No. 313248), the Tudor Emergency Lighting System, is automatic and instantaneous in operation. It is installed in thousands of schools, hospitals, factories and other large buildings.





ACCUMULATORS

The Tudor Accumulator Co., Ltd., 50, Grosvenor Gardens, London, S.W.I. SLOane: 0168/9


WT 35b/44

CONTACTOR TYPE STARTERS FOR A.C SERVICE

IGRANIC ELECTRIC CO. LTD. specialise in the manufacture of Contactor Type Starters for all types of Electric Motors for all classes of Service. Equip your electrically driven machine with the correct control gear to protect your motor and machine by specifying IGRANIC.

Illustration shows type 1080 Combined Stator and Rotor Starter.







BX p. v. C. EXTRUSION COMPOUND

BX PLASTICS LTD., LARKSWOOD WORKS, LONDON, E.4

L.H. BX214

V EN



The letters D.P. originally stood for "Dujardin-Plante '-the name by which the battery was known when it was first introduced in this country

in 1888. Nowadays, in the minds of battery users everywhere, D.P. stands for all that is best in battery Design and Performance.



FOR ELECTRIC TRACTION

BAKEWELL, DERBYSHIRE Phone : BAKEWELL 81-82 London Office: 50 GROSVENOR GARDENS, S.W.I

Phone: SLOANE 6255-6

DP STORAGE BATTERY FOR ALL OTHER PURPOSES

] 149



Catalogue sent free on request.

MEK-ELEK Engineering Ltd., 17 Western Road, Mitcham, Surrey Cables: Mekelck, London Phone: MITcham 3072



HART ACCUMULATOR CO. LTD.


MARSHGATE LANE, STRATFORD, LONDON, E.15 Telephone: MARyland 1361/3

Branches at Birmingham, Bristol, Cork, Dublin, Glasgow, Manchester Newcastle-on-Tyne · Nottingham and Westminster

WORKS WONDER

Up and down the works in search of dirt goes this handy heavy-duty A.M. Type BYLOCK Cleaner. Many exclusive features make it an attraction to your priority customers. Trade and technical details supplied on request.







No unauthorised person can remove electric light bulbs when once they are fitted with Lox-All Locks, which prevent theft and reduce breakages .. they can be used with all bayonettype lamp holders and the first cost Is the last cost.

18

LOCKS

Lox-All Locks are extensively used by Government Departments, by Government Departments, Municipalities, Public Utility Companies and industry generally.

Sales Representative: PERCY PHILLIPSON. 169, Piccadilly, London, W.I. Telephone: Regent 1900. Manufactured and Marketed by CELESTION LTD. London Road, Kingston-on-Thames. Kingston 5656.



LONG ACRE, BIRMINGHAM 7 TELEPHONE: EASt 1286 & 1287



BIRMINGHAM

BUCKHURST HILL

CONVERSION Static of SINGLE-PHASE TO THREE-PHASE

NO MOVING PARTS-nothing to go wrong or wear out.

HICH EFFICIENCY - about 95% at full load.

COOD POWER FACTOR -the converter slightly improves the power factor of the demand on the mains.

COOD VOLTAGE BALANCE


with load variations from zero to full load.

complicated control gear.

EASILY ADDED TO as the plant extends.

MOST ECONOMICAL and cheap to install.

NO ATTENTION - NO RENEWALS



Installation of phase converters and controlling switchboard operating a total of 130 H.P.




STATIC PHASE CONVERTERS

Write for descriptive pamphlet No. II M

WESTINCHOUSE BRAKE & SIGNAL CO. LTD., Pew Hill House, Chippenham, Wilts

Safe, easy cable connection



with this FLAME-PROOF

MOTOR



Here is the Parkinson Flame-proof Motor—a robust, Buxton-Certified Motor—with features that repay close examination. It has a remarkably efficient cooling system that allows high output and trouble-free running under the most difficult conditions. Note particularly the Parkinson design of cable box. The easily-connected detachable chamber allows remote cable sealing and the box can be turned in any ninety-degree direction. It is one of the 2,000 Parkinson types that form Britain's widest range of standardised A.C. motors.



1945

POCKETS OF CAPACITY



Manufacturers are permitted to utilise "pockets of capacity" in their works as fluctuating service requirements permit for the manufacture of their normal products.

But until the war is won service requirements claim absolute priority.

For this reason Venners regret their inability to give guaranteed immediate delivery promises for time switches and meters, although no opportunity is missed to reconcile the demands of war and peace.

VENNER

Time Switches Ltd.

KINGSTON BY-PASS RD., NEW MALDEN, SURREY

...Yes,—a really first-class short-centre, high speed drive,—but I must have Immediate delivery!


A Renold stock drive is your answer;—it will step up your production too.



THE RENOLD AND COVENTRY CHAIN COMPANY LIMITED, MANCHESTER, ENGLAND

S. E. C.

INFRA-RED LAMP HEATING



G.E.C. Infra - Red Lamp Heating may be employed for paint drying, coil drying, foundry mould drying, setting synthetic glues and softening plastics, etc. Operating times are drastically reduced and close control is obtained over quality. By incorporating the plant in the production line much handling is avoided, or it may be used in small units adjacent to individual machines.

G.E.C. Infra-Red Lamp Heating specialists are available for giving advice, and preparing schemes, for special requirements.

S.C. INFRA-RED LAMP HEATING
WITH RHODIUM PLATED TROUGH REFLECTORS
and Osram INFRA - RED INDUSTRIAL LAMPS

HANDLING

-CLASSIBIDD ADVERNISHMENIS

ADVERTISEMENTS for insertion in the following Friday issue are accepted up to First Post on Monday, at Dorset House, Stamford Street, London,

S.E.I.

THE CHARGE for advertisements in this section is 2/- per line (approx. 8 words) per insertion, minimum 2 lines 4/-, or for display advertisements 30/- per inch, with a minimum of one inch. Where the advertisement includes a Box Number there is an additional charge of 6d, for postage of replies.

SITUATIONS WANTED. — Three insertions under this heading can be obtained for the price of two if ordered and prepaid with the first insertion.

REPLIES TO advertisements published under a Box Number if not to be delivered to any particular firm or individual should be accompanied by instructions to this effect, addressed to the Manager of the ELECTRICAL REVIEW. Letters of applicants in such cases cannot be returned to them. The name ELECTRICAL REVIEW. Letters of applicants in such cases cannot be returned to them. The name of an advertiser using a Box Number will not be disclosed. All replies to Box Numbers should be addressed to the Box Number in the advertisement, c/o ELECTRICAL REVIEW, Dorset House, Stamford Street, London, S.E.I. Cheques and Postal Orders should be made payable to ELECTRICAL REVIEW LTD, and crossed.

Original testimonials should not be sent with applications for employment.

WHITSUN

Classified Advertisements for our issue of May 25 should reach us by first post on FRIDAY, May 18

SITUATIONS VACANT

None of the vacancies for women advertised in these columns relates to a woman between 18 and 41 unless such woman (a) has, living with her a child of hers under the age of 14, or (b) is registered under the Blind Persons Acts. or (c) has a Ministry of Labour permit to allow her to obtain employment by individual effort.

LIVERPOOL EDUCATION COMMITTEE

City Technical College, Byrom Street, Liverpool, 3 Principal: R. R. Butler, M.Sc., F.I.C., F.C.S.

THE Committee invite applications for the appointment

THE Committee invite applications for the appointment of a LECTURER (full-time) in the Electrical Engineering Department of the above College.

Candidates should possess graduate qualifications in Electrical Engineering, and corporate membership of the Institution of Electrical Engineers. Industrial experience, referably in heavy current work, is desirable.

Salary: Burnham Scale (initial salary £300 plus £15 for each year of approved teaching experience and for each year of approved industrial experience (up to ten years), together with additions for training and graduate qualifications; annual increments £15; maximum £325. Salary will be subject to 5 per cent. contribution under the Teachers' Superannuation Acts.

Previous applicants need not submit fresh applications, but should state whether they still wish to be considered. Forms of application and conditions of appointment. Together with copies of the College prospectus, may be obtained (on receipt of a stamped addressed foolscap envelope) from the Director of Education, 14. Sir Thomas Street, Liverpool, 1, and applications should be received by him not later than 21st May, 1945.

W. H. BAINES, Town Clerk Clerk to the Local Education Authority

CITY OF BIRMINGHAM EDUCATION COMMITTEE

Aston Technical College, Whitehead Road, Birmingham, 6

Principal: D. Dudgeon Stockley, B.Sc., M.I.Mech.E.

A PPLICATIONS are invited for the full-time post of LECTURER IN ELECTRICAL ENGINEERING. commencing in September, 1945. Applicants should hold good degree or its equivalent, and have had sound industrial experience. Salary, new Burnham Technical Scale. Further particulars will be sent on receipt of stamped addressed envelope by the Principal, to whom applications must be returned on the form provided not later than May 28th.

P. D. INNES, Chief Education Officer. P D INNES, Chief Education Officer

CITY OF COVENTRY Electricity Department

Appointment of Assistant Power Station Superintendent

A PPLICATIONS are invited for the position of Assistant Power Station Superintendent, at the Longford A ant Power Station Superintendent, at the Longford Generating Station, Coventry, from persons qualified to carry out the duties of the post, and having had a sound

carry out the duties of the post, and having had a sound technical and practical training in all branches of engineering associated with large Electric Power Stations.

The conditions of employment will be in accordance with the National Joint Board Agreement, and the salary equal to Class J. Grade 5 (at present £593, rising to £622 per annum).

per annum).

The appointment will be subject to the provisions of the Local Government and Other Officers' Superannuation Act, 1937, and the successful candidate will be required to contribute to the Staff Widows' and Orphans' Pensions Scheme, and pass a medical examination.

Applications, stating age, details of training and experience, and accompanied by copies of not more than three testimonia's. must be delivered to the undersigned, not later than Monday, 28th May, 1945.

F. W. GODDEN, A.M.I.E.E., Electrical Engineer and Manager.

The Council House, Coventry 1956

SHEFFIELD CORPORATION ELECTRICITY DEPT.

Appointment of Junior Engineer for the Power Stations Department

A PPLICATIONS are invited for the position of Junior A FELICATIONS are myited for the position of Junior Shift Control Engineer at the Generating Stations. Candidates should possess technical qualifications admitting to corporate membership of a recognised professional Institution, and preference will be given to those who have had a practical training in a manufacturer's works. Age 30 to 40 years.

The salary will be in accordance with Grade 10 (b). lass J, of the National Joint Board Schedule, at present £283 per annum.

Form of application may be obtained from the undersigned. Canvassing or any communication with a member of the Council, either directly or indirectly, is prohibited and will be a disqualification.

The latest date for receiving applications, which must be addressed to the undersigned, is 25th May, 1945.

JOHN R. STRUTHERS General Manager and Engineer.

Commercial Street, Sheffield, 1. April, 1945.

1930

COUNTY BOROUGH OF WALLASEY

A PPLICATIONS are invited for the appointment of Borough Electrical Engineer and Manager. Maximum salary of the National Joint Committee of Local Authorities and Chief Engineers' scale dated 9/7/41 (at present £1.305 per annum) plus war bonus (at present £60 per annum). Further particulars will be sent on receipt of a stamped and addressed foolscap envelope.

EMRYS EVANS, Town Clerk. 1879

CITY OF PLYMOUTH

Electricity Department

Appointment of Junior Shift Charge Engineer

A PPLICATIONS are invited for the position of Junior Charge Engineer to carry out the normal duties of assisting the Shift Charge Engineer in the Generating Station

Station.

Applicants must be between the ages of 25 and 40 and should have experience in a modern Power Station. Preference will be given to those who have passed the Graduateship examination of the Institute of Electrical Engineers or an approved equivalent. The salary will be in accordance with Grade 8b. Class H. of the National Joint Board Schedule, at present \$285 per annum.

The appointment will be subject to the provisions of the Local Government and Other Officers' Superannuation Act, 1937, and the successful candidate will be required to pass a medical examination.

Applications must be made on special forms to be obtained from the undersigned, to whom they must be returned not later than noon on 26th May, 1945.

Armada Street, Plymouth. May, 1945.

H. MIDGLEY, City Electrical Engineer

BOROUGH OF CONGLETON

Appointment of Borough Electrical Engineer and Manager

A PPLICATIONS are invited for the appointment of Borough Electrical Engineer and Manager.

Candidates must be not more than 45 years of age and should preferably be Corporate Members of the Institution of Electrical Engineers. The commencing salary will be £925 per annum plus Cost of Living bonus and a car allowance of £55 per annum.

The appointment will be applied to these more the last of the same and the same applications.

allowance of £55 per annum.

The appointment will be subject to three months' notice on either side. The post will be a designated one for the purposes of the Local Government (Superannuation) Act. 1937, and the successful candidate will be required to pass a medical examination.

Applications, stating age, education, experience and qualifications, accompanied by copies of three recent testimonials and endorsed "Electrical Engineer," should reach the undersigned not later than the 23rd May, 1945. Canvassing in any form will disqualify.

A. D. VICKERMAN. Town Clerk

Town Clerk's Office, Congleton, Cheshir

7th May, 1945

1939

COUNTY BOROUGH OF IPSWICH EDUCATION COMMITTEE

School of Technology Principal: T. S. Harker, B.Sc., M.I.Mar, E., A.M.I.Mech, E.

A PPLICATIONS are invited for the post of LECTURER in ORDINARY and HIGHER NATIONAL CERTIFICATE subjects in ELECTRICAL ENGINEERING and ORDINARY NATIONAL CERTIFICATE subjects in MECHANICAL ENGINEERING, duties to commence in September next. Candidates should have had good industrial experience and preference will be given to those who are corporate members of the Institution of Electrical Engineers. Previous teaching experience would be a recommendation. recommendation.

Salary in accordance with the Burnham Technical Scale. Forms of application and further particulars may be obtained from the undersigned, to whom applications should be returned so as to be received not later than 1st June, 1945.

J. T. HILL Education Department, 17. Tower Street, Ipswich. Chief Education Officer

CHEMIST required for manufacture of and research into fluorescent material. Experience in this field or in inorganic analysis of traces an advantage. Excellent postwar prospects. Salary according to qualifications. Write—Box E.L. 3, c/o 105, Judd Street, London, W.C. 1, 1901

NORTHAMPTON POLYTECHNIC

St. John Street, London, E.C.1

Evening Class Instructors

T is proposed to compile a Panel of Lecturers and Instructors for Evening Classes to be held in the session commencing September, 1945. Teachers desiring registration on the Panel should apply to the Secretary of the Polytechnic for a form of application.

The subjects concerned are —
Engineering, in all its branches;

Mathematics;
Inorganic and Physical Chemistry;
Applied Chemistry (Metallurgy, Fuel Technology and Electrodeposition);
Ophthalmic Optics (including Lens working and Spectacle Frame making).

S. C. LAWS, O.B.E., M.A., M.Sc., Principal,

1953

Eb

M

BIRMINGHAM CENTRAL TECHNICAL COLLEGE

Suffolk Street, 1 (Principal: Dr. D. S. Anderson)

Department of Electrical Engineering

A PPLICATIONS invited for two Lectureships, one carrying an extra payment.* Applicants should have an honours degree or its equivalent and recent industrial experience. The post carrying extra payment requires a first-class knowledge of radio and high-frequency work. Sainty in accordance with the new Burnham Technical

Application form and particulars of appointment will be sent by the Principal on receipt of stamped addressed foolscap envelope.

* This extra payment has hitherto been £48, but this amount will shortly be reviewed in the light of the new Bunham report, which lays it down that such extra payments for men shall range from £50 to £100.

pall range from Eau to 2200.
P. D. INNES, Chief Education Officer.
1921

CITY OF GLOUCESTER

Castle Meads Power Station

ENGINEER-in-Charge of Shift. Class G. Grade d. required for 40-M.W. plant. Must be accustomed to modern high-pressure and temperature equipment. State full 'particulars of age, training, experience, etc., and present employer's attitude with regard to release. Copies of not more than three recent testimonials should be given. The appointment is subject to the passing of a medical examination for superannuation purposes. The housing situation in the district is extremely acute, and the likelihood of finding married quarters is remote. Lodging allowance on Ministry of Labour scale is payable for a limited period.

Closing date for application is 23rd May, 1945.

EMIL BRAATHEN.

Chief Engineer and General Manager.

Chief Engineer and General Manager.

Commercial Road, Gloucester.

CAR and Commercial Vehicle Design and Production
Engineer required for special development work, extensive engine and transmission design experience necessary, sound metallurgical knowledge destrable (Ref. Q.S.272); also Engineer Designer, fully experienced in railway carriage and equipment, for development of lightweight constructions, must have wide qualifications and good personal standing (Ref. Q.S.273); and Electrical Engineer with design experience and some metallurgical training, for development work, including technical representation (Ref. Q.S.492). Salary in each post not less than £500 p.a.; duties involve travelling after a period in London. Applications, which must be in writing, stating date of birth, full details of qualifications and experience (including a list in chronological order of posts held), salary required, and quoting appropriate reference number, should be addressed to the Ministry of Labour and National Service, Appointments Department, Sardinia Street, Kingaway, London, W.C.2.

A SISTANGE OF THE CARREST OF THE CARRIED OF THE CARREST OF THE CAR

Room 5/17, sardinia Street, Kingsway, London. W.C.2, for application form, which must be completed by 26th May, 1945.

CUNTY Borough of Walsall, Electricity Department: 1904. Junior Mains Draughtsman, Candidates must have had a good general training in mains work, experience on mains records and preparation of drawings for mains extensions and substations. Salary and conditions of employment will be in accordance with N.J.B. Schedule, Class G. Grade 94 (2307-2319 p.a.). Write, quoting D.1211XA, to the Ministry of Labour and National Service, Central (T. & S.) Register, Room 5/17, Sardinia Street, Kingsway, London, W.C.2, for application form, which must be returned completed by 22nd May, 1945. 1931

PRAUGHTSMAN required with good experience in machine design and plant installation. A knowledge to bakelite moulds an advantage. Reply, stating age, experience and salary required, to—Box 1900, c/o The Electrical Review.

ELECTRIC lamp manufacturers, South-West London area, require Super Foreman, Production or other Manager. Good salary and prospects. Must be fully acquainted with sealing, stem making and pumping and used to handle labour efficiently. Preferably fundamental Review.

ELECTRICAL wholesalers require Trade Counter Assistant. Must be conversant with all types of electrical terms for installation purposes.—London Electrical Co., 92. Blackfriars Road, S.E.1.

EXPERIMENTAL, Physicist required, preferably with experience in vacuum and gas discharge work. Excellent post-war prospects. Salary according to qualifications. Write—Box E.F.7, c/o 105, Judd Street. London, W.C.1. 1902.

London, W.C.I.

HEAD Foreman required by firm engaged on essential work, S.W. London district, to take charge of bakelite moulding dept. Applicants should have thorough up to date experience latest processes. Write, giving full particulars and salary required, to—Box 1898, c/o The Electrical Review.

LLUMINATING Engineering department of large elec-LLUMINATING Engineering department of large elec-trical manufacturers (London) requires additional Assistants with up-to-date knowledge of lighting practice and capable of preparing lighting schemes, preferably in-cluding street lighting. Alternatively, applicants with a good grounding and capable of becoming suitable for such work after short preliminary training would be considered. Applications, including age and salary required. to—Box 1936, c/o The Electrical Review.

LADY required to take charge of electrical contractors showroom (London, W.C.). Full particulars to Box 1863, c/o The Electrical Review.

PROGRESSIVE company in the London area, intending to specialise in electrical measuring instrument manufacture as soon as the present restrictions on employing are removed, invite applications for the post of sentendesing Draughtsman.

Applicants must have wide theoretical and practical expring the properties of the progression of the

OVERSEAS Employment. Accountant (Temporary Staff) required by the Nigerian Government Public Works Department for one tour of 12 to 24 months. Fixed salary between £600 and £720 a year according to qualifications and experience. On salary of £600 separation allowance for married men is between £36 and £156 a year according to number of children. Candidates must hold a recognised accountancy qualification and should preferably be members of the Institute of Cost and Works Accountants. They should have had experience in the stores and accounts section of a large electricity undertaking and be capable of supervising the issue of electrical stores for construction works and keeping all necessary costing records. Applications, which must be in writing, stating date of birth, full details of qualifications and experience, including present employment, also Identity and National Service or other registration particulars, and quoting Reference No. O.S. 749, should be addressed to the Ministry of Labour and National Service, Appointments Dept. Sardinia St. Kingsway, London, W.C.2. 1916

OVERSEAS Employment. Assistant Electrical Engineer required for a large power station near Calcutta. Must be single and not exceeding 30 years of age. Medical examination. Should possess good technical qualifications particularly on the electrical side, with experience in E.H.T. switchgear, protective devices, meter testing, etc. Agreement 4 years; first 2 years Rs.650 a month; second 2 years Rs.700 a month, plus a temporary dearness allowance: free quarters. Applications, which must be inwriting, stating date of birth, full details of qualifications and experience, including present employment also Identity and National Service or other registration particulars and quoting Reference No. O. S.679, should be addressed to the Ministry of Labour and National Service, Appointments Dept. Sardina St., Kingsway, London, W.C.2. 1928

PRODUCTION Manager required by small but progresive transformer factory, London area. Sound young mechanical engi

PRODUCTION Manager required by small but progressive transformer factory. London area. Sound young mechanical engineer capable of organising production and controlling labour, and experienced in modern methods will find permanent post. State age, positions held and salary required.—Box 1952, c/o The Electrical Review.

REQUIRED by old-established company manufacturing small wires and cables, Sales Representative for Manchester. Qualifications required: past experience in handling these manufactures, connection amongst electrical apparatus manufactures both domestic and industrial. Practical experience in wire and cable manufacture would

cal apparatus manufacturers both domestic and industrial. Fractical experience in wire and cable manufacture would be considered an advantage. Write, giving age and full details Box 6997, c/o The Electrical Review.

RESPONSIBLE post for man with experience of Commercial Refrigeration and ability to supervise salesmen, Scuth Wales and West of England area. Write, stating age and full particulars of career.—Box 7007, c/o The Electrical Review

SALES Engineer for export department, progressive position with prospect of overseas travel for young man with a knowledge of A.C. and D.C. motors. Apply—Higgs Motors Ltd., Witton, Birmingham, 6. 1877
SALES Engineer with first-class technical education in electricity required for sales department of progressive manufacturers of small switchgear. Knowledge of heating an advantage. Good opportunity for ambitious man.—Box 1922, c/o The Electrical Review.

Rox 1922, c/o The Electrical Review.

SALES Manager for transformer co. Young man with good education and electrical training to develop sales of important special type equipment. Excellent chance for the right man to build a career and grow with the business.—Box 1951, c/o The Electrical Review.

ALES Representative required for Atlas lamps in Renunerative notition with excellent post-war prospects for keen, energetic man not liable for military service. Connections in electrical and hardware trade and large users an advantage. Salary, commission and expenses. Write in confidence details of past experience to—Box F.M.2, c/o T.E.I., 105, Judd St., London, W.C.1.

CALES Representative required for London area by

SALES Representative required for London area by electrical wholesaler. Knowledge of electrical tradenot absolutely necessary but sales experience essential. Permanent and progressive position. Remuneration by salary, commission and expense allowance.—Box 1918.

ALES Representative required for London area by electrical wholesaler. Electrical sales experience resential and own car an advantage. Permanent and progressive position, with exceptional post-war prospects. Write, stating age, experience and salary required.—Box 1819, c/o The Electrical Review.

SHORTHAND Typist required for the London office of large electrical wholesalers. Permanent position with good prospects for successful applicant. Apply by letter to—F. G. W., Z. Electric Lamp & Supplies Co. Ltd., 21, Newman Street, Oxford Street, W.1.

18

ı

SALESMEN with connections wanted for sale of non-ring cables in Essex, Kent, Surrey, Sussex and Hants. Details of experience, etc., to—Box 1945, c/o The Elec

Details of experience, etc., to—Box 1945, c/o The Electrical Review.

SHERT Charge Engineer required in power department.

N.W. England, of large industrial concern. Applicants, who should be not less than 35 or more than 45 years of age, must have had a sound technical and practical training in mechanical engineering and good experience on shift of the operation of modern steam power station equipment, including turbo alternators and water tube boilers of not less than 10,000 kW and 50,000 bs./hr. capacity respectively. Commencing salary \$500 pa. Selected candidate will be required to pass a medical examination. Applications, which must be in writing, stating date of birth, full details of qualifications and experience (including a list in chronological order of posts held), and quoting reference No. 152, should be addressed to the Ministry of Labour and National Service, Appointments Office, Cotton Exchange Buildings, Bixteth Street, Liverpool. 3.

Liverpool, 3.

SHOWROOM Salesman required for electrical showrooms
West London. Knowledge of electrical contracting
requirements and sale of all domestic appliances necessary. in first instance to-Box 1835, c/o The Electrical

WELL-known firm of industrial and street lighting fit-Well-known firm of industrial and street lighting fittings manufacturers require Agents for Lancashire. Cheshire. North Wales, Yorkshire (North, West and East Ridings) and Lincolnshire. Agents must be technically qualified and have established connections with electricity supply authorities, large works, wholesalers and electrical contractors.—Box 1905, c/o The Electrical Review.

WORKS Manager required for firm engaged in the manufacture of electrical equipment, including plastics, in the London area. Number of employees approx. 500. Must be first-class production engineer and preferably have time and motion study experience. Good salary and excellent post-war prospects. Reply, stating age, experience and salary required to—Box 1923, c/o The Electrical Review.

SITUATIONS WANTED

A young Technician (22), prospective H. N. Cert...
A.M.J.I.E., Stu. I.E.E., seeks outside position as
Tech. Salesman or Representative, 7 yrs. A.C./D.C. plant
exp. medically exempt. Enquiries invited.—Box 7016.
c/o The Electrical Review.

DVERTISER has an excellent connection to offer a
manufacturer who is desirante of manufacturer who is desirante of manufacturer.

DVERTISER has an excellent connection to offer a manufacturer who is desirous of maintaining and increasing his present and post-war business. Specialities, insulation, preferably mica, micanite, synthetic resin laminated sheets, tubes, etc., machined and natural.—Box 6984, c/o The Electrical Review.

DVERTISER with good London and export connections wishes to represent reliable manufacturers. Salary or commission basis. Apply—Box 7041, c/o The Electrical Review.

DVERTISER (36), A.M.I.E., B.Sc., A.C.G.I., 15 years' executive experience in all aspects of light/medium electrical manufacture, test and development seeks responsible post with prospects and scope for initiative. Present salary £900.—Box 7046, c/o The Electrical Review.

Review.

A DVERTISING and Publicity. Appointment as Publicity Manager desired; 20 years' general engineering publicity experience.—Box 7038, c/oThe Electrical Review.

A DVERTISING, publicity, market research experience.

Qualified Elec. and Mech. Engr., ex-R.A.F., travelled overseas, highest recoms.—Box 7050, c/o The Electrical

A N Indian business man connected with small electrical and light engineering concerns in India desires to contact firms in United Kingdom with a view to obtaining their representation or associating with them for establishing industries in India. Communicate in first instance with—Box 7027, c/o The Electrical Review.

CAPABLE Lecturer Demonstrator, qualified and with 18 years' experience, desires change. Knowledge of household and commercial equipment, experienced in exhibition work, kitchen and canteen planning and catering. Prepared to travel.—Box 7035, c/o The Electrical Review.

CHARGEHAND Inspector, diploma and A.I.D., approved, desires change. Specialist in electrical instruments.—Box 7029, c/o The Electrical Review.

FLECTRICAL and Mechanical Engineer. Experienced with H.P. boilers, turbo-alternators and general works maintenance and high frequency.—Box 7049, c/o The Electrical Review.

FLECTRICAL and Mechanical Engineer (32), 13 years'

TLECTRICAL and Mechanical Engineer (32), 13 years experience electrical contracting (supervisory), 3 years clerk of works (W.D.), seeks similar position. Midlands preferred.—Box 7010, c/o The Electrical Review.

PLECTRICAL Engineer (37), works and college trained,

ELECTRICAL Engineer (37), works and college trained, experienced contracting, supply undertaking, generation, distribution, plant maintenance and executive control large industrial works, seeks responsible position, works management or similar, offering scope for conscientious applicat on.—Box 7042, c/o The Electrical Review.

ELECTRICAL Repairs Engineer, practical and technical, agcd 35, experienced motors, generators and switchgear, requires progressive situation.—Box 7048, c/o The Electrical Review.

ENGINEER desires change, 28 years experience of central station and substations.—Box 7060, c/o The Electrical Review.

ENGINEER (27), Higher National Certificates (Electrical Review.

ENGINEER (27), Higher National Certificates (Electrical and Mechanical), Grad. I.E.E., comprehensive 5-year apprenticeship, 43 years manufacturing and 13 years electrical plant equipment in large engineering firm. seeks responsible position which offers scope for application of technical and practical experience.—Box 7000, c/o The Electrical Review.

ENGINEERING Executive (30), Grad. I.E.E., Int. A.M.I.P.E., with D.O., design, test and estimating experience, desires technical executive position as Chief or Assistant Chief Engineer with progressive electrical Review.

EXPERIENCED and Qualified Engineer, under 40.

experience, desires technical executive position as Chief or Assistant Chief Engineer with progressive electrical company. Salary £550-£650.—Box 7026, e/o The Electrical Review.

L'EXPERIENCED and Qualified Engineer, under 40.

L'extremely wide experience in senior positions electrical and mechanical design and development of electrical machinery and electro-mechanical devices. F.H.P. to 500 kW. commercial and production experience, foreign govt. liaison, B.S.I. and other committee work, seeks position technical or other branch where experience and initiative can be used. £1.000-£1.500, depending on location.—Box 6985, c/o The Electrical Review.

L'XPERIENCED Electrical and Radio Engineer desires a nost-war position as Representative.—Box 6968, c/o The Electrical Review.

L'XPERIENCED H.T. Jointer Electrician requires progressive post, able to take charge. Would undertake other suitable work. Good refs., southern counties preferred. Write—Box 7028, c/o The Electrical Review.

L'EAD Storekeeper seeks situation, used to controlling large quantities of electrical and mechanical components, raw material to finished assemblies.—Box 7040, o The Electrical Review.

A IANI-BNANCE Electrical Engineer, fully qualified. disengaged, seeks berth, London.—Box 7032, c/o The Electrical Review.

A IANI-azed 36, with wide experience in electrical and

Electrical Review.

MAN, aged 36, with wide experience in electrical and mechanical engineering, design and production, desires change of occupation, preferably sales or servicing, experienced in handling labour.—Box 6980, c/o The

experienced in handling labour.—Box 6980. c/o The Electrical Review.

D ADIO and Electrical Engineer (31) seeks position pending invaliding. Experienced in aircraft, automobile ing invaliding. Experienced in aircraft, automobile and electronic equipment.—Box 6979, c/o The Electrical

Review

Review

A change from present firm. Minimum salary £380 per annum. plus commission and expenses.—Box 6999. c/o The Electrical Review.

PEPRESENTATIVE, well connected among electrical contact reputable company with view to appointment.—Box 7043. c/o The Electrical Review.

RESPONSIBLE post with scope for initiative required by man (25), B.Sc., Grad.I.E.E., Assoc.Brit.I.R.E., with additional knowledge of physics, chemistry, German and French.—Box 6987, c/o The Electrical Review.

PUBBER Cable Specialist requires post-war arrangement; expert modern production control, design. labour training/control.—Box 7036, c/o The Electrical Review.

Review.

SALES Engineer or Area Manager (42), 25 years' experience London and Home Counties, appliances, motors, control gear, sales office administration, technical correspondence, free shortly.—Box 7044, c/o The Electrical Review.

STAFF Officer, due early release, desires appointment as Showroom Manager (wholesale). Experience fitting and domestic appliances, etc., staff control and organising ability, good salesman possessing tact and initiative. Available interview London. Write—Box 7034, c/o The Electrical Review.

MYORKS Manager desires position: experience covers

WORKS Manager desires position; experience covers WORKS Manager desires position; experience covers fractionals to turbo-alternators, switchgear, instruments. Proved record, monthly outputs, pre-war, up to £80,000 with annual dividends of 25%. Electric-mechanical design, pattern making, sand and die castings, tool design, tool making, fabrication, planning, processing, progress, rate-fixing, buying, works costings, modern methods, crash programmes to steady economical production. Salary £1,200 and an annual interest.—Box 7031, c/o The Electrical Review. trical Review.

CTOREKEEPER, with 30 years experience handling to the of cable, conduit accessories, lamps, switched to be pleased to hear from wholesalers regarding post-war position as Assistant Buyer, Storekeeper Hercenter 1916, 6975, c o The Electrical Review.

TECENICAL Sales Ragineer (31), desires change. Four years apprenticeship with largest electrical engineering company in country, four years' estimating and contract work, five years' sales. Good connections London and Midland areas. Administrative position required state salary and position in full.—Box 7047, c/o The Electrical Review.

FOR SALE

Traders buying and selling hereunder must observe the Restriction of Resale Order, S. R. & O. 1942 No. 958.

GEORGE COHEN. SONS & CO. LTD..

GUARANTEED ELECTRICAL

PLANT.

MOTORS. GENERATORS.

SWITCHGEAR.

etc.

WOOD LANE, LONDON, W.12. Telephone: Shepherds Bush 2070 has

STANNINGLEY, NEAR LEEDS. Telephone: Pudsey 2241. Established 1834.

REBUILT MOTORS AND GENERATORS

I ONG deliveries can often be avoided by purchasing rebuilt secondhand plant. We can redesign or replace surplus plant of any size.

SEND US YOUR ENQUIRIES.

OVER 1,000 RATINGS ACTUALLY IN STOCK HERE.

DYNAMO & MOTOR REPAIRS LTD.. Wembley Park, Middlesex.

Telephone: Wembley 3121 (4 lines).

Also at Phænix Works, Belgrave Terrace, Soho Road. Handsworth, Birmingham.

Telephone: Northern 0898.

CONTROL ABOLISHED

CLERKENWELL SCREWS BEG TO REMIND THE PUBLIC THAT AS FROM FEBRUARY 26, 1945. NO "M" FORMS ARE REQUIRED TO PURCHASE SCREWS, NUTS AND BOLTS.

Stocks in hand of B.A. and Whitworth Brass and Steel Screws, Nuts, Washers, Phosphor Bronze and Steel Spring Washers, Shakeproof Washers, Tinned Soldering Tags. Screwed Rod. etc.

109. Clerkenwell Road. London, E.C.1.
Telephone: Holborn 6504.

TWO Brook. 400-volts, 3-phase, 50-cycles, Slip Ring, totally enclosed Crane Motors, 750 r.p.m.; one Z 123 h.p., one Z 2 h.p. Condition as new.

ONE Newelin Mercury Arc Rectifier, input 400 volts, 3-phase, 50 cycles, cutput 400 volts D.C., 16 kW.

ONE Compton Alternator, 400/440 volts, 3-phase, 50 cycles and neutral. 80 kW. 750 r.p.m., revolving field type, three bearings on common base plate with automatic voltage regulator.

OLDFIELD ENGINEERING COMPANY LTD., 96. East Ordsall Lane, Salford, 5. Bla. 3842.

LEEK URBAN DISTRICT COUNCIL

Electricity Department

TENDERS are invited for the purchase dismantling. loading and removal from site of plant comprising one 400-kW direct coupled D.C. Generating Set, consisting of one 600-b.b.p. totally enclosed Vertical Gas Engine direct coupled to 400-kW two-wire D.C. Crompton & Co. Generator, voltage 460/500, speed 300 revs. per minute, including Shunt Regulator.

This set is being disposed of to make room for larger converting plant and is available for immediate removal.

It can be inspected at the Electricity Works, Station Street, Leek, Statis., at any convenient time on applica-tion to the Electrical Engineer and Manager, Electricity Works, Leek.

Town Hall. Market St., Leek, Staffs

HAROLD HENSHAW. Clerk to the Council

FOR SALE

1 G.E.C. 100 kW, 220 v. D.C. Generator, rope-driven from Crossley airless inject. oil engine with starting compressor and receiver, oil tanks and accessories. Horizontal twin-cyl. engine, type 02223. Rating 166 b.b.p. at 230 r.p.m. Immediately available for removal.

Also

2 Parker 230-kW, 220-v. D.C. Generators, direct coupled to Belliss & Morcom engines. Triple-expansion vertical type. Complete with condenser, air pump and accessories. Rating approx. 400 i.h.p. at 450 r.p.m. Available for removal shortly.

The above Steam Engine Units completely overhauled a few years ago. All plants in good running order.—Box 1850, c/o The Electrical Review.

WATER TUBE BOILERS IN STOCK

		evaporation.		
Three 20,000			175 lbs.	
One 12,000			200 lbs.	
One 12.000		**	160 lbs.	1.0
O-0110 000	l llbe		900 The	

We install complete, including brickwork. Economisers.

Pamnes, Piping Valves, Generating Sets and Motors in stock. Please send us your enquiries; we can give immediate delivery.

BURFORD, TAYLOR & CO. LTD., Boiler Specialists, Middlesbrough. Telephone: Middlesbrough 2622.

ELECTRIC MOTORS AND DYNAMOS

WE hold one of the largest stocks of New and Second-W hand Motors. Secondhand machines are thoroughly overhauled. Inspection and tests can be made at our Works.

Send your enquiries to:-For Sale or Hire.

BRITANNIA MANUFACTURING CO. LTD.. 22-26, BRITANNIA WALK. CTIY ROAD, LONDON, N.1.

Telephone: 5512-3 Clerkenwell.

MODERN TRANSFORMER AND L.T. SWITCHGEAR

500 kVA. 6.350/420-v., 50-c., delta/star (neutral brought out). Met.-Viek, Transformer, O.N. indoor type, with 5 off-load H.T. taps.

750-amp. Eng. Elec. Air Circuit Breaker, T. P. & N. sheet steel cubicle, with voltmeter, ammeter, 3 overload and n.v. releases and isolator.

Eng. Elect. Ironclad Switchboard, comprising busbar chamber, two 300 amp. T. P. & N. H.R.C. switch fuses with cable boxes, and two 60 amp. ditto for conduit.

For further information write—Box 1907, c/o The Electrical Review

Mo

The state of the s

THE REAL PROPERTY.

は国は日本の日本の日本

世紀

201 HE SE

TOLES EGS THE PARTY ·

No. of Lot, House, etc., in case, or window,

日日

PER BRENE

COUNTY OF THE CITY OF WORCESTER

THE Corporation have available for immediate disposal the following hand-wound TIME SWITCHES, in excellent condition and working order:—80 Venner, Type B.M.1. 1 ampere capacity; 60 Venner, Type B.F.2. 5 amperes capacity; 15 Venner, Type C.F. 20 amperes capacity; 10 Newbridge. Type R.3. change-over pattern. 25 amperes capacity.

Offers for purchase to be addressed to the City Electrical Engineer, Electricity Works, Hylton Road, Worcester.

C. H. DIGBY SEYMOUR.

Worcester.

PLANT FOR DISPOSAL

THE Newport Corporation Electricity Department has

for disposal the following:—
One Gravity Bucket Coal Conveyor in good-class condition, approximately 800 ft. in length, capacity 35 tons perhour, driven by a 15-h.p. direct current motor through a David Brown "Radicon" reduction gear and spur wheels, complete with supporting structure, running rails, guide wheels, etc.

Application for permission to inspect the plant under working conditions should be made to T. H. Wood, M.I.Mech.E., A.M.I.E.E., Borough Electrical Engineer and Manager, Electric House, Dock Street, Newport. 1938

A large stock of Searchlights (sale or hire), also Winches of our self-sustaining types, Mirrors, Lenses, A.I.D. Turnbuckles, etc., also surplus Carbon Rods, Ebonite and Fibre. Hundreds of thousands supplied during the last 40 years to Government departments, corporations and innumerable traders.—London Electric Firm. Croydon. 42

A number of Plating Generators and Sets from 50 to 1,000 amps., 6, 8, 12 volts. Fully reconditioned for quick delivery.—The Electroplant Co., Wembley 3691.

A. C. and D.C. House Service Meters, all sizes, quarterly and prepayment, reconditioned, guaranteed one year. Repairs and recalibrations.—The Victa Electrical Co., 47. Battersea High Street, S.W.11. Tel. Battersea 0780. 13 A. C. and D.C. Motors, all sizes, large stocks, fully guaranteed.—Milo Engineering Works, Milo Road, East Dulwich, S.E.22 (Forest Hill 4422). 6781
A.C. Motors, 1/50th h.p. to 10 h.p., from stock. Also D.C.—The Johnson Engineering Co., 86, Great Portland Street, London, W.1. Tel.: Museum 6378. 5 A ERIAL Cables, all sizes quoted for; good deliveries against. Government contract numbers.—Edwardes Bros., 20, Blackfriars Road, London, S.E.1. 7651
A LTERNATOR, 500 kVA, 3-D., 50 c., 400/440 v., 750 revs., direct coupled exciter, 2 brgs., on bedplate. Stewart Thomson & Sons, Fort Road, Seaforth, Liverpool, 21.

A UTOMATIC Kohler Lighting Sets, 110 volt. 800 and 1.500 watt, fully reconditioned for quick delivery.—
The Electroplant Co., Wembley, Mdx.

A UTO-synchronous Motor by Crompton Parkinson. 40 h.p., 750 revs., 3/50/400 volts, drip proof type, with starter by E.A.C.—Thomas Mitchell & Sons Limited.

DEST English Cables, 1/.044 up to 127/.103, DEST English Cables, 17.044 up to 1277.105, delivered against M.O.S. requirements.—Edwardes Bros. 20, Blackfriars Road, London, S.E.1.

CARBONS, large stocks assorted sizes, solid and cored.—Edwardes Bros., 20, Blackfriars Road, London, S.E.1.

7053

TXHAUST Fans. new, 14", 1-phase, 200/250 v., 1,900 cu. ft./min., £11 15s.—Southern Ignition Co. Ltd. 190, Thornton Road. Croydon.

FOUR identical 150-kW

190, Thornton Road. Croydon.

FOUR identical 150.kW "Weir Sulzer/E.C.C."
Diesel-driven Generating Sets, 220 volt D.C.—Stewart
Thomson & Sons. Fort Rd., Seaforth, L'pool, 21. 74

ENERATING Sets for sale, 18 kVA, 400/3/50, petrol;
300-amp., petrol-driven, portable Welding Set; 24
kW, 220-v. D.C. crude oil Set.—Fyfe, Wilson & Co. Ltd.,
Bishon's Startford Bishop's Stortford.

HIGH Torque squirrel cage Motors; 32 h.p., 575 revs., L.D.M. Maxtorq; 30 h.p., 575 revs., L.D.M. Maxtorq; 30 h.p., 575 revs., L.D.M. Maxtorq; 15 h.p., 1475 revs., E. E. closvent, High Torque; 12 h.p., 960 revs., Verity High Torque; 2 h.p., 1,500 revs., Brook, fan cooled High Torque; all for 3/50/400 volts.—Thomas Mitchell & Sons Limited, Bolton 1942

INSU-Glass covered Plain or Enamelled Instrument Wires, No. 18 s.w.g., No. 40 s.w.g., stock deliveries.—Saxonia, Roan Works, Greenwich, S.E. 10.

K EEPALITE Equipment with 26 Chloride Accumula-tors, practically new condition. Can be seen in operation.—E. Powell Ltd., 39, High Street, Tunbridge Wells. 7030 ARGE quantity Yellow Insulating Sleeving (known as

ARGE quantity Yellow Insulating Sleeving (known as Sistoflex), size 15 mm. inside diameter. in perfect condition, 3d. yd., carriage paid, sample upon application.—Box 1868, c/o The Electrical Review.

EAD-covered and Armoured Cables, P.I. and V.I.R., various special lines at low prices.—Edwardes Bros. 20, Blackfrairs Road, London, S.E.I. 7054

ESLIE Dixon & Cc. for Dynamos, Motors, Switchgear. Chargers and Telephones.—214, Queenskown Road. Battersea, S.W.S. Telephone, MACaulay 2159. Nearest Rly. Sta.: Queen's Road, Battersea (S.R.).

MOTOR Generator Sets and Convertors, all sizes and voltages from ½ kW up to 500 kW in stock.—Britannia Manufacturing Co. Ltd., 22/26, Britannia Walk. City Road, London, N.I. Telephone, Clerkenwell 5512. 5513 & 5514.

NAMEPIATES. Engraving, Diesinking, Stencils, Steel

AMEPLATES, Engraving, Diesinking, Stencils, Steel Punches.—Stilwell & Sons Ltd., 152, Far Gosford

AMEPLATES. Engraving, Diesinking, Steenciis, Steel
Punches.—Stilwell & Sons Ltd., 152, Far Gosford
Street. Coventry.

ONE B.T.H. indoor type oil-cooled Transformer, 6,600
NE B.T.H. indoor type oil-cooled Transformer, 6,600
Ne B.T.H. indoor type oil-cooled Transformer, 6,600
Notes, 3-phase, 50 cycles incoming, 2,200 volts, 3phase, 50 cycles outgoing, 600-kVA capacity; voltage
tappings plus and minus 5% on the incoming side. Two
compound interpole 220-volts D.C. Generators, suitable for
direct coupling, one by L.D.M., 80/95 kW, 1,000/1,500
r.p.m., size D110; one by B.T.H., 60 kW, 1,200 r.p.m.
size BS11W. One Higgs Squirrel Cage, 400 volts, 3-phase,
50 cycles, four-speed, 3 h.p., continuous on each speed,
motor with controller.—Oldfield Engineering Co. Ltd.,
96, East Ordsall Lane, Salford, 5, Lanes. Bla, 3842, 1915
DHONE 88 Staines. 60 kW Crude Oil Set, 220 vo. D.C.

7/9-kW Crude Oil Set, 110 vo. D.C.: 35-kW Tangve
ditto, 220 vo. D.C.: Weir Service Fump, 6,300 gals, per
hour; 30-h.p. National Oil Engine: Fuel Oil Tank, 28' x
stock, price list.—Edwardes Bros., 20, Blackfriars
Road, London, S.E.I.

DORCELAIN Insulators, various sizes in stock, galv
spindles.—Edwardes Bros., 20, Blackfriars Road
London, S.E.I.

DORCTABLE Engine-driven Welding Sets, output 75/

Jondon, S.E. I.

DORTABLE Engine-driven Welding Sets. output 75.5

350 amps., brand new. Government licence to purchase, delivery stock.—Gladiator Welder Sets Ltd., 18. Leicester Road, Sale, Manchester.

69

DECONDITIONED Electric Welder available for immediate sale. Apply—Warsop Petrol Drill & Tools Ltd. Cathedral Chambers, Peacock Lane, Leicester.

1890

DOTARY Converters in stock, all sizes: enquiries invited.—Universal Electrical, 221, City Road, London, E.C.1.

SEVERAL Telescopic Tower Ladders ready for essential work. Extensions, Trestles and Steps to order.—Shaftesbury Ladders Ltd., 453, Katherine Road, E.7. Grangewood 3963.

Grangewood 3363.

CHADES. Vitreous enamel, approx. 700 for disposal sizes from 8" angle to 18" deep, for large and small fittings. Particulars on application to—154. Common Lane, Sheldon, Birmingham 26.

CPECIAL line, Bell and Telephone Wires, also screened wires, large quantity, cheap.—Edwardes Bros. 20.

Blackfriars Road. London, S.E.1.

CTAFF Time Checking and Job Costing Time Recorders (all makes) for quick cash sale. Exceptional condition. Write—Box 528. Smiths, 100, Fleet Street, London, E.C.4.

CTOCK 1-ton and 10-cwt. A.C. Travelling Electric Pulley Blocks, industrial types. Other models quick delivery.—Asea Electric Ltd., Fulbourne Road, Walthamstow, E.T.

CWITCH and Fuse Units, Conduits and fittings, works

thamstow, E.17.

SWITCH and Fuse Units, Conduits and fittings, works requirements stocked.—Edwardes Bros. 20. Black-triars Road, London, S.E.1.

7058
CWITCHBOARDS suitable for dynamos and alternators, all sizes from 100 amp. up to 1,500 amp.—Britannia Manufacturing Co. Ltd., 22/26, Britannia Walk, London, 25

N.1.

TRANSFORMER Lead-in Wire, 7/38 and 14/38 s.w.g.
Insu-Glass finished, various colours, stock.—Saxonia.
Greenwich, S.E.10.

T.R.S. Cables and Flexibles, Welding Cables, supplied
to M.O.S. requirements.—Edwardes Bros., 20, Black
friars Road, London, S.E.1.

TWO Mather & Platt, 70-h.p., 485-revs., three-bearing
type, pipe-ventilated S.C. A.C. Motors, 3/50/400
volts.—Thomas Mitchell & Sons Limited, Bolton. 1943

61 kW Tatho Tenerating Set. 110 volt D.C., £40.— Stewart Thomson & Sons, Fort Road, Seaforth, 55

Stewart Thomson & Sons, Fort Road. Seaforth.
Liverpool. 21.

7 1 W Stewart Thomson & Sons, Fort Road. Seaforth.
Parker

v generater, 20.—sewart Thomson & Sons, 1

OkVA, 440-volt, 50-cycle, 3-phase and neutral. 1.540

r.p.m., ball-bearing Alternator, with exciter and automatic voltage regulator.—The Britannia Manufacturing Co. Ltd., 22/26, Britannia Walk, London, N.1 1914

10 peoples, 575 revs., 3-phase, 50 cycles, 400 volts, pipe ventilated type with ball bearings, with brush lifting and short circuiting gear. Thomas Mitchell & Sons Limited, Bolton.

The Beebles, 375 revs., 3-phase, 50 cycles, 400 volts, pipe ventilated type with ball bearings, with brush lifting and short circuiting gear.—Thomas Mitchell & Sons Limited, Bolton.

— LeW Belliss/Peebles Vertical Enclosed Steam Generating Set, compound, 160 lbs, steam, direct coupled to Alternator, 440 volts, 3-phase, 50 periods, neutral out. with direct coupled exciter, all mounted on cl. bedylate, control switchgear; 17-kW Steam Generating Set, 120 lbs, steam, 220 volts D.C. Generator; 6-kW Motor Two 250-amp. Plastic Arc Welding Sets, 30/70 volts, 190 lbs, steam, 220 volts D.C. Generator; 6-kW Motor Two 250-amp. Plastic Arc Welding Sets, 30/70 volts, 440 volts, 3-phase, 50 periods, complete control switch gear, Apply—F S, Slater & Co., 34. Princes Way, Team Trading Estate, Gateshead-on-Tyne.

G669

GO-kW, 220-v., 350-revs, S.I., two ped. brgs., on bed-only plate.—Greenhalgh Bros., Burton's Field Mill. Atherton, Mr. Manchester.

100 h.p., 400/3750, S.R., 730-revs., Louvre Vent.

Genehalgh Bros., Burtons Field Mill. Atherton, Mr.C. 1889

160 kW, 500-volts, 700-revs, S.I., two ped. brgs., on bed-object. Creenhalgh Bros., Burton's Field Mill. Atherton, Mr. Manchester.

250 kW Alternator, 400 volts, 3-phase, 50 cycles, 750 revs., with direct-coupled exciter; also two 250-kW Rotary Convertor, Metropolitan Vickers, 240-volt D.C. Midland Counties Electrical Engineering Co. Ltd., Grice Street, Spon Lane, West Bromwich.

260 kW Rotary Convertor, Metropolitan Vickers, 240-volt D.C. output, with 3-phase transformer, complete with pony motor, booster and exciter.—Britannia Manufacturing Co. Ltd., 22/26, Britannia Walk, London, N.1.

Electric Motors, Dynamos, Transformers, Com-

500 Electric Motors, Dynamos, Transformers, Converters, etc., etc., at low prices.—S. C. Bilsby, A.M.I.C.E., A.M.I.E.E., Crosswells Road, Langley, near Birmingham. Phone, Broadwell 1359.

500 to 1,000 gross Phone Terminals, 2 B.A. legs: large quantity of 2 B.A. Bakelite Knobs; 80 dozen six-way Battery Leads; quantity of 2 B.A. Washers: quantity of 3 B.A. Nuts; quantity of 1 Terminal Strin Brackets; quantity of Leadings, all sizes. Apply for full particulars and samples to—C. F. & H. Burton, Progress Works, Bernard Street, Walsall.

ARTICLES WANTED

A CCUMULATOR Plates (old) and lead Peroxide: as actual smellers we pay top price. Also old storace batteries, transformers and whole installations purchased.

—Elton, Levy & Co. Ltd., 18, St. Thomas Street, S.E.1, 490, 2825.5.

COLL Winding Machines wanted for essential work.—
Box 63, c/o The Electrical Review.
NAMELLED Copper Wire wanted. Please state quantity, make, gauge and price.—Box 61, c/o The Electrical Review.

Electrical Review.

INGINEERING Technical Books (new or secondhand)
wanted in any quantity. Attractive cash offers. Call
Third floor, 356, Oxford Street, W.I. or "Stoneleigh."

ERCURY (Quicksilver) wanted. Write for packing
instructions. Gold, Silver and Platinum also purchased.—Collingridge & Co. Ltd.. Riverside Works. Riversided.—Collingridge & Co. Ltd.. Riverside Works. Riversided.—Solver.—Solver.—Solver.

ONE 4-wire, 400-volts, 3-phase, 50-cycles Alternator,
with direct coupled exciter, 3-bearing machine, 200
kV., speed 500-600-750, if possible complete with control
witchboard.—Box 67, c/o The Electrical Rivings in large
quantities required by well-known factors.—Mackavoy

Franks Limited, 374, Kensington High Street.

TRGENTLY wanted, Cochran or self-conditioned Economic Boiler, 3.500/4,500 lbs. evaporation, 120 lbs. pressure. Must be modern and first-class condition. Box 1858, c/o The Electrical Review.

WANTED. Rotary Converters, any size.—Universal, 221, City Road, London, E.C.1.

TWO 500-kW Rotary Converters, input 11,000 or 6,600 volts, 3-phase, 50 cycles, output 240/250 volts D.C Full particulars to—Box 1920, c/o The Electrical Review. W ANTED urgently, Diesel Alternating Set, 80-150 kVA, 400/3/50, direct coupled cold start engine, modern.—The Electroplant Co. Wembley, Mdx. 1960 WANTED urgently, following Testing Equipment:—Tong Tester reading 0/50 amps; Universal Avometer 50 range and Megger Insulator Tester; also North Control of the Cont -Fyfe, W WHOLESALER desires purchase War Disposal Electri-vi cal Material —Box 1947, c/o The Electrical Review. 400/440-volts, 3-phase, 50-cycles Alternator, must run at 250 r.p.m.—Box 1926, c/o The Electrical Review.

WORK WANTED AND OFFERED

CUT your inspection and assembly costs and obtain guaranteed times of deliveries by sending your orders for Small Frecision Parts (Auto Work) to—Walter Denis Contacts Ltd., Walden Works, St. Annes-on-Sea. Tel. 1517. (On A.I.D. Part I. Admiralty & M.G.S. Lists.) 1880. LLECTRICAL Measuring Instruments skilfully repaired and recalibrated.—Electrical Instrument Repair and recalibrated.—Electrical Instrument Repair ACHINING Work, for Centre Lathes up to 64 in. centres and medium-sized milling (good grade work preferred).—The London Electric Firm, Croydon. Upreferred.—The London Electric Firm, Croydon.

preferred).—The London Electric Firm, Croydon. Uplands 4871.

DLASTIC Moulding concern, specialising in precision and repetition moulding, invite enquiries for immediate or P.W. delivery. Moulds designed and made in our own tool room. Free advice on all moulding matters.—Box 1912, c/o The Electrical Review.

DOST-war development. Capacity for all types of Radio and Electrical Winding, including solenoids, chokes small power transformers, etc.: contractors to large electrical undertakings.—Box 7633, c/o The Electrical Review.

REPAIRS: Clocks, Electric Clocks, Clockwork Controllers for public lighting, control and time switches, exposure meters and every kind of clockwork appliance repaired and overhauled. Inquiries welcomed.—J. W. & R. E. Hughes (Clockwork Engineers), 58, Victoria Street. London, S.W.1. Phone, Victoria 0134.

GMALL Armatures, etc.. winding or re-winding, in quantity. High-class work, prompt delivery.—Gon. M. A. Stockwork Engineers, 198, Victoria for the properties of the

TRANSFORMERS, single and three-phase. All types up to 10 kVA.—Woden Transformer Co. (Phone. Bilston 41959), Moxley Road, Bilston, Staffs. 1 WANTED, firm to make Small Electric Delivery Vehicles mainly to our drawings.—Box 1903, c/o The Electrical Review.

AGENCIES

INDIA

DIRECTOR of Company manufacturing Electrical Instruments is shortly travel ling to India and will be pleased to execute commissions for other companies desirous of establishing contacts, etc., in that country.—Dr. V. A. SHERIDAN, A.M.I.E.E. 34, ASHLEY LANE, LONDON, N.W.4. Hendon 3682.

A DVERTISER desires contact manufacturer with view to establishing agency in West of England. 20 years' experience in wholesale electrical distribution trade, extensive connection in West Country, unimpeachable references, own car.—Box 7039, c/o The Electrical Review.

A GENCIES required, South of England, including the London area: (a) Cables: (b) Small Switchgear: (c) Transformers; or any lines suitable for distribution for wholesalers' business.—Box 40, c/o The Electrical Review.

A GENCIES required for London, South of England, for the following: (1) Domestic electrical appliances; (2) Brass electrical accessories, switch plugs, etc.; (3) Conduit. Advertisers have clientlee with every wholesaler in the territory mentioned. Immediate turnover can be guaranteed. Either commission or buying basis, Postrical Review.

棚

C38

ENI

561

RNGINEER resident Manchester, travelling Lancashire regularly, seeks an Agency to sell Electric Grillers and Heaters. Address—Box 6976, c/o The Electrical

and Heaters. Address—Box 6976, c/o The Electrical Review.

Typort to Sweden. Experienced Swedish business man wants to contact English exporter of electrical cables, wires, switches, etc. Commission basis. Reply with particulars to—Mr. H. Lagerstedt, Lindvallsplan 8. Stockholm, Sweden.

Important manufacturers of exclusive nationally advertised products with U.K. distribution to county councils and wholesale/retail grocers, hardware, ironongers, chemists, electrical trades and co-op, societies require services of first-class well-established Commission Agent for territory of The Lothians, Berwick, Peebles, Selkirk and Roxburgh. Attractive terms, excellent prospects, adequate support and credit for all business from ground. Letters detailing connection, strength and experience to—Box 1948, c/o The Electrical Review.

Important manufacturers of exclusive nationally advertised products with U.K. distribution to county connection, strength and experience to—Box 1948, c/o The Electrical Review.

Agent for territory of Hampshire, Dorset and Wilts. Attractive terms, excellent prospects, adequate support and credit for all business from ground. Letters detailing connection, strength and experience to—Box 1949, c/o The Electrical Review.

ANUFACTURERS' Agents, covering the whole of Great Britain and Colonies, are desirous of contacting manufacturers with a view to sole selling rights teither commission or buyingl, post war arrangements considered.

ing manufacturers with a view to sole selling rights tettiner commission or buyingl, post war arrangements considered.

—Box 23, c/o The Electrical Review.

To manufacturing electricians: Advertiser, works trained and travelling Lancashire regularly, seeks a post-war agency to sell Cookers, Bowl Fires, etc. Address—Box 6976. c/o The Electrical Review.

BUSINESSES FOR SALE AND WANTED

WANTED to purchase, company with small Assembly Plant or small Plant for Components, Brass and Steel, complete machinery, goodwill, etc., within approximately 25 miles from London. Details in strictest confidence.— Box 1913, c/o The Electrical Review.

MISCELLANEOUS

L ONDON representatives of group of industrial engineers operating in Belgium. Holland and Luxembourg desire secure manufacturing rights of Pre-fabricated Houses-Electronics, Plastics and general engineering propositions.—Box 32, c/o Dawsons, 129 Cannon St. London. E.C. 4, 1925. PHOTOGRAPHY. A photograph says more than a thousand words. Realistic photographs for catalogues, mochures and general reproduction purposes for present and after-the-war uses. Records made of present work, premises. etc.—Miles & Kaye Ltd., Industrial Photographers, 100, Southampton Row, London, W.C.1. Telephone, HOLborn 6858. Established over 50 years. 1702

EDUCATIONAL NOTICES

LATEST A.M.I.E.E. RESULTS

IN the recent Examinations held by the Institution of Electrical Engineers 477 Candidates sat who had taken B.I.E.T. courses. Of these 457 were successful in passing the examinations. We believe this record of 457 successes out of 477 entrants has never before been approached by any oral or correspondence tutorial organisation, and indicates the very high efficiency of the modern system of Technical Training which we have laid down.

The B.I.E.T. tutorial organisation is waiting to assist you either with a short specialist course or complete training for a recognised examination.

We have available a large full-time staff of instructors, hile the efficiency of our extensive organisation is a byword among engineers.

WE GUARANTEE-"NO PASS-NO FEE"

May we send a copy of "ENGINEERING OPPORTUNITIES"? Containing a great deal of useful advice and detailed information on over 200 Home-Study Courses and examinations, this handbook is of very real value to the ambitious engineer

Our highly informative handbook will be sent FREE and without obligation on request.

BRITISH INSTITUTE OF ENGINEERING TECHNOLOGY

Established 1927-over 200,000 students. 12. Shakespeare House, 17, 18 & 19, Stratford Place.
Oxford Street, London, W.1.

Great Possibilities for TECHNICALLY QUALIFIED ENGINEERS

Key Men in War-Time and Afterwards

THE finest posts and the great majority of posts in Great Britain in this war are technical. The same will be the case when the war is over. The vast increase in mechanisation now being applied to war purposes will then be suitably utilized in reconstruction, and in trade and commerce. Take a recognised Engineering Qualification through home-study with the T.I.G.B. whose Students have gained 35 FIRST PLACES in the A.M. Inst. C.E., A.M. I.E.E., A.M. I. Mech. E., A.F.R. A.E.S. Guide to Success, "containing the world's widest choice of engineering Courses—over 200—covering all branches: Electrical, Aeronautical, Mechanical, Wireless, etc.

THE TECHNOLOGICAL INSTITUTE OF GT. BRITAIN

35, Temple Bar Honse, London, E.C.4.

There's NO TIME TO LOSE!



These are busy days for Father Time. He's off now to appear in one of our National and Provincial press Advertisements telling the public that it's still vital war work first . . . then will come the fruits of victory AND TEMCO.

SYNCHRONOUS ELECTRIC ELDEKS

product of TELEPHONE MFG. CO. LTD. Marketed by T.M.C. HARWELL (SALES) LTD. 233 Shoftesbury Avenue, London, W.C.2 76

COMPANY MEETING

BRUSH ELECTRICAL ENGINEERING CO. LTD

THE Fifty-sixth General Meeting of the above company May 1st at Loughborough. Sir Ronald Your directors regret to report that Mr. Allan Miller, who made so notable a contricution to the reconstruction of our business, has had, through pressure of other business, to resign from the Board. Mr. F. Mitman and Mr. R. W. Richards have been elected to the Board.

The trading profit amounts to £242,576, against 261,839 last year and £214,336 for the previous year. I am happy to tell you, however, that the turnover for the year under review has again shown an increase over the previous year.

Richards have been elected to the Board.
The trading profit amounts to £212.576, against £261.839 last year and £214.336 for the previous year.

In the profit and loss account the increase in fixed assets and the fact that your directors last year established the precedent of depreciating buildings, plant and machinery, etc. on the basis of the wear and tear allowances as computed by the Inland Revenue, has resulted in a larger debt under the heading of "Depreciation."

The profit carried to the appropriation account is \$147.357. against £175.002 the previous year. To this must be added £11.532 carried forward from the previous year. Vour directors recommend that the resultant amount of £136,789 should be dealt with as set out in the directors report. The main appropriations are in respect of taxation, general reserve and provision for Preference dividend of the half-year ended 30th September, 1944, and the accounts in respect of the assessed at £82.500, but as there was an over provision in previous years of \$22.500 the Charge in the appropriation account is \$20.000. The amount transferred to general reserve is 200.000. The amount transferred to general reserve is appropriation account you will also notice a povision of £2.300 in researd to the South African (Proprietary) Lid. which selected to trush (South Africa) (Proprietary) and the provision has been made to the extent of your company's shareholding, by appropriating the £2.500 to which I have in the provision has





M

Index to Advertisers

Index to Advertise	
	PAG
Aerialite Ltd	3:
Airedale Electrical & Manufacturing Co. Ltd	
Berry's Electric Ltd	4
Bill Switchgear Ltd,	
Birmingham Mica Co. Ltd	6
Britannia Batteries Ltd	Ltd 5
Britannic Electric Cable & Construction Co. British Central Electrical Co. Ltd	
British Electric Meters Ltd	
British Electric Transformer Co. Ltd	
British Insulated Cables Ltd	
British Klockner Switchgear Ltd	8
British Thomson-Houston Co. Ltd	Cover iv &
Brook Motors Ltd	Cover
Browning's Electric Co. Ltd	Cover
Bruce Peebles & Co. Ltd	2
Bull Motors	
Bullers Ltd	
Burco Ltd	
BX Plastics Ltd	6
Bylock Electric Ltd	
Canning, W., & Co. Ltd	10
Celestion Ltd	6
Chamberlain & Hookham Ltd	
Clifford, Charles, & Son Ltd	
Clough Smith & Co. Ltd	
Consolidated Pneumatic Tool Co. Ltd	
Cressall Manufacturing Co. Ltd	
Crofts (Engineers) Ltd	2
Crompton Parkinson Ltd	
Crypton Equipment Ltd	
Darwins Ltd	
Davis & Timmins Ltd	8
Dennis, G. P., Ltd	2
Dewhurst & Partner Ltd. Donovan Electrical Co. Ltd.	50 & 80
D.P. Battery Co. Ltd	
D.F. Battery Co. Ltd.,	. , . , 0.

	PAGE
Drayton Regulator & Instrument Co. Ltd	. 62
Du Bois Co. Ltd	. 48
Earthing Clip Co	
Elcordia Ltd	
English Electric Co. Ltd.	
Evans, Adlard & Co. Ltd	
Evans, F. W., Ltd	
Falk, Stadelmann & Co. Ltd	. 59
Ferguson, Pailin Ltd	
Firth-Vickers Stainless Steels Ltd	
Fry's Metal Foundries Ltd	
General Electric Co. Ltd.	. 70
Gledhill-Brook Time Recorders Ltd	
Godwin, H. J., Ltd	
Hampton Works (Stampings) Ltd	
Hannah, S. H., Ltd	
Heavberd, F. C., & Co. Ltd.	. 43
Hedin Ltd	. 66
Hedin Ltd Henley's, W. T., Telegraph Works Co. Ltd Herbert, Alfred, Ltd	. 38
Hildick & Hildick	. 60
Hoffmann Manufacturing Co. Ltd	
Houchin Ltd	. 54
Igranic Electric Co. Ltd	. 63
Injection Moulders Ltd.	. 56
International Electrolytic Plant Co. Ltd	
Jackson Electric Stove Co. Ltd	
Johnson & Phillips Ltd.	. 35
Joyce Engineering Ltd	. 81
Kerry's (Great Britain) Ltd	. 36
Key Engineering Co. Ltd	
Litholite Insulators & St. Albans Mouldings Ltd	
Londex Ltd.	
Macintyre, James, & Co. Ltd	. 54
(Continued on page 82)	4

Equipment TRANSFORMERS of QUALITY

EARTHING CLIPS WITH SPECIAL BITE AND GRIP INTO TUBE OR ARMOURING





ELECTRICALLY-DRIVEN PUMPING SETS

FOR ALL SEWAGE REQUIREMENTS

Trade PULSOMETER Mark

STEREOPHAGUS PUMPS for unscreened sewage, trade effluents and sludge.

FULLWAY and FREEWAY PUMPS for crude sewage, factory waste and liquids containing solids.



List 2731

Pulsometer Engineering C. L. READING

THE -

SENIOR SERVICE"

Manufacturing
Electrical and Light
Mechanical
Engineering

 LABORATORY AND TEST EQUIPMENT, INDUCTANCES OF ALL TYPES FOR TRANSMITTERS FOR HOME AND TROPICAL USE

Admiralty and Air Ministry, etc.

JOYCE ENGINEERING LTD.

25 Finchley Lane, Hendon, London, N.W.4
Phone: HENdon 7437-8-9



if factory operations are effectively controlled. Waste and loss are prevented, output is raised when you make use of

Gledhill-Brook

TIME RECORDING AND COSTING SYSTEMS

British made. Please enquire for particulars

GLEDHILL - BROOK TIME RECORDERS LTD.

Dept. 4 Empire Works Huddersfield



The Spiral Tube and Components Co. Ltd.

OSMASTON PARK ROAD, DERBY
Head Office Honeypot Lane, Stanmore, Middlesex
slephones Derby 46067; Spiratucom Phone London



Index to Advertisers

Index to Advertisers	
(Continued from page 80)	PAGE
Marconi's Wireless Telegraph Co. Ltd	. 41
M. & C. Switchgear Ltd Measuring Instruments (Pullin) Ltd	. 13
Mek-Elek Engineering Ltd	. 65
Mercury Switch Mfg. Co. Ltd	. 46
Metropolitan-Vickers Electrical Co. Ltd	
Midland Electric Mfg. Co. Ltd	. 31
Mitchell Electric Ltd	
Neill, James, & Co. (Sheffield) Ltd	. 80
Newey Engineering Co. Ltd	. 58
Parmiter, Hope & Sugden Ltd	. 83
Parsons, C. H., Ltd	. 17
Petters Ltd	. 14
Philips Lamps Ltd	. 18
Pulsometer Engineering Co. Ltd	. 81
Ransome & Marles Bearing Co. Ltd	. 20
Rawlplug Co. Ltd	. 69
Revo Electric Co. Ltd	
Robinson, Lionel, & Co. Ltd	. 3
Romac Industries Ltd	. 82
Ruston & Hornsby Ltd	over ii 40
Sangamo Weston Ltd	ver iii
Siemens Electric Lamps & Supplies Ltd	. 23
Smith, Frederick, & Co	. 6
Sordoviso Switchgear Ltd	. 30

		PAGE
Spicers Ltd	.Cov	er iii
Spiral Tube & Components Co. Ltd		81
Standard Telephones & Cables Ltd Stream-Line Filters Ltd		
Surgical Equipment Supplies Ltd		
Symonds, R. H., Ltd		
Taylor Electrical Instruments Ltd		
Telegraph Construction & Maintenance Co. Ltd		
T.M.CHarwell (Sales) Ltd		
Transformer & Electrical Co. Ltd		
Tudor Accumulator Co. Ltd		
Tullis Russell & Co. Ltd		
Venner Time Switches Ltd		
Veritys Ltd		
Vislok Engineering Ltd		
Walsall Conduits Ltd		
Walters, Austin, & Son Ltd		
Ward & Goldstone Ltd		
Westinghouse Brake & Signal Co. Ltd		
Westminster Laboratories Ltd		
Yorkshire Copper Works Ltd		

The fact that goods made of raw materials in short supply owing to war conditions are advertised in this Journal should not be taken as an indication that they are necessarily available for export

ADVERTISEMENT COPY AND BLOCKS

should reach us 15 days preceding date of Issue addressed to

ELECTRICAL REVIEW
Dorset House, Stamford Street
LONDON, S.E.I



Engineers. From all dealers or direct.

Send for Leaflet Q4

RUNBAKEN MANCHESTER I







QUICK BOILING. SEAMLESS BOILER, SIZE 11 x 5½ x 4. FULL AUTOMATIC HEAT CONTROL

SURGICAL EQUIPMENT SUPPLIES L'D

WESTFIELDS ROAD, LONDON, W.3

Names of Local Dealers supplied on regist



Chassis Type

SWITCH AND FUSEGEAR

for breaking capacity

and thermal capacity



time-lag under operational overloads; complete freedom from ageing; no margin of unusable rating between full load current and blowing current; easy and cheap rewirability. The switches are built in the form of robust self-contained chassis units, independent of the box.

PARMITER, HOPE & SUGDEN LTD.

Longsight, Manchester 12

London: 34 Victoria Street, S.W.I

DAIL

We are now able to supply Brass or Steel Studding from stock in the following sizes:

> 0-8 BA å"—¾" Whitworth

Supplied in 12 inch lengths in gross bundles. Special lengths supplied to order.

We are manufacturers of Screws, Small Turned Parts and Inserts. Enquiries invited.



Head Office: BILLET ROAD . WALTHAMSTOW . LONDON E.17 Telephone: Larkswood 2241 and 4461

194

TECOL EARTHING CLIPS

FOR CIVIL AND INDUSTRIAL USE

BRASS WIRING SADDLES

FOR SHIP WORK

BONDING BARS, etc.

THE EARTHING CLIP CO.

TECOL WORKS . LIVERPOOL 3.

POWNALL SQUARE Telephone: Central 8537

Large Stocks now available at Manchester

KEY ENGINEERING CO. LTD. **4 QUEEN VICTORIA STREET, LONDON** AND MANCHESTER.




SNAP-ACTION LIMIT SWITCH TYPE AKER



OTHER PRODUCTS : AUTOMATIC STARTERS ROTARY SWITCHES CONTACTORS **GVERLOADS**

British Klockner Chertsey, Surrey.

Switchgear Ltd. Phone: Chertsey 2221/2



WORKS 207 ANERLEY ROAD LONDON'S E-20 SYSTAMAM 6258/

REPAIRS

For All Classes of ELECTRICAL AND MECHANICAL REPAIRS Consult Official Repairers to Councils and the leading Insurance Companies,

Manufacturers of

MAGNETIC SEPARATORS, MAGNETIC PULLEYS, TRANSFORMER COILS AND SWITCHES, ELECTRIC SOLDERING IRONS

BROWNING'S ELECTRIC CO. LTD.

BOLEYN CASTLE, GREEN STREET, UPTON PARK, LONDON, E.13

Telephone: GRAngewood 4004/5

Established 1919



In these days of tremendous war effort where high quality in materials is of paramount importance "Sistoflex" remains unsurpassed

SPICERS LIMITED

19 NEW BRIDGE ST., LONDON, E.C.4. Telephone : CENTRAL 4211





The

Big Name in

Industrial Lighting





The British Thomson-Houston Co. Ltd.
Crown House, Aldwych, London, W.C.2



