

SUBJECT INDEX.

- A.S.T.M. oxidation test for turbine oil, 315
 A.S.T.M. rust test for turbine oil, 317
 Acetone, smoke point, 639
 Acetyl peroxide, determination in gas oil, 342
 Acetylacetone, aniline number, 694
 Admiralty brass, 237
Aedes aegyptii, 326, 329
 Alcohols, smoke point, 634
 Aliphatic amines, anti-oxidants, 395
 Allophane, in clay, 19
 Alloys :
 ferrous, 231
 high silicon iron, 236
 in petroleum industry, 230
 Allyl alcohol, smoke point, 634
 Almen lubricant testing machine, 208, 220
 "Alumbro" alloy, 237
p-Aminophenol, cyclohexene number, 394
 Amorphous wax, definition, 289
 Amyl acetate, smoke point, 639
n-Amyl alcohol, smoke point, 634
 Amyl lactate, smoke point, 639
 Amyl propionate, smoke point, 639
 Amyl thiomorpholine, anti-oxidant, 398
 Amyl mercaptyl diethyl ether, anti-oxidant, 398
 Aniline, octane number, 697
Anopheles aquasalis, 323, 326
Anopheles bellator, 323
 Aromatic amines, anti-oxidants, 396
 Asphaltenes :
 chlorination, 582
 radical reactions, 582
 Asphaltic bitumen. See Bitumen, asphaltic.
 Attapulgite :
 base exchange capacity, 21
 in clay, 19
 Aviation fuel :
 isooctane as component, 167
 isohexane as component, 167
 100-octane, Air Ministry specification, 167
 Avonmouth, oil fires, 4
 Beidellite, in clay, 19
 Benzene :
 boiling point, 169
 octane number, 169, 692
 smoke point, 632
 toluene from, 660
 Benzene-air mixtures, molecular weight determination, 538
 Benzene-pentane mixtures, molecular weight determination, 539
 Benzole :
 burning characteristics, 649
 smoke point, 633
 Benzoyl peroxide :
 determination in gas oil, 342, 345
 determination in gasoline, 342, 347
 Benzyl alcohol, smoke point, 634
 Benzyl-*p*-aminophenyl, cyclohexone number, 394
 Benzyl-*p*-anisidine, anti-oxidant, 397
 Bitumen, asphaltic :
 use for plastic armour, 257
 wartime uses, 257
 Blending, definition, 289
 Blown oil, definition, 289
 Bombs, incendiary, filling for, 266
Bromelliaids, 323
 Brown-Bouvierie, oxidation test, 315
 Brownsdon testing machine for lubricants, 207
 Bubble-point, definition, 704
 Burning oil, long-time, definition, 289
n-Butyl acetate, smoke point, 639
 Butyl alcohol, smoke point, 634
n-Butyl alcohol, smoke point, 634
tert.-Butylbenzene, oxidation rate, 402
n-Butyl butyrate, smoke point, 639
 Butyl carbinol, smoke point, 634
 Butyl cresol, anti-oxidant, 397
n-Butyl formate, smoke point, 639
 Butyl lactate, smoke point, 639
1-tert.-Butyl propanol, aniline number, 694
n-Butyl propionate, smoke point, 639
tert.-Butylcyclohexane, oxidation rate, 402
tert.-Butyl hydroperoxide :
 determination in gas oil, 342, 345
 determination in gasoline, 342, 347
 Cable oil, spreading value, 593
 Cadman Memorial Lecture, first, 241
 Cadman Memorial Medal, presentation, 255
 "Callite" alloy, 235
 Canadian burning test lamp, 269
 Carboxylic acids, smoke point, 638
 Casinghead gasoline, definition, 289
 Cast iron, 235
 Catalysts, fluid catalytic cracking, 300
 Cellosolve, smoke point, 636
 Cellulosolve acetate, smoke point, 636
 Cephalin, anti-oxidant, 398
 Ceresin, definition, 289
 Cetane, smoke point, 632
 Chevrolet dynamometer test for lubricants, 228
 Chevrolet shock test for E.P. lubricants, 98, 227

- Cinchonine, anti-oxidant, 396
 Clay :
 calcium-base-saturated, 21
 for drilling mud, 23
 hydrogen-base-saturated, 21
 illite group, 19
 kaolin group, 18
 mineralogy, 18
 minerals, base exchange, 20
 derivations, 19
 lattice structure, 20
 water adsorption, 20
 montmorillonite-beidellite group, 19
 research and oil development, 18
 sodium-base-saturated, 22
 Compounding, definition, 289
 Co-polymers, definition, 289
 Cornell lubricant testing machine, 212, 224
 Cracking :
 fluid catalytic, catalysts, 300
 chemicals from, 301
 developments, 295
 downflow unit, 296
 MS-type unit, 298
 Cresol, toluene from, 665
 Cresylic acid :
 hydrogenation, heat balance, 674
 product analysis, 676
 properties, 670
 smoke point, 634
 toluene from, 665
 "Cronite" alloy, 237
 Crude oil :
 assessment as base stock for aviation
 fuel, 171
 definition, 289
 Iranian, fractionation, 171
 Culecine, 326
 Cumene, antiknock agent, 256
 Cylinder oil, steam, definition, 291
 p-Cymene, smoke point, 632
 Davis Factor flame height lamp, 628
 Decalin, smoke point, 632
 Decene, smoke point, 632
 Definitions, petroleum, 289
 Dekalin, oxidation rate, 402
 Dew-point :
 definition, 704
 determination, 712
 Di-acetone alcohol, smoke point, 639
 Dibenzyl disulphide, anti-oxidant, 398
 Dibenzyl-p-aminophenyl, cyclohexene
 number, 394
 Dicksite, in clay, 18
 Dicyclohexyl, smoke point, 632
 Diethyl xanthyl ethyl ether, anti-oxidant,
 398
 Diisopropyl :
 boiling point, 169
 octane blending factor, 175
 octane number, 169
 Di-isopropylbenzene, smoke point, 632
 2 : 3-Dimethyl-1-hexene, octane number,
 691
 2 : 2-Dimethylbutane :
 boiling point, 169
 octane number, 169
 smoke point, 632
 2 : 3-Dimethylbutane :
 boiling point, 169
 octane number, 169, 690
 1 : 3-Dimethyl butyl alcohol, smoke point,
 634
 1 : 2-Dimethylcyclohexane, oxidation
 rate, 402
 1 : 4-Dimethylcyclohexane, oxidation
 rate, 402
 1 : 1-Dimethylcyclopentane :
 boiling point, 169
 octane number, 169
 1 : 2-Dimethylcyclopentane :
 boiling point, 169
 octane number, 169
 1 : 3-Dimethylcyclopentane :
 boiling point, 169
 octane number, 169
 Dimethyl-ethyl-carbinol, smoke point,
 634
 2 : 5-Dimethylfuran, blending octane
 numbers, 162
 2 : 5-Dimethylfuran, preparation and
 properties, 164
 2 : 3-Dimethylhexane, octane number,
 689
 2 : 5-Dimethylhexane, octane number,
 689
 3 : 4'-Dimethylhexane, octane number,
 689
 2 : 2-Dimethylpentane :
 boiling point, 169
 octane number, 169, 690
 2 : 3-Dimethylpentane :
 boiling point, 169
 octane number, 169, 690
 2 : 4-Dimethylpentane :
 boiling point, 169
 octane number, 169, 690
 3 : 3-Dimethylpentane :
 boiling point, 169
 octane number, 169, 690
 2 : 6-Dimethylphenyl, cyclohexene
 number, 394
 2 : 2-Dimethylpropane :
 boiling point, 169
 octane number, 169
 Di-n-propylketone, aniline number, 694
 Dipyridyld, anti-oxidant, 396
 Diphenylamine, anti-oxidant, 397
 Diphenyl-p-phenylenediamino, anti-
 oxidant, 397
 Disalicylal ethylenediamine, anti-oxidant,
 397
 Distillate, pressure, definition, 291
 Distillation :
 multi-component mixtures, reflux ratio
 calculation, 615
 ternary mixtures, reflux ratio calcu-
 lation, 598
 Diterp.-butyl-4-methyl phenol, anti-
 oxidant, 397
 Dithiobisdiacyclohexylamine, anti-
 oxidant, 398

- Drilling mud, clay for, 23
 "Duriron" alloy, 236
- Earth wax, definition, 289
- Ecuador :
 Cautivo, geology, 509
 Guayaquil estuary, geology, 492
 Santa Elena, geology, 505
- Electric logging, 28
- Engine oil, marine, definition, 289
- Engines :
 aero, piston-ring sticking, 59
 internal-combustion, knock, theory, 162
- Esters, smoke point, 638
- Ethyl acetate, smoke point, 639
- Ethyl acetoacetate, smoke point, 639
- Ethyl alcohol, smoke point, 634
- Ethyl aniline, octane rating, 697
- Ethyl benzene :
 oxidation rate, 402
 octane number, 692
- Ethyl benzoate, smoke point, 639
- 2-Ethyl butyl alcohol, smoke point, 634
- Ethyl butyrate, smoke point, 639
- Ethyl carbonate, smoke point, 639
- Ethyl formate, smoke point, 639
- Ethyl lactate, smoke point, 639
- Ethyl laurate, smoke point, 639
- Ethyl malonate, smoke point, 639
- Ethyl nitrate, smoke point, 639
- Ethyl oxalate, smoke point, 639
- Ethyl propionate, smoke point, 639
- Ethylcyclohexane, oxidation rate, 402
- Ethylene dibromide, manufacture in Great Britain, 256
- Ethylene glycol, smoke point, 636
- Ethylene glycol diacetate, smoke point, 636
- Extract, definition, 289
- Falex lubricant testing machine, 212, 224
- Falmouth, oil fire, 6
- Favillo-Levally lubricant testing machine, 212, 224
- Films, oil :
 in relation to mosquito control, 323
 spreading pressure, 324
 spreading, theory, 324
 stability on water, 330
- Fires, oil :
 extinction of, 1
 wartime, 1
- Flame barrage, land, 262
- Flame defences, 261
- Flame thrower fuels, 263
- Floyd testing machine for lubricants, 207
- Fog, artificial, from petroleum, 257
- Fougassee, 261
- Four-ball lubricant testing machine, 210, 222
- Friction :
 adhesion theory, 90, 93
 Amonton's law, 91
 contact area, 92
 metal on metal motion, 92
 temperature at contact points, 91
- Fuels,
 flame thrower, 263
 gas turbine, vaporization, 703
 hydrocarbon :
 bubble-points, 704
 dew-points, 704
- Gas oil :
 bubble-points, 732-735
 dew-points, 732-735
- Gas turbine fuels, vaporization, 703
- Gasoline :
 aviation, spectroscopic analysis, 260
 bubble-points, 726-728, 735
 burning characteristics, 649
 casinghead, definition, 289
 cracked, organic peroxide determination, 342, 346
 destruction methods, 260
 dew-points, 726-728, 735
 loss by evaporation, 531
 loss by temperature changes, 530
 loss by waste, 529
 loss causes, 529
 loss in gauging, 530
 nitrated, smoke point, 636
 smoke point, 633
 stabilized, definition, 291
 vapour in air measurement, 532
 100 octane :
 T.B.P. curves, 722
 vaporization, 703
- Gasoline-air mixtures, molecular weight determination, 532
- Gas oil :
 film stability on water, 331
 organic peroxide determination, 342, 345
 spreading pressure on water, 325
 toxicity to mosquito larvæ, 327, 328, 330
- Gauss Law of Error, 467
- Gels, hydrocarbon :
 burning, volatility effect, 653
 smoke production :
 viscosity effect, 651
 volatility effect, 652
 smoke production and burning characteristics, 643
- Geological exploration, 243
- Geophysical methods, application to oil search, 244
- Glacial acetic acid, smoke point, 638
- Gleason four-square test, 38
- Glycerol compounds, smoke point, 636
- Glycol, smoke point, 636
- Gosport, oil fires, 5
- Great Britain :
 geophysical surveys, 244
 Nottinghamshire oilfield, well shooting problems, 119
 oil fires, wartime, 1
 petroleum industry in wartime, 256
 toluene from indigenous sources, 660
- Guayaquil Estuary, Ecuador, geology, 492

- Halloysite :**
base exchange capacity, 21
in clay, 19
- Hectorite, in clay, 19**
- n-Heptane :**
boiling point, 169
burning characteristics, 649
cyclization :
catalyst effect, 677
temperature effect, 679
octane number, 169
properties, 677
smoke point, 632
toluene from, 677
- n-Heptanol, aniline number, 694**
- Heptene, smoke point, 632**
- cycloHexane :**
boiling point, 169
octane number, 169
smoke point, 632
- iso-Hexane, octane blending factor, 175**
- n-Hexane :**
boiling point, 169
octane blending factor, 175, 177
octane number, 169
- neoHexane :**
boiling point, 169
octane blending factor, 175
octane number, 169
- Hexene, smoke point, 632**
- cycloHexanol, smoke point, 634**
- cycloHexanone, smoke point, 639**
- cycloHexene, smoke point, 632**
- cycloHexyl acetate, smoke point, 639**
- n-Hexyl alcohol, smoke point, 634**
- Hydrocarbon gels. See Gels.**
- Hydrocarbons :**
aromatic :
octane number, 692
oxidation rate, 402
aromatic-naphthenic, oxidation products analysis, 384
knock characteristics, 687
liquid :
hydroperoxide formation mechanism, 385
oxidation, catalyst specificity, 403
oxidation, inhibitor effect, 405
oxidation mechanism, 382
oxidation products, sequence, 382
oxidation reactivity, structure influence, 400
oxidation stability, 401
peroxides in, 382
mixed, oxidation, 403
naphthenic, oxidation products analysis, 384
naphthenes, oxidation rate, 402
octanes, octane numbers, 689
iso-olefins, octane numbers, 691
olefins :
oxidation, catalyzed reaction, 389
oxidation, thermal reaction, 386
oxidation reaction at 100° C, 515, 525
iso-paraffins, octane numbers, 690
paraffin :
oxidation products analysis, 384
- Hydrocarbons—cont.**
paraffin—cont.
oxidation rate, 402
smoke point, 631
synthetic :
viscosity-density correlation, 156
viscosity-molecular weight correlation, 153
- Hydroquinone, oxidation inhibitor, 444**
- Hydroxyaryl thioethers, anti-oxidants, 398**
- Hypoid gear :**
advantages, 33
development, 32
lubrication, 32
mechanical origins, 32
- Hydraulic fluid, definition, 289**
- Hydraulic oil, for use in aircraft, 257**
- Illite :**
base exchange capacity, 21
in clay, 19
“Immaculato 5” alloy, 234
- Institute of Petroleum :**
Annual General Meeting, Thirty-Third, 292
annual report 1944, 45
- Insulating oil :**
cable, spreading value, 593
definition, 289
- Iran, oil exploration, 247**
- Isobutyl acetate, smoke point, 639**
- Isobutyl alcohol, smoke point, 634**
- Isobutyl butyrate, smoke point, 639**
- Isobutyl carbinol, smoke point, 634**
- Isobutyl propionate, smoke point, 639**
- Isoheptane :**
component as aviation fuel, 167
constitution, 175
production, 172
production in Abadan, 182
properties, 174
- Isohexane :**
analysis, 177
component of aviation fuel, 167
constitution, 173
production, 172
production in Abadan, 182
properties, 174
- Isopropyl alcohol, smoke point, 634**
- Jelly :**
mineral, definition, 290
petroleum, definition, 290
- Kaolin, in clay, 18**
- Kaolinite, base exchange capacity, 21**
- Kerosine :**
bubble-points, 729-731, 735
burning test :
history, 269
variables in, 272
wick extraction method, 288
wick treatment, 278
char value, 269
dew-points, 729-731, 735
equilibrium distillation, 713

Kerosine—cont.

film stability on water, 331
 power, definition, 291
 spreading pressure on water, 325
 T.B.F. curves, 722
 toxicity to mosquito larvæ, 327, 328, 330
 vaporization, 703

Ketones, smoke point, 638
Knock in engines, theory, 162
Knock rating, test methods, 686
 "Kunial" alloy, 239

Lauroyl peroxide :

determination in gas oil, 342, 345
 determination in gasoline, 342, 347

Lead tetrachethyl, manufacturer in Great Britain, 256

Lecithin, anti-oxidant, 398
 "Liseta," S.S., fire on, 8

Long-time burning oil, definition, 289

Lubricants :

chlorine additives reaction with iron, 112

chlorine and sulphur additives :
 decomposition by hydrogen, 104

decomposition on iron powder, 105
 extreme pressure, 32

additive stability test, 99

chlorine additives reactivity, 103

chlorine and sulphur effect, 576

chlorine-sulphur additives, 96

development by chlorine and sulphur additives, 575

ferrous chloride and sulphide effect, 578

Gleason four-square test, 38

hydrogen chloride effect, 579

mechanical testing, 206

pressure wear index, 223

Chevroleot shock test, 98

S.A.E. machine test, 38

sulphur additives decomposition, 101
 testing, 37

testing, Almen machine, 208, 220

testing, Brownsdon tester, 207

testing, Chevrolet dynamometer test, 228

testing, Chevroleot shock test, 227

testing, Cornell machine, 212, 224

testing, correlation of results, 214

testing, Falex machine, 212, 224

testing, Faville-Levally machine, 212, 224

testing, Floyd testing machine, 207

testing, four-ball machine, 210, 222

testing, S.A.E. machine, 212, 225

testing, Smith wear tester, 207

testing, Timken machine, 209, 220

ferrous chloride film growth on iron, 103

gear, U.S. specification, 42

hypoid :

lead soap-sulphur, 94

concentrates, 41

low-melting-point compounds, 95

molecular weight correlation with density and viscosity, 146

Lubricants—cont.

molecular weight correlation with viscosity, 133
 molecular weight data, 134
 oxidation, 406
 spreading pressure on water, 325
 sulphur additives reaction with iron, 113
 sulphur-chlorine additives reaction with iron, 113

Lubrication :

boundary, mechanism, 93

extreme-pressure, 94

action of organic chlorine and sulphur compounds, 90
 by sulphur and chlorine additives, 115

hydrodynamic, 93

hypoid gear, 32

"Lucellum," S.S., fire on, 7

Marine engine oil, definition, 289

"Mechanite" alloy, 236

Mesitylene :

octane number, 696

oxidation rate, 402

Metals in petroleum industry, 230

Methyl acetate, smoke point, 639

Methyl alcohol, smoke point, 634

1-Methyl-4-allyl-1-benzene, octane number, 696

Methyl butyrate, smoke point, 639

Methyl propionate, smoke point, 639

Methyl propyl carbinol, smoke point, 634

2-Methylbutane :

boiling point, 169

octane number, 169

Methylcyclohexane, smoke point, 632

Methylcyclopentane :

boiling point, 169

octane number, 169

Methyl ethyl ketone, smoke point, 639

2-Methyl-3-ethylpentane, octane number, 689

3-Methylheptane, octane number, 689

2-Methyl-2-heptene, octane number, 691

2-Methylhexane :

boiling point, 169

octane number, 169

1-Methylhexanol, aniline number, 694

Methyl-n-hexylketone, aniline number, 694

p-Methylisopropylbenzene, oxidation rate, 402

1-Methyl-4-iso-propylbenzene, octane number, 696

1-Methyl-4-isopropylcyclohexane, oxidation rate, 402

2-Methylpentane :

boiling point, 169

octane number, 169, 690

3-Methylpentane :

boiling point, 169

octane number, 169, 690

- Metre cube system for smoke measurement, 644
- Microcrystalline wax, definition, 289
- Mineral colza, definition, 290
- Mineral jelly, definition, 290
- Mineral oil :
definition, 290
oxidation reaction at 100° C, 515, 525
- Mineral seal, definition, 290
- Mineral sperm, definition, 290
- Moneal metal, 238
- Montmorillonite :
base exchange capacity, 21
in clay, 19
- Mosquito control :
mineral oil films in relation to, 323
oil application methods, 333
oil composition and toxicity, 330
oil spreading pressure and toxicity, 329
oil toxicity, 326
oil viscosity and toxicity, 330
- Motor fuel, chemical structure and detonation, 685
- "Mud-acid," 25
- Multi-component mixtures, reflux ratio calculation, 615
- Muntz metal, 237
- Nacrite, in clay, 18
- Naphthalene :
oxidation rate, 402
toluene from, 665
- Naphthenic acid, smoke point, 638
- α -Naphthol, cyclohexene number, 394
- β -Naphthol :
anti-oxidant, 398
cyclohexene number, 394
"Ni-resist" alloy, 236
- Nitro compounds, smoke point, 637
- Nitro-ethane, smoke point, 636
- Nitro-isobutane, smoke point, 636
- Nitro-methane, smoke point, 636
- Nitro-propane, smoke point, 636
- Nontronite, in clay, 19
- Obituary :
Cherry, Frederick Edward, 738
Craig, E. H. Cunningham, 351
Sutton, William, 351
Taylor, John Falconer, 684
Wilson, John H., 240
- iso*Octano, smoke point, 632
- n*-Octane, octane number, 689
- 3-Octene, octane number, 691
- Octyl acetate, smoke point, 639
- Oil films. See Films, oil.
- Oil sand, grain size, 26
- Oilfields, developments, 247
- Oleic acid, smoke point, 638
- Oxidation, spreading value test, 595
- Ozokerite, definition, 290
- Paraffin, soft, definition, 291
- Paraffin scale, definition, 290
- Paraffin wax, definition, 290
- Pembroke Dock, oil fire, 1
- 1 : 3-Pentadione, aniline number, 694
- cycloPentane :
boiling point, 169
octane blending factor, 175
octane number, 169
smoke point, 632
- isoPentane :
boiling point, 169
octane number, 169
smoke point, 632
- n*-Pentane :
boiling point, 169
octane blending factor, 175
octane number, 169
smoke point, 632
- neoPentane :
boiling point, 169
octane number, 169
- Pentane-air mixtures, molecular weight determination, 536
- Pentene, smoke point, 632
- Peroxides, organic :
determination by dichromate method, 344
in hydrocarbons :
determination, 341
hydroperoxide, 382
monomeric peroxides of conjugated dienes, 383
polymeric peroxides of conjugated dienes, 383
transannular peroxides, 383
- Petrolatum, definition, 290
- Petroleum Board :
Enemy Fuels and Lubricants Committee, 260
Enemy Petroleum Resources Committee, 260
Technical Advisory Committee, 259
- Petroleum ceresin, definition, 290
- Petroleum ether :
burning characteristics, 649
smoke point, 633
- Petroleum jelly, definition, 290
- Petroleum resins, definition, 290
- Petroleum Warfare Department, 261
- Phenols, anti-oxidants, 397
- Phenyl-*n*-butyl ketone, smoke point, 639
- p*-Phenylenediamine, cyclohexene number, 394
- 1-Phenyl-2-methylpropene, octane number, 696
- 2-Phenylpropene, octane number, 696
- Pinene, smoke point, 632
- Piperazines, anti-oxidants, 396
- Piperidine, anti-oxidant, 396
- Piston-ring sticking in aero engines, 59
- "Plumboleum," 33
- Polymerization, definition, 290
- Polymers, definition, 290
- Pour point, definition, 290
- Power kerosine, definition, 291
- Pressure distillate, definition, 291
- Pressure wear index of lubricants, 223
- Production, oil, clay research, 18
- n*-Propyl acetate, smoke point, 639
- n*-Propyl alcohol, smoke point, 634

- iso*Propylbenzene, octane number, 696
 1-Propylbutanol, aniline number, 694
 Propyl butyrate, smoke point, 639
n-Propyl formate, smoke point, 639
*iso*Propylbenzene, oxidation rate, 402
*iso*Propylcyclohexane, oxidation rate, 402
 Pyridine, anti-oxidant, 396
 Pyrogallol, cyclohexene number, 394
 Pyrrole, anti-oxidant, 396
 Quinine, anti-oxidant, 396
 Quinoline, anti-oxidant, 396
 Raffinate, definition, 291
 Redwood burning test apparatus, 269
 Refining, developments, 250
 Reflux ratio calculation :
 multi-component mixtures, 615
 ternary mixtures, 598
 Resins, petroleum, definition, 290
 Resorcinol, cyclohexene number, 394
 S.A.E. extreme pressure machine, 38, 212, 225
 Saponite, in clay, 19
 Saybolt burning test lamp, 269
 Scale, white, definition, 291
 Scale wax, definition, 291
 Shale oil, definition, 291
 Shooting of wells. *See* Wells, shooting of.
 Signal oil, definition, 291
 Simulated field service test for turbine oil, 315
 Smith wear tester for lubricants, 207
 Smoke point :
 hydrocarbons, 631
 lamp for, 628
 organic substances, 627
 relation to molecular structure, 638
 Smoke production :
 hydrocarbon base effect, 647
 Smoke production :
 measurement, 643
 Smoke-screens, from petroleum, 257
 Solar oil, definition, 291
 Special boiling point spirit :
 burning characteristics, 649
 definition, 291
 smoke point, 633
 Spindle oil, definition, 291
 Spreading value, oil :
 application, 593
 measurement, 587
 Stabilized gasoline, definition, 291
 "Staybrite" steel, 233
 Steam cylinder oil, definition, 291
 Steel :
 high tensile, 232
 medium alloy, 232
 mild, 231
 stainless, 233
 "Staybrite," 233
 Tankers, fires, wartime, 7
 "Tantiron" alloy, 236
 Ternary mixtures, distillation, reflux ratio calculation, 598
 Testing petroleum, variance analysis application, 465
 Tetrahydrofurfuryl-*p*-aminophenol, anti-oxidant, 397
 Tetralin :
 hydrogenation-cracking yields, 605
 oxidation :
 catalyzed reaction, 389
 rate, 402
 thermal reaction, 387
 smoke point, 632
 2 : 2 : 3 : 3-Tetramethylbutane, octane number, 690
 3 : 3 : 4 : 4-Tetramethylhexane, octane number, 690
 Tetramethylmethane, octane number, 690
 2 : 2 : 3 : 3-Tetramethylpropanol, aniline number, 694
 Tetramethyl thiuram disulphide, anti-oxidant, 398
 Tetrane, octane number, 690
 Thameshaven, oil fires, 3
 Timken lubricant testing machine, 209, 220
 Toluene :
 from benzene, 660
 from cresol, 665
 from cresylic acid, 665
 from *n*-heptane, 677
 from naphthalene, 665
 from petroleum, wartime production, 249, 256
 from xylene, 662
 octane numbers, 692
 smoke point, 632
 Tolidine, octane rating, 697
 Transformer oil :
 acidity :
 aromatic extract effect, 372
 factors effecting, 436
 I.M.E.A. questionnaire, 436
 sulphur compounds effect, 373
 sulphur effect, 373
 anti-oxidants, 395
 B.S. 148, proposed amendment, 363
 D.C. resistance test, 452
 definition, 291
 E.R.A. questionnaire replies, 358
 general discussion, 355
 high ash content, 377
 loss of insulation resistance, 378
 low ash content, 377
 oxidation and anti-oxidation, 392
 oxidation tests :
 American, 415
 British, 418
 German, 419
 requirements, 414
 Swedish, 420
 Swiss, 422
 properties required, 365
 refining :
 developments, 365
 distillate selection, 366
 method effect on product, 369
 solid degradation products, 373

Transformer oil—*cont.*

refining—*cont.*

solvent treatment, 371

sulphuric acid treatment, 370

research :

British 1937 programme, 361

E.R.A. contribution to international,
356

resistivity, aromatic extract effect,
379

sludge test, 408

condenser water temperature effect,
424

correlation between laboratories, 408

sludging value :

aromatic extract effect, 375

calcium sulphonate effect, 376

paraphenylenediamine effect, 376

sulphur compounds effect, 375

sulphur effect, 375

Triacetin, smoke point, 636

2 : 2 : 3-Trimethylbutane :

boiling point, 169

octane number, 169, 690

2 : 2 : 3 : 3-Trimethylbutane, octane num-

ber, 689

1 : 3 : 5-Trimethylcyclohexane, oxidation

rate, 402

Trimethylpentane, smoke point, 632

2 : 2 : 3-Trimethylpentane, octane num-

ber, 689

2 : 2 : 4-Trimethylpentane, octane num-

ber, 689

2 : 3 : 3-Trimethylpentane, octane num-

ber, 689

2 : 3 : 4-Trimethylpentane, octane num-

ber, 689

2 : 4 : 4-Trimethyl-1-pentene, octane num-

ber, 691

Trimpoll plant, 256

Trinidad :

Miocene sands, grain size, 26

mosquito control, 323, 334

Triptane, octane number, 690

Turbine oils :

A.S.T.M. oxidation test, 315

additive compatibility, 314, 320

base oil stability, 314

Brown-Bouvierie oxidation test, 315

Turbine oils—*cont.*

chemical activity, 314, 320

definition, 291

development of, 313

evaluation, 314

field testing, 321

inhibitor response, 314

oxidation tests, 315

rust tests, 317

simulated field service test, 315

Vanadium, from petroleum, wartime uses,
258

Vaporizing oil, definition, 291

Vapour pressure, determination, 711

Variance analysis :

.application to petroleum technology,
465, 738

Gauss Law of Error, 467

grouped data, 469

Latin square, 476

paired data, 470

randomized blocks, 472

Victane, 256

Wartime, petroleum in, 257

Wax :

amorphous, definition, 289

earth, definition, 289

microcrystalline, definition, 289

paraffin :

definition, 290

oxidation reaction, 656

scale, definition, 291

Wells, shooting of :

asbestos-cement liner, 120

L-delay timing device, 122

problems in, 119

White scale, definition, 291

Xylene :

hydrogenation-cracking yields, 664

octane numbers, 692, 696

oxidation reaction at 100° C, 525

smoke point, 632

toluene from, 662

Xylylidine, octane rating, 697

"Yorcalbro" alloy, 237

