

## ABSTRACTS SUBJECT INDEX.

Numbers refer to Abstract Numbers. (P) denotes Abstract of Patent Specification.

- Absorbent, copper ammonium, purifying (P), 796
- Absorber residue gas :  
butane and pentane determination, 968  
naphthalene determination, 969
- Acetylene :  
German wartime developments, 213
- Acenaphthene, *cyclohexylation*, 1273
- Acetaldehyde :  
acetic acid from, 414  
acetic anhydride from, 414
- Acetic acid :  
acetone from, 414  
from acetaldehyde, 414
- Acetic anhydride, from acetaldehyde, 414
- Acetone :  
antiknock quality, 508  
from acetic acid, 414
- Acetylene :  
from methane by electric arc cracking, 486  
thermodynamic properties, 605  
uses in Germany, 213
- Acetylene-aldehyde reaction, developments, 87
- Acid sludge :  
active carbon from (P), 796  
by-products from, 68  
hydrocarbon recovery (P), 993  
spreading agent from (P), 796  
sulphuric acid recovery, 68
- Acids :  
aromatic polycarboxylic, from coal, 820  
fatty, in war-time Germany, 86
- Acrolein compounds, from olefins (P), 578
- Acrylonitrile :  
from ethane (P), 995  
from methane (P), 995
- Acrylic acid, synthesis, 207
- Acryloid 150 pour point improver, 981
- Activated clay, acid (P), 1403
- Active carbon, from acid sludge (P), 796
- Acyclic monoketones, from *n*-butylene (P), 1403
- Agroxone, weed killer, 91
- Aircraft use in petroleum industry, 228, 1171
- Alabama, geology and oil prospects, 322
- Alaska :  
explanation, 335, 741  
naval reserve, geology, 1179
- Alcohol-hydrocarbon mixtures, water solubility, 275
- Aldol, from natural gas, 317
- Aliphatic acids, phenyl-substituted, hydrogenation, 153
- Alkanes :  
alkylation, 701  
isomerization, 955, 956
- 1-Alkanes, thermodynamic properties, 1267, 1268
- Alkyd resin, uses, 530
- Alkylates :  
chlorine removal, 1393  
gum-forming constituents removal, 1393  
manufacture (P), 1403
- Alkylation :  
alkane, 701  
hydrofluoric acid, 700  
corrosion in, 271, 576, 941  
hydrogen fluoride catalyst effect, 169  
olefins, 169  
isoparaffins, 169  
plant, 575
- Alkylbenzene :  
ethylbenzene from (P), 1403  
heats of combustion, 1107  
hydrogenation, 154  
properties, 595, 709
- Alkylcyclohexane :  
vapour pressure and boiling point, 288  
heats of formation and combustion, 1266
- Alkylcyclopentane :  
heats of formation and combustion, 1266  
vapour pressure and boiling point, 288
- Alkyl-lead salts, preparation, 186
- Alloys :  
aluminium, for engine bearings, 1167  
bronze, corrosion-resistant, 789  
heat-resisting, 562  
in petroleum industry, 679  
stainless, 562, 788
- Allyl amines, nitriles from (P), 995
- "Allymer C.R. 39," plastic from petroleum, 316
- Alpha particles, chemical effect of, 707, 708
- Alternative fuels, 418
- Aluminium trimethyl, gaseous, decomposition, 799
- Amines, from olefins (P), 995
- Aniline point apparatus for dark oils, 503
- Animal oils, sulphation, 392
- Annular Bearing Engineers Committee bearing test, 614
- Antarctica, exploration, 1195
- Argentina :  
crude oil, cracking, 67  
petroleum industry 1941-5, 779  
production, 51, 249, 363, 1075, 1241, 1317

- Asphalt, France, 1296  
 Asphaltenes, radical reactions, 1410  
 Asphaltic bitumen. *See* Bitumen, asphaltic.  
 Atomic energy, effects on petroleum industry, 216, 217, 473  
 Austria :  
   exploration, 330  
   production, 1245  
   Zistersdorf production, 675  
 Australia :  
   exploration, 334  
   production, 1249  
 Aviation fuel. *See* Gasoline, aviation.
- Bahrein :  
   crude oil, 504  
   production and refining, 253, 504  
 Barisol process, 690  
 Bearings :  
   corrosion, 509, 510, 989, 990  
   developments, 96  
   engine :  
     aluminium alloys for, 1167  
     testing, 1161  
     machining, 1438, 1439  
     non-metallic submerged (P), 419  
 Benzaldehyde, lubricant (P), 796  
 Benzene :  
   alkylated, preparation, 593  
   azeotropes, 1411  
   dehydrogenation catalyst action, 278  
   ethylation, 152  
   ethylbenzene from (P), 1403  
   from cyclohexanes (P), 796  
   heats of combustion, 1107  
   infra-red spectra, 1271  
   physical constants, 953  
   reduction by calcium ammonia, 165  
   vapour pressure and boiling point, 288  
 Benzene-cyclohexano mixture, volume change, 277  
 Benzene hexachloride, insecticide toxicity, 204  
 Benzene-cyclohexene, vapour-liquid equilibria, 1113  
 Benzene nucleus, hydrogenation, 153-155  
 Benzole, toluole from, 686  
 Benzole absorption oil, corrosive action, 311  
 Bibenzyl, dehydrogenation catalyst action, 278  
 Bitumen, asphaltic :  
   binding agent (P) 945  
   chemistry and constitution, 310  
   flow test, 199  
 Bitumen, asphaltic :  
   for coating metal culverts, 1444  
   properties and composition, 79  
   thin-film oven test, behaviour in, 991  
   U.S.A. industry, 517  
   use for erosion control, 815  
   use in industry, 202, 408  
   use in road construction, 80  
   wax determination, 302  
 Bituminous emulsions, binding power research, 308
- Bituminous road materials :  
   dense tar surfacings, manufacture and laying, 201  
   testing, 200  
   tar and bitumen determination, 402  
 Bituminous roads :  
   base design, 1443  
   coated metal culverts, 1444  
 Bolivia :  
   oil industry in 1945, 555  
   pipeline programme, 1084  
   production, 896, 1242  
 Brazil :  
   exploration, 435  
   production, 17, 51  
 British Columbia, exploration, 11  
 British North Borneo, refinery construction, 1315  
 Burners :  
   fuel oil, 1424-1426  
   domestic, 304  
   liquid fuel (P), 419  
   pot-type, 978, 1294  
 Burns, hot resin, treatment, 952  
 Butadiene :  
   absorption for determination in mixtures, 297  
   extraction (P), 1403  
   flash distillation, 715  
   for synthetic rubber, 409  
   from acetylene-aldehyde, 87  
   from butane (P), 796  
   polymerization inhibitor (P), 1403  
   purification by solvent extraction, 281  
 1:3-Butadiene, thermodynamics, 959  
   butadiene from (P), 796  
   dehydrogenation, 944  
   fractionation column calculations, 923  
   in absorber residue gas, determination, 968  
   isobutane from (P), 796  
   thermodynamic properties, 499  
*iso*Butane :  
   cracking, thermal, 386  
   from ethylene (P), 796  
   from heptane, 1110  
   hydrogen solubility, 1415  
   olefins from, 386  
*n*-Butane :  
   butylene from, 1109  
   deuterons effect, 707, 708  
   isomerization :  
     olefins effect, 955  
     oxygen effect, 956  
     (P), 1403  
   thermodynamics, 959  
 2:3-Butanediols, physical properties, 608  
 1-Butanol, vapour pressure, 1276  
 Butenes, thermodynamic properties, 1267, 1268  
*n*-Butene :  
   isomerization equilibria, 954  
   thermodynamics, 959  
 Butene-1, thermodynamic properties, 606  
 trans-2-Butene, heat capacities, 179  
*n*-Butyl alcohol, antiknock quality, 508  
*s*-Butyl alcohol, racemization, 181

- t*-Butyl alcohol/benzene/water, properties, 596  
 Butylbenzene, dehydrogenation catalyst action, 278  
*n*-Butylcyclohexane, heat of combustion, 1108  
 Butylene, from butane, 1109  
*iso*Butylene :  
     cyclic dimerization, 276  
     neopentane from (P), 796  
*n*-Butylene, acyclic monoketones from (P), 1403  
 1-Butyne, thermodynamic properties, 605  
 2-Butyne, thermodynamic properties, 605  
 Cables, pressurized, oil insulation, 987, 1442  
 Calcium carbide, German production, 414  
 California :  
     Edison pool, 432  
     exploration and production methods, 771  
     Richfield, water flooding in Chapman zone, 39  
     seismic exploration, 1352  
     West Newport field, 1200  
     Wilmington, geology, 220  
 Canada :  
     Alberta :  
         developments in 1945, 1073  
         gas reserves, 56  
         production, 672  
         exploration, 55, 1372  
         oil industry war problems, 55  
         Norman Wells oilfield, 778  
         refineries, 682  
         well shooting, 443  
         wildcat wells, 1180  
     Cancer treatment :  
         oil-in-water emulsions for, 528, 1154  
     Candle manufacture (P), 796  
     Carbide and Carbon Chemicals Corp., non-petroleum lubricating oil, 195  
     Carbon black :  
         manufacture and uses, 525  
         water vapour adsorption, 295  
     Carbon dioxide :  
         analysis, 1284  
         hydrate composition, 1118  
         thermal conductivity, 1412  
     Carbon monoxide :  
         analysis, 1284  
         thermal conductivity, 1412  
     Carnotite, as tracer in squeeze cementing, 111  
     Catalysis, reactor design, 944  
     Catalyst :  
         aluminium chloride (P), 796  
         bead (P), 578  
         bead and clay, 694  
         cobalt-nickel (P), 796  
         cobalt-on-silica, preparation (P), 995  
         cracking (P), 1403  
         dehydrogenation (P), 796  
         isomerization (P), 796  
         nickel, poisoning by water vapour, 148  
     Catalyst—*cont.*  
         oxidation, laboratory testing, 483  
         palladium, heat deactivation, 73  
         polymerization and isomerization, 1476  
         Porocel, for treatment of alkylates, 1393  
         sulphide, reactivation (P), 1403  
         thoria-alumina, for *isoparaffin* synthesis, 482  
     Cellulose, thermal solution, 417  
     Cellulose propionate, plastic, 94  
     Ceresin, manufacture (P), 1403  
     Cetane-sodium stearate, transition temperatures, 498  
     Cetane value, from density and boiling point, 191  
     Cetane-water-sodium stearate, transition temperatures, 498  
     Chaney-Barnes tubing caliper, 874  
     Charcoal-pitch briquettes, 319  
     Chemicals :  
         from natural gas, 317, 413, 809  
         from petroleum, 316, 413, 635, 817, 819, 1148, 1149  
         in war-time Germany, 86  
     Chile :  
         exploration, 328, 337, 553, 671, 841, 1016, 1076, 1182, 1183  
         production, 51  
     China :  
         developments, 1085  
         exploration, 333, 676, 677  
         Kansu, petroleum in, 403, 437  
         Yumen field, 676  
     1-Chloro-1:3-dimethylcyclopentane, 276  
     Chlorobenzenes, alkylation, 592  
     Chloroprene, manufacture (P), 945  
     Chlorotoluene, hydrolysis and isomerization, 1396  
     Clay :  
         colloidal chemistry, 529  
         uses, 529  
     Coal :  
         chemicals from, in N.E. England, 209, 210  
         oil from, German plants, 391  
         oxidation, organic acids from, 820  
         solvent extraction, 523  
         thermal solution, 417  
     Coal-fuel oil suspensions, viscosity, 1122  
     Columbia :  
         Barco concession expansion, 445  
         Do Mares concession, 554  
         developments, 554  
         exploration, 13, 14, 51, 101, 248, 325, 647, 1184, 1185, 1330, 1331  
         exploration costs, 54  
         production, 1078  
         San Martin 2 well, 225  
         wildcats, 226  
     Colorado :  
         developments, 670  
         oil shale developments, 211  
         Rangely yield, 893  
     Colloidal carbon, 1449  
     Colloidal fuel, viscosity, 1122  
     Combustion :  
         cracked distillates, 1294

Combustion—*cont.*

- diesel, 1160
  - slow-motion study, 192
  - precombustion, 1457
- flameless, natural gas, 170
- free surface, 587
- fuel oil, 1283
- gas turbine, 638
- research on phenomena, 296
- theory, 75
- Compass fluid (P), 1403
- Compressibility, oil, isothermal and adiabatic, 168
- Consistency, temperature effect, 602
- Corrosion :
  - bearing, 509, 510, 989, 990
  - causes, 374
  - detection, penetron, 684, 951, 1065
  - formaldehyde as inhibitor, 754
  - hydrofluoric acid, 271, 576, 941
  - inhibitors, 232, 790, 875, 989
  - mechanism of, 683
  - oilfield equipment, 232, 342, 526, 874, 1054, 1208, 1234
  - pipeline, 61, 132, 371, 557, 791, 1065
  - protection, 375, 526, 561, 680, 912, 1234
  - soil, 557
  - zinc as anti-corrosive pigment, 62
- Cost accounting, refinery construction, 470
- Cottrell precipitation, 915
- Cracking :
  - Argentina crude oils, 67
  - catalysts, bead and clay, 694
  - catalytic, 565, 566
    - hydrogenated cycle stocks, 1097
    - olefines, 173
    - processes, 692
  - coking process, 695
  - electrical, 1416
    - laboratory, 937
  - fluid catalytic :
    - developments, 936
    - small, 693
  - hydroforming process, 1263
  - oxidizing, 568
  - processes (P), 796, 1403
  - shale oil, 573
  - Thermoform process, 387, 1098
    - economics, 270
    - liquid-charge technique, 269, 571
  - thermal, 385
  - vapour-phase oxidizing, 479
  - waste heat recovery, 1256
- Cracking Plant :
  - catalytic, 1391, 1392
  - catalytic :
    - maintenance, 569
    - operation, 569, 570
    - small unit, 145, 266, 480, 935
  - corrosion inhibition, 790
  - Cycloversion, 1391
  - fluid catalytic, 268
  - Houdry, 389
    - combustion-gas turbine, 267, 426
    - reactor design, 1262
  - Kellogg, 1391

Cracking Plant—*cont.*

- Thermoform, 1391
  - catalyst pellet drier, 388
  - maintenance, 572
  - small-scale, 145
  - thermal, 3-coil unit, 66, 696
  - reactor design, 938
  - U.O.P., 1391
    - M.S.-type, 266
- Crude oils :
  - Bahrain, 504
  - demulsification (P), 241, 667, 751, 883, 1069
  - desalting, 617, 973, 1093, (P), 126, 1069
  - evaluation curves, 63
  - evaluation of lubricating oil fractions, 505
  - foam resistant (P), 751
  - purifying (P), 1069
  - Saudi Arabia, 504
  - viscosity-temperature relationship, 1044
- Crude oil-natural gas mixture, vapour-liquid equilibria, 171
- Cumene, from benzene and propylene (P), 796
- Cutting oil, water-free (P), 1403
- Cyanamide, from calcium carbonate, 414
- "Cycloil" gas cleaner, 386
- p*-Cymene :
  - monomercurated products, 1398
  - physical constants, 953
- Czechoslovakia, exploration, 1079
- D.D.T. *See* Insecticides.
- De Florez coking process, 567
- Deasphalting, lubricating oils, 688, 689, 933
- Decahydronaphthalene, vapour pressure, 182
- Decane, vapour pressure and boiling point, 288
- Definitions of petroleum products, 831
- Degras, acidic constituents, 290
- Dehydrogenation :
  - catalyst (P), 796
  - (P), 1403
- Demulsification :
  - principles, 808
  - processes, 1137, 1138
- Dense tar surfacings :
  - manufacture and laying, 201
  - testing, 200
- Density balance, 612
- Desulphurization, processes, 702, (P) 1403
- Detergents :
  - heat on metal surfaces, 986
  - lubricating oil, 512
  - paste (P), 796
- Detonation, in diesel engines, cause, 192
- Deuterons, chemical effect of, 707, 708
- Dialkyl phosphites, reaction with poly-halogen compounds, 74
- Dialkylacetylenes, reduction by calcium ammonia, 165
- Dialkyl phthalates, manufacture (P), 945

- 2:2-Diarylchloroethanes, dehydrochlorination, 291
- Diastrophic movement, theory of, 1
- Dichlorodiphenyltrichloroethane, solubilities, 184
- Diesel engines. *See* Engines, diesel.
- Diesel fuel :  
 additives, 822  
 aromatic removal (P), 945  
 cetane value :  
   from density and boiling point, 191  
   improvement (P), 796  
 gum test, 76  
 manufacture (P), 1403  
 properties and engine performance, 623  
 testing, engine, 1128
- m*-Diethylbenzene, physical constants, 953
- Diethylene glycol, for gas dehydration, 384, 574
- Diethyl-lead carbonate, 186
- Diethyl-lead dihydroxide, 186
- Diethylstilbestrol, synthesis, 178
- Diethylstilbestrol monoethylether, synthesis, 178
- 3-5-Diethyl toluene, physical constants, 953
- Diisopropyl, manufacture, 622
- 2:4-Dimethyl-6-(*trans*-2:2:6-trimethylcyclohexyl)-pyridine, synthesis, 1448
- 2-2-Dimethylbutane, thermodynamics, 957
- 2:5-Dimethylfuran, blending octane numbers, 621
- 2:2-Dimethylpentane, boiling point, 1405
- 2:4-Dimethylpentane, boiling point, 1405
- Dinitro-*o*-cresol, fungistatic activity, 313
- Diolefins, manufacture (P), 488
- "Distex" distillation process, 922, 1095, 1101, 1102
- Distillation :  
 azeotropic :  
   for toluole recovery, 686  
   theory, 64  
 binary mixtures, 927  
 bubble-cap trays, drum-spout (P), 681  
 compression, 474  
 control variables in, 137  
 Distex process, 922, 1095, 1101, 1102  
 crude oil evaluation curves, 63  
 extractive :  
   for separation of  $C_4$  hydrocarbons, 926  
   theory, 64  
 fractionation columns :  
   control, 946  
   design, 564  
   operation, 564  
 gas-liquid equilibria, 928  
 laboratory columns, 1285  
 light hydrocarbons, 923  
 pipe stills :  
   arrangement, 1260  
   thermal computations, 1258, 1259  
 side reflux, 144  
 stripper and bottom temperatures, 65
- Distillation—*cont.*  
 tertiary mixtures, 927  
 vaporization curves, correlation of A.S.T.M. and high-pressure, 143
- Dodecane :  
 hydrogen solubility, 1415  
 solubilities, 174  
 vapour pressure and boiling point, 288
- Dotriacontane, solubilities, 174
- Dow process for styrene production, 943
- Dowty liquid spring, 631
- Drilling :  
 Californian methods, 771  
 casing, landing practice, 859, 860  
 cementing, 540  
   engineering problems, 1035  
   formula tables, 112  
   mathematics of, 1036-1039  
   multi-stage, 861, (P), 1034  
   plastic, 1034  
   squeeze, carnotite as tracer, 111  
   waiting time determination, 340, 746  
 coring, diamond, 341  
 cost-time analysis, 105  
 counterflush, 1205  
 crew training on deep well, 230  
 cutting, porosity testing, 651  
 deep, 862  
   data from, 230  
   economics, 438  
   in Appalachian fields, 1030  
 directional, 853  
   as exploratory tool, 20  
   from artificial islands, 745  
 geologist's duties, 1023  
 high-pressure, 852, 1024  
 lateral, 1199  
 logging :  
   mud-analysis, 1042, 1350; radio-active, 461  
 marine, 1202  
 mud fluid :  
   carboxymethylcellulose, in, 1041  
   chemical treatment, 854, 1040  
   materials for, 441  
   measurement (P), 1209  
   oil-base, 744, 856, 857, 1043  
   (P), 241, 667, 1209  
   properties, 1357  
   requirements, 1041  
   viscosity, arsenates effect, 441a  
 water-base, 855  
 mud pump speed variation, 858  
 penetration rate, 850  
 safety programme, 338  
 time reduction, 1206  
 water pH control, 883  
 water shut-off :  
   cement substitutes, 339  
   plastic plugging, 1360  
   Resinite Seal, 339  
 water treatment (P), 1069  
 well shooting, 443
- Drilling equipment :  
 bailer line measurer (P), 126  
 barge, U-shaped, 1207

Drilling equipment—*cont.*

- belting, rating of, peak-torque method, 32
- bits, 108 (P), 126, 667, 883, 1069
- boiler water feed (P), 1209
- borehole indicator (P), 126
- boring head (P), 126, 883
- British manufacture, 1026
- caissons, flitable (P), 751
- casing :
  - centering (P), 241
  - expander (P), 126
  - lateral (P), 751
- casing slips, 655
- cement, acid proof (P), 751
- cement basket (P), 667
- cementing (P), 241, 1209
- closure, high-pressure (P), 751
- clutch mechanism (P), 1069
- completion apparatus (P), 241
- core barrel, side wall (P), 241, 1069
- core taker (P), 126
- corrosion protection, 232, 342, 526, 874, 1054, 1208, 1234
- deflecting tool (P), 1069
- depth measurer (P), 1069
- derrick :
  - for sea drilling, 851
  - portable, for use on water locations, 849
  - portable (P), 1209
  - skidding of, 653
- drill pipe :
  - inspection, 1356
  - re-jointing, 750
- drill pipe slips, 655
- drill pipe spinner (P), 1069
- drill pipe wiper (P), 667
- dump bailer (P), 883
- dynamometer (P), 751
- fishing equipment (P), 751
- float-collar (P), 667
- fluid pressure regulator (P), 883
- grab (P), 667
- head, pressure, 1069
- hook-wall packer (P), 126
- hydraulic (P), 241, 883, 1069
- Ideco Powerhoist M-10,000 rig, 106
- inclinator (P), 1209
- log :
  - acoustic (P), 751
  - electric (P), 126, 241, 883, 1069, 1209
- lubrication, 109
- marine, 337
- mechanical safeguards in, 21
- motor, fluid pressure (P), 883
- mud-screen, 1203
- overshot, washover (P), 883
- packer (P), 883
- pipe joint (P), 883
- plug (P), 883
- power :
  - electric, 1233
- power plant (P), 1209
- unitized, 1028, 1031
- pressure control (P), 1069
- pump, booster (P), 751

Drilling equipment—*cont.*

- rig :
  - deep drilling, 442
  - diesel, 22-24, 1025
  - gas-powered, 654
  - improved, 748
  - mechanical, 1027
  - (P), 751, 863
  - portable, 107, 229, 1029, 1204
  - unitized, 654
- rig floors, unitized, 747
- rotary, 846
  - mechanical, 336
  - pneumatic-controlled, 847
  - with hydraulic jacks, 848
- rotary jar (P), 241
- rotary jet gun (P), 126
- sampler, side-wall (P), 241
- sand pump, vacuum (P), 1069
- sand slurry valve (P), 883
- sheave mounting for masts (P), 241
- Shrewsbury column, 337
- slush pump piston-rod lubricators, 110
- steam, layout, 749
- subsurface flaw detection (P), 1209
- surveying (P), 126, 667, 883, 1069
- swivel joint (P), 751, 883
- tool guide (P), 241
- tool-joints, flame-hardening, 440
- tool lock (P), 1069
- tool movement measurer (P), 751
- transmission (P), 1209
- transmission dynamometer (P), 883
- tubing racks, unitized, 747
- underreamer (P), 126, 883, 1069
- well anchor (P), 126
- well cleaner (P), 1069
- weight indicator (P), 667
- Drying oil, from naphtha reformer tars (P), 994
- manufacture (P), 796
- Duosol process :
  - use in Germany, 690
- Ecuador :
  - exploration, 326, 327, 436, 536, 553, 780
  - geological problems, 1023
  - Guayaquil Estuary, geology, 1181
  - production, 51, 364, 1074, 1243
- Edeleanu process, 690, 691
- Egypt :
  - exploration, 251, 1019
  - production, 58, 252
- Ellagene hydrocarbon, 274
- Emulsification :
  - principles, 808
  - processes, 1137, 1138
- Emulsions, bituminous, 1144
- Emulsions, oil-in-water, ultrasonic, 528, 1154
- Engines :
  - aircraft, 1310-1313
    - comparison, 1309
    - piston-ring sticking, 515
  - Ring ignition process, 1453
  - water injection, 733
- Allis-Chalmers gas turbine, 1164

Engines—*cont.*

- Alvis Leonides, 826
- Armstrong-Siddeley Mamba, 1307
- athodyd, 1163
- automotive, lubricating oil requirements, 305
- bearings :
  - aluminium alloys for, 1167
  - corrosion, 509, 510, 989, 990
  - testing, 1161
- Bristol Theseus I, 1306
- De Havilland Goblin, 1007
- Derwent I, 1459
- diesel :
  - combustion, 1160
  - combustion study by slow motion, 192
  - fuel effect on performance, 623
  - German, 824
  - knock cause, 192
  - temperature effect on bearing life, 988
- Thahold-Shaffer aircraft, 1304
- Fiat 18000 b.h.p. 1303
- filters for, 512
- gas turbines, 97, 730, 732, 828, 1310
  - British, 637
  - combustion, 638
  - combustion system manufacture, 1166
  - developments, 1455
  - marine, 827, 1308
  - nozzle-ring assemblies, 1314
- General Electric 1-10 gas turbine, 636
- Jameson, 734
- jet, 1165, 1305
  - combustion, 1006, 1009
  - evaluation, 1005
  - fuels for, 731
  - lubricants, 197, 305
  - lubricating system, 197
- lead effect on cobalt valves, 977
- marine, 735, 736
  - Elliott Lysolm gas turbine, 735A
- Napier Sabro, 1008
- Napier Tempest, 1008
- performance, fuel distribution effect, 1159
- piston ring problems, 423-425
- Rolls-Royce Merlin, 1162
- Rolls Royce Nene I, 829
- supercharging, 825
- Theseus I, 1458
- Ester waxes :
  - from lignite, 318
  - from peat, 318
- Esters, salicylic acid (P), 1403
- Ethane :
  - acrylonitrile from (P), 995
  - chlorination (P), 796
  - hydrate composition, 1118
- Ether :
  - as ignition agent, 1453
  - manufacture (P), 1403
- Ethyl alcohol :
  - antiknock quality, 508
  - from refinery ethylene, 315

## Ethylbenzene :

- from alkylbenzene (P), 1403
- from benzene (P), 1403
- physical constants, 953
- thermodynamic properties, 604
- vapour pressure and boiling point, 288
- Ethyl bromide, fire extinguisher (P), 945
- Ethyl chloride, from ethylene (P), 796
- Ethylcyclohexane, heat of combustion, 1108
- Ethylcyclohexanol, ethylenic alcohols from, 73
- Ethylcyclopentane, heat of combustion, 1108
- Ethylene :
  - chemical raw material, 206
  - ethyl alcohol from, 315
  - ethyl chloride from (P), 796
  - ethylene glycol from, 524, 711
  - isobutane from, 796
  - polymerization (P), 796
  - sources, 206
  - synthetic lubricants from, 982
  - thermodynamic properties, 1267, 1268
- Ethylene glycol, from ethylene, 524, 711
- F.I.D.O. fog dispersal, 429, 430
- Fatty acids. *See* Acids, Fatty.
- Fatty oils, sulphation, 392
- Fertilizer, ammonium nitrate from natural gas, 1158
- Filters :
  - engine, 512
- Filters :
  - oil, principles, 1436, 1437, 1456
- Fires, oil, wartime, 493
- Fischer-Tropsch Process : 71, 412, 482, 484, 976
  - lubricating oils from, 1397, 1401
  - middle oil, cracking of, 1104
  - products from, 1106
  - use in Germany, 484, 1106, 1400, 1401
- Fischer-Tropsch wax, oxidation, 205
- Fish oils, sulphation, 392
- Fisher-Irany viscometer, 1120
- Flame devices, wartime, 430
- Flame throwers, gelled fuel for, 518
- Florida, exploration, 1326
- "Florigel" fuller's earth, 577
- Flue gases, smoke ratings, Incham instrument, 978
- Fluid flow :
  - air, friction coefficient, 1082
  - chart calculations by square-root planimeter, 150
  - chart reading, 151
  - chart reading by integration, 149
  - dimensional analysis, 703
  - gas pulsation corrections, 1386
  - gases in pipes, isothermal, 559
  - hydrodynamics, 239
  - in pipes, 563
    - design problems, 466
  - in porous media, viscosity relationship, 864
  - manometer readings, slide rule conversion, 138

Fluid flow—*cont.*

- orifice meter maintenance, 489
- orifice meter operation, 272
- plastics, through pipes, 1033
- rotameters, 582
- statistical mechanical theory, 1279
- turbulent :
  - flow equations, 1383
  - velocity distribution, 1083
- underground, factors affecting, 458
- use of electrolytic models, 120, 124, 453
- viscosity relationship, 864

## France :

- asphalt, 1296
- exploration, 1335-1337
- natural gas, utilization, 1335-1337
- oil industry, 1316
- production, 900, 901, 1080
- synthetic lubricating oil plants, 485
- "Fras" fuel for flame throwers, 518

## Freezing point :

- dilute solutions, measurement, 163
- pure hydrocarbons, 401

## French Equatorial Africa, petroleum prospects, 1343

## Friction, sliding, high pressure, 1135

## Fuel oil :

- boiler and diesel, 1295
- burner :
  - additives, 822
  - domestic, 304
- combustion, 1283, 1422
- composition, 1421
- cracked :
  - burning, 1294
  - carbon-hydrogen ratio, 1133
  - gum content determination, 719
  - manufacture (P), 1403
  - properties, 1423
  - storage, 1384

## Fuels, alternative, 418

## Fuller's earth, properties, 577

## Furfural :

- for extractive distillation of  $C_4$  hydrocarbons, 926
- pentadienes from, 285
- Furfural process, use in Germany, 690

## Galicia, production, 1381

Gas, natural. *See* Natural gas.

## Gas dynamics, heat capacity lag, 1277

## Gas-liquid equilibria, 928

## Gas oil :

- catalytic cracking, 566
- cracked, refining (P), 1403
- oxidizing cracking, 568

## Gases :

- absorption, preferential (P), 1403
- analysis, 1284
  - by infra-red, 1123
- dehydration by diethylene glycol, 574

Gases—*cont.*

- measurement, pulsation corrections, 1386
- multimolecular absorption, 802
- thermal conductivity measurement, 1419

## Gasoline :

- aromatic (P), 1403
- aromatics extraction (P), 1403
- additives, 822
- aviation :
  - fuel sensitivity and engine severity, 1454
  - isohexane and isoheptane components, 685
  - (P), 1403
  - production at Abadan, 1094
  - safety, 405, 1131 (P), 1403
- blending (P), 796
- cracked, quality, 566
- from natural gas, 1129
  - Hydrocel process, 1129, 1395
- gelled, for flame throwers, 518
- gum in, storage tests, 810
- lead susceptibility :
  - effect of organic chlorine and sulphur, 303
  - improvement (P), 796
- leaded :
  - effect on cobalt valves, 977
  - tetraethyl lead removal (P), 795
- Mercapsol process for sulphur removal, 483, 702
- mercaptan removal by Unisol process, 147
- natural :
  - antiknock properties, 1132
  - orifice meter measurement, 947
  - octane number, effect of organic chlorine and sulphur, 303
  - octane rating improvement, 1293
  - oxidation inhibitors, 172, 320, 1130
  - polymer (P), 796
  - postwar, composition and anti-knock performance, 193
  - recovery from wet cycle gas, 477
  - storage loss control, 1385
  - substitutes, knock ratings, 508
  - tetraethyl lead determination, 971
  - toluol from (P), 796
- Gasoline-air mixtures, molecular weight determination, 1385
- Gasoline sludge, sulphur compounds from, 620
- Gelled fuel for flame throwers, 518
- Geochemical prospecting :
  - new phases in, 104
  - use in oil search, 1021
- Geophysical surveying :
  - electrical, 649
  - electronic, 538, 1349
  - emanometric, 648
  - German developments, 1355
  - gravimeters, 1022, 1354
  - India, 650
  - Louisiana, 1353
  - magnetometer, airborne, 1196, 1348

- Geophysical surveying—*cont.*  
 method and apparatus (P), 883  
 magnetometric, structural interpretation, 18  
 mud analysis logging, 1042, 1350  
 Petromer instrument, 1349  
 radioactivity, 1197, 1198  
 seismographic, 743  
   recorder (P), 751  
   use in California, 1352  
 submarine, 228, 845, 1351  
 war's influence on, 19
- Germany :  
 aviation fuel production, 697  
 carbide chemicals manufacture, 414  
 chemicals in war-time, 86  
 diesel engines, 824  
 Fischer-Tropsch plants, 484, 1106, 1400, 1401  
 fuel technology secrets, 638-640, 1001, 1002, 1452  
 geophysical prospecting developments, 1355  
 hydrogenation plants, 484, 1105  
 lubricating oil technology, 629, 690, 691, 698, 814, 984, 985, 1136, 1137  
 Montan wax industry, 421  
 oil from coal plants, 391  
 oil industry, 1170  
 oil potentialities, 902  
 petroleum industry in Hamburg area, 431  
 production and refining, 472, 1378, 1464  
 solvent extraction developments, 690, 934  
 synthetic rubber production, 92, 1400  
 wax from tar distillate, 821
- Girbotol desulphurization process, 702  
 "Glascroft" pipes, 368  
 Glass, optical, plastic, 215  
 Glycerol, from propylene, 524, 711  
 Gray desulphurization process, 702  
 Grease, lubricating. *See* Lubricating grease.
- Great Britain :  
 coal-oil chemical production in north-east, 209, 210  
 drilling rig manufacture, 1026  
 exploration, 10, 898, 1188, 1338, 1379, 1380  
 fiscal support for petroleum-chemicals, 321  
 lignite, ester waxes from, 318  
 Manchester Oil Refinery Ltd., 1465  
 oilfields, 60, 547  
 petroleum trade, 98, 738, 739, 832, 1003, 1319-1321, 1467, 1468  
 petroleum war devices, 429  
 production, 905  
 refining, 1318, 1466  
 synthetic wax manufacture, 522  
 diesel oil, 76
- Gun oil (P), 1403
- Haiti, exploration, 844, 1017
- Heat transfer :  
 film transfer rates, 783  
 in annular spaces, 914  
 pipe and wire coefficients, 264  
 Helium, thermal conductivity, 1412  
 Heptadecane, solubilities, 174  
 Heptane, vapour pressure and boiling point, 288  
*bicyclo*-(2 : 2 : 1)-Heptane, *t*-butylchloride reaction, 594  
 isoHeptane, production at Abadan, 685  
*n*-Heptane :  
   isobutane from, 1110  
   phase changes, 1275  
 Hexadecane, solubilities, 174  
 Hexalin, solvent, manufacture and use, 208  
 Hexane :  
   as soybean solvent, 520  
   vapour pressure and boiling point, 288  
*cyclo*Hexane :  
   heats of formation and combustion, 1266  
   heat of combustion, 1108  
   oxidation inhibitors, 320  
   vapour pressure and boiling point, 288  
*cyclo*Hexane-*cyclo*hexene, vapour-liquid equilibrium, 1113  
 isoHexane, production at Abadan, 685  
 neoHexane, vapour-phase nitration, 1402  
 1-Hexanol, dehydration, catalytic, 283  
*cyclo*Hexanol, solvent, manufacture and use, 208  
 Hexenes, thermodynamic properties, 1267, 1268  
 Hexenes, thermodynamic properties, 1267, 1268  
 High pressure reactions, 797  
 Holland :  
   Coevorden developments, 899  
   exploration, 329  
   production at Drenthe, 59  
 Houdry desulphurization process, 702  
 Hungary :  
   exploration, 1339, 1340  
   production, 1245, 1469  
 Hydraulic coupling (P), 419  
 Hydraulic oils, 631, 1460 (P), 1403  
 Hydrocarbons :  
   acetylene, thermodynamic properties, 605  
   aliphatic :  
   aromatization, 1111  
   physical properties, 609, 704  
   reactions with sulphur, 1394  
   solubilities, 174  
   aromatic, catalytic cracking, 397  
   dealkylation, 938  
   determination, 713  
   in aqueous solutions, determination, 970  
   manufacture (P), 1403  
   monomercured products, 1398, 1399  
   mononuclear, boiling point, 1114  
   non-benzenoid, 279  
   spectroscopic analysis, 167  
   reduction by calcium ammonia, 165  
   analysis, spectroscopic, 167, 805

Hydrocarbons—*cont.*

- benzenoid, ethylene oxide action, 1264
- C<sub>4</sub>, separation, 926
- C<sub>4</sub> to C<sub>6</sub>, separation (P), 796
- C<sub>4</sub> to C<sub>8</sub>, isomerization (P), 796
- C<sub>8</sub> to C<sub>12</sub>, temperature-density relation, 1413
- C<sub>8</sub> to C<sub>12</sub>, olefin removal (P), 796
- compressibility, 586
- cyclodehydration, 1274
- desulphurization, 702
- determination of in soil, 104
- effect on human body, 1265
- ellagene, 274
- enthalpies, nomographs for, 175
- freezing point determination, 401
- mono-olefin :
  - oxidation, 710
  - thermodynamic properties, 1267, 1268
- naphthene :
  - catalytic cracking, 280
  - density-refractive index correlation, 965
  - determination, 713
- olefin :
  - alcohols from by Oxo process, 521
  - alkylation, 169
  - amination (P), 488, 796
  - bromoform addition, 591
  - carbon tetrabromide addition, 591
  - chemicals from, 1148
  - cracking, catalytic, 173
  - dehydrogenation (P), 796
  - fluorine addition, 598
  - from aldehydes and ketones, 72
  - from isobutane by cracking, 386
  - gaseous, separation (P), 796
  - isomerization (P), 1403
  - knock ratings, 508
  - methylcyclopentane addition, 597
  - reaction with ammonia (P), 1403
- organic peroxide determination, 964
- oxidation, 583-585, 1115-1117, 1269, 1270
- paraffins :
  - alkylation, 588
  - dehydrocyclization, catalyst poisoning, 589
  - density-refractive index correlation, 965
  - determination, 713
  - gaseous, knock ratings, 508
  - isomerization, 590 (P), 796, 1403
  - oxidation, 205
  - physical constants, 287
  - purification and properties, 709
  - solubilities with hydrogen fluoride, 1112
  - vapour pressure and boiling point, 288
- isoparaffins :
  - alkylation, 169
  - synthesis, thoria-alumina catalysts for, 432
- paraffin-naphthene mixtures, naphthene ring analysis, 966

Hydrocarbons—*cont.*

- phase equilibrium constants, calculation, 494
- phenylation, 601
- polycyclic aromatic, cyclohexylation, 1273
- polymethylene, melting points, 1414
- pure, from petroleum, 1101, 1102
- saturated, density-refractive index correlation, 965
- straight-chain, isomerization (P), 1403
- unsaturation evaluation, 712
- Hydrocel process for gasoline from natural gas, 1129, 1395
- Hydroforming, elements of, 475
- Hydrogen :
  - analysis, 1284
  - manufacture, 917
  - thermal conductivity, 1412
- Hydrogen fluoride, catalytic effect on alkylation, 169
- Hydrogen halides, recovery (P), 1403
- Hydrogen-oxygen reaction, thermal reaction, 800
- Hydrogen sulphide, toxicity, 1265
- Hydrogenation :
  - nickel catalyst poisoning, 148
  - plants in Germany, 484, 1105
- Hydrometers, modulus of, 792
- Hypoid gear, development and lubrication, 513
- Ideco Powerhoist M-10,000 drilling rig, 106
- Illinois, Maltoon field, 1176
- Incham instrument for flue gas rating, 978
- India :
  - geophysical survey, 650
  - Joya Mair developments, 842, 1020
  - production, 906
- Insecticides :
  - benzene hexachloride, toxicity, 204
- D.D.T. :
  - chromine analogs, 611
  - colorimetric determination, 299, 717
  - efficacy in soap, 214
  - for hornfly and tick control, 996
  - for mosquito control in rice fields, 998
  - hydrogen chloride elimination, 610
  - larvacidal action, 81-83
  - light effect on residual properties, 997
  - solubility in kerosene, 1151
  - solvents for, 203
  - chemical composition, 292
  - toxicity, 84, 204, 312, 314
  - uses, 632, 1299-1302
- dinitro-o-cresol, activity, 313
- fly sprays, 411, 633
- grub control on dairy cattle, 85
- liquified gas aerosols, tests, 975
- $\beta$ -methallyl chloride, 88
- mosquito control, mineral oil films, 999
- propylene dichloride, 89
- pyrethrum, toxicity, 204
- synthetic, in war-time Germany, 86
- toxicity comparisons, 204

- Insulating oil :  
 cable, phenomena in, 987, 1442  
 water content determination, 398
- Interfacial tension, minima in curves, 161
- Iran :  
 Abadan refinery, 260, 1292  
 aviation fuel output, 685, 1094  
 developments, 128  
 production, 365, 909, 1248
- Iraq :  
 developments, 127  
 pipeline, new, 909
- Iron, estimation, 77
- Isomerization :  
 catalysts for, 146 (P), 796  
 fundamentals of, 481  
 pentane, 69, 390
- Isoprene, mercury reactions, 960
- Isopropylbenzene (P), 796
- Italy :  
 exploration, 1189, 1190  
 refineries, 920
- Japan :  
 Petroleum Advisory Board, 1169  
 petroleum needs, 1169  
 production, 1247
- Jet engines. *See* Engines, jet.
- Kerosine :  
 aromatics extraction (P), 1403  
 burning test, 806  
 char value, 806
- Knock rating :  
 gasoline substitutes, 508  
 reference fuel scale development, 507
- Knocking. *See* Detonation.
- Korea, developments, 1085
- Kuwait, developments, 673
- Lead, corrosion by oxidizing agents, 185
- Light, depolarization, 393
- Lignite, waxes from, 318, 421
- Limonene, distillation, 282
- Linear simultaneous equations, computer for, 804
- Liquified petroleum gas :  
 storage equipment (P), 1255  
 tests as aerosols, 975  
 U.S. consumption, 974  
 U.S. sales, 618  
 uses, 720, 721
- Liquids, sound velocity relationship to other properties, 157
- Locomotives, oil-burning on G.W.Rly., 427
- Louisiana :  
 East Hackberry, pressure maintenance, 36  
 exploration, 1347  
 geophysical exploration, 1353  
 Lafitte oilfield, 131
- Lubricants :  
 additives, 822, 1136, 1137  
 ethyl oxalate, 196  
 oxalic acid, 196  
 (P), 627, 796, 1403
- Lubricants—*cont.*  
 phosphorus sulphide (P), 723  
 sulphonic derivatives as, 194  
 benzaldehyde (P), 796  
 cutting oil (P), 796  
 deasphaltizing, 689, 933  
 definition, 1140  
 density-viscosity correlation, 603  
 dental instrument (P), 796  
 detergents in, action of, 513  
 dewaxing (P), 1403  
 extreme pressure :  
 chlorine and sulphur effect, 1432  
 mechanical tests, 724  
 synthetic (P), 942  
 filtration, 1436, 1437, 1456  
 fractions in crude, evaluation, 505  
 from Fischer-Tropsch products, 1104, 1106, 1397, 1401  
 gear (P), 945  
 German developments, 629, 690, 691, 698, 814, 984, 985, 1136, 1137  
 jet-propulsion engine, 197, 305  
 low-temperature viscosity, 625  
 manufacture (P), 1403  
 metals in, determination, 187  
 motor, flash-point, 1124  
 mould, wax, 1142  
 neutralization number :  
 interpretation, 616  
 non-petroleum, 195  
 oxidation, 294, 813  
 oxidation inhibitor (P), 796  
 oxidant resistant (P), 942  
 oxidation stability and chemical constitution, 306  
 post-war car requirements, 305  
 pour point, testing, 718  
 pour point improver, Acryloid, 150, 981  
 pour point depressant (P), 796  
 refining, 793  
 rust preventing (P), 796  
 silicone, 722  
 bearing tests, 812  
 hydraulic tests, 811  
 solvent dewaxing, 933  
 spreading tendencies, 1435  
 sulphonic acid metal soap from (P), 796  
 synthetic, 624, 1431  
 ester oils, 985  
 French plants, 485  
 from ethylene condensation, 982  
 German developments, 698, 814, 984, 985  
 low-temperature viscosity, 511  
 manufacture (P), 1403  
 "Ucon," 624, 983  
 testing, four-ball instrument, 807  
 turbine (P), 419  
 used, viscosity change charts, 626  
 viscosity anomalies at low temperatures, 406  
 viscosity/blending chart, 1121  
 viscosity index improver (P), 942  
 water content determination, 398  
 wetting oils, heat on metal surfaces, 986

- Lubricants—*cont.*  
 wool, self-scouring, 1143  
 Lubricating greases :  
   bearing test, 614  
   lithium soap (P), 725  
   manufacture (P), 796, 1403  
   silicone, 527  
   soap identification, 198  
   viscosity characteristics, 1417, 1418  
 Lubrication :  
   bearing :  
     film thickness, 1438  
     oil film whirl, 1434  
   contact inhibition, 307  
   extreme-pressure, organic chlorine and sulphur action, 500  
   film, of spheres, 807  
   hydrodynamic, inertia rôle, 1433  
   hypoid gear, 514  
   jet-propulsion engines, 197  
   principles, 1427, 1428  
   steam turbines, 1136B, 1139, 1440, 1441  
   vade mecum, 78, 407, 516, 628, 726, 1141, 1429  
 "Lucite," plastic from petroleum, 316  
 Lurgi Process, 70
- Machining metals, power saving (P), 419  
 Measurement, oil, 792  
 Mercaptol desulphurization process, 483, 702  
 Mercaptans :  
   estimation, 716  
   copper alkyl phthalates for, 298  
   molecular weight, 1286  
   removal, Unisol process, 147  
 Mercurous perchlorate, as volumetric reagent for iron, 77  
 Metal soap, sulphonic acid (P), 796  
 Metal sulphionate, alkaline (P), 796  
 Metering :  
   control equipment, 491  
   gas, pulsation corrections, 1386  
   remote control, 490  
 Meters :  
   differential type, 786  
   orifice. *See* Orifice meters.  
 Methallyl chloride, insecticide, 88  
 Methane :  
   acetylene from by electric arc cracking, 486  
   acrylonitrile from (P.), 995  
   analysis, 1284  
   as motor fuel, 70, 1450, 1461  
   British research, 70  
   chlorination, 86  
   deuterons effect, 707, 708  
   hydrate composition, 1118  
   liquid, transport, 1461  
   thermal conductivity, 1412  
 Methoxone, weed killer, 91  
 3-Methyl-1-butyne, thermodynamic properties, 605  
 Methylcyclohexane, thermodynamic properties, 607, 1108  
 Methylcyclohexane-toluene-aniline, analysis, 714
- Methylcyclopentane, thermodynamic properties, 607, 1108  
 5-Methylpicene, synthesis, 183  
 13-Methylpicene, synthesis, 183  
 $\alpha$ -Methylstyrene, polymerization, 396  
 Mexico :  
   exploration, 12, 246  
   new gas-distillate discovery, 223  
   pipeline programme, 1084  
   production, 244, 247, 1244  
   refineries, 682  
 Middle East :  
   aviation fuel manufacture, 1292, 1420  
   developments, 556  
   pipeline programme, 1084  
   production, 57, 129, 895  
 Migration of oil, 231  
 Mirasol process, use in Germany, 690  
 Mississippi, co-operative operation, 752  
 Molecular weight, determination by photoelectric method, 798, 801  
 Molecules, energy levels and thermodynamic functions, 1406  
 Monel metal, corrosion resistance, 576  
 Mosquito control :  
   D.D.T. emulsion, 998  
   mineral oil films, 999  
 Motor fuel :  
   alcohol blends, water tolerance, 275  
   methane, 70, 1450, 1461  
   substitute, 619  
   *See also* Gasoline.  
 Multimolecular adsorption :  
   gas mixtures, 1408  
   mechanics, 1407
- Naphthalene :  
   in absorber oil, determination, 969  
   sulphur determination, 188  
 Natural gas :  
   absorption :  
     high-pressure, 1096  
     plants, 929-931, 1261  
     ammonia from, 404  
     ammonium nitrate from, 1158  
     chemicals from, 317, 413, 809  
     combustion, flameless, 170  
     condensate recovery, 1387  
     dehydration by diethylene glycol, 384, 497, 574  
     gasoline recovery, 976, 1387  
     Hydrol process, 1129, 1395  
     propane refrigeration, 687  
     helium detection, 1219  
     hydrogen sulphide and carbon dioxide determination, 967  
     plastic from, 94  
     transport, costs, 1254  
     utilization, 412, 506, 809  
 Natural gas-crude oil mixture, vapour-liquid equilibria, 171  
 Natural gasoline :  
   antiknock materials from, 1132  
   orifice meter measurement, 947  
   recovery, 687, 976, 1129, 1387, 1395  
 Nebraska, pre-Pennsylvanian stratigraphy, 100

- Netherlands East Indies :  
 geology, 1346  
 petroleum industry, 1403  
 production, 1346
- Netherlands West Indies, refineries, war-time operations, 259
- New Mexico, geology, 644
- Nicaragua, exploration, 646
- Nicrosil alloy, use in refinery plant, 140
- Nigeria, exploration, 1193
- Nitric oxide, thermal conductivity, 1412
- Nitrile compounds :  
 manufacture (P), 995
- Nitriles :  
 protection from autopolymerization (P), 995
- Nitrobenzene, vapour pressure, 1276
- Nitro-hydrocarbons, preparation (P), 578
- Nitrogen :  
 analysis, 1284  
 thermal conductivity, 1412
- Nitrogen bases, synthesis, 1448
- Nitroparaffins, manufacture (P), 796
- Nitrous oxide, thermal conductivity, 1412
- Nomenclature, Italian, 1168, 1470
- n-Nonane, vapour pressure and boiling point, 288
- North Carolina :  
 exploration, 642  
 geology and exploration, 4
- Nova Scotia, exploration, 102
- Nuclear fission :  
 general physics, 216  
 principles, 217  
 research developments applicable to refining, 473
- Occupational hazards, atmospheric contaminants, 428
- Octane :  
 solubilities, 174  
 vapour pressure and boiling point, 288
- Octane number, fluorine effect, 169
- 1-Octanol, dehydration, catalytic, 283
- Ohio, Chatham, water injection, 37
- Oil sand :  
 saturation measurement, 1045  
 wax saturation calculation, 769
- Oil shale :  
 developments in U.S.A., 211  
 thermal solution, 417  
 treatment, 416
- Oil-wax mixture, centrifugal separation (P), 796
- Oil wells :  
 abandoned, data to be considered, 766  
 deepest, 652, 774, 1237  
 two oldest, 125
- Oklahoma :  
 Cement pool, 839  
 deep drilling, 1201  
 western, oil prospects, 549
- Oregon, exploration, 2
- Organic compounds :  
 hydrogen determination, 399  
 oxygenated (P), 796
- Orifice meter :  
 for natural gasoline measurement, 947  
 maintenance, 489  
 operation, 272
- Origin of oil, bacteria function in, 740
- Orthoxylene, phthalic anhydride from, 818
- Oxidation :  
 lubricants, 294, 813  
 petroleum, aromatic-free, 1270  
 petroleum/xylene, 1269  
 xylene, 1269
- Oxidation inhibitors, Redwood products, 172, 320
- OXO synthesis, 207, 521, 1108, 1136
- Oxygen :  
 analysis, 1284  
 thermal conductivity, 1412
- Ozokerite, crystallography, 1446
- Paint remover (P), 1403
- Palestine, petroleum trade, 1471
- Palladium catalyst, heat deactivation, 73
- Peat :  
 ester waxes from, 318  
 thermal solution, 417
- Penetron corrosion detector, 684, 951, 1065
- Pennsylvania, geology, 1015
- Pentadienes, from furfural, 285
- Pentane :  
 fractionation column calculations, 923  
 in absorber residue gas, determination, 968  
 isomerization, 69, 390  
 vapour pressure and boiling point, 288
- cycloPentane :  
 thermodynamic properties, 607, 1108, 1266
- vapour pressure and boiling point, 288
- n-Pentane :  
 isomerization, oxygen effect, 956  
 isomerization (P), 796
- neoPentane :  
 from isobutylene (P), 796  
 vapour-phase nitration, 1402
- Pentenes, thermodynamic properties, 1267, 1268
- 1-Pentyne, thermodynamic properties, 605
- 2-Pentyne, thermodynamic properties, 605
- Periston, 86
- Peroxides, organic, in hydrocarbons, determination, 964
- Peru, exploration, 51, 553, 781
- Petroleum geology :  
 aerial photography, 1175  
 bacteria function in oil formation, 740  
 "geological fence," 1324  
 geologist's duties during drilling, 1023  
 oil contact of stratum, calculation, 1325  
 oil search, geotechniques, 1021  
 prospecting methods, 1048, 1049
- reservoirs :  
 classification, 833  
 convex-trap, 641  
 displacement, 1323  
 fault-trap, 1174

- Petroleum geology—*cont.*  
 reservoirs—*cont.*  
   fault-wedge, 1011, 1012  
   feather-edge-porosity, 835  
   lenticular, 836  
   permeability trap, 834  
   pinch-out trap, 1173  
   rocks, porosity determination, 454  
   salt domes, occurrence, 1172  
   soil analysis by radiant energy (P), 751  
   water analysis interpretation, 113
- Petroleum industry :  
   effect of wartime developments, 451  
   international outlook, 1010
- Petroleum prospecting method (P), 883
- Petroleum/xylene, oxidation, 1269
- Petromer geophysical instrument, 1349
- Phthalic anhydride, from *o*-xylene, 1297
- Phenanthrene :  
   cyclohexylation, 1273  
   reaction with ethyl diazoacetate, 600
- Phenol extract, resin from (P), 796
- Phenolate desulphurization process, 702
- Phenols :  
   alkylated (P), 796  
   alkylation (P), 1403  
   hindered, 164  
   in benzene solution, molecular condition, 163  
   in benzene solution, freezing points, 163  
   petroleum-tar, treatment (P), 796
- Philippines :  
   developments, 1085  
   exploration, 843, 1018, 1194
- Phthalic anhydride, from orthoxylene, 818
- Phosphorylation, studies on, 74
- Picene, synthesis, 183
- 13-Piceneol, synthesis, 183
- Pipelines :  
   Alaska Highway, 369  
   coatings, dielectric strength, 367  
   communications, radio, 1253  
   corrosion :  
     detection by Penetron, 684, 951, 1065  
     protection, 61, 132, 371, 557, 791, 1065  
   design, 133, 257  
   fluid flow problems, 466  
   Iraq, 784, 909  
   laying in shifting sands, 1251  
   leak measurement (P), 1255  
   natural gas, cost, 1254  
   patrolling by air, 1252  
   "Pluto," 370, 372, 429  
   pump pressure control (P), 1255  
   pumping various products, 366  
   reconditioning, 558  
   submarine, replacement, 907  
   throughput calculation for multiple use, 908  
   world construction programme, 1084
- Pipes :  
   asbestos-cement, 368  
   corrosion-resistant, 368  
   "Glasscrete," 368  
   rustless, 368  
   Saran, 263
- Plasticity, theory, 706
- Plastics :  
   for chemical plant construction, 916  
   from petroleum, 90, 316, 1152, 1153, 1447, (P) 796  
   Teflon, 823  
   U.S. production statistics, 422  
   "Plexiglas," plastic from petroleum, 316  
   "Plioflex," plastic from petroleum, 316  
   "Pluto" pipelines, 370, 372, 429  
   Plutonium, effects on petroleum industry, 217
- Poland, exploration, 1246
- Poly(cyclohexylmethacrylate, glass substitute, 215
- Polyethylene, manufacture (P), 419
- Polythene, properties, 699
- Polymer solutions, depolarization of scattered light, 393
- Polymerization :  
   catalysts for, 146  
   olefin conversion nomogram, 794  
   plant conversion, 940  
   poly-forming process, 1099
- Polymers :  
   high, molecular weight, 177  
   high, thermal expansion, 176  
   molecular weight determination, 798, 801  
   vapour diffusion through, 1409  
   viscosity measurement, 1119
- Polymethylbenzenes, hydrogenation, 155
- Polystyrene, glass substitute, 215
- Polysulphide rubbers, stress-time-temperature relations, 963
- Polythene, synthesis from petroleum, 316
- Polyvinylidene chloride, manufacture, 95
- Polyvinylpyrrolidone, plastic, 212
- Pott-Broche coal extraction process, 523
- Prestone, non-petroleum lubricating oil, 195
- "Probolog," for examination of exchanger tubes, 377
- Propane :  
   as refrigerant for natural gasoline plants, 687  
   chemicals from, 1149  
   hydrate composition, 1118  
   thermodynamic properties, 499
- cycloPropane, thermodynamics, 958
- Propane deasphalting, 688, 689, 933
- 1:2-Propanediol, vapour pressure, 1276
- 1-Propanol, vapour pressure, 1276
- Production :  
   abandoned wells, factors affecting, 464  
   acid treatment, selective, 358  
   acidizing effect, 869  
   air-gas drive, behaviour prediction, 456  
   air-injection, 1229  
   bottom-hole pressure, static, 1215  
   bottom-hole pressure determination, 353  
   Californian methods, 771  
   choke, size effect, 658  
   clay research, 465  
   cleaning of wells, marble torpedoes for, 33, 34

Production—*cont.*

- condensate :
  - phase equilibrium data, 865
  - reserves, evaluation, 354
- co-operative operations, 752
- core analysis :
  - statistical methods, 1047
  - vacuum distillation, 1051
- crude oil viscosity-temperature relationship, 1044
- cycling operations, 1214
- drive energy analysis, 452
- electric analyzer, 878
- flare gas reduction, 772
- flow :
  - back-pressure computations, 115
  - electrolytic models for, 120, 124, 453
  - factors effecting, 458
  - viscosity relationship, 864
- from tight formations, 666
- gas, world's highest pressure well, 773
- gas-condensate reservoirs, 770, 879
- gas conservation, 545
- gas cycling, distillate reservoir performance, 753
- gas drive, effect of fluid and rock characteristics, 457
- gas tracing, 1219
- gas injection, 664
- gas intrusion, plastics to prevent, 1050
- gas lift, 117, 240, 871
- gas-oil ratio :
  - control, 1359, 1360
  - U.S. average, 116
- gas recovery, 1218, 1358
- ground water development, 1212
- hydrocarbon recovery (P), 126
- instrument running in annulus of wells, 450
- interstitial and injected water interactions, 238
- Invasion Index, 1047
- method (P), 1235
- multiple-zone, 3, 352, 550, 657, 1220
- oil migration, 231
- oil sand porosity determination, 454
- oil saturation measurement, 1045
- oil-water mixture, gas lift, 871
- paraffin deposition control (P), 751
- paraffin removal, 872
- permeabilities, interference tests, 768
- phase behaviour of oil and gas, 114
- pressure maintenance by water injection, 36, 236
- producing zone isolation with plastic, 876, 877
- productivity index significance, 41
- pumping :
  - counterbalancing, 761, 762
  - directional wells, 873
  - electrical, 756
  - hydraulic, 1056
  - stripper-well, 1057
- rate, optimum, 25-31, 233-235, 343-347, 350, 446-448, 656
- records, use of, 356

Production—*cont.*

- recovery :
  - graph for estimating, 542
  - relation to well spacing, 356, 541, 663, 863, 1210
- repressuring, 662, 1361
- reserves, calculation, 460, 665, 1046, 1325
- reservoir control, 359
  - reservoir drainage, well interference, 1221
- reservoir engineering in 1945, 449
- reservoir evaluation, 752
- reservoir pressure measurement, 456
- salt water disposal, 35, 355, 462, 463, 1063, 1064, 1230-1232, 1362
- sand control by lacquer, 1217
- sands, water permeability, 121
- secondary recovery, 868, 1055, 1211, (P) 241, 667
  - control factors, 459
  - use of dryhole history, 755
- shoe-string sand, 763
- shot responsiveness, 764
- tests, well, 759, 767
- water analysis, 113
- water expulsion from tubing, 659
- water flooding, 36-39, 236, 237, 239, 758, 882
  - behaviour of input wells, 122, 239, 348, 349
  - breakthrough by-passing, 544
  - cost curves, 661
  - effective permeabilities, 764
  - efficiency, 1061
  - flowing v. pumping, 1222
  - hydrogen sulphide problems, 1060
  - injection pressure, 543
  - intake behaviour prediction, 757
  - intake well spacing, 1063
  - organic material effect, 1052
  - plugging prevention, 1059
  - shallow depth, 1062
  - water coagulation, 1058
  - water intake measurement, 1364
  - water quality, 38, 1363
  - well spacing effect, 870
  - wetting agents effect, 1053, 1054
  - water location, 357
  - water leak location, 880
- well cleaning, cable tools for, 765
- well data unit, 352
- well interference effect, 866, 867
- well shooting, 539, 1066
- well treatment (P), 241
- Production equipment :
  - blowing apparatus (P), 751
  - bottom-hole sampler (P), 1235
  - bridging plug (P), 126
  - casing cap (P), 667
  - casing perforator (P), 883
  - Chaney-Barnes tubing caliper, 874
  - choke (P), 751, 1069
  - cleaning (P), 751
  - cleaning unit for paraffined wells, 118
  - control head (P), 241

Production equipment—*cont.*

- corrosion protection, 342, 754, 874, 1054, 1234
- gas-injection compressors, 868
- gas lift (P), 667, 1235
- flowing (P), 751, 883, 1235
- fluid lift (P), 751
- formation tester (P), 883
- gun perforator (P), 241
- leak locator (P), 126
- location of bottom production (P), 241
- oil and gas separator (P), 241, 883
- packer anchor (P), 1235
- packers, 1067, 1216, 1220 (P), 241, 667
- paraffin scraper (P), 883
- pipe, aluminium, use and chemical removal, 444
- plug, plastic cement, 260
- porous formation seal (P), 883
- power, electric, 1233
- pressure control (P), 1235
- production (P), 126
- pump (P), 126, 241, 667, 1235
- pumping unit walking beam selection, 40
- pumps, turbine, 1213
- radiation source recovery (P), 126
- rod rack, 360
- sand pump (P), 1235
- screen (P), 241, 667, 1069
- separator, centrifugal (P), 751
- separator barge, 1032
- shooting (P), 667
- shot for cleaning clogged screens, 119
- side wall tester (P), 667
- subsurface flaw detection (P), 1235
- sucker rod carrier (P), 667
- sucker rod joint (P), 126, 667, 1069
- testing device (P), 751
- treating wells (P), 126
- tubing :
  - corrosion inhibitor, 232, 875
  - corrosion detection, 684, 874, 951, 1065
  - tubing anchor (P), 126
  - tubing cleaner (P), 1069
  - tubing perforator, wire-line, 461A
  - tubing rack, 360
  - valve puller (P), 751, 883
- walking-beams, lateral vibration, 123
- water-flooding :
  - belt drives, 1227
  - electric drives, 1226
  - power pumps, 1224, 1225
  - pressure filters, 1228
  - water treatment, 1223
  - well activator (P), 241
- well testing unit, 881
- iso*Propylbenzene :
  - vapour pressure and boiling point, 288
  - physical constants, 953
- n*-Propylbenzene :
  - physical constants, 953
  - vapour pressure and boiling point, 288
- n*-Propylcyclohexane, heat of combustion, 1108

- n*-Propylcyclopentane, heat of combustion, 1108
- Propylene :
  - chemical derivatives, 415
  - glycerol from, 524, 711
  - hydrocarbons from (P), 796
  - mercury reactions, 960
  - propylene glycol from, 524, 711
  - thermodynamic properties, 1267, 1268
- Propylene dichloride, insecticide, 89
- Propylene glycol, from propylene, 524, 711
- Propyne, thermodynamic properties, 605
- Pumping, pressure fluctuations for centrifugal and ram pumps in series, 135
- Pumps :
  - discharge curve determination, 139
  - refinery centrifugal, 134
- Pyrethrum, toxicity, 204
- Pyridine, absorption spectrum, 961
- Qatar, developments, 255
- Radioactivity, applications in petroleum industry, 216
- Redwood products as oxidation inhibitors, 172, 320
- Refineries :
  - Abadan, 260, 1292
  - Atzacapotzalco, Mexico, 380
  - British North Borneo, 1315
  - Caribbean, wartime operations, 259
  - construction cost accounting, 470
  - Continental Oil Co's. Wichita Falls, 1257
  - Haifa, 142, 381
  - Italy, 920
  - lighting services, 376
  - Manchester Oil Refinery Ltd., 1465
  - North American, 682
  - Sunray, 3-coil cracking unit, 66
  - Texas Co's., 921
  - steam and power generation, 913
  - Venezuela, 471
  - world construction, 1462
- Refinery plant :
  - accumulators, surge prevention (P), 1403
  - alloys :
    - bronze, corrosion-resistant, 789
    - "Stainless W," 788
  - anchor bolts, 1092
  - atomic bomb research and, 473
  - bubble cap design, 382
  - cast iron in, 140
  - catalyst regenerator flue gas sampling, 265
  - centrifuge (P), 1403
  - Cottrell precipitator, 915
  - efficiency, research on, 478
  - electric motors, voltage considerations, 560
  - flash towers, metallizing, 141
  - fractionation column design, 467, 476, 923-926
  - furnace draft design, 1389
  - furnace tubes, corrosion inhibition, 790

- Refinery plant—*cont.*  
 heat exchangers :  
   design, 262, 918, 1390  
   efficiency factors, 468  
   fin-tube, 1089  
   pressure drop in, 1090-91  
   tube examination, 377  
 instruments, selection and application, 678  
 liquid level controllers, 785  
 meters, 786  
 mixing tank design, 378  
 pipe, Saran, 263  
 power, electric, 1233  
 power generation, 1087, 1088  
 pressure vessels, design calculations, 136, 261  
 pumps, centrifugal, 134  
 safety inspection, 949  
 steels for, 562  
 temperature measurement and control, 580  
 time controllers, 581  
 tube still maintenance, 950
- Refinery wastes :  
 damage by, 1000  
 disposal, 787, 1000
- Refining :  
 atomic bomb research and, 473  
 chemical requirements, 379  
 coking process, 567  
 cracking. *See* Cracking.  
 De Florez coking process, 567  
 decolorization (P), 796  
 "Distex" process, 922, 1095, 1101, 1102  
 distillation. *See* Distillation.  
 fractionating tower, bringing on stream, 383  
 gasoline, 1293  
 gasoline recovery from wet cycle gas, 477  
 German progress, 472  
 health hazards, 1215  
 heat transfer, film transfer rates, 783  
 losses, classification and reduction, 1086  
 lubricating oils, 793  
 power generation, 1388  
 process control, dead time measurement, 948  
 process control by mass spectrometer, 803  
 solvent. *See* Solvent refining.  
 sulphur removal by Mercaptol process, 483, 702  
 United States, wartime statistics, 469  
 wartime processes, peacetime use, 258  
 waste heat recovery, 1256  
 waste materials :  
   damage by, 1000  
   disposal of, 787, 1000
- Relaxation in polysulphide rubbers, 963  
 Relaxing polymeric media, theory, 962  
 Resin burns, treatment, 952  
 Resinite seal for water shut-off in drilling, 339  
 Resins, synthetic, from petroleum, 316  
 "Resoweld" plastic for tank coating, 912
- Ring ignition process, 1453  
 Road aggregates, physical properties, 309  
 Road surfacings dense tar :  
   manufacture and laying, 201  
   testing, 200  
 Roads, bituminous :  
   base design, 1443  
   coated metal culverts, 1444  
 Rockets :  
   combustion, 1006, 1009  
   fuels for, 1004  
 Rotenone, solubilizer for (P), 796  
 Roumania :  
   heavy oil shortage, 1472  
   production, 782, 1245, 1382  
 Rubber, synthetic :  
   Buna S manufacture in Germany, 487  
   butyl, 1298  
   for chemical plant construction, 916  
   from petroleum, 409  
   German production, 92, 1400  
   methylpentadiene, 728  
   polysulphide, stress-time-temperature relations, 963  
   silicone, Silastic, 93  
   symposium on, 1100  
   U.S. production, 729  
 Rust preventative oil (P), 1403
- Salicylic acid, esterification (P), 1403  
 Sands :  
   flow in, use of electrolytic models, 120, 124  
   water permeability, 121  
 "Saran" plastic from petroleum, 316  
 Saran pipe, 263  
 Saudi Arabia :  
   Abqaiq field, 674  
   developments, 254  
   production, 1081  
 Seaboard desulphurization process, 702  
 Shale oil :  
   cracking, 573  
   hydrogenation, 416  
 Shell phosphate desulphurization process, 702  
 Shell solutizer desulphurization process, 702  
 Shrewsbury column for deep sea drilling, 337  
 Silastic, silicone rubber, 93  
 Silicone polymers, manufacture (P), 488  
 Silicones, chemistry and properties, 527  
 Sinai, exploration, 1019, 1191, 1192, 1345  
 Smoke, petroleum-based, 1150  
 Smoke screens, wartime, 1322  
 Sodium acetylides, acetylenic derivatives, 286  
 Sodium alcohol sulphate solutions, minima in surface tension/concentration curves, 162  
 Sodium stearate-cetane, phase relations, 1451  
 Soil stability, composition, moisture and bearing value, 1445  
 Solid surface, contact angle significance, 160

- Solutions :**  
 molecular distribution, 1278  
 reactions, collision theory, 1280
- Solvent refining :**  
 acetone-benzol process, 690  
 Barisol process, 690  
 Duosol process, 690  
 Edelcanu process, 690, 691  
 furfural process, 690  
 German developments, 690, 691, 934  
 liquid-liquid in spray towers, 932  
 lubricating oils, 933  
 Mirasol process, 690  
 phenol process, 690  
 residue, hydrocarbon recovery (P), 993
- Solvents :**  
 hydrogenated, 208  
 petroleum, types, 816
- South America :**  
 exploration, 51, 1373  
 production, 1077
- South Dakota, exploration, 645**
- Soybean, hexane as solvent, 520**
- Spain, exploration, 737, 1342**
- Spectrometer, mass, for refinery process control, 803**
- Spectroscopy :**  
 infra-red, for analysis of hydrocarbon mixtures, 805  
 ultra-violet absorption, 167
- Spiropentane, structure, 180**
- Spray oils, oil deposit determination, 190**
- "Stainless W" alloy, 988**
- Storage :**  
 evaporation losses, 910  
 fuel oil, 1384  
 gasoline loss control, 1385
- tanks :**  
 aluminium, corrosion protection (P), 796  
 leak measurement (P), 1255  
 liquid level gauge (P), 1255  
 plastic coatings, 912  
 rock, 911  
 spherical, capacity charts, 1250  
 surface reconditioning, 373
- Styrene :**  
 azeotropic distillation (P), 1403  
 butadiene dimer determination, 400  
 copolymers, 531  
 Dow process, 943  
 manufacture (P), 796  
 polymerization, temperature effect, 284
- Submarines, use in oil search, 228**
- Sulphation process, 392**
- Sulphonic acids, mahogany (P), 796**
- Sulphur compounds, organic manufacture (P), 1403**
- Sulphuric Acid, recovery from acid sludge, 68**
- Sulphurized oil :**  
 non-emulsifiable (P), 796  
 stabilization (P), 796
- Surface-active compounds, uses, 1155**
- Surface tension :**  
 measurement (P), 1069  
 minima in curves, 161, 162
- Surface tension—cont.**  
 reducer (P), 1235
- Synthesis :**  
 Fischer-Tropsch process, 71, 412, 482, 484, 976, 1106, 1397, 1400, 1401  
 Lurgi process, 70  
 new plants for, 939
- Tanks, storage. See Storage tanks.**
- Tannin solutizer desulphurization process, 702**
- Tar, low-temperature distillate :**  
 solvent extraction, 934
- Tarakan, wartime developments, 256**
- Teflon plastic, 823**
- Terpenes, distillation of limonene, 282**
- Testing apparatus, analytical weights, deterioration, 300**
- Testing methods, electronic, 615**
- Tetraethyl lead :**  
 compositions of (P), 1403  
 demand in U.S.A., 1156  
 poisoning by, 1404  
 removal from gasoline (P), 795
- Tetrahydronaphthalene, solvent, manufacture and use, 208**
- Tetralin :**  
 oxidation, 584, 585
- Tetralin :**  
 solvent, manufacture and use, 208
- Texas :**  
 East, salt water disposal, 35  
 Seeligson field, 3  
 West :  
 exploration, 1370  
 pre-Permian fields, 894
- Thiophene, properties, 599**
- Thylox desulphurization process, 702**
- Tierra del Fuego, exploration, 1334**
- Toluene :**  
 alkylation-mechanism, 280  
 azeotropic distillation, 519  
 dehydrogenation catalyst action, 278  
 from cyclohexanes (P), 796  
 from petroleum, 992  
 heats of combustion, 1107  
 monomercurated products, 1399  
 physical constants, 953  
 recovery (P), 1403  
 reduction by calcium ammonia, 165  
 synthesis, 519  
 synthesis by hydroforming, 475  
 vapour pressure and boiling point, 288
- Toluole :**  
 from benzole, 686  
 from gasoline (P), 796
- Tractor fuel :**  
 manufacture (P), 796
- Transformer oils :**  
 E.R.A. research, 1157  
 refining, 1103  
 sludge test, 1125, 1127  
 sludge value, condenser water effect 1126
- Transport, oil :**  
 gauging and sampling, 792

Transport, oil—*cont.*

pumping various products through one pipeline, 366

Transport processes, statistical mechanical theory, 1279

1:3:5-Triethylbenzene, physical constants, 953

Triethylene glycol, vapour pressure, 1276

2:2:3-Trimethylbutane, boiling point, 1405

Triethyl-lead bicarbonate, 186

2:2:3-Trimethyl butane-benzene, vapour-liquid equilibria, 1113

2:2:3-Trimethyl butane-cyclohexane, vapour-liquid equilibria, 1113

1:1:3-Trimethylcyclopentane, 276

Trimethyl-lead acetate, 186

2:2:4-Trimethylpentane, hydrogen solubility, 1415

2:2:4-Trimethyl pentane-methylcyclohexane, vapour-liquid equilibria, 1113

## Trinidad:

production, 51

refineries, wartime operations, 259

Tunisia, exploration, 1344

## Turbine oil:

oxidation and rust inhibition test, 980

rust inhibitor (P), 1403

steam, 1136B, 1139

## Turbines:

combustion-gas, 267

steam, lubrication, 1136B, 1139, 1440, 1441

## U.S.S.R.:

exploration, 103, 250, 331, 332, 903, 904

natural gas developments, 250

Palvantsi oilfield, 742

petroleum sources, 1341

pipeline programme, 1084

production, 1245

"Ucon" synthetic lubricants, 624, 983

Unisol process of mercaptan removal, 147

## United States:

Anardarko Basin, exploitation, 1327

asphaltic bitumen industry, 517

Barnum Buell well, 125

carbon black industry, 634

chemicals from petroleum, 635, 809

Colby well, 125

continental shelf, geological survey, 99, 228

crude oil, post-war inventories, 218

discovery wells, data on, 837

exploration, 1328, 1329, 1365

foreign petroleum expansion, 1371

fuel oil demand, 1134

gas/oil ratio of producing fields, 116

liquified petroleum gas industry, 618, 720, 721, 974

McClintock No. 1 well, 125

natural gas reserves, 1369

natural gas utilization, 412, 506

oil reserves cost, 830

oil shale developments, 211

oil wells, two oldest, 125

United States—*cont.*

oilfield discoveries, 886

petroleum industry, future demands on, 218, 532, 736

petroleum industry, international outlook, 1010

pipeline programme, 1084

plastics production statistics, 422

production, 44, 760, 884, 887, 895

refineries, 682

refining, war and peace demands, 469

reserves, 669, 776, 888, 889

Rocky Mountains, Rangely field geology, 219

synthetic rubber plants, 409, 729

tetraethyl lead demand, 1156

Texas Co's. refineries, 921

well completion statistics, 5-8, 43, 45-50, 130, 221, 222, 242, 243, 361, 433, 548, 643, 777, 838, 885, 890-892, 1070-1072, 1178, 1238-1240, 1365, 1368

well depths, 43, 439

wildcat drilling, 1177

wildcat wells, who is drilling, 9

Uranium atom, applications in petroleum industry, 216, 217

Uranium, isotope separation, 217

Uruguay, refining, 51

Utah, oil shale developments, 211

Vapour density determination, 1276

Vapour-liquid equilibria, natural gas-crude oil mixture, 171

Vapour pressure, Antoine equation, 705

Variance analysis, application, 1291

Vegetable oils, sulphation, 392

## Venezuela:

Barinas, exploration, 227

Creole completions, 53

deep well data, 230

developments, 550

exploration, 15, 16, 51, 224, 535, 552, 840, 1186, 1187, 1332, 1333, 1374

Guarico exploration, 897

Las Mercedes field, 245

Oficina, exploration, 323, 324

pipeline programme, 1084

production, 51, 52, 362, 551, 1375-1377

refinery developments, 471

refineries, wartime operations, 259

water-flooding experiment in Oficina, 882

West Guara development, 324

Vinyl acetylene, from hydrocarbons (P), 578

Vinyl compounds, polymerization mechanism, 166

Viscoelastic materials, study of, 395

## Viscometer:

falling sphere for opaque liquids, 301

Fischer-Irany, 1120

for viscous opaque liquid, 613

low-temperature, 189

jet, 502

Ostwald type, photographic, 972

parallel-plate plastometer, 1119

- Viscometer—*cont.*  
  wide-range, 1289
- Viscosity :  
  blending chart, 1121  
  consistency and, 495, 496  
  flow orientation in isotropic fluids, 158  
  isomerides, hydroxyl effects, 1281  
  kinematic, comparison with flow times, 1288  
  low-temperature, 406, 511  
  non-Newtonian liquids, 1287, 1290  
  plasticity theory, 706  
  temperature effect, 394, 602, 1282
- Viscosity index, determination, 979
- Washington, exploration, 2
- Water, vapour pressure, 1276
- Water content determination, 398
- Waxes :  
  chlorinated, 501  
  chlorination (P), 796  
  crystallography, 293, 630, 727, 1146, 1147, 1446  
  Fischer-Tropsch, oxidation, 205  
  for coating cheese (P), 796  
  for mould lubricant, 1142  
  from tar distillate, 821  
  lignite, 421  
  manufacture (P), 796, 945, 1403  
  residual, corrosive removal (P), 796  
  synthetic, 522  
  uses, 410, 1145
- Wax-clay emulsion, for polymer containers (P), 796
- Weed killers, Agroxone, 91
- Welding :  
  arc, safety precautions, 273  
  oxy-acetylene, safety precautions, 492
- Wood, thermal solution, 417
- Wood preservatives, standardization, 420
- World :  
  deepest cable well, 652  
  deepest producing well, 774, 1237  
  highest pressure gas well, 773  
  map of possible petroleum areas, 534  
  oil position as war ends, 42  
  oil reserves, 533, 1236  
  petroleum industry, future demands on, 532  
  pipeline construction, programme, 1084  
  post-war oil supply areas, 668  
  production, 546, 775  
  refinery construction, 1462  
  U.S. foreign petroleum expansion, 1371
- Wyoming :  
  exploration, 1013, 1014  
  oil shale developments, 211
- Xylenes :  
  from cyclohexanes (P), 796  
  oxidation, 1269  
  silica dispersions, effect of surface-active agents, 159  
  vapour pressure and boiling point, 288
- o*-Xylene :  
  phthalic anhydride from, 1297  
  physical constants, 953
- p*-Xylene :  
  physical constants, 953  
  recovery (P), 1403