VOL. CXXXIX.

DECEMBER 27, 1946

NO. 3605



I must say the Mazda people were tremendously helpful. Qualified engineers from their Lighting Advisory Service took voluminous notes of the number of people to be employed; the class of work they will undertake; the arrangement of the machines to be installed, etc., etc. Later they submitted the finest lighting plan I have ever known."



F



been looking through my eyes!

This automatically-controlled HEATRAE Electric Water Heater is indeed a boon to us housewives. Just the type we've always wanted, providing instant hot water when required.

Although men won't acknowledge it, they ARE impatient, but my husband cannot speak too highly of Heatrae for its instancy at all times.

leaders in electric water heaters



HEATRAE LTD., NORWICH

1946

cember

GRAMS : HEATRAE, NORWICH

PHONE : NORWICH 2513



Battery operated shuttle car at a charging station in a Scottlsh coal mine.

Typical Mobile Oil-immersed Rectifier for charging shuttle car batteries underground. Note the rigid design of the tank, the strong underbase and fender, and the stepped axle slots for different road levels.

With this new MOBILE OIL-IMMERSED RECTIFIER battery charging direct from the A.C. mains becomes a simple and economical operation.

It is completely self-contained, transportable, takes up comparatively small space, and simplicity in design reduces maintenance to a minimum.

ADVANTAGES

Compact — Light Weight. Supplied Ready for Use. Transportable. Easy to Install. Simple to Operate. Battery Cannot Discharge into Rectifier. No Moving Parts — No Wear. Fool-Proof. Low Maintenance.



BRUCE PEEBLES & CO.LTD., ENGINEERS, EDINBURGH.

Simplified Battery Charging





WE REGRET OUR INABILITY TO KEEP OUR FRIENDS FULLY SUPPLIED WITH SWITCH AND DISTRIBUTION GEAR WE HOPE TO MORE THAN SATISFY EXISTING DEMANDS WHEN THE CERAMIC POSITION IMPROVES IN THE MEANTIME PLEASE REMEMBER THAT WE ARE DOING OUR BEST UNDER DIFFICULT CONDITIONS

BILL SWITCHGEAR LTD ASTON LANE, PERRY BARR BIRMINGHAM · 20

PHONE BIRCHFIELDS SOIL CRAMS. BILSWITCH BHAM.

LONDON, GLASGOW BELFAST BURTON-ON-TRENT

MANCHESTER H.H.POLLARD. RRAMHALL





THE TOWER OF LONDON Famous as a fortress, palace, and prison. The corps of Beef-eaters was instituted in the reign of Edward VI.

MADE IN ENGLAND

Branches

BRIGHTON CARDIFF BRISTOL


BIRMINGHAM BURY ST EDMUNDS LEEDS GLASGOW

LONDON LEICESTER MANCHESTER LIVERPOOL NEWCASTLE

FIFTY YEARS OF QUALITY & SERVICE



CRYSELCO LIMITED, KEMPSTON WORKS, BEDFORD





DYNAMO AND MOTOR PRICES

The Associated Dynamo and Motor Manufacturers named below announce that on and from 1st January, 1947, all outstanding price lists will be cancelled.

Details of new prices may be obtained on application to your usual suppliers.

British Thomson-Houston Co., Ltd. Brush Electrical Engineering Co., Ltd. Bull Motors (E. R. & F. Turner Ltd.) Crompton Parkinson Ltd. Greenwood & Batley Ltd. Harland Engineering Co., Ltd. Hopkinson Motors & Electric Co., Ltd. Lancashire Dynamo & Crypto Ltd.

DRO


Laurence Scott & Electromotors Ltd. Macfarlane Engineering Co., Ltd. Mather & Platt Ltd. Mawdsley's Ltd. Metropolitan-Vickers Electrical Co., Ltd. Bruce Peebles & Co., Ltd. A. Reyrolle & Co., Ltd. Veritys Ltd. 5

An un-retouched photograph of a Harland concentric-wound stator before impregnation.

It is easier to believe a photograph such as this than it is to believe glib phrases about "quality" and "craftsmanship." This is indisputable evidence—proof of the skill employed and craftsmanship displayed in the production of Harland motors.

ELIEVE * IT * OR * NOT ...

These qualities are reflected in the lasting-power and operational efficiency of all Harland Electrics be they A.C. or D.C. motors, generators or alternators.



6-361




PROBLEM: Drilling and Tapping on Loco. Work.

CASE REPORT. In one boiler repair shop staybolt drilling and tapping had always caused a serious bottleneck. Hic/cle tools were recommended for the work and were eventually adopted by the work's engineers. The high constant-speed Hic/cle Drills with their air-feed cylinders and balancesuspension immediately cut drilling times to a fraction . . . Hic/cle Tappers followed up to give clean threads, free from distortion, and, instead of lagging behind as formerly, this bottleneck no longer existed.

CONCLUSION. Hicycle efficiency, constant speed, lightness, safety, reliability, economy and less operator fatigue represent the greatest step forward of recent years in the application of power electric tools to locomotive construction and repair.

This advertisement describes a problem solved by ${\bf G}$ on lacomotive work. You also will have production problems which can be solved by ${\bf G}$ engineers.



AIR COMPRESSORS PNEUMATIC TOOLS ELECTRIC TOOLS DIESEL ENGINES VACUUM PUMPS CONTRACTORS EQUIPMENT ROCK DRILLS DIAMOND DRILLS OIL WELL TOOLS



THE D & G GIRDER FITTINGS

- Gives Concentration of Light on the JOB.
- Shielded from operator's eyes.
- Horizontal or Vertical Mounting
- Single, Double or Three Arm Extension.
- Illustrated Catalogue sent on request.


DRAKE & GORHAM WHOLESALE LTD.

77 LONG ACRE, LONDON, W.C.2

Telephone : TEMple Bar 3993

MANCHESTER—29 Piccadilly. BRIGHTON—24 Marlborough Place. GLASGOW—182 St. Vincent Street. BRISTOL—2 & 4 Church Street. Temple. DUBLIN—2 Church Lane, College Green.

Midland Representative : W. T. BOWER, 184 Jockey Road, Sutton Coldfield.



allenders

ATIONAL SALES

CE

B.I. Callender's National Sales Service covers the British Isles. There is an office in your district fully staffed and equipped to meet the special needs of the electrical industry in the area.

BRITISH INSULATED CALLENDER'S CABLES LIMITED NORFOLK HOUSE, NORFOLK STREET, LONDON W.C.2

December 27, 1946



IOCO varnished glass fabrics and tapes

VARNISHED GLASS FABRICS and TAPES Build smaller and more efficient motors by using loco varnished glass fabrics and tapes. They are specially designed to resist high voltage at elevated temperatures.

We also manufacture INSULATING AND OILED FABRICS FOR CABLE WORK. SWITCHBOARD RUBBER MATS. AND ELECTRICIANS' RUBBER GLOVES IOCO LTD. Anniesland GLASGOW



POLYPHASE METERING FERRANTI

SMALL BULK LOW WEIGHT SOUND CONSTRUCTION ACCURATE RELIABLE


A scientific and practical recognition of the requirements of the USER and the NATION. Its compactness conserves material resources.

By ALL means conserve material resources

> FERRANTI LTD., HOLLINWOOD, LANCS. Landan Office: Kern House, Kingsway, W.C.2.

FM79

December 27, 1946



the L T G entertainment 25 carried universally via



pioneers of the

CONDUIT TUBE

That so many of the lights, which go with the laughter, in the entertainment World are safely conducted by METALLICisafitting compliment to their consistent accuracy and quality.

METALLIC SEAMLESS TUBE CO. LTD. Ludgate Hill, Birmingham. Phone CEN 7167. Grams. Hask", Birmingham. Sales Depots: London: 88 Goswell Rd., E.C.I. Newcastle-on-Tyne: St John Street Leeds: 5 York Place Swansea: 1 Grove Place Glasgow: 137a St. Vincent Street

M.S.2



THE PORTABLE **ELECTRIC** CLOTHES HORSE



This remarkable new drier is now in quantity production and stocks are available to recognised retailers. If you have not sent in a request for information you are invited to do so. The LECTROSS portable electric clothes horse

enables every woman to be sure that her urgently needed personal laundry is thoroughly dried and aired, even on damp and rainy days. Safe-it cannot harm baby or scorch the most delicate fabrics. Economical—its BLACK HEAT element never glows and consumes less than one unit per hour. Specially useful to the young mother. Supplied with chromium rails & white or pastel bases



41

For Electricity Service -

LUTON ELECTRICITY SERVICE.

These illustrations show Henley Cables being laid by the Luton Electricity Undertaking, at the Corporation's estate of Leagrave.

Like many local councils playing an active part in the Nation's housing programme, Luton are using Henley Cables to carry the current.





Famous for over a Century

W.T.HENLEY'S TELEGRAPH WORKS CO. LTD. 51-53 hatton carden, london, e.c.

December 27, 1946



INSTRUMENTS

15

ADDERES BORRES B

N.C.S. PRODUCTS include all types of Electrical Measuring Instruments as well as Protective Relays, Synchronisers, Circuit Breakers, etc. In the complete range every need of accuracy, reliability, durability and convenience is fully met, prices being competitive without sacrifice of quality. NALDERS Hyper-Scale, Air-Damped, Soft Iron Instruments — Gravity Control are available for alternating or continuous current. Readings are accurate and dead-beat, dials being 3", 4", 5", 6", or 8", diameter as required. Power consumption is low and working parts are completely insulated from casings.

N.C.S. EXCELLENCE IS A RECOGNISED STANDARD

Quotations on request.

NALDER BROS. & THOMPSON LTD.

DALSTON LANE WORKS, LONDON, E.8.


Telephone : Clissold 2365 (3 lines)

Telegrams : OCCLUDE, HACK, LONDON

December 27, 1946



dm 1294



Adjustable general utility Lamp

The model illustrated above is undoubtedly the most popular product of its kind in the industry. A very large output has been distributed throughout the world. Each lamp is supplied complete with removable ash or pin tray, space for pen and pencil, flex, convenient switch control, and the efficient adjustable reflector. The overall height fully extended is 21 inches. It is indeed very adjustable, and the light can be directed into practically any position.

Cat. No. LGH. 1018.

L. G. HAWKINS & Co. Ltd. 30-35 Drury Lane, London, W.C.2 Telephone : Temple Bar 5811

Plan for _

17. BK

lindin .

abl

l

8200 500

100

11 年 12 日 13 日

の日本

12.22

.Ul

WC

e 0

At

ELECTRICAL REVIEW

3-PIN SURFACE SCREENED

In spite of continued restrictions all available supplies of "Britmac" Electrical Accessories are reaching the recognised Electrical Wholesalers who, we know, are doing their utmost to meet your demands.

The Socket and Plug illustrated, List No. P 4312, is the 5 amp. Surface pattern. SOCKETS & PLUGS 5 & 15 AMP - 3 PIN B-S-5 546

ELECTRICAL

ACCESSORIES



December 27, 1946



R^{EMARKABLE} chap, this D. C. Bias. Here we show him, as it were, on his native heath—the sub-station—where, at lighting up time and at dawn, his modest, 6-volt D. C. finger prods the mains, reaching out to every lamp in the service area

and switching it on or off—a thousand times a day if need be. He has a crafty eye on the revenue value of 'off-peak' loads, too. That slender, 6-volt finger of his is itching to get to work on *your* 'off-peak' problems. Send for particulars and let us tell you just how simple, inexpensive and reliable the D. C. Bias system is. What's more, we can prove it BEFORE you place your order.



Standard Telephones and Cables Limited


OAKLEIGH ROAD, NEW SOUTHGATE, N.I. Telephone : Enterprise 1234 Telegrams : "Essteecee, Telex, London"

15

10 10

ea

PRESSED STEEL TANKS



An example of the adaptability of the Braithwaite Pressed Steel Tank. A tank of unit sectional construction ready to receive, for testing purposes, a pontoon of the type used during the 'D' Day landing operations.

BRAITHWAITE & CO ENGINEERS LTD



Temporary London Office :

KINGS HOUSE HAYMARKET

Telephone : WHItehall 3993 LONDON S.W-1



December 27, 19.6

ELECTRICAL REVIEW

PLANT MOTORISATION USING ENGLISH ELECTRIC MOTORS AND OVERHEAD BUS-BAR SYSTEM

View in a factory containing 105 belt driven machine tools.

21

105 machine tools changed over to individual motor drive, including all electrical connections and motorisation of the machines.

Gne Week Later

This changeover is fully described in our publication entitled 'PLANT MOTORISATION'

WRITE FOR YOUR COPY to Fusegear Dept. STAFFORD.

THE ENGLISH ELECTRIC COMPANY LIMITED London Office: QUEEN'S HOUSE, KINGSWAY, LONDON, W.C.2 WORKS: STAFFORD - PRESTON - RUGBY - BRADFORD - LIVERPOOL 22

PRODUCTS

for

December 27, 1946





upply

JUL

L. LAD

is improving

J.S.T. LAS

UNDLES

Electrical Review, December 27, 1946 27.



s UN

S SEALANS 068 1

NGE

IT FING) ALL THE SENTIAL OUR STUD FFEREDIC



It doesn't yet meet the demand — but we are doing all we can to hasten the happy day. There are many factors contributing to the continued shortage, but one by one we are overcoming them and narrowing the gap between order and delivery. And production is not being achieved at the expense of quality. In fact, J. & P. have now demobbed "War Emergency" and reinstated full C.M.A. standards — the standards By the way -J + P are

Electrical Engineers and Cable Makers since 1875 CHARLTON - LONDON S.L.7 H Hat little more in quality

X

Foundation Members

of the C.M.A and have always been

he fore in the anufacture

high quality cables. worth remembering

that are acknowledged the world over as the buyer's surest guarantee of . reliability.

ohnson



metals such as tungsten, involving reduction processes, hydrogen of highest purity is safely and economically obtained from a Knowles Electrolytic Plant.

Hydrogen is guaranteed direct from the cell at a purity of 99.95%, together with oxygen 98.8% pure.

Knowles equipment is operating in all parts of the world, in plants from the smallest to the largest sizes.

> ELECTROLYTIC PLANT FOR HYDROGEN & OXYGEN



THE INTERNATIONAL ELECTROLYTIC PLANT CO. LTD., SANDYCROFT, CHESTER

HO.14

COMPLETE

27, 191

RII

EE ST

25

ACCESSIBILITY OF BRUSHGEAR AND COMMUTATOR FOR MAINTENANCE

> An important feature in the design of Reyrolle A.C. variable-speed commutator-motors enables the end-bracket to be entirely removed without any disturbance of the brushgear.

HEBBURN-ON-TYNE REYROLLE ENGLAND



Don't keep his nose to the grindstone !

While your cutters are at the grindstone they are not producing and every time they require regrinding it slows up output.

If your tool regrinding were reduced, your output would be increased and costs reduced. MACROME treated tools do this, because they give a much bigger average output per regrind than similar untreated tools.

This would give you the following economies :

- (a) Higher output.
- (b) Reduced outlay on tools.
- (c) Reduced production cost per unit.

These savings can be obtained quite simply in two ways :

- When new tools are required, we can supply your full requirements already MACROME treated.
- (2) We can treat your own tools.

Write to us for details.



MACROME LTD. (DEPT. C.II) ALCESTER WARWICKSHIRE PRAT-DANIEL (STANMORE) LTD.

DALSTON GARDENS, STANMORE, MIDDX.

Makers of

FANS and



DUST COLLECTORS

ANNOUNCE:

THE SUCCESSFUL COMPLETION IN BRITISH POWER STATIONS OF CONTRACTS FOR THEIR

PATENT


TUBULAR DUST COLLECTORS

IN OPERATION ON

STOKER FIRED AS WELL AS PULVERISED COAL FIRED BOILERS

The high guarantees for efficiency given have actually been exceeded.

WHEN ASKING FOR FURTHER INFORM-ATION, TEST RESULTS, ETC., PLEASE STATE METHOD OF FIRING AND TYPE OF BOILER OR FURNACE, , 19





ORMOND ENGINEERING CO. LTD. Head Office and Trade Counter ; Ormond House, Rosebery Avenue, London, E.C.I. Telephone : Terminus 2888 (6 lines) ; Telegrams ; "Ormondengi, Smith"

All hands go out

ELECTRIC WASH BOILERS

Everywhere the demand is for BURCO ELECTRIC WASH BOILERS for the main housing programme.

Customers should place their orders now, for forward requirements, quoting the correct W.B.A. Symbol, and specifying the period during which delivery is required. Every effort will be made to ensure supply. Acceptance of orders will indicate the month of delivery.

BURCO LTD · ROSE GROVE · BURNLEY

POWER TRANSFORMERS

BRUSH

ife blood of Industry

SIZES UP TO 30.000kVA

The BRUSH ELECTRICAL ENGINEERING CO. LTD. LOUGHBOROUGH, ENGLAND.

Write for Publications F126 & F117 TURBO-GENERATORS, TRANSFORMERS, E.H.T. and M.T. SWITCHGEAR, A.C. and D.C. MOTORS and GENERATORS, BATTERY ELECTRIC VEHICLES and TRUCKS, TRACTION EQUIPMENT, BUS and COACH BODIES

BRANCHES London, Birmingham, Cardiff, Manchester, Bath, Leeds, Newcastle, Glasgow, Belfast, Dublin.

December 27, 1946



RIBLE


RD

E.

加加

MAU





RATIONED OUTPUT

The very term and all its attendant dissatisfaction are extremely abhorrent to us. Yet we are compelled in our customers' interests to resort to these measures to ensure equitable distribution of HIGGS MOTORS, the huge demand for which considerably exceeds current output.

Belfast,

Birmingham, Nottingham,

nam, Bristol, Dundee, Glasgow, London, Manchester, nam, Peterborough, Sheffield, Wolverhampton.

December 27, 1946 32 ELECTRICAL REVIEW FLUORESCENT Light in a NEW setting! UNIQUE "PERSPEX " FITTING IN FROSTED PEARL FINISH This unique "Perspex" fitting in radiant FROSTED PEARL finish puts Fluorescent Light in a new and beautiful setting that lends itself perfectly to a host of decorative lighting uses. Top is open for maximum upward light : under part is an open-work scroll in clear "Perspex" allowing full downward light. In two sizes, to fit standard 4 ft. or 5 ft. Tube. Designed and made by O'Connor Electrical Industries Ltd. Write to-day for full details. LIST PRICE (Fitting only) ... £11.5.0 Plus Purchase Tax, £2.10.0 ELECTRICAL $0^{\prime}C0^{\prime}$ INDUSTRIESE Dept. B., 79 & 80 PETTY FRANCE, LONDON, S.W.I Telephone : WHITEHALL 4208 (3 lines) PARTS TURNED Tr dia. up Ferrous andNon-Ferrous **BOLTS AND SETSCREWS** NUTS, STUDS, ETC. WESTMINSTER SW STANDARD SIZES FROM STOCK



ino

CAL

94

Ground level cleaning and maintenance of public lighting fittings for safety IT'S A ONE-MAN JOB with (IEEE) contact gear!

The One man with the Eleco contact gear can service 6 fittings in the time 2 or more men with a tower ladder can service 1. And wit's safer, too !

Write for full particulars of this Eleco quick, easy and cost-saving raising and lowering equipment, which is suitable for concrete and steel columns.



ENGINEERING & LIGHTING EQUIPMENT CO. LTD., DEPT. W.S., SPHERE WORKS, ST. ALBANS, HERTS. PHONE: 2258/9



CHECKLOX,' 169, Piccadilly, London, W.I Phone : REGent 1900.



Wherever you put it -IT STAYS

в

The perfect adjustable table lamp, finger-tip operation, beautiful appearance, no exposed springs. Well designed—it is substantially and finely finished. History at 26:17:6 incl. purchase tax.




CORNERCROFT (PLASTICS) LTD.

WL20

ELECTRICAL REVIEW

FRILLED LIZARD (Chlamydasaurus kingii). A peculiar feature of this habitant of Northern Australia, is the frill of skin which encircles its neck. When fleeing from a foe, the animal folds up the frill like an umbrella and runs swiftly on its hind legs. Its power of endurance is limited and it soon turns at bay, with frill again erected and mouth open, to present as defiant an attitude as possible. as shown in illustration They sometimes attain a length of as much as three feet.



but it's easier to say ENFIELD

for all Cables up to 132 kV.

PAPER · RUBBER · P. V. C.





ENFIELD CABLES LIMITED. BRIMSDOWN, MIDDLESEX Works : Telephone : HOWard 2661 . London Offices. Telephone : HOLborn 0591

. E N DIESEL ENGINE-DRIVEN PING PLA 61 WEEKS'



SPECIALISTS IN COMPLETE WATERWORKS PUMPING INSTALLATIONS PLANT

HE plant illustrated is installed in the Hatfield Pumping Station of the Barnet District Gas and Water Company, and comprises one Allen 4-cylinder Diesel engine developing 250 b.h.p. at 350 r.p.m. and driving. through bevel speed increasing gears, an Allen three-stage well pump. The discharged water is returned to the suction of a force pump (fore-ground), which is driven through gearing by an Allen 3-cylinder Diesel engine developing 188 b.h.p. at 350 r.p.m.

For a period of 61 WEEKS, between January 1945, and March 1946, the 4-cylinder well pump engine ran continuously, day and night without a stop, while in the case of the 3-cylinder force pump engine, a period of 57 WEEKS² continuous running, day and night without a stop was achieved between July 1944, and September 1945. In each case, the abnormally long run was entirely due to shortage of staff to carry out the usual routine maintenance. The shut down at the end of these periods was merely routine for the sole purpose of inspection, and in each case the engine was found to be in excellent running condition. found to be in excellent running condition.

We are indebted to the Directors of the Barnet District Gas and Water Company for permission to use this Information.

DD

CONTINUOUS

RUNNING

BRITANNIC FOR PAPER MAINS CABLES

For E.H.T. and L.T. paper mains Cables up to and including 22,000 volts.

Also Varnished Cambric C.T.S. Colliery Cables for drills and conveyors.

And Thermoplastic Cables (P.V.C.) for 250 volt lighting circuits for buildings of all types.



BRITANNIC ELECTRIC CABLE & CONSTRUCTION CO., LTD., IVER, BUCKS. Tolephone : Iver 491 • Telegrams : "Britannic, Iver." • An independent Company

WHICH is WHICH ? You KNOW, but do your customers know ?

To follow the "Safety First" recommendation, make sure your electrical leads, whether to Domestic Appliances or to Machine Tools, etc., are clearly defined.

"Viskrings" simply slipped over the core-wires and/or the outer casing of the leads do the job and put an end to confusion or doubt.

- No Tools required
- No rubber used
- Impervious to oil and petrol
- Indelibly printed
- Supplied in all colours as well as white
- Self-fixing

CONNECT EARTI WIRE CORRECTL

ES

8000

(Longat

Do not increase diameter of lead

for PERMANENT IDENTIFICATION OF ELECTRIC LEADS


VISCOSE DEVELOPMENT CO. LTD. Woldham Road, Bromley, Kent. 'Phone : Ravensbourne 2641

VISKRINGS



40

To provide a bearing surface between housing and central shaft, allowing considerable angular movement.



BAKELITE &

The shaft and the concave housing were moulded into a solid block, the space between the two being filled with a graphite-loaded BAKELITE material. Shrinkage of the material was so adjusted that the necessary clearance between the bearing surfaces was obtained on cooling. Expensive and time-wasting machining operations were eliminated.

TREFOIL

Pioneers in the Plastics World

LIMITED . 18 GROSVENOR GARDENS . LONDON

PLASTICS



Come to the

It's hot—all the time! That's because the heating element is housed **inside the bit** in the Solon Electric Soldering Iron. Soldering is easier; you get a neater, cleaner job in less time. All internal connections are housed at end of handle, away from heat. A robust cord grip prevents sharp bending of the flexible lead.

Complete with 6 ft. Henley 3-core llexible, Solon Irons are made for the following st-ndard voltages-200/220, 230/250. Illustration shows a 125 watt standard model.



W. T. HENLEY'S TELEGRAPH WORKS CO. LTD., Engineering Dept. 51-53 Hatton Garden, London, E.C.1 ELECTRICAL REVIEW

December 27, 1946



CROMPTON PARKINSON LIMITED, ELECTRA HOUSE, VICTORIA EMBANKMENT, LONDON, W.C.2 Telephone: TEMple Bar 5911 Telegrams Crompork, Estrand, London

ELECTRICAL REVIEW

JI for service and safety

The "AUTOFF." An Automatic Switch with Thermal Trips. Also fitted with with

"NODARK." The A miniature Single - pole Circuit Breaker from 1 to 15 amperes with instantaneous,

Surge protecting trip coils if required (as illustrated). Single, Double or Triple Poles.

amperes with instantaneous, time lagged or shunt trip. Household model in Bakelite Case, Industrial model in Metal Case, or Stormproof as illustrated.

SWITCHBOARD **INSTRUMENTS** 21 ins. to 8 ins. diameter Manufactured in accordance British Standard with Specification for First Grade Instruments.

> CONTACTORS from 10 amperes to 300 amperes open and enclosed types. Contactors for Welding Plant, etc. A.C. and D.C





. HG

12.30

The "ROCON" SWITCH. A four - position, snap action, unit construction switch. From one to ten 30-amp. blades.

OIL CIRCUIT BREAKER

up to 660 volts, from 30 amps. to 600 amps. Also Back of Board types up to 1,200 amperes.



KINGSBURY WORKS, THE HYDE HENDON, N.W.9

Telephone : COLINDALE 6196 Telegrams: "POWQUIP, HYDE, LONDON "



WRITE FOR FULL DETAILS TO ENSIGN LEMPS LIMITED • PRESTON DEPOIS: LONDON (N): Ciay Hill, Buckey, Walford, Harts. • LONDON (S): 10 Kington Hill Kington on Thomas, Survey • MANCHESTER I: 53 Without St. • BIRMINGHAM 3: 40 0 42 Summer Rev. GLASGOW C2: 23-27 Calogan Street • CARDIFF: 30 Bridge Street

56 years experience in the manufacture

THE FIRST 10 kV. TRANSFORMER (150h.p.) EVER BUILT This Ferranti Transformer, built 56 years ago, embodied a ducted core and ducted windings—Two fundamental features of design used in the large High Voltage Power Transformer of to-day.

ranst

A 40,000 kVA Ferranti Power Transformer of modern design

ormers

FERRANTI LTP. HOLLINWOOD, LANCS.

London Office : KERN HOUSE · KINGSWAY WC2

FT70

ELECTRICAL REVIEW

December 27, 1946



1, 194

-11

MORE POWER TO LOCHABER!



Despising all other weapons, the clansman trusted to his claymore and superb swordsmanship

THE old-time history of Lochaber is that of highland clans, highland feuds and the 'forty-five'. But today the power of this wild and picturesque district no longer lies in the claymore; it comes instead from one of the greatest industrial developments of recent times, which, promoted at a cost of millions of pounds, harnesses the waters of the countryside to generators that give an immense output of electrical power. A new page to highland history indeed !... and one in which it is recorded that an Alton battery has been installed in the hydro-electric station for emergency and other important duties.



THE ALTON BATTERY COMPANY LTD., ALTON, HANTS Sole Suppliers of Fuller Stationary Batterles Telephone : Alton 2267 and 2268 Telegrams : 'Battery, Alton '



ATT 45






SERIES 35 MINIATURE MOVING IRON INSTRUMENTS by

Provided with clear, open scales $3\frac{1}{2}^n$ long. Flush pattern moulded cases. Well damped ; suitable for D.C. & A.C. up to 100 cycles. Readings independent of wide variations in wave form. Movement of spring-controlled, repulsion type with high torque/weight ratio. Ammeters self-contained to 50 amps ; power consumption does not exceed IVA. Voltmeters self-contained to 500 volts; power consumption 7.5VA.

MEASURING INSTRUMENTS (PULLIN) LTD Dept. C Great West Road, Brentford, Middx. Ealing 0011



3 TR



first RADAR



now **DISTRENE** foil

Radar, one of the most epoch-making inventions of this century, would not have been possible without the help of a material possessing a very low power factor, a high resistance to moisture and great dimensional stability.

DISTRENE Regd. (Polystyrene) was the material that completely met these needs.

Now, in the change over from war to peace, you have your problems of high-frequency radio and electrical insulation. DISTRENE FOIL can help you to surmount them.

In DISTRENE FOIL (Orientated Polystyrene Film) the molecules are specially arranged during manipulation so that the tensile strength is increased by 3 times and the flexibility by 10 times. Power Factor 0.0002-0.0004 Tensile Strength 10,000 lbs/sq.in. Thickness 0.001" to 0.008"

BX PLASTICS LTD Telephane: Larkswood 4491

LARKSWOOD WORKS . LONDON . E.4

Branches: King Street Buildings, I Ridgefield, Manchester 2. Telephone: Manchester Blackfriars 0258. 42 Wellington Street, Sheffield. Telephone: Sheffield 25517 Works: London, Manningtree and Dundee

If starters were like rabbits

If starters could reproduce themselves the present heavy demand for M.E.M. motor control gear would be met without delay. But as it is, labour, material and extensive planning are needed. Yet in spite of shortages, controls and restrictions, supplies



iter,

1000

С

from the M.E.M. Factory are being steadily increased and goods are going out as quickly as possible to the wholesalers. Their's is the job of distribution and they are doing it magnificently in allocating all available goods fairly and equitably. So keep in touch with *your* wholesaler and he will see that your needs are met as quickly as supplies permit.



MIDLAND ELECTRIC MANUFACTURING CO. LTD., TYSELEY, BIRMINGHAM, 11 SWITCH, FUSE AND MOTOR CONTROL GEAR, ELECTRIC FIRES AND LOCALISED LICHTING EQUIPMENT

London Showrooms & Stores: 21-22 Rathbone Flace, W.1 : Manchester Showrooms & Stores: 48-50 Chapel Street, Selford, 3

METROVICK

F R A C T I O N A L M O T O R S are ideal for unit heaters, small pumps and fans used in heating, ventilating and air conditioning plants. This company, as a result of years of research in the reduction and elimination of noise in electric motors, can offer a motor conforming to the highest possible standards of QUIET RUNNING

MOTORS

when daylight fades

The photograph shows a Metrovick quiet-running Fractional Horse-power motor

driving an Oil Burner.

ON

Switch to METRO

FRA



Sile

ELECTRICAL REVIE

December 27, 1946

Contents :--

EDITORIAL -All-Purpose Electricity		1045
ARTICLES		
Reducing Farming Costs Industry and the House. By F. J	÷	1047
Erroll, M.A., A.M.I.E.E., M.P.		1053
Railway Claims. By Graham Saville		1077
PAPERS AND ADDRESSES-		
Production and Export		1060
-		1063
REPORTS-		
Transformers in Germany .		1050
Simon Report Rebutted		1051
New Stockholm Trams		052
Ordnance Factory Conversion		1059
Boiler Plant		1061
E.D.A. Activities		062
Safeguards Against Fire		064
The Power Situation		1065
E.I.B.A. Home		1066

Managing Editor : Hugh S. Pocock, M.I.E.E.

Technical Editor : Commercial Editor : C. O. Brettelle, M.I.E.E. J. H. Cosens

NEWS SECTIONS Personal and Social, 1057; Parliamen- tary, 1066; Commerce and Industry, 1067; Electricity Supply, 1071; Financial, 1072; Contracts, 1083. VIEWS ON THE NEWS 1056 CORRESPONDENCE 1060 Motor Inquiries; Heat Pumps; Switches in Bathrooms. ELECTRICAL INVESTMENTS 1075 NEW PATENTS 1079 FORTHCOMING EVENTS 1081 RECENT INTRODUCTIONS 1081 Classified Advertisements 59		Page
tary, 1066 : Commerce and Industry, 1067 : Electricity Supply, 1071 ; Financial, 1072 : Contracts, 1083. VIEWS ON THE NEWS 1056 CORRESPONDENCE 1060 Motor Inquiries : Heat Pumps ; Switches in Bathrooms. ELECTRICAL INVESTMENTS 1075 NEW PATENTS 1079 FORTHCOMING EVENTS 1081 RECENT INTRODUCTIONS 1081 Classified Advertisements 59	NEWS SECTIONS-	
tary, 1066 : Commerce and Industry, 1067 : Electricity Supply, 1071 ; Financial, 1072 : Contracts, 1083. VIEWS ON THE NEWS 1056 CORRESPONDENCE 1060 Motor Inquiries : Heat Pumps ; Switches in Bathrooms. ELECTRICAL INVESTMENTS 1075 NEW PATENTS 1079 FORTHCOMING EVENTS 1081 RECENT INTRODUCTIONS 1081 Classified Advertisements 59	Personal and Social 1057 · Parliamen-	
1067 ; Electricity Supply, 1071 ; Financial, 1072 ; Contracts, 1083. VIEWS ON THE NEWS 1056 CORRESPONDENCE 1060 Motor Inquiries ; Switches in Bathrooms. 1075 ELECTRICAL INVESTMENTS 1079 FORTHCOMING EVENTS 1080 RECENT INTRODUCTIONS 1081 Classified Advertisements 59		
Financial, 1072; Contracts, 1083. VIEWS ON THE NEWS 1056 CORRESPONDENCE 1060 Motoro Inquiries; Heat Pumps; Switches in Bathrooms. 1075 ELECTRICAL INVESTMENTS 1079 FORTHCOMING EVENTS 1080 RECENT INTRODUCTIONS 1081 Classified Advertisements 59		
VIEWS ON THE NEWS 1056 CORRESPONDENCE 1060 Motor Inquiries; Heat Switches in Bathrooms. Pumps: ELECTRICAL INVESTMENTS 1075 NEW PATENTS 1079 FORTHCOMING EVENTS 1081 RECENT INTRODUCTIONS 1081 Classified Advertisements 59		
CORRESPONDENCE 1060 Motor Inquiries; Heat Pumps; Switches in Bathrooms. ELECTRICAL INVESTMENTS 1075 NEW PATENTS 1079 FORTHCOMING EVENTS 1080 RECENT INTRODUCTIONS 1081 Classified Advertisements 59		
Motor Inguiries; Heat Pumps; Switches in Bathrooms. ELECTRICAL INVESTMENTS 1075 NEW PATENTS 1079 1079 FORTHCOMING EVENTS 1080 RECENT INTRODUCTIONS 1081 Classified Advertisements 59	VIEWS ON THE NEWS	1056
Motor Inguiries; Heat Pumps; Switches in Bathrooms. ELECTRICAL INVESTMENTS 1075 NEW PATENTS 1079 1079 FORTHCOMING EVENTS 1080 RECENT INTRODUCTIONS 1081 Classified Advertisements 59	CORRESPONDENCE	1060
Switches in Bathrooms. ELECTRICAL INVESTMENTS 1075 NEW PATENTS 1079 FORTHCOMING EVENTS 1080 RECENT INTRODUCTIONS 1081 Classified Advertisements 59		1000
ELECTRICAL INVESTMENTS 1075 NEW PATENTS 1079 FORTHCOMING EVENTS 1080 RECENT INTRODUCTIONS 1081 Classified Advertisements 59		
NEW PATENTS 1079 FORTHCOMING EVENTS 1080 RECENT INTRODUCTIONS 1081 Classified Advertisements 59	Switches in Bathrooms.	
FORTHCOMING EVENTS 1080 RECENT INTRODUCTIONS 1081 Classified Advertisements 59	ELECTRICAL INVESTMENTS	1075
FORTHCOMING EVENTS 1080 RECENT INTRODUCTIONS 1081 Classified Advertisements 59	NEW DATENTE	1079
RECENT INTRODUCTIONS . 1081 Classified Advertisements		
Classified Advertisements	FORTHCOMING EVENTS	1080
Classified Advertisements	RECENT INTRODUCTIONS	1081
		100.
Index as Advantion as 74	Classified Advertisements	59
index to Advertisers	Index to Advertisers	74

EDITORIAL, ADVERTISING & PUBLISHING OFFICES : Dorset House, Stamford St., London, S.E.I Telegraphic Address : "Elecrev, Sedist, London," Code : ABC. Telephone No. : Waterloo 3333 (50 lines). Registered at G.P.O. as a Newspaper and Canadian Magazine rate of postage. Entered as Second Class Matter at the New York, U.S.A., Post Office.

Annual Subscription, post free : Great Britain and elsewhere (except Canada), £2 7s. 8d. ; Canada, £2 3s. 4d. Cheques and Postal Orders (on Chief Office, London) to be made payable to ELECTRICAL REVIEW LTD., and crossed "Lloyds Bank."



The Lighter Hammer for the Lighter Job

The new 'S' Type Kango Electric Hammer has been introduced to fill an essential need for a light yet powerful hammer designed to stand up to hard and continuous wear. The most important feature is that because of its light weight it can be used for all ceiling work where the larger and heavier hammers may be too cumbersome for the workman to operate.

For the electrician and maintenance engineer this hammer is particularly useful for all Rawlplug and similar work, its speed in drilling is phenomenal having regard to its light weight. The hammer can also be used for light cutting away, hacking, brick raking and boiler scaling, etc.

KANGO Electric Hammers Ltd. MORDEN FACTORY ESTATE, LOMBARD ROAD, LONDON, S.W.I. Agents throughout the United Kingdom

TELEPHONE:

LIBERTY SIXLS

R.P. 10564


ROY 152 Sec. d hat Parties of Ti proo

1/134

1000 10 divine: 1100 -

SYNCLOCK TIME INTERVAL METERS

For Trip settings, Relay Testing and automatic measurement of timing periods.



INDUSTRIAL MODEL

- **PRECISION MODEL.** Measures time intervals from 1/20th of a second up to 10 seconds. Accuracy 1/100th of a second.
- INDUSTRIAL MODELS.
 - Measures time intervals from 1/5th of a second up to 5 minutes. Accuracy 1/20th of a second.
 - 11. Measures time intervals from 1 second up to 30 minutes. Accuracy $\frac{1}{4}$ of a second.

Hand or electrical resetting on Industrial models.

EVERETT EDGCUMBE COLINDALE WORKS LONDON, N.W.9 Telephone : COLINDALE 6045

Manufacturers of all kinds of indicating and recording electrical instruments.

Photometry expert

ELECTRICAL REVIEW

THE OLDEST ELECTRICAL PAPER - ESTABLISHED 1872

Vol. CXXXIX. No. 3605.

DECEMBER 27, 1946

9d. WEEKLY

All-Purpose Electricityoured

Countering Retrogressive Proposals

NWO reports published this year under Government auspices have made a serviceable addition to the information generally available on the use of heat for all domestic purposes. The firstthe "Egerton" Report-was, in effect, the work of a fact-finding commission: the second—the Simon Report—sought mainly to canalize the data presented in the earlier Report, to define the objectives of a national domestic fuel policy and to recommend how the latter could best be carried out. While further investigations and developments with time may prove some of the data to be based on incomplete information, the general aims-the need for improved standards of heating, lower costs, greater convenience, fuel economy and smoke abatement-are just those that electrical engineers have always done their best to further.

Distant Prospect

The means recommended for fulfilment of these admirable ideals are a very different matter. The Simon Committee, which included no electrical engineer, argued the case of those who hold that the end may best be achieved by saddling the public in perpetuity with myriads of individual solid-fuel systems. These, it is hoped, could be developed within the next twenty years to consume smokelessly the 50 million tons of bituminous coal (out of a total of 62 million tons) burnt annually in homes at upwards of twice the present thermal efficiency.

While it would be rash to set limits to what engineers could do in this way, there seems no good reason for asking them to make the attempt when a better and proven alternative already exists in complete electrification, requiring for the purpose under discussion only the granting of facilities for the construction of generating plant and electrical equipment of all kinds. Moreover, any expectation that improved solid fuel appliances can be mass-produced inexpensively seems to be negatived by the warning given in the Egerton Report regarding the effect of the varying constituents of coal in different parts of the country.

Pre-Electric Ideas

A principal weakness of the Simon proposals is that, although drawn up with a view to meeting the housing urgency, they have little to offer that promises immediate appreciable betterment of the admittedly unsatisfactory methods of solidfuel combustion. They formulate what is essentially a long-term programme that harks back to pre-electric days. The relegation of electricity generally to intermittent and subordinate duties appears to be out of harmony with the view expressed by the Minister of Fuel and Power that cheap electricity should be abundantly available to all, since such a course would seriously prejudice the economics of its production and distribution.

Mr. Shinwell has also referred to the desirability of avoiding wasteful overlapping of different services. While electricity, as the rising tide of public favour makes evident, need not fear competition, it can justly claim, as the Memorandum

1

R

(form

it i

1

n uoces

RUD 3

3 little

ratgy.

50

STR.

1.

of the Electricity Supply Joint Committee and E.D.A. states (summarized in this issue), to be the only agent that is capable of being the sole medium for providing all domestic services. The views we expressed in commenting on the two Reports at the times of their publication have gained in cogency in the light of Mr. V. Z. de Ferranti's presidential address to the I.E.E. Domestic heating requirements would be far better met by burning low-grade coal in power stations than by tinkering with obsolescent small fireplaces that would still require selected fuels.

AT last the threatened The Electricity measure for the nationali-Bill zation of electricity supply

has been launched; it was introduced by Mr. Shinwell last Friday. At the time of going to press the text was not available but the extended title of the Bill foreshadows a "British Electricity Authority" with area electricity boards, one of which will be North of Scotland Hydro-Electric Board. Existing supply undertakings' "property, rights, obligations and liabilities" will be transferred to the Authority or boards. Further interest lies in the proposals to "amend the law relating to the supply of electricity, to make certain consequential provisions as to income tax."

Some conclusions to be Boiler drawn from the research Availability activities of the Boiler Availability Committee have been issued as an Interim Report, particulars of which are included in this issue. This Report is a digest of much of the matter discussed at the recent "Fuel and the Future" Conference, particulars of which were published by us on October 10th, and has an immediate bearing on present problems. It should be read in conjunction with the paper on pulverizedfuel firing by Mr. C. H. Sparks, summarized in this issue.

> WHEN coal can be regarded as a store of Delays raw chemicals and not principally as a means to

raise steam or to warm buildings, it will greatly accelerate the maturing of the electrical era, which really began, Mr. E. R. Wilkinson suggested at Liverpool, with the part played by the grid in making electricity generally available. His reference

to the increase in actual expenditure on frequency standardization over earlier provisional estimates illustrates how costly may be delays in carrying out measures of standardization (e.g., of voltages) even though their desirability is accepted.

"Super-Priority"

NOTHING can be done to avoid the next two winters being as bad and probably worse than the

present one in regard to electricity supplies. Mr. Harold Hobson, chairman of the Central Electricity Board, declared, however, last week that it would be possible to prevent the shortage extending into 1950 if "super priority" was given to generating plant for labour and materials. As we have repeatedly emphasized, this priority must be given if the country's progress along the road to recovery, industrial expansion and a higher standard of living is not to be impeded. Exports represent only about 10 per cent of the total production and if restricted or banned would, in view of the competition from other countries, certainly be very difficult to resume when the present shortages at home have been overcome. In any case the banning of exports would produce no immediate benefit here. So much of the work on power stations is civil engineering, that it would probably be at least two years before any effect of the ban would become noticeable.

AT a recent meeting of Farmers and the Warwickshire branch Nationalization of the National Farmers' Union a speaker advocated nationalization of electricity supply to get over a situation in which there was " one law for the townsman and another for the countryman." He thought that no capital charge for the supply of electricity should be made to the farmer. We wonder if he has ever tried to get a telephone from a nationalized service without paying for the necessary extension. These repeated demands for electricity at somebody else's expense really invite a tu quoque in the form of advocacy of the nationalization of the farming industry. This is very seldom suggested although food is as important as electricity and might be cheaper than it is considering the heavy subsidies which are paid for it. Why should the consumer have to pay for its cartage to the markets?

.11

2 (

Reducing Farming Costs

Electrical Methods in Northamptonshire

THOUGH greatly increasing numbers of farmers are beginning to "see the light" in regard to the adoption of electrical methods, far too many still look on electricity as desirable but outside their reach financially. In point of fact under present-day conditions no farmer who wishes to be successful can afford *not* to take full advantage of the facilities offered by electricity to increase production, to reduce labour costs, and to



Nearly 150 " Essex " mills have been installed. Here is one mounted on a trailer for demonstration purposes

obtain a better price for his produce by improving quality. A visit we recently paid to a number of farms in the Northampton Electric Light & Power Co.s' area provided strong evidence of this and also supported the contention of Messrs. W. D. Kennedy and G. O. McLean (see *Electrical Review*, August 9th, 1946, page 215) that this country has little to learn from the American Rural Electrification Administration with regard to adequate and cheap supplies of electricity.

Under the R.E.A. tariff a typical farmer pays approximately 2.2d. per kWh for his energy. The average price paid under the Northampton Company's farm tariff is only just over a penny per kWh, several consumers actually getting their energy at little more than &d. This special farm tariff, which was introduced in 1932 and has now been adopted by nearly 900 of 1,500 farms in the company's 800 sq mile area, covers supplies for all general purposes except motors over 3 H.P. and dairy sterilizing equipment exceeding 6 kW. A fixed charge of 45 per cent is paid on the net rateable value of the farm house, 15 per cent being due in each of the winter quarters and 7 per cent in each of the summer quarters. The r.v. for even quite a large farm is rarely above £20, so that this annual charge is generally well below £10. In addition there is a kWh charge of $\frac{3}{4}$ d. All accounts are subject to a discount of 5 per cent for cash. The restrictions relating to use of extra large sterilizers and motors are not important and were really

included in the tariff as a safeguard against apparatus that was not of a truly farming nature. Few farm sterilizers take more than 6 kW and since the introduction of the "Essex" mill there are few mechanical duties for which a 3-H.P. motor is not adequate.

Altogether about half a million kWh was consumed last year under




Examples of 16,000-egg incubators installed at Turney Brothers' farm

this tariff, the availability of which may be said to be responsible largely for the extensive use made of electrical equipment for bona fide

farm purposes. This is not an area where "farm supplies" consist of a few lamps and a radio set. With a very few exceptions all but the smallest of the dairy farmers have electric milking machines, while there are now about 200 sterilizers in use as well as large numbers of electrically operated pumps, corn grinders, chaff cutters, thrashers, milk coolers, cold rooms, incubators, brooders, saws, etc. In the farmhouses, too, electric cookers, water heaters, refrigerators, washing machines and vacuum cleaners are quite commonplace.

The company is particularly receptive to new ideas and was one of the first to appreciate the possibilities of the 3-H.P. "Essex" mill. Nearly a hundred and fifty of these remarkable units have now been installed in



the area and to demonstrate their operation on site one of them has been mounted on a trailer. In view of the difficulty of getting or making up bins for feeding the mills, the company has also made up considerable numbers of these out of corrugated iron, which unlike sheet metal, has been readily obtainable.

Besides having installed a number of grassdrying plants, the company has recently been co-operating with the British Electrical and Allied Industries Research Association in experiments on hay finishing, and, although it is too early to draw final conclusions from the results obtained, the preliminary work has shown that this is a very promising field of application of electricity to farming processes. The experimental plant has been installed at Turney Brothers' farm at Quinton, which is also of especial electrical interest for many other reasons. It is one of the largest and most extensively equipped in the area and its 70-kW connected load covers a 25-H.P. hammer mill, 10-H.P. thrashing 1-H.P. winnowing machine, machine, 5-H.P. mixer, 2-H.P. cake breaker, 24-H.P. root cutter, Alfa Laval milking machine (two 3-H.P. motors, one as standby), 1-H.P. hoist, 3-H.P. grain elevator, two 3-H.P. straw and grain elevators, two 3-H.P. pumps. four 16,000-egg incubators (6 kW each), ten electrically heated brooders (380 W), 3-H.P. poultry-food mixer, 1-H.P. tyre compressor,

and a refrigerator, clocks and domestic apparatus. In addition a 10-H.P. plate mill is just being installed. A 100-kVA transformer provides the 230/400-V, three-phase supply and the metalclad switchboard installed is probably the largest we have seen on a farm, being of the type usually to be found in a small factory. The p.i.l.c.a. 4-core cables are taken in 6-in. ducts to the main points in the

Milk cooler at Galley Lane Farm, Bletchley

buildings. For this comprehensive range of electrical facilities this farm, which has a rateable value of £22 per annum, in a typical year (1943) consumed 57,814 kWh and received a bill for £217 13s. 7d. After allowing for the 5 per cent discount the average price paid per kWh works out at 0.86d.

An even lower average price has been achieved at Mr. R. Barbour's Galley Lane Farm Bletchley, Hare for a

Lane Farm, Bletchley. Here for a herd of about a hundred Ayrshire cows in milk use is made of a milking machine, sterilizer, electrode boiler (20 kW), and a milk cooler as well as cattle food preparation plant and domestic appliances. The premises have a rateable value of £18 and in last June quarter the cost for 10,512 kWh was only £33 6s. 5d., which, after the 5 per cent discount, represents an average charge of only 0.73d.

Even when consumption is quite small the average price paid per kWh is remarkably low. With an unusually high rateable value of £22, Mr. J. W. Shirley, of Pear Tree Farm, Woughton, who used 1,451 kWh in the June quarter for his "Essex" mill,

1048

di.

-

2

1

2. 2

1.2

31

1180

20

11

TTC

Inte

-

àti

10

REET

alk

Par I

THE.

milking machine and a 6-kW sterilizer, paid only 0.98d. per kWh. With a still lower consumption (only 213 kWh) Mr. E. Dunkerley, of the Old House, Staverton (rateable

week were previously entered on the cost sheet for grinding.

Besides the mill, Capt. Jones has one of the most compact dairies we have seen. To

> handle the milk from his sixteen cows there is a Manus milking machine, a 15-gal water heater (1,500 kW) and a 6-kW sterilizer. A novel feature is that access to the sterilizing room from outside the building is discouraged by having the entrance from the dispatch room just large enough for a man to pass through, though of course of ample size for cans, etc. With a rateable value of £10, the cost for the 3,498 kWh consumed in

Compact water-heating and sterilizing plant arrangement at Capt. C. Jones' farm, Stoke Goldington

value £8), paid 1.33d. Milking only about a dozen cows Mr. Dunkerley does not consider the installation of a milking machine as an economic proposition but he has an electric sterilizer, a bottle washer and an "Essex" mill. Incidentally he uses the mill to grind for fifteen other farmers in the district, having laid out the bin and tubing

district, having laid out t arrangements to facilitate reception of the grain and dispatch after

grinding. Another novel of an arrangement "Essex" mill is to be found at the Old Park Farm, Stoke Goldington, where Capt. Clifford Jones has taken the outlet tube direct to a receiving hopper in the cow byre. Capt. Jones says the mill has paid in itself eight for months. Apart from

Gascoigne auto-recorder milking plant just installed at Mr. W. H. Jones' farm, Staverton the June quarter of this year was £11 13s. 6d. less discount, or 0.76d. per kWh.

This installation, like practically all in the area, has been carried out by the company's own Installation Department. Complete schemes are prepared and carried out and the company has the services of an agricultural engineer, Mr. Arthur P. Crooke, who, being

the fact that it costs about 12s. 6d. a ton for grinding elsewhere he reckons that using an "Essex" all the requirements of the farm can be met with only half an hour's attention by a farm hand a week. Eight man-hours a a farmer himself, and is still running a small farm in his spare time, is well qualified to advise on agricultural matters. One of the most recent schemes for which the company has been responsible is nearing completion at Mr. W. H. Jones' Vine Tree Farm at Staverton. Here a completely new building is being erected to accommodate a herd of fifty Friesians. Fluorescent lighting is provided throughout, and the milking parlour with its Gascoigne auto-recorder for eight cows is warmed with tubular heaters. There is a water heater for washing hands and an electrode boiler is on order.

At the moment farm installations are being undertaken at the rate of about two or three a week. Each application is carefully studied with a view to giving the maximum service and efficiency, with minimum cost, both capital and operating. Special attention is paid to the elimination of as much manual labour as possible, a feature which has a strong appeal to the farmer to-day in view both of the difficulty in obtaining farm hands and also of the rising wages. Apparatus of all kinds is available on hire-purchase terms spread over five years while in the case of new connections guarantees of consumption are required only for the larger installations. Apart from the normal farm advisory service, special demonstrations of equipment are given from time to time at the county agricultural shows, as well as at the company's main showrooms.

It speaks well for the company's methods that not once during our tour did we hear anything but praise of the facilities offered. Far from complaining that electricity is still too dear, the farmers we spoke to boasted of the smallness of the accounts they had to pay.

We thank Mr. E. G. H. Jackson, general manager of the company, for giving us facilities to visit the farms, and also Mr. J. B. Wilson, sales manager, Mr. A. P. C. Crooke and the various farmers, for their help in the preparation of this article.

Transformers in Germany

Report of Investigating Committee

N a series of reports, some of which have been reviewed in this journal, the Intelligence Objectives Sub-Committee has dealt with the German heavy electrical industry. The subject of "Item No. 31" is "Motors and Power Transformers" (Stationery Office, 3s. net), which records the results of visits to five large works. Owing to war damage some of the information "had to be obtained by verbal discussions, which cannot be relied upon without reservations."

Some of the reservations necessary will be clear from perusal of the transformer section in particular. For example, it is stated that flux densities of B=16,000 to 24,000 lines per sq cm were used in Germany. Stalloy is saturated at approximately 20,000 lines, and a transformer designed with B approaching this figure would quickly burn out. No sheet steel capable of being used at B=24,000 is known in this country or in America, where B normally does not exceed 13,500. The losses in watts per kg given at B=10,000 show that the steel mentioned is inferior to British steels and does not justify the claim that "German practice seems to be a little ahead of others."

The permissible temperature rise of 60 deg C is stated to be "enormously high on the basis of standard British Specifications," but this figure (if it relates to resistance) has been used in B.S. 171 since 1936. A current density of 2,400 A per sq in. seems very high for ON transformers.

The efficiencies given should be related to voltage. The TMA standard losses for a 100-kVA transformer for 11,000/400 V give a full load efficiency of 97.5 per cent against

96.6 per cent quoted for a German transformer. For a 1,000-kVA transformer of the same ratio the corresponding figures are 98.55 per cent and 99.1 per cent. Butt-joint yokes appear to be used in Germany, but have not been British practice for many years, interleaved yokes giving less reluctance in the magnetic circuit.

It is stated that the use of "corrugated fins arranged all round the periphery of the tank ... is considered superior to that ... with tubes or pipes " and " the tube cooling method is only used on very large units about 15,000 kVA, and this to a limited extent." Corrugated tanks were discarded in this country over twenty years ago in favour of tubular tanks which give a higher cooling area. The height of a corrugated tank is greater than that of a tubular tank for the same output, and more oil is required. Elliptical tubes do not increase the range of dissipation of heat per unit area of surface; they enable a given length of tube to be " nested " in a smaller space, which, however, reduces effective radiation. The recurrentsurge generator is not new and has been in use in this country for some years.

N.A.L.G.O. Branch Meeting.—The Central London Electricity Branch of the National Association of Local Government Officers, which was among the first to be formed by a public utility company, held its annual general meeting on December 9th. Since the formation of the branch eight months ago membership has grown rapidly and the branch now represents approximately 80 per cent of the eligible staff. 23,11

Contra Co

N IN N

101

(23)

10.000

LINE

60

1351

1001

100

ale:

10

前日本

222

a il

a la

1

5

世人

日日日日

Di I

21

Simon Report Rebutted

Electricity the Only All-Purpose Medium

MEMORANDUM on the Report of the Fuel and Power Advisory Council (Cmd. 6762) on Domestic Fuel Policy has been drawn up by a committee appointed by the Electricity Supply Joint Committee and the Electrical Development Association. After citing the first reference of the Advisory Council, which was set up under the chairmanship of Sir Ernest Simon by the Coalition Government in November, 1944, to consider the efficient use of fuel in domestic and similar premises and the prevention of atmospheric pollution, the Memorandum refers to expressions of Ministerial views since the Report was presented on January 17th last.

At Blackpool in June, the present Minister of Fuel and Power, Mr. Emanuel Shinwell, put first the provision of electricity to all as cheaply as possible and gave as one of his primary objectives the integration of all forms of power and the avoidance of overlapping. In the same month the Ministry of Health commended the attention of the Simon Report to all housing authorities, requesting that each estate should be supplied, if practicable, with both electricity and gas. In July the Department of Health for Scotland sent out a similar communication. In view of the increase in expenditure entailed in providing electricity, gas and solid fuel, the present Committee suggest joint consultations between the Ministries concerned and the electricity supply industry before any such action is taken.

Committee's Formulæ Challenged

The formulæ used in the Report in arriving at efficiencies (derived from the "Egerton Report," Ministry of Works Post-War Building Studies No. 19) and the conclusions based on them are challenged. It is pointed out that the trend of public opinion is indicated by the annual increase in electricity supplied for domestic heating (which includes water-heating, cooking and auxiliary services). This advanced between 1921 and 1941 from 564 million to 9,874 million kWh. In 1943 the Standing Joint Committee of Working Women's Organizations found that "electricity is first choice for cooking with a majority in every area." The next year an inquiry instituted by the Scottish Housing Advisory Committee showed substantial majorities in favour of electric cooking and space heating, leading to a recommendation that socket outlets should be installed in all rooms except the bathroom. In Hull 80 per cent of prospective tenants of council houses preferred electricity for the same purpose. This trend is particularly noticeable among younger women. Further, the Housing Manual (1944) issued by the Ministries of Health and Works recommended the provision of a 3-kW socket outlet

in all rooms of small houses. Between 1929 and 1939 the average domestic price was halved, while the number of electric cookers increased from 50,000 to 1,750,000.

The objectives of the Simon Report are the same as those of the electricity supply industry (namely good standards of heating, low costs, more convenience, national fuel economy and smoke abatement), subject to revision of its recommendations in the light of the foregoing observations. Since electricity is the only medium which can be used as the sole source of all domestic power, heating and lighting, it is urged that, subject to the preservation of individual choice, the industry and the Government should combine to ensure the widest use of electricity for all domestic purposes at an economic price. The Committee holds that while the nature of the supply of electricity into residences will remain unaltered for all foreseeable time, the methods of producing, distributing and using it will improve and that housing policy, therefore, should not be committed to a system of heating that may shortly become out-of-date.

Counter-Proposals

Comments upon the recommendations of the Simon Report follow. The use of solid fuel should be minimized to avoid cost of transport, refuse disposal, domestic labour, internal decorations, material deteriorations and atmospheric pollution. Electric heating appliances should be developed on a mass production basis to minimum standards, the Government in consultation with the electricity supply industry being responsible for ensuring proper testing. Codes of Practice that insist upon a general use of solid-fuel appliances are not acceptable; the use of such appliances as a condition of subsidy, whether for new or old houses, or their free issue is deprecated. The Committee accepts central heating as the main means of heating blocks of flats or large houses, but holds that the recommendation regarding the use of available supplies of smokeless fuel in individual houses and of bituminous coal in central plants should not be acted upon without investigations into modern developments. It does not accept the proposal that the main winter space- and water-heating load should be taken by solid fuel, in view of the greater costs of construction of premises and transport and handling of fuel and the atmospheric pollution this would entail. Electricity is fundamentally an all-purpose agent and when so used affords maximum benefits in price and service.

No objection is raised to free competition with other fuels over the whole range but only to its limitation to a sphere which would lessen the benefits obtainable with free competition. Any division of load between different fuels would also militate against the furnishing of supplies in rural areas, since this depends upon the development for all purposes throughout the country.

The Simon recommendations regarding solid fuel would prevent free competition between electricity and gas, the prices of which are already regulated by the Ministry of Fuel and Power in consumers' interests. The industry, it is stated, would strongly object to any outside authority having jurisdiction over prices as a basis of competition and would disagree with the method of assessing electricity supply tariffs set out in an appendix to the Report. While it is held that only by the most extensive electrification can the prescribed standards of heating be provided at "lowest possible cost," objection is not raised to a flue for solid-fuel appliances in the living room but to the limiting of the means of heating by electricity or gas elsewhere to one bedroom, which is contrary to codes suggested by other Departments. The proposed obligation on the building owner to


Information centres, which already exist, should remain the responsibility of the industries concerned, possibly with some co-ordination, and should not be established by the Government; their function should be explanatory in order to promote healthy competition and ensure a free choice to consumers.

The establishment of smokeless zones is not regarded as practicable and the need for them would disappear under electrification. The target aimed at in the Report of replacing in twenty years the 50 million tons of bituminous coal now burnt at a working efficiency of 20 per cent by smokeless methods having a coal economy of 40 per cent is considered to be out dated already by the possibilities of electrification.

New Stockholm Trams

Modernization and Extension Scheme

N view of the gradual abandonment of tramways in London it is of interest to learn that the system in another capital, Stockholm,



The interior arrangements are comfortable and tasteful. Some of the standing passengers are accommodated in the aisle between the rows of seats and others on the rear platform. A separate cabin is provided for the driver, the vehicle being designed for passing round a loop at termini.

Six pneumatically-operated doors are provided to facilitate loading and unloading and the stops are announced through loud-speakers by the driver. There are also illuminated stop indicators. The ventilation system effects a complete change of air every two minutes.


So far twenty of these new trams have been put into service; a further seventy are

One of the new Stockholm trams

is being extended and modernized. One feature of the modernization is the introduction of a new type of tram which we are able to illustrate by the courtesy of the *Anglo-Swedish Review* (published by the Swedish Chamber of Commerce in London).

This is a single-deck vehicle accommodating 104 passengers (70 standing). It is 52.6 ft long still under construction. The cost of the vehicles is said to be about £9,650 each.

Municipal Radio.—St. Marylebone Electricity Committee reports that it does not contemplate the sale of radio and television sets as there are many firms in the borough dealing with such equipment.



1.24

ni

- M

ALL MA

10 10

10 10

-

in:

11

55

Industry and the House

Electricity Supply and Transport

By F. J. Erroll,

M.A., A.M.I.E.E., M.P.

DERHAPS, by seeking in each of these fortnightly articles a main theme linking the diverse Parliamentary references to the electrical industry, I am straining unduly to force a series of fragments into an unreal pattern of unity. Even if that is true, however, I still believe the attempt worth making. Parliamentary discussions are a current index of the importance which these various issues are assuming in the public mind—they indicate where the shoe is pinching, and how successful we are as a nation in cutting any particular suit according to our very limited cloth.

In writing "finis" to Parliament in 1946 my opening subject will be the generation of power, and I will conclude with

a survey of the great clash on transport nationalization. Listening to the ebb and flow of discussion at question time these last two weeks I have been struck by the repeated references to power generation. Perhaps it is the shedding of load that has prompted the outburst; perhaps a preliminary lining up of facts and forces for the debate on supply nationalization; perhaps even the issue by the Conservative Political Centre of a timely and aptly titled booklet on "Power." Maybe all three have played a part.

The question of cuts was revived by Mr. H. D. Hughes from the Government benches, and the Minister in his reply stressed that the present shedding of load was due to shortage of generating plant, which was insufficient to meet peak loads on the public supply system. It did not arise from shortage of coal.

Perhaps this insistence that coal supplies were not to blame was yet another example of Mr. Shinwell's now famous inconsistencies. For only a week earlier he had conceded to Major P. Roberts that the quality of coal supplied for the purpose of generating was not all that could be desired. Major Roberts had referred to the C.E.B. statement that an occasional reduction of the load was caused by a regular loss of about 300,000 kW due to inferior quality fuel delivered to power stations feeding the grid. What action, the Minister was asked, was he taking to improve the quality and overcome the difficulty?

Mr. Shinwell in turn blamed the increased consumption, which had caused it to be

"inevitable that some of the fuel supplied should be of poorer quality than formerly." No improvement in the quality could be looked for, he disconsolately added, whereupon Mr. Thornton-Kemsley leapt in with a suggestion as ingenious as it was impracticable. Why not, he asked, import supplies by submarine cable connecting Norway with the North-East of Scotland? "No, sir," was the Minister's brief but clear reply.

Giving details of cuts, Mr. Shinwell said that since November 1st the C.E.B. had found it necessary on eighteen days to issue instructions to undertakings to shed 5 per

> cent or 10 per cent of its load for periods averaging about half an hour. All seven areas into which the Board divided Great

Britain had been affected, but the districts most affected were the Midlands and South-East. Reduction of load, he pointed out, did not necessarily involve cuts in electricity supplies. In many cases the strain was lightened by a reduction in voltage; in other cases large industrial consumers, on receiving an intimation, transferred part of their load to off-peak hours.

Ultimately, of course, it is a question of increased plant, and in details of progress the House is constantly interested. Mr. A. M. F. Palmer, formerly on the staff of one of the power companies and now M.P. for Wimbledon, asked for steps to be taken to reduce the delays in obtaining consent to the building of new power stations. The Minister's reply was little more than formal: "Close consultation is already taking place between the Departments concerned, which it is hoped will expedite the issue of the formal statutory consents required under the Electricity Supply Acts and Town and Country Planning legislation."

More specific in character were references to Manchester and Neasden power stations. The former city is to have a new station at Carrington in Cheshire adjacent to my own constituency, and Mr. Shinwell was asked to say what provision was being made to utilize the waste heat for houses and other development works. Particularly it was suggested that some arrangement should be made to supply such heat in the Urmston locality where the local authority had been authorized to carry out a district heating scheme, and for the important industrial extensions in hand at Carrington and Partington near the site of the proposed new station. Through Mr. Shinwell, the Electricity Commissioners, the responsible authority, replied that no proposals had been submitted by Manchester Corporation.

Neasden Coal to Oil Conversion

The Neasden inquiry concerned a fuel oil conversion at the L.P.T.B. power station. The Minister of Transport, asked why he had approved the change-over, said it was not a matter for which his approval was necessary. Mr. Barnes gave the estimated additional operating cost as approximately £45,000 a year on the basis of existing prices for coal and oil fuels, and added that the measure was to be regarded as a permanent one. Questioned on the same subject, the Minister of Fuel said the conversion was a matter of expediency to ease the coal position. It was impossible to predict the exact effect on operational efficiency, but no great change was likely.

It is my impression that the Minister of Fuel himself pressed for this change, and that the L.P.T.B. acceded to the request because, being in a monopoly position, it would be able to pass on the additional cost to the transport "consuming" public. If I am right in this analysis, it is the first example of what may prove a regular practice: the dictation to owners of electric power stations by a Government Department of the fuel to be used.

Foreign Capital for British Industries

Light from a new angle was shed this fortnight on another subject I have previously reviewed. It may be remembered that Mr. F. A. Cobb, in the debate on the Ministry of Defence Bill, warned that foreign capital in British electrical firms might remove the effective control of research from this country. In the debate on the Exchange Control Bill, came an almost directly contrary viewpoint from Mr. David Eccles. Deprecating the placing of obstacles in the way of Americans investing money in this country, the Member for Chippenham appealed for a wider approach to this problem. Americans and Canadians, he said, considered that the British workman would turn out a good article at an economic price; they also believed that we could not fulfil our Bretton Woods obligations without stringent import

licensing, making it necessary for them to manufacture in this country.

Denying that it was the intention of the clause under discussion to make dollar investment in Britain difficult, the Solicitor-General said there was no objection to the process in principle, "but each case must be considered on its merits, in order to see whether it is in accordance with the national interest." How such investment might fail to accord with the national interest was in no way clearly or satisfactorily defined. Perhaps Mr. Cobb's warning was being borne in mind. The whole issue, I feel, needs more careful examination, followed by a frank discussion.

Shortage of Steel

A general sense of frustration must unfortunately persist in the electrical industries during the present marriage of exhortation and short supplies. How many electrical firms, I wonder, have had the experience related by Mr. E. H. Keeling, who drew attention to posters urging greater output which had been sent to a company whose raw materials and coal had been cut to an extent that made it impossible to respond? Steel sheet continues to be one of the supply problems of the industry, and there was little comfort in the reply of Mr. Wilmot to a challenge from Mr. W. N. Warbey (on the Government side of the House) to say what steps were being taken to stimulate an increase in the output.

Until the proposed new continuous strip mill comes into operation, replied the Minister, the problem was primarily one of attracting more labour to the older handsheet mills which were " concentrated " during the war. Special arrangements had been made by the industry for the training of new entrants and for the payment of a bonus above the unskilled rate to trainees retained in the industry. Production from the two existing continuous strip mills was already very near its maximum, but efforts were being made to increase it. Subsequently an assurance was given by Mr. Belcher for the Board of Trade that no great quantities of steel sheet were being exported in the present emergency.

Debate on the B.B.C.

In the broadcasting debate, arguments about programmes and charges of corruption stole the news headlines, but there were a few references of interest to our industry. In opening, the Assistant Postmaster-General 34

in the

TI

h

233

81

を見

tiz.

=

te I

見り

ni t

1

21

5

7.7

recalled earlier discussions on the possibilities of frequency modulation and said the B.B.C. was keenly alive to the situation. One disadvantage lay in the fact that new receiving sets, or adaptors for present sets, would be required; but this had been foreseen, and discussions were proceeding between the Post Office, the B.B.C. the radio industry and the manufacturers.

Touching on television, Mr. Burke stressed the fact that after the wartime shut-down London was now the only place in the world from which daily programmes were sent out. He added the information that the number of wireless licences is now in the neighbourhood of 10,700,000, and the number of television licences 4,450.

On December 16th an apathetic House listened to the announcement of yet another advisory council for industry. This time it was Mr. Wilmot blandly giving birth to an "Engineering Advisory Council." Its object is to provide him with a means of consultation with employers and workers in the mechanical, electrical and radio engineering industries "on matters of general concern in the engineering field." For some time Mr. Jack Tanner, President of the Amalgamated Engineering Union, has been pressing for this council, though no one seems very clear what useful purpose it will serve. Names have still to be announced, and some familiar faces will meet round the table. Employers in particular wonder what good the Council can do, but dislike opposing the formation of additional consultative machinery in case they are accused of being obstructive.

Transport Bill Doubts

The House of Commons passed the second reading of the Transport Bill by 362 votes to 204. This was the first time that the Opposition vote had passed the 200 mark and indicated the widespread criticisms of a measure which will effect every man, woman and child in the country. With nationalization of the electricity supply industry only a little way off this Transport Bill poses the very pertinent question—how will electricity supply fare ?

There are four different forms of compensation in the Bill, but the railway stocks correspond most nearly to electricity stocks and the Government's method in this case may provide the answer for electricity compensation. Compensation on the basis of current stock exchange quotations of the various railway stocks had a good reception when first announced; but when the Bill was published the attitude changed, which Mr. Dalton was not slow to drive home in a light-hearted reference to the fact that " quite an agitation seemed to have been started up on behalf of the railway stockholders." The reason for the change in outlook and the strong opposition to the compensation terms, a subject which occupied a full day in the three-day debate, was because, as Mr. W. S. Morrison vigorously asserted, " of a novel malignant departure from normal and practice in compensation. There had always been some element of arbitration. The House had never before been asked to combine the roles of purchaser and valuer."

No Guarantee of Efficiency

The Opposition then attacked the new organization which the Bill will set up. The Minister of Transport becomes the head of the greatest monopoly in the country with direct power to appoint nominees to the fifty-five most important positions. The Government did not reveal how this new monopoly was to be truly efficient and no one on the Government side was able to reply effectively to Mr. Peter Thorneycroft's denunciation.

Doubtless when the Bill for the nationalization of electricity supply is debated we shall hear much of the same sort of thing again and the electricity undertakings will be blamed for shortcomings which it was not in their power to remedy. Thus Mr. Dalton claimed that the railways were not in a position to finance maintenance or reconstruction of stations and other big permanent works.

Mr. Anthony Eden pointed out, however, that "the arrears of maintenance were piling up not because the railways had not the money to pay for renewals but because they could not get the necessary official sanction for the materials." With the prospect of continuing power cuts the Government will, if it continues its present style of argument, blame the electricity undertakings for lack of equipment and point out that a great deal of money will be required to provide it, but make no mention of the ban on new construction during the war.

Electricity Bill Introduced

As a fitting tailpiece to 1946 the Minister of Fuel and Power formally presented the Electricity Nationalization Bill on the last day of the sitting, December 20th.

Views on the News

Reflections on Current Topics

OST of us hoped that one relief (and reliefs have been none too plentiful) when the war ended was to hear no more airraid sirens. But many misguided authorities are using them to call out the Fire Service and now some Yorkshire towns-Hull and Huddersfield for example-are using them to warn citizens of impending power cuts. Few people like the system; the exceptions no doubt include those who have been caught in a lift between floors when a power stoppage has occurred. Manchester (being in Lancashire) has adopted a much better method. About seventy industrial concerns are on a system of special red lights which flash to an accompaniment of ringing bells when a cut is imminent.

Although it is proverbially ungracious to look a gift horse in the mouth, fear of the animal's bite is sometimes unavoidable. I earnestly hope that recipients of electrical presents this Christmas fared better than a correspondent who was given a small portable immersion heater. Its 380-W element, housed in a 6 by 3 in. nickel-plated cylinder, is connected by long screws passing through a fibre disc (a tight sliding fit in the cylinder) to two terminals mounted very close to one another on the far side of the disc. To these terminals are attached the ends of some twin twisted flex which are taken through a wide hole in a wooden stopper to a b.c. lampholder. How long it would be before a steamy atmosphere might have unfortunate consequences is anybody's guess. Yet, I am informed, such contraptions are obtainable locally at something under a pound. Can no legislative attention be paid to protecting the man in the street against potential dangers of this kind?

With the increasing availability of electric washing machines the relative merits of wringing and spin-drying are likely to come in for a good deal of discussion. There is some difference of opinion as to their effectiveness, but probably it is safe to say that wringers are generally found better for closeweave materials, while spin-drying is better for open-weave. A considerable saving in ironing is achieved by dry wringing of certain articles, but if the washing and roughdrying processes are to become fully automatic, the use of a wringer is out of the question. In my opinion, the normal routine eventually will probably be spin-drying followed by pressing on a rotary ironer. However, there is a long way to go yet before the average housewife is induced to give up her wringer and iron and before her prejudices against the newer methods are overcome: prices too will have to come down considerably.

Central Europe has frequently been the source of strange inventions which, once mentioned in our press, are never heard of again. The latest is the production of a "62-year old Austrian shoemaker," who, says the Sunday Express, has devised electricallywarmed shoes. These are of normal shape, but between the outer and inner soles there is a duralumin plate surrounded by asbestos, connected with a small battery which fits into the cavity of the heel. This arrangement, rather unexpectedly, keeps the shoe constantly warm. The Sunday Express goes on to say that the invention was taken over by the Wehrmacht. Was this their Achilles' heel?

The Dundee Courier and Advertiser reports that the Fife Electric Power Co. is attaching to its accounts a tab bearing the statement:— "Nationalization means bad service and high prices." This may possibly prove to be true, but I think that until it is put to the test it is little wiser than the opposite slogan "Nationalization now means better times sooner." The proof of the pudding (or the "pie in the sky") will be in the eating.

*

It is reported that the chairman of the U.S. National Farmers' Electrification Conference held recently in Chicago expressed the view that a large part of the staffs of most American farms would be replaced by electrical equipment within five years. This is an ambitious project which will be followed with great interest by British farmers and electricity supply authorities. By the way, the chairman's name, rather appropriately, was George Kable. — REFLECTOR.

PERSONAL and SOCIAL

News of Men and Women of the Industry

S we report elsewhere in this issue, Sir Stanley Angwin, B.Sc., M.I.E.E., has been appointed chairman of the new board of directors appointed for Cable & Wireless, Ltd., upon the transfer of the company's undertaking to the State. We are informed that Sir Stanley Angwin will relinquish the appointment of



Sir Stanley Angwin and Mr. J. Innes, chairman and managing director respectively of the new Cable and Wireless board

engineer-in-chief of the G.P.O., being succeeded by his deputy, Mr. A. J. Gill. The managing director of the board is Mr. J. Innes, C.B., B.Sc., M.I.E.E., who was formerly director of G.P.O. Telecommunications, but since 1942 has been with the Ministry of Fuel and Power.

In a farewell message to the staff, among the last official acts of Sir Edward Wilshaw as chairman of Cable & Wireless, Ltd., Sir Edward says that by every constitutional measure open to him he opposed the Government's designs because he believed that they would bring disaster on the service. Now having finished the fight, he wishes the State well with its new responsibility, and hopes that his misgivings may be proved to have been groundless. If he can be of service to the Government in an honorary capacity, he is willing to place himself at their disposal. He asks the staff to give Sir Stanley Angwin, the new chairman, the same loyalty as had been given to him.

=

C†

The directors of the Stirling Boiler Co., Ltd., announce that, after thirty-nine years of service, Mr. G. Summers is retiring on December 31st from his position of general manager of the company, but will retain his seat on the board. Mr. S. J. Whybrow has been appointed to succeed Mr. Summers and has been elected to a seat on the board.

Mr. B. M. Burt, formerly with the Harland Engineering Co., Ltd., and, since 1933, vicepresident and chief engineer of Bepco Canada, Ltd., flew to Britain on December 13th. He will spend several weeks visiting Bruce Peebles & Co., Ltd., Crompton Parkinson, Ltd., the Harland Engineering Co., Ltd., and Lancashire Dynamo & Crypto, Ltd., all of whom are represented by Bepco Canada, Ltd.

The British Trade Mission to China, of which Mr. D. M. Buist of B.E.A.M.A. was a member, returned by air to England last week.

The following appointments in the Department of Posts & Telegraphs, Palestine, have been announced: Mr. E. J. Prichard, O.B.E., M.I.E.E., to be engineer-in-chief, filling the vacancy resulting from the appointment of Mr. D. H. Mackay, B.Sc., M.I.E.E., as Deputy Postmaster-General. Mr. A. G. Coates, M.I.E.E., recently chief engineer of the Iraqi Posts & Telegraphs, becomes deputy engineer-in-chief, and Mr. E. E. Cassell fills the new appointment of assistant postmaster-general (telegraphs and telephones). Another recent appointment is that of Mr. A. F. E. Evans, O.B.E., M.I.E.E., as divisional engineer, Northern Division, Haifa. Mr. Evans was until recently district manager, Alexandria, in the Egyptian State Telephone Administration. Messrs. Prichard, Coates, Cassell and Evans all previously served in the British Post Office.

Mr. R. L. Axford, who as we briefly reported in our last issue has been appointed deputy borough electrical engineer at Newport (Mon.), received his education

Grove Chafryn School, Salisbury, and at Bradford Technical College. He joined the Bradford Corporation Electricity Department in 1910 as junior switchboard attendant, and two years later went to Portsmouth as switchboard attendant. In the following year he was appointed charge engineer with the Walthamstow Electricity



Mr. R. L. Axford

Department, and in 1928 became generating engineer. He left Walthamstow in 1930 to join the Newport Electricity Department as station superintendent, and has subsequently held the appointments of second technical assistant and chief technical assistant. He is an associate member of the Institution of Mechanical Engineers.

Mr. J. E. Rapp, who was with Berry's Electric, Ltd., for a number of years before the war, has returned to open a new branch of this company at 5, Bystock Terrace, Richmond Road, Exeter. He will be in charge of the South West area. In April, 1940, Mr. Rapp rejoined the Merchant Navy for service in the Atlantic. At the annual meeting of the British Engineers' Association held in London recently the following were elected new members of the Governing Council:—Mr. E. B. Ball, managing director of Glenfield & Kennedy, Ltd., Mr. C. D. H. Macartney-Filgate, managing director, Tubes, Ltd., and Mr. W. J. Ruston, director, J. Stone & Co., Ltd.

Major R. Stanley Smith has been released from R.E.M.E. and has resumed practice as a consulting management and production engineer under the style of R. Stanley Smith & Associates, with temporary office accommodation at 359, Strand, London, W.C.2 (telephone : Temple Bar 5647).

On and after January 1st Messrs. Alexander Gothard & Partners, consulting engineers, will be at 8, Adam Street, Adelphi, London, W.C.2 (telephone Temple Bar 4688).

Mr. C. B. Lewis, associate director of Oliver J. Nilsen & Co. Pty., Ltd., Melbourne, who



has recently completed twenty-five years' service with the company, is visiting this country early in 1947. Mr. Lewis spent his boyhood in Taunton, Somerset, and as a young man was assistant engineer at the Taunton Electric Light Works. After a few years of wheat farming and cattle droving in Australia, he gravitated back to the industry. electrical

Mr. C. B. Lewis

Although the primary object of Mr. Lewis's visit will be to see his family, he will make a number of contacts in the electrical industry.

Mr. J. H. Greenwood, who is at present with the Willesden Corporation, has been appointed deputy electrical engineer and manager of Walsall Electric Supply Department.

A number of new appointments and promotions have been made to the staff of the Portsmouth Corporation Electricity Department, under Class J of the N.J.B. schedule. These include Mr. J. G. Thomas, who has been appointed civil engineering assistant (Grade 8), Mr. F. H. Edwards, combustion shift engineer (Grade 8), Messrs. A. H. Cooper and J. C. Parton, district mains engineers (Grade 8), and Mr. E. L. Farrands, assistant shift engineer (Grade 8b).

Mr. E. S. Waddington, M.Inst.W., A.M.I.E. (S.A.), Associate I.E.E., of Philips Industrial (Philips Lamps, Ltd.) has recently been elected a vice-president of the Society of Engineers.

Torquay Corporation Electricity Committee has appointed Mr. V. E. Fisher, of Worcester, as assistant district engineer.

Appointments Vacant.—In this issue the Woolwich Electricity Department is advertising

for a radio engineer (£446 per annum). Other positions advertised are:—Deputy electrical engineer and manager for Cheltenham (£833); chief technical assistant for Scunthorpe (£640); installation engineers for Southend (£442) and Sheffield (electrical contracting) (£478); lecturer in electrical engineering for the South-East London Technical Institute (£300-£525 plus allowances); and power station superintendent for St. Helens (£681).

Thorn Electrical Industries, Ltd., held their Christmas dance at the St. Pancras Town Hall on December 13th. Over 400 people attended, including members of the staff from the Ferguson Radio factories. Mr. A. S. Shier, a director of the company, deputizing for Mr. Jules Thorn who was prevented from attending by illness, made a short speech during which he read a telegram sent to the gathering by the managing director. Mr. H. Weenan, M.C. (in company with Mr. G. A. Shea) then read the text of a reply sent on behalf of the staff, wishing Mr. Thorn a very speedy recovery. The ballroom was gaily decorated, and prizes distributed during the evening included champagne and compacts.

The staff of Falk, Stadelmann & Co., Ltd., held their first post-war dance and social on December 12th at the "Paviour's Arms" Hotel, Page Street, Westminster. This function which signalized the revival of the Veritas-Efesca Social Club also included an excellent cabaret, and despite foggy weather over 200 attended. Those present included Mr. Gustay Falk, chairman of the company, and several of the directors.

Obituary

Mr. G. Wäthrich.—We regret to record the death of Mr. Gottlieb Wüthrich, M.I.E.E., general manager and chief engineer of Oerlikon,

Ltd., which occurred on December 16th at a London nursing home at the age of sixty-seven. Mr. Wüthrich came to this country in 1899 after obtaining the diploma of the Burgdorf Technical College and serving in the design department, works and testing laboratories of the Ateliers de Construction Oerlikon. Switzerland. Further experience was obtained



The late Mr. G. Wuthrich

in Vorarlberg, Scotland, Norway, Sweden, France and Italy.

Mr. Wüthrich was then engaged in the reconstruction of slow-speed vertical steam engines for driving Oerlikon flywheel generators in the Pigeon House generating station of the Dublin Corporation. At the beginning of the century he was associated with the installation and setting

1058

-

-

24

to work of plant in a number of power and convertor stations in London.

In 1903, Mr. Wüthrich became resident engineer, and in 1907 was appointed chief engineer and manager of the Ingenicur Bureau, London. The most important contract was the electrification of the Euston-Watford Line for the London & North Western Railway (now the L.M.S. Railway), which was carried out during the 1914-18 war. Another of Mr. Wüthrich's undertakings was the planning of the works and its hydro-electric plant for the Vigeland Aluminium Works in Norway. In 1921, Oerlikon, Ltd., was formed and Mr. Wüthrich became general manager and chief engineer.

Mr. R. N. Vyvyan.—We regret to announce the death of Mr. Richard Norman Vyvyan, formerly engineer-in-chief of the Marconi Co. In recent years he had been living in retirement at Falmouth, and it was there that he died on December 14th, at the age of seventy.

Mr. Vyvyan joined the technical staff of Marconi's in 1900, and after a short period at the Chelmsford works and at the wireless station at Dovercourt, was one of the party who selected the site of the station at Poldhu, in preparation for the first transatlantic experiments, and he supervised the erection of the station. Later he held the position of managing engineer in Canada for the Marconi Co. Returning to this country from Canada in 1908, he was made superintending engineer of the company.

After his return to England he started upon the crection of stations for the original Imperial wireless chain which were never completed owing to the outbreak of war in 1914. After that war Mr. Vyvyan was intimately connected with Marconi and Franklin in the development of the short-wave beam system, and he was responsible for the construction and engineering design of the Imperial wireless stations. Mr. Vyvyan was appointed engineer-in-chief of the Marconi Co. in 1923 and consulting engineer in 1932. From 1930 till 1932 he also held the position of joint engineer-in-chief of Imperial & International Communications, Ltd. (now Cable & Wireless, Ltd.). He retired in 1936.

Professor P. Langevin.—The death occurred in Paris last week of Professor Paul Langevin, the eminent French physicist. In his work on radio-activity, X-rays and the electron which extended over a period of about fifty years he was associated with the Curies, J. J. Thomson and Rutherford. Professor Langevin was seventy-four.

Mr. J. M. C. Field.—We regret to record the death of Mr. J. M. C. Field, managing director of the Borth & Ynyslas Electric Supply Co., Ltd., and director of the Towyn, Aberdovey & District Electricity Supply Co., Ltd., which occurred on December 18th, at the age of fortysix, after a short illness. Mr. W. A. Potts, chief electrical engineer of the Power Production Department, State Electricity Commission of Victoria, died recently at the age of fifty-five. He was responsible for the electrical design work of the Newport power station and the preliminary electrical designs for the Kiewa hydro-electric project.

Mrs. J. E. Edgecombe.—We learn with regret of the death on December 19th, at the age of eighty. of Mrs. Dorothy Lucy Edgecombe, the wife of Mr. J. E. Edgecombe, who was for many years borough electrical engineer of Kingstonon-Thames and later a director of the Stearn Electric Co., Ltd.

Wills.—Mr. S. V. Williams, chief metallurgist, G.E.C., Wembley, who died on August 8th last, left £7,602 gross, with net personalty £5,782.

Mr. M. J. Chapman, electrical contractor and founder of the Electric Installation Co., Wimbledon, S.W., who died on September 17th last, left £4,981 gross, with net personalty £4,953.

Ordnance Factory Conversion Manufacture of Electrical Apparatus

BESIDES indicating the contribution of the Royal Ordnance Factories to the war effort, an exhibition now being held at the Carlton Hotel, Pall Mall, London, until January 18th shows how these establishments are now helping to produce fittings and components for the housing drive. Under the stress of war the Royal Ordnance Factories increased from three to 44 and at the peak employed nearly 350,000 people as against under 10,000 in peacetime.

Among the factories now making goods for domestic use is that at Radway Green, Crewe. One of the largest of its kind in Europe, this establishment was during the war engaged entirely in making 20 mm cannon shells and fuzes. Conversion of a 5-acre section to peacetime use began in March and now production has commenced of electric cookers for marketing by Falco Electrical Appliances, I.td. The models are, of course, of the company's latest peacetime design and will in a few months' time be turned out at the rate of one every five minutes. By about the middle of 1947 production of refrigerators for temporary houses will commence under the supervision of the Pressed Steel Co., Ltd. At two other factories at Swinnerton and Poole, ceramics are being made, including components for Falco, Jackson and Revo cookers. Negotiations are also proceeding for the manufacture of thermal storage water heaters.

Salaries and Conditions of Service

The National Association of Local Government Officers has asked six London electricity companies whether they would be prepared to participate in a conference to discuss Whitley Council machinery for salaries and conditions of service, and its application to company electricity undertakings.

Production and Export Industrial Progress at Stake

BRITAIN'S need to export on a scale never previously reached and possible reasons why the output per man-hour was now so much less than it had been during and before the war were the theme of the outspoken address by SIR CLAUDE D. GIBB (chairman, C. A. Parsons & Co., Ltd.) as North-Eastern Section president of the Institution of Production Engineers.

There was much talk of loss of incentive on the part of the workers, the actual producers, but not a word about the managers being tired, stale, suffering from malnutrition, and depressed by heavy taxation; yet nothing could be more dangerous than management fatigue. Sir Claude had recently been in Australia where he found the food so good in variety, quality and quantity that he could not remember whether it had ever reached such excellence at home. Yet no one wanted to work there any more than here. Food could certainly not be blamed for the industrial unrest and "go slow" tactics that were so evident in Australia.

Was loss of pride in one's home, products of manufacture and country nearer to the root cause of low output? He found it difficult to believe that pride could not be restored; or that fear of unemployment and old age, which no longer existed, was necessary to spur any Britisher to give his employer a fair return for a fair day's pay.

Alarming Rise of Costs

During 1933-46 works costs of electrical engineering plant increased 120 per cent, despite advances in manufacturing methods which prevented the increase being even larger. Costs, prices of materials and wages were still rising at a rate that alarmed anyone who exported a large proportion of his total production.

Blunt talking was needed; unless someone started in the right direction, there would be no one for the masses to follow. The gospel of hard work and why it was necessary must be spread.

Sir Claude's company had adequate export orders for electrical generating plant, but a recent example of competition indicated the "shape of things to come." Tendering for a turbo-alternator to a European country which was a food exporter, his company's price of £123,000 was the lowest British price and lower than Swiss and Swedish tenders, but the order went to Czechoslovakia at £68,000. Coal and steel in Czechoslovakia cost half what they did in England and their workmen were highly skilled and industrious.

Sir Claude had no wish to be a dismal prophet, but facts must be faced. If further industrial progress was to be made, it must be through more utilization of power by every producer to enable more articles to be made per man-hour than hitherto.

Re-examination of production processes at frequent intervals would show where further economies could be made, while the incentive for the operator to work his machine to its maximum capacity could only come from some form of output bonus, plus restoration of pride of craftsmanship.

Finally, more cheerful factory surroundings would stimulate a man's pride in his work and his desire for a brighter home, producing a cumulative effect.

Correspondence

Letters should bear the writers' names and addresses, not necessarily for publication. Responsibility cannot be accepted for correspondents' opinions.

Motor Inquiries

S an engineer responsible for the correct interpretation of purchasers' specifications for fractional-H.P. electric motors, I have noticed during the past few years an increasing tendency to specify "synchronous" motors. The fact often emerges after a few discreet questions that for only a proportion of such inquiries are synchronous motors actually required, and some inquiries even specify 50-cycle synchronous motors running at 1,420 r.p.m.

These inquiries usually emanate from designers and others better versed in the characteristics of their own machines than of the motors which drive them, but a little publicity given to this increasingly common error may do a little good.

Harrow.

Heat Pumps

H. G. POXON.

THE recent discussion on this subject indicates that heat pumps may have great scope in the near future. One method would be to heat the boiler feed water and to use the refrigerated water to help cool the condenser: or it could be used to cool the air which takes the heat from the generator. This might be of service in hot climates.

Tynemouth. C. TURNBULL.

Switches in Bathrooms

NOTE at the end of I.E.E. Regulation No. 1002 refers to the desirability of providing a ceiling switch operated by a non-conducting cord in a bathroom in place of a switch on the wall. Would it not make for greater safety if the Regulation specified that only ceiling switches were to be fitted in bathrooms, kitchens and similar places?

Dorchester. STANLEY ROGERS.

December 27, 1946

1945

TIME

100

123

adh.

2

d strail (d) me (d)

生生!

12 4

be

e (15 m)

(VECIDE)

mil I

Sec.

und al

d stream

6,3012

10.00

6 ha

redol u

日本日

0 501

deal.

200

Taut.

000

Rept

100

130 7

加口門

1 001 F

1 5700

た二

place

ELECTRICAL REVIEW

Boiler Plant

External Deposits and Corrosion

AN Interim Report has been published by the Boiler Availability Committee (chairman, Mr. M. H. Adams) on External Deposits and Corrosion in Boiler Plant. In this Bulletin, No. MC/153, which is addressed


(distinguishable microscopically), i.e., birdnesting, bonding and phosphatic. The first named is found most frequently on the first bank of tubes when set low over the fire, as in older boilers or in boilers having a high

more particularly to power-station engineers, the Committee has co-ordinated investigations carried out for over seven years by the British Coal Utilization Research Association, Fuel Research the Station of the Department of Scientific and Industrial Research. Babcock & Wilcox, Ltd., E. Green & Co., Ltd., International Combustion, Ltd., the County of London Electric Supply Co., Ltd., the Lancashire Electric Power Co., and the London Power Co. Ltd.

Deposits are divided into two main groups

-high temperature (furnace, superheater and boiler proper) and low temperature (economizers and air heaters). In the first group with stoker-firing are the hard deposits

 $\begin{array}{c}
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\
 40 \\$



Inlet to pendant superheater (right) after 718 hours

superheat temperature that calls for very high gas temperatures at the furnace outlet; generally it is the only troublesome type of deposit in pulverized-fuel boilers. Gas temperatures in the furnace or superheater should be as low as economically possible. Unlike the two other high-temperature deposits it resembles coal ash in composition and softening temperature and consists of sintered (surface-softened) particles or of particles fused on the tube.

Bonded deposits, which occur mostly on

Relationship between phosphate and sulphate con-
tents of economizer deposits as it affects cleaning
A=Very little affected by steaming. B=Partially softened
by steaming. C=Softened by steaming. D=Removed by
spray and wash. (Wetting agent used.) E=Removed by
water washing.

superheater tubes and are probably the most serious in their effect on availability, are a result of a matrix produced from the sodium potassium and sulphur in the coal. They differ from birdnesting in containing from 10 to 50 per cent of water-soluble

1061

matter composed of the sulphates or bisulphates of sodium and potassium, the bisulphates being the more harmful, but these are operative only when the ratio of sulphur to chlorine in the coal is high. Temperatures of flue gas in the regions affected are high enough to cause sintering of the cement but not to soften the fly-ash.

Phosphatic deposits are bound together chemically and by digestion of fly-ash particles, which are attached by phosphorus compounds. As few British coals contain sufficient phosphorus that can be released during combustion to cause deposits, this trouble is not widespread, but when it occurs it is serious.

Nature of Low-Temperature Deposits

Low-temperature deposits on economizers mainly result from the presence in the gas of free sulphuric acid and are harder the higher the feed-water temperatures; they are composed of fly-ash and condensed substances and products of chemical reactions after deposition. Generally the higher the phosphate content the lower is the sulphate (and vice versa) and the less soluble is the deposit which increases the difficulty of removal. Troublesome deposits and corrosion in air heaters are all characterized by the presence of free sulphuric acid. They have two distinct causes: First, the temperature of the heating surfaces may fall to that of the water dew-point of the flue gases, due to too-cold inlet air or to unequal distribution of gas and air flows; secondly, at higher temperatures, 200 to 300 deg F, small quantities of H2SO4 may raise the dewpoint of the gas to upwards of 300 deg F, coal of high sulphur content.

The mechanism of deposit formation is discussed with reference to analytical and physical determinations, results of combustion experiments the, significance of sulphur oxides and the effect of fine dusts and "smokes." Studies at thirty-six power stations have shown that deposit-forming characteristics are shown by sulphur, phosphorus and chlorine and that the relative proportions of these are approximately constant for any given coal field.

With high-sulphur coals (3 or 4 per cent), air-heater corrosion can hardly be avoided at present temperatures. Much of it can be avoided, however, by re-circulation of heated air or parallel flow for air and flue gases. Experiments to prevent the catalytic formation of sulphuric acid in superheaters are proceeding. Phosphatic deposits cause more trouble where combustion conditions are strongly reducing and fuel-bed temperatures are high; high-phosphorus coals (more than 0-04 per cent) are less harmful on travelling-grate than on retort-type stokers. They should probably be burned in specially designed boilers. Fundamental research has indicated that bonded deposits particularly can be beneficially affected by introducing fine dusts of silicon, zinc oxide or magnesium in the gas, but it is not yet certain whether equally efficacious hydro-carbon "smokes" can be liberated from the fire bed.

Deposit troubles can be minimized by providing facilities, including good access and means of draining the sludge after washing, for cleaning the plant both on and off load (see "Methods of Cleaning Modern Stoker Fired Boiler Plant," MC/101 of the Boiler Availability Committee). Temperatures of leaving gases should be no higher than is required for economical superheating of the steam. Turbulence of gases in the furnace reduces high-temperature deposits. By fitting a diaphragm across the furnace below the grate, closer control of combustion of difficult coals has been obtained. The Report is well illustrated by typical examples of deposits.

E.D.A. Activities

HE second of the series of E.D.A. South-East and East England Area lecturemeetings was held at the Croydon Electricity Showrooms. With an attendance of 140 sales assistants, the meeting was again a highly successful one. The subject on this occasion was "Electric Water Heating Development," and the lecturer was Mr. P. Honey, who dealt with development during and since the war. The different types of water heater were explained and special attention was paid to the avoidance of common installation errors which result in circulating currents of water being set up, and consequent abnormal pipe losses and waste of electricity. The value of the load to the electricity supply industry and the fact that electricity could solve any water heating problem were stressed. A discussion followed and the proceedings terminated with a tour round the showroom and office premises.

Recently a programme of films which, in each case, featured "Cooking for the Million" was presented in London on December 12th to over a hundred members of the South-Eastern Branch of the Institutional Management Association. At the end of the film show the Area Officer gave a short talk on "The Economic Aspects of Electric Catering." 2.10

are an

an (a)

They a

ally be

in the second

ingen a

and a

10. 20

12

1 miles

E pole

1 523

二十二

1 per

MC

21 10

inst

uine é :

00.00

北上

ines.

hai k

Peter

1 222 3

1 107

日下

and a start

in an

自然是

100 1

and if

1 101

「日本日日」なり

20.5

Pulverized Coal Firing

Development in Great Britain

THIS country has been slow in adopting pulverized coal firing in electric power stations. Only within the last ten years have boiler units in home stations attained to a size which, on that account, warrants the burning of fuel in suspension rather than on stoker grates. When fuel conditions are favourable, travelling grates compete at any evaporations up to 250,000 lb per hr and retort-type stokers are in some cases employed for slightly larger outputs.

A paper which MR. C. H. SPARKS (chief engineer, Babcock & Wilcox, Ltd.) read in London last week at a joint meeting of the Institutions of Electrical and Mechanical Engineers shows that the amount of coal consumed in powdered form in power stations in Great Britain increased from 900,000 tons in 1930 to 4.4 million in 1945, or 20 per cent of the total; it is expected to be 10 million tons, or 35 per cent, in 1950. The average capacity of the boilers is 225,000 lb per hr, the largest units in service being of 364,000 lb per hr. So far as can at present be foreseen units are not expected to the section of the total to the section of the section of the section section of the section of the section of the section of the section section of the section

The real reason for the sudden increased utilization is that boilers fired with pulverized coal have a proved reliability at least as satisfactory as that of the best stoker-fired units and, in addition, when well designed they may be kept commercially clean by the use of soot blowers only between annual overhauls.

Freedom from Bonded Deposits

The fortuitous freedom from the formation of bonded deposits on the boiler superheater and economizer pressure parts is one of the most important of the many advantages claimed for pulverized coal. That statement represents operating experience in Great Britain at moderate ratings, although air heaters are not immune. The result is that a smaller margin of standby plant is generally acceptable. A number of new installations are being designed as units with a single boiler delivering steam to one turbo-generator of 30,000 or 50,000 kW.

Furnaces with a dry-ash bottom are preferred in British power stations because the coal is bituminous, but ash is a drawback with pulverized fuel both inside and outside the furnace. Therefore those who have been longest associated with this method view with misgiving its selection as the means of burning all fuel which cannot be disposed of in other ways.

The tendency to divert a large proportion of the poorest quality coal to new power stations is viewed with alarm. Owing to the variable quality of the ash and the limitations imposed by its presence in increasing quantity, boiler units must be moderately rated to maintain satisfactory availability. Combustion rates must be controlled to obviate slagging and "bird nesting" with unfavourable fuel, which necessitates the provision of larger furnaces than might otherwise be needed.

For boilers exceeding 400,000 lb per hr rating a strong case can be established for the use of specially selected fuel; alternatively, liquid ash removal may be employed, but in either case disposal of the fine flue dust from the arrestors frequently proves to be difficult as well as expensive.

Cyclone Furnace

With a view to solving this serious problem and to offset the disadvantages of variable ash characteristics, the cyclone furnace has been evolved as the result of patient research by the Babcock & Wilcox Co., of New York, which has been experimenting for more than fifteen years with the firing of crushed, as opposed to pulverized, coal with the object of reducing the whole of the ash to the fluid state. By this means it can be tapped and quenched to the solid state for disposal, thereby obviating the necessity for cleaning the boiler surfaces externally or providing means of protection for induceddraught fans, incidentally also eliminating all fly-ash and carbon losses.

Such a boiler, of from 150,000 to 180,000 lb per hr capacity, has been in operation in the Calumet station of the Commonwealth Edison Co. since 1944 without trouble. There is nothing of special importance in the design of the boiler itself, but the cyclone (8 ft in diameter and length) and the arrangement of the furnace (only 9 ft wide between walls) are quite novel in every respect. Details and drawings are included in the paper.

Crushed, as opposed to powdered, coal

is likewise utilized for overfeed firing on to forward-moving grates with Babcock-Detroit "jet" spreader stokers (see "Kearsley Extensions," *Electrical Review*, October 25th), a method which is claimed to compare favourably with any other within its yet undetermined range of size.

A considerably increased output of dust fuel seems probable as the result of greater mechanization of coal mines, so that pulverized-coal-fired boilers will always be in demand to dispose of it. The whole subject is at the moment under review by a committee upon which are represented the coal and electricity supply industries as well as the manufacturers of appropriate equipment and furnaces.

Now that boilers have reached (in some cases passed) the capacity at which the firing of coal by other methods is causing anxiety, attention is being focused upon the use of pulverized coal, presumably because it is generally considered to possess advantages over all other systems.

Safeguards Against Fire

New Research Organization

THE Government, through the Department of Scientific and Industrial Research, has decided to establish a comprehensive Fire Research Organization, jointly with the Fire Offices' Committee. For purposes of day-to-day administration it will operate as a normal

organization of the D.S.I.R. A Fire Research Board has been appointed jointly by the D.S.I.R. and the F.O.C. The chairman is Lord Falmouth, Companion I.E.E., M.I.Mech.E., and the members include Dr. S. F. Barclay (Mather & Platt, Ltd.), Ρ. Dunsheath. Dr. C.B.E., M.I.E.E. (W. T. Henley's Telegraph Works Co., Ltd.) and Professor D. T. A.



Lord Falmouth

Townend, D.Sc., F.R.I.C. (director, British Coal Utilization Research Association). The members of the Board serve in their personal capacity and not as representatives of any organization to which they may happen to belong.

The Fire Research Organization is a joint body in which an industry and the Government are partners, the cost being shared equally between them. The organization will be responsible for the conduct of research on all aspects of the prevention and extinction of fires, on the safety of life in fires and the mitigation of damage, except that on the fire resistance of buildings it will collaborate with the Buildings Research organization of D.S.I.R. where much research on this subject has already been done. A fire research station will be jointly established. The capital cost is likely to be of the order of £75,000 to £100,000 and the ultimate annual running cost up to £50,000, both shared equally between the D.S.I.R. and the Fire Offices' Committee. As part of their contribution to the capital cost, the F.O.C. will transfer its fire

testing station at Elstree to the Government. The broad subjects on which research will be conducted are fire prevention, fire fighting,

conducted are fire prevention, fire fighting, fire protection of buildings and other fire hazards, e.g. ships, aircraft and special industrial hazards.


The Fire Offices' Committee, which is an association of fire insurance companies, has for the last 150 years taken a leading part in the encouragement of fire protection in this country and in 1932, the Committee set up the testing station at Elstree (mentioned above) to provide facilities for fire resistance tests required, not for fire insurance purposes, but to furnish essential data to the central and local authorities and industry generally in connection with the construction of buildings. The station was immediately made available to the D.S.I.R. for research work.

Now the Fire Offices' Committee has decided to establish the "Fire Offices' Committee Fire Protection Association" and to undertake fire research jointly with the Department of Scientific and Industrial Research through the formation of the Fire Research Board.

Fire Grading of Buildings

Underlying principles of fire protection in buildings are reviewed in "Post War Building Studies No. 20-Fire Grading of Buildings' which is the work of a joint committee of the Building Research Board and of the Fire Offices' Committee (H.M. Stationery Office, 1s. 6d. net). Fire grading assigns precautions to a building in order to relate safety to fire hazard. This report covers primarily the construction of buildings (according to the fire load carried) so as to avoid collapse and tc minimize risk of fire spread. Means of escape and fire-fighting installations will be dealt with in succeeding parts. Fire load is the number of B.Th.U.'s which could be liberated per sq ft of floor area by the combustion of the building and its contents. An appendix gives a list of the fireresistance gradings of walls and floors and protected steelwork.

1064



Shortage Until 1949 or 1950

THERE is no physical possibility of reestablishing the proper balance between generating plant and production in this country before 1949 and probably 1950, and the next two winters are going to be even more difficult than this. Making this statement last week, Mr. Harold Hobson, chairman of the Central Electricity Board, added, however, that if the Government said tha generating plant was to have first call on labour and materials it should be possible to overcome difficulties by 1949.

Announcing the introduction of an extension of the broadcast warnings of electricity cuts, Mr. Hobson said that they would be given between items in the Light Programme and would be of use particularly to firms which used "Music While You Work." He suggested that factories should arrange to have someone listening all the time during the critical period just before 4 p.m. and during the morning peak.

Plant Extensions Delayed

Mr. Hobson stressed again that the present cuts had nothing to do with coal shortage but said that possibly they might be in difficulty from that cause in the New Year. He explained that adequate generating plant was not available because in 1941 the Government deliberately banned the production of new generating plant so as to ensure that sufficient armaments should be available. The demand for electricity had continued to grow-during the past few weeks it was at least one million kW higher than at the same time last year-and we were now paying the price. Before the war it took three years to build a generating station: to-day, because of shortages of materials and labour and through a falling-off in production, it was taking four years or longer. There were still bottlenecks in production and of the 900,000 kW of plant planned for service by the end of this year only 200,000 kW had been put into com-mission. He doubted whether more than half of the programme would be completed by the end of February.

Domestic consumers, who accounted for about 30 per cent of the total consumption (industry took 60 per cent and public lighting, shops, hospitals, etc., 10 per cent) could alleviate the position and reduce cutting off supplies if they switched off fires, cookers and water heaters during peak periods. The C.E.B. had been pressing the Government to control the manufacture of radiators (of which half a million had been sold during the first half of 1946) and other appliances and he had reason to believe that the supply of materials for manufacturing these articles was at last to be restricted. The use of mobile power stations suggested by Mr. Shinwell recently was only a "fleabite." If it were thought proper to cease all exports of generating plant—they accounted for not more than 10 per cent of the total production—it would be possible to speed up the provision of plant here. It was, however, important to preserve the overseas market and the C.E.B. had never made any request to the Government to ban exports. Generating electricity was a long-term problem and it would be useless to try to cure the present trouble by taking machines about to be shipped abroad. The civil engineering work alone accupied two or three years.

Ministry of Supply Explains

Questioned about Mr. Hobson's statement that the Government had arranged to reduce drastically the output of electric fires, etc., for the home market by the control of raw material, a Ministry of Supply official told us that the Ministry was not aware of any request to reduce the number of electric fires being produced. As from the beginning of November the licensing of the manufacture of all domestic appliances was cut down because of the shortage of raw materials and the allocation of these appliances would continue to be restricted for some months.

The productive capacity of the industry is greatly in excess of essential requirements for electric fires and in view of the present supply situation raw material allocations are already not so great as formerly. The Ministry expects to meet all estimated essential requirements for the production of such appliances as fires, cookers, washboilers and immersion heaters. The approximate average monthly production of electric fires has risen from 115,000 in 1937 to 220,000 in the third quarter of 1946.

Rationing Not Contemplated

Last week the Ministry of Fuel and Power stated that there was no foundation for press reports that plans had been worked out by the Ministry for an electricity rationing scheme or that private consumers would be subjected to some form of supervision to prevent waste.

The Birmingham Electric Supply Committee has suggested to the Minister of Fuel and Power that arrangements should be made for factories to close on one day a week in "staggered" order; that penalties should be instituted for domestic waste of fuel; and that the sale of electric heating apparatus should be prohibited. The Committee says that at the present rate its coal stocks will be exhausted by the end of January and unless the position is ameliorated a 25 per cent power cut will be necessary.

by a c by a c led the

al G.

and and

X 25 20

722-21

Di the

ę.

n Mala Alfanista Alfanista

ide Till nice in in

to minis rem./in:

1000

(出上)

1111

ly list

and the

北京市

03027

1011

f foot

e

PARLIAMENTARY NEWS

By Our Special Reporter

N the House of Commons last week Mr. Erroll asked the Minister of Works whether he intended to encourage the use in Government buildings and housing schemes of the universal domestic electric plug and socket recommended by his Electrical Installations Study Committee in Building Studies No. 11; and when the relevant British Standard Specification would be published.

Mr. Tomlinson said that the British Standards Institution had prepared a draft specification for the universal domestic electric plug and socket which had been circulated to all interested parties for observations. Until the specification was issued in final form no decision could be made as to its adoption. Manufacturers were proceeding with development work, pending the issue in the near future of a British Standard Specification. Owing to the necessity for retooling, however, substantial supplies were not likely to be available for about twelve months.

Engineering Advisory Council

In answer to Sir R. Young, Mr. Wilmot said that, following the discussion which he had had with the engineering trade unions, he had decided to set up an Engineering Advisory Council to provide him a means of consultation with employers and workers on matters of general concern in the engineering field. Matters normally handled by the joint organization of employers and trade unions in connection with wages and conditions of employment were excluded. The engineering industries for this purpose would comprise mechanical, electrical and radio engineering, but not shipbuilding or the iron and steel industry, which fell within the purview of the Iron and Steel Board. The Council would consist of trade union and employer members with himself as chairman.

Electricity Bill

On December 20th the Minister of Fuel and Power introduced the Electricity Bill which was read a first time. The Bill provides for "the establishment of a British Electricity Authority and area electricity boards and for the exercise and performance by that authority and those boards and the North of Scotland Hydro-Electric Board of functions relating to the supply of electricity and certain other matters, for the transfer to the said authority or any such board as aforesaid of property, rights, obligations, and liabilities of electricity undertakers and other bodies, to amend the law relating to the supply of electricity, to make certain consequential provision as to incometax."

E.I.B.A. Home

AST week we referred to the gift of Broome Park, Betchworth, Surrey, to the Electrical Industries Benevolent Association by Mr. and Mrs. Joseph Cunning. A brochure which we have now seen shows that the estate possesses a wide variety of domestic and scenic amenities which will make it ideal for its new purpose.

The Georgian mansion (a view of which is reproduced) contains four large reception rooms, sixteen bed and dressing rooms and four bathrooms, besides other apartments. It has a central heating system and is up-to-date in every respect. The 25-acre grounds include two lodges, a number of cottages, a park, woodland and a chain of lakes.

It is proposed for the time being to use the existing buildings to house the Association's beneficiaries. Later, small bungalows may be erected in suitable spots, care being taken not to mar the character of the estate.



A view of Broome Park showing the east front of the house

COMMERCE and **INDUSTRY**

Electronic Instrument Manufacture. Assistance for Students.

OURTEEN member firms of the Scientific Instrument Manufacturers' Association of Great Britain, Ltd., have formed an Elec-tronics Section. The first chairman is Capt. A. G. D. West, director of Cinema-Television, Ltd., and the companies forming the Section are :---Baird & Tatlock (London), Ltd., Baldwin Instrument Co., Ltd., Cinema-Television, Ltd., Adam Hilger, Ltd., Henry Hughes & Son, Ltd., Kelvin, Bottomley & Baird, Ltd., Marconi Instruments, Ltd., Mullard Wireless Service Co., Ltd., Scophony, Ltd., Short & Mason, Ltd., the Sperry Gyroscope Co., Ltd., Sunvic Controls, Ltd., Taylor Electrical Instruments, Ltd., and Taylor, Taylor & Hobson, Ltd. One of the main objects of the Electronics Section will be to further and improve the manufacture of British electronic instruments and apparatus. It will encourage the design and manufacture of British electronic apparatus, both in research and industry, thus helping production at home and entering world markets abroad where there are, at present, first-class opportunities for British goods.

Electric Torch Batteries

The Board of Trade, in consultation with the Central Price Regulation Committee, has made the Electric Torch Dry Batteries (Maximum Prices) Order (S.R. & O. 1946 No. 2100), permitting increased maximum prices for certain types of home-produced electric torch dry batteries. The Order came into force on December 23rd and copies (price 1d.) can be obtained through any bookseller or newsagent or direct from H.M. Stationery Office.

Sulphuric Acid Prices

In the Control of Sulphuric Acid (No. 3) Order, 1946 (S.R. & O. 1946 No. 2033, Stationery Office, 1d.), the additions to the basic price chargeable for sulphuric acid by a United Kingdom producer are specified in a schedule. This replaces the method of issuing Directions under the No. 2 Order and at the same time the additions are revised.

Unwrought Copper and Zinc

The Ministry of Supply has revised the licensing procedure for the acquisition of unwrought copper and zinc and copper wire rods. Applications for licences to acquire unwrought copper and zinc will in future only be granted if accompanied by the following signed declarations: (1) "We certify that the quantity requested on the accompanying application is needed to cover orders for our products, and that in the case of applications for virgin metal full allowance has been made for our expected intake of scrap." (2) "We certify that, in respect of unwrought metal, our existing stocks plus our outstanding purchases, plus the tonnage now being applied for, will not exceed six months' consumption at our average monthly rate of consumption in September and October, 1946." Applicants for licences to acquire hot rolled copper wire rods are not required to furnish the second of the above declarations. The issue of a rod licence, however, does not guarantee that the holder will be able to place contracts against the licence, either with rod manufacturers or the Directorate of Non-Ferrous Metals.

Electrical Machinery Prices

In this issue the Associated Dynamo & Motor Manufacturers, comprising sixteen concerns, announce that outstanding dynamo and motor price lists will be cancelled on and from January 1st. Details of new prices are obtainable from inquirers' usual suppliers.

Physical Society's Exhibition

Instead of holding its annual exhibition of scientific instruments at the beginning of the year as has been customary, the Physical Society has decided to arrange the display from April 9th to 12th. It will be at the usual place the Imperial College, South Kensington.

Civil Service Appointments

Particulars will be found in our advertisement pages to-day of the Civil Service Commissioners' special competition for appointments as assistant engineer (new style), male, in the Post Office Engineering Department, and assistant traffic superintendent in the Telephone Department of the G.P.O. Approximately 100 vacancies in each grade will be filled by examinations spread over a period of two or three years.

B.T.H. Educational Grants

To commemorate the jubilee of the British Thomson-Houston Co., Ltd., this year the directors arranged for a number of financial grants to be awarded over the next three years to assist employees of at least ten years' service in the education or training of their sons or daughters of school-leaving age or over. These awards will be made where the circumstances merit such additional assistance, and it is not intended that they should be confined to engineering training, as the B.T.H. apprenticeship and fellowship schemes meet nearly all such requirements. Under the new Education Act, State and county scholarships should be available for all pupils capable of taking advantage of a university or other colleciate

Inter 1

9 ml / mi 3 m

de se

日本

100

41.20

lans.

2

2

training, but it is possible that in the next three years there may be cases where this is not fully available although the candidate may have been accepted for admission to a college. scheme is intended to assist such persons.

In addition to university or technical college education, it is intended that assistance shall be given for other forms of training such as in commercial or art colleges; colleges of music; in chartered accountancy; agriculture, etc. Courses of advanced study may be undertaken in such subjects as medicine, dentistry, zoology, physical training, municipal engineering, physiotherapy, architecture, auctioneering, bacteriology, physics, mathematics, and many branches of teaching.

Following the decision to initiate this scholarship scheme, a committee was appointed under the chairmanship of the company's chief electrical engineer to consider applications. Of the total number received, 28 per cent were outside the scope of the scheme, 40 per cent were deferred as no expenditure was involved during the present academic year, and 32 per cent were considered for awards. In 20 per cent of the cases, grants were made up to £100 each for 1946-47, and where expenditure is involved next year or the following year the granting of awards will be continued. Recipients of the grants are employed at various works and offices of the B.T.H. Co. In general, the grants are additional to awards being received from other sources, but in several cases the grant made by the company provides the only assistance being received by a parent.

Infra-Red Paint Stoving

To speed up the production of water heaters of the lagged storage type, Johnson & Phillips, Ltd., have recently installed a "Metrovick" infra-red "oven" capable of paint stoving cylindrical outer cases from $1\frac{1}{2}$ to 30 gal. capacity. This method, which completely paint stoves each body in five minutes, is a considerable improvement on the older methods of drying. Ninety-six infra-red lamps are used, with a total loading of 24 kW. In addition to saving time, this plant occupies the minimum floor space (12 by 4 by 13 ft) and is readily adapted to any change in factory layout.

Reinstatement and Pensions

An employee's appeal that by not admitting him to the company's co-partnership and pension schemes the Mid-Southern Utility Co. had failed to carry out the decision that he should be employed on terms and conditions such as he enjoyed before joining the Army came before the Reinstatement Committee at Worthing recently. The employee, Mr. L. A. Brown, said that when he joined up he was paid out of the schemes, but not at his request. On returning he notified an official that he was ready to pay into the schemes the money that had been paid to him, but it was pointed out

that he would have to serve the company with satisfaction for twelve months before he would be eligible to rejoin. Mr. Ricketts, for the company, said that membership of the schemes was a privilege and not a condition of employ-The company was prepared to receive ment. him into the schemes at the appointed time. The Committee unanimously found that the company had fulfilled its obligations under the Act.

Commercial Travellers' Benevolence

Accounts for the past year for presentation at the annual meeting to-morrow (Saturday) show that the receipts of the Commercial Travellers' Benevolent Institution amounted to about £16,000 and the payments to a similar amount. The balance in hand rose from £4,230 to £4,644 and the investments by £2,000 of 3 per cent savings bonds.

Electric Hammer Fatality

An inquest was held at Poplar on December 17th on S. H. Doyle, a builders' labourer, who received a fatal shock when using a portable electric hammer for chasing walls in a block of flats in course of construction. Evidence was given by Mr. J. L. Wood, H.M. Electrical Inspector of Factories, that the cable had been partly pulled out from the handle of the hammer, and that the insulation of one of the current carrying conductors had become punctured due to a sharp edge at the point of entry into the switchbox. Although the earth continuity of the flexible cable was unbroken, the earthing of the switch socket from which it was supplied was unsatisfactory. A temporary earth connection had been made to a length of steel conduit driven about 24 in. into the ground, which when measured was found to have a resistance in excess of 50 ohms. In the course of the evidence it was brought out that artificial respiration was applied for about ten minutes before an ambulance arrived to take Dovle to hospital. A verdict of death by misadventure was returned.

Large Transformer for France

As part of the programme for the development of the French electricity network the British Electric Transformer Co., Ltd. (in association with Crompton Parkinson, Ltd.), has just built a 50-MVA, 150/15/6-kV transformer for the Vendin station of the Société de Transport d'Energie Electrique de la Région du Nord. It is 3-phase 50 cycles, star/delta connected, and fitted with a twin "A" type cooler unit. A special construction provides an end door in the tank to enable the carcase to be removed horizontally as there is insufficient headroom in the site workshop for it to be lifted vertically. The carcase slides into the tank on rails, and is pulled in by a tackle passing through a door at the opposite end of the tank.

The transformer and the twin "A" type

December 27, 1946

cooler unit are designed to be fitted with bogics, carrying flanged rollers mounted in roller bearings, which enable them to be moved on standard French gauge railway lines, or, by rotating them 90 deg, on the special tracks provided for moving them into their final position on site. The cooling is ON/OFB, the artificial system being controlled thermostatically to come into operation at 50 per cent load. Type LS on-load tap-changing gear provides a voltage regulating range of 30 per cent, plus or minus 15 per cent in twenty steps.

ELECTRICAL REVIEW

The total weight of the whole unit is approximately 112 tons, and the carcase in the tank weighs 82 tons. This part was transported from the works at Hayes, Middlesex, to the Royal Albert Docks on a 35 ft long 100 ton side girder wagon, with two eight-wheeled bogies, propelled by two 45-ton haulage capacity, 100-H.P. Scammell tractors.

Coventry Apprentices' Association

Mr. F. W. Godden, the electrical engineer and manager, is the president of the Coventry Electricity Department Apprentices' Association which has just been formed. Mr. G. Woodward, one of the twenty-four apprentices now being trained in the Department, is secretary of the Association, the objects of which are to form a link between past and

present apprentices, to facilitate discussion of apprenticeship matters and to organize social events and visits of educational value.

Situation in Poland

At the recent Congress of the General Technical Federation in Poland, the British Engineers' Association was represented by Mr. N. Neville, a member of the Association's Export Committee. On December 18th at Charing Cross Hotel, Mr. Neville spoke of some of the impressions gained during his visit. He said that the conference was held to discuss a three-year plan for the reconstruction of Poland. That country had suffered severely during the war and had lost about eleven million people. A large proportion of this number were Jews who were the chief distributors,

and this had had a serious effect on Polish industry. In addition to the loss of man-power, 40 per cent of the railway facilities had been destroyed, bridges had been blown up and the majority of the passenger wagons had disappeared. Transport was one of the main handicaps to industrial recovery.

The principal industry of Poland was agriculture, the number of workers in which had fallen by about eight million. Poland had lost two-thirds of her oil-bearing territory to Russia, but had gained coalfields in Silesia. The great need of Poland to-day was capital equipment for the reconstruction of her industries. Mr. Neville thought that much could be done on an exchange basis by this country in meeting this need. Poland was prepared to exchange food and coal for equipment. The three-year plan provided for the rc-equipment of all her industries, and included plant for power stations and for her iron and steel industries.

Belgian Electrical Trade

During the first half of 1946 Belgian imports of electrical machinery apparatus, accessories and spares were valued at 409,083,000 fr. and exports of such goods at 129,911,000 fr. Switzerland was a notable supplier of electrical goods and Holland of certain descriptions, while Spain appeared as a customer.

Film Studio Lighting

Since the end of the war the General Electric Co., Ltd., has designed a complete new range of film studio lighting equipment, and the first deliveries were recently made at the newlyopened Southall Studios of Alliance Film Studios, Ltd. Mr. James Carter, managing director of these studios, has placed large orders with the G.E.C. The equipment delivered so



First consignment of the new type of G.E.C. film lighting equipment being carried into the Southall Studios

far includes fifty 2-kW incandescent units, twelve single light broadside units with diffusers, snoots and stands, and eight 5-kW incandescent units. All these units are equipped with "Osram" lamps.

Staff Magazine's Hundredth Issue

The Christmas issue of "600," staff magazine of George Cohen, Sons & Co., Ltd., and associated companies, celebrates a double

194 ALC: N 2.20 - Int -15.31 te ta i ENNT. FRI 12mil 100-120 tin. N. En 100 1 R C お出戸 네 1= 105 (金別)

1 100

122

G U

Vint H

(12)

alt

00, 021

a post

1157

1

15 221

dir par

dars-N-9

anniversary. It is both the hundredth issue and the twenty-first birthday of the publication. The current issue returns to normal format for the first time since the war and includes, as a new feature, a special staff supplement. There is a pictorial feature humorously illustrating the very early days of the group.

Cable and Wireless Transfer

Mr. Dalton announced in a written reply to a question that he had fixed January 1st next as the date upon which the balance of the shares of Cable & Wireless, Ltd., would pass into the hands of the Government. As from that date there would be a new board of directors with Sir Stanley Angwin (engineer-in-chief of the G.P.O.) as chairman and Mr. John Innes, C.B., B.Sc., M.I.E.E., as managing director. The other members were Maj.-Gen. L. B. Nicholls, Mr. A. Black and Mr. C. N. Gallie, the last two being part-time members. There might be a further part-time member.

Threatened Power Stoppage

At the end of last week representatives of works committees in some of the London power stations informed their unions that unless the unions did something by December 31st to secure increased wages and improved conditions, including a 40-hour week, there would be a complete shut-down of the London power stations. The men complained that the unions had not proceeded rapidly enough with negotiations. In reply, the representatives of the unions said that a meeting to discuss these matters had been called for December 30th and that no good purpose could be served by "direct action."

House-Building Committee

As from December 30th, the address of the organizing secretary (Mrs. M. Pleydell-Bouverie) of the House-Building Industries' Standing Committee will be 4, Manchester Square, London, W.1 (telephone: Welbeck 1356).

Electricity Board for Northern Ireland

The head office of the Board is now at Danesfort, 114, Malone Road, Belfast (telephone 68211; telegraphic address: Norelect, Belfast).

Trade Announcements

T.M.C.-Harwell (Sales), Ltd., are removing to 37, Upper Berkeley Street, London, W.1 (telephone: Paddington 1867) and the removal will be completed by January 13th.

Mr. G. F. Sargent, buyer of Radio Transmission Equipment, Ltd., has been appointed purchasing agent for Philips Transmission, Ltd., Brathway Road, Wandsworth, S.W.18.

We are informed by the Cobra concern, of Paris, whose process of re-impregnation in situ can be applied to increase the life of wood poles, that its affiliated company, Cobra Wood Treatment, Ltd., will commence operations in Great Britain as from January 1st, and will be responsible for business in Great Britain, Ireland and the Colonies. The temporary address is St. Mary's, Blackmore End, Wethersfield, Essex (telephone: Shalford Green 315), and the manager is Mr. H. R. Wolfenden, lately contracts superintendent with the Britannic Electric Cable & Construction Co., Ltd.

Electrical Exports Rise

Figures of overseas trade for November show that there was a further rise in exports of electrical goods and apparatus. Details of the trade will appear in next week's issue.

Calendars and Diaries

The calendar of Johnson, Matthey & Co., Ltd., has daily slips, each of which bears a quotation, mounted on a tastefully designed card.

Ferranti, Ltd., has sent us a useful engagements pad in a pleasing blue leatherette cover. Each weekly sheet has also a calendar for the preceding, current and following months.

The calendar of Technical & General Advertising Agency, Ltd., has monthly sheets with bold figures.

Trade Marks

THE following applications have been made for the registration of trade marks. Objections may be entered within a month from December 11th:--

DELAFLEX. No. 634,035, Class 9. Insulated electric conductors. Also No. 634,036, Class 17. Electrical insulation material.—De la Rue Plastics, Ltd., Avenue Works, Walthamstow Avenue, London, E.4.

D.K.B. (design). No. 641,366, Class 9. Electrical apparatus and instruments included in Class 9. Also No. 641,367, Class 11. Electric heating, lighting, cooking, drying and ventilating apparatus.—D.K.B. Electric, Ltd., 109, Kingsway, London, W.C.2.

ALCOSA. No. 643,157, Class 9. Electric soldering irons, arc welding apparatus, resistance welding apparatus and blowers.—William Allday & Co., Ltd., 38A, Paradise Street, Birmingham, 1.

DIFFUSALUX. No. 643,733, Class 9. Electrical apparatus and appliances included in Class 9.—Thorn Electrical Industries, Ltd., 105-109, Judd Street, London, W.C.1. MINWINK. No. 643,932, Class 9. Electric

MINWINK. No. 643,932, Class 9. Electric vacuum cleaning apparatus and electric flat irons.—S. T. Meggitt & Son, Ltd., Bourne Chambers, St. Peter's Road, Bournemouth.

SIEMAX. No. 643,969, Class 9. Electric batteries.—Siemens Brothers & Co., Ltd., Caxton House, Tothill Street, Westminster, London, S.W.1.

NICO-CALORAY. No. B641,023, Class 11. Electric fires.—Nico Light Engineering Co., Ltd., 1, Laud Street, Croydon. 541

80

「日日

1

8

Area april

this .

E.

8

tint -

2 60

1

100

11.30

P. BC

Can!

c

ELECTRICITY SUPPLY

Nelson Tariff Decision. Deputation on Severn Scheme.

Billesdon.—SUPPLY TO CAMP CUT OFF.— So heavy has been the load on the wiring at the camp occupied by "squatters" at Thurnby, Leicestershire, due to the use of unauthorized electrical appliances, that the Rural District Council has cut off the supply to the camp until matters are remedied. Repeated warnings to the squatters have all been ignored.

Carmarthen Bay.—PROPOSED POWER STATION. —Notice is given in the London Gazette that application has been made to the Electricity Commissioners by the Carmarthen Bay Power Station Co., Ltd., for consent to the establishment of the Carmarthen Bay power station in the area of the Llanelly & District Electric Supply Co., Ltd., the site being partly in the urban district of Burry Port and partly in the rural district of Llanelly. Objections by either of the local authorities or by the owner or lessee of any property within 300 yd of the proposed site must be submitted to the Secretary, Electricity Commissioners, Savoy Court, Strand, London, W.C.2, within thirty days from December 6th.

Dartford.—SALE OF RADIO SETS.—The Electricity Committee reports that four types of "Civic Concord" radio sets have been placed on sale at the showrooms. The sets are offered for sale outright or on hire-purchase terms.

Douglas (I. O. M.).—PAYMENT TO CONTRAC-TORS.—The Electricity Committee has increased the payment to contractors for cooker wiring from 1s, 10d. to 2s. per ft.

Glasgow.—INSTALLATIONS FOR GAS DEPART-MENT.—The Gas Committee has arranged for the Electricity Department to provide services at the canteen, baths, etc., at Provan chemical works at a cost of £450, and electricity is to be installed in 19 staff houses at a cost of £1,050.

London.—HOSPITAL INSTALLATIONS.—In 1938 the L.C.C. approved an estimate for rewiring Queen Mary's hospital for children, Carshalton. Only the first year's programme costing £2,636 was finished and it is now proposed to complete the work at an estimated cost of £8,500 spread over four years. The final instalment of rewiring the electrical installation at Tooting Bec hospital is also to be undertaken, the estimated cost of £8,450 being spread over three years.

Musselburgh. — ELECTRIC LIGHTING TO REPLACE GAS.—The Town Council has decided that as soon as practicable all gas lighting installations in houses erected under the Housing Acts shall be replaced by electric lighting.

Nelson.—SINGLE TARIFF FOR NEW HOUSES.— Confronted with a serious shortage of meters the Electricity Committee has decided to

abolish separate tariffs and make one all-in charge for light and power in new houses. It will be similar to the rateable value tariff.

Nottingham.—POWER STATION EXTENSIONS.— Extensions to North Wilford power station, estimated to cost $\pounds 6,000,000$ when the whole scheme is completed, are progressing satisfactorily, and it is probable that the first of the new units being installed will be put into commission about the end of January.

South Wales.—SEVERN PROPOSALS.—At the House of Commons last week, Messrs. Shinwell, Bevan and Williams received a deputation from the Montgomeryshire County Council which urged that the Government should undertake an inquiry into the possibility of harnessing the upper reaches of the Severn. It was suggested that such a scheme would provide a full water supply to Montgomeryshire and Radnorshire as well as other areas; constitute a method of flood control; and provide a source of electric power. The Ministers promised that the matter would receive careful attention.

Walton and Weybridge.—PRICE INCREASES.— In view of the deficit of £9,760 on the past year's working of the electricity undertaking it is proposed to increase the charges as from the end of the March quarter. The lighting flat rate will be raised by 1d to 6d per kWh and the heating and cooking rate by $\frac{1}{2}$ d to $1\frac{3}{4}$ d (domestic) and $1\frac{1}{2}$ d (commercial). Under the two-part tariff the present charge of $1\frac{1}{4}$ d will be increased to $1\frac{3}{4}$ d and the $1\frac{1}{8}$ d charge to $1\frac{3}{16}$ d. Before the war the lighting flat rate was 4d and the running charge under the domestic " all in " tariff $\frac{1}{4}$ d where an electric cooker or water heater was installed.

Warrington.—RATE CONTRIBUTION.—A sum of $\pm 10,000$ is to be contributed in aid of the rates by the Electricity Department, which last year made a net profit of $\pm 11,095$.

West Hartlepool.—PAYMENT OF ACCOUNTS.— During the war the Town Council decided that electricity accounts should be paid on a fourmonthly basis instead of three-monthly. The borough electrical engineer has reported that the introduction of the four-monthly system coincided with a 15 per cent increase in consumption and the cumulative effect has been to produce an exaggerated impression of the cost of electricity. The Town Council has therefore agreed to revert to three-monthly accounts at the beginning of 1947.

Willesden.—SUBSTATION EQUIPMENT.—The Electricity Committee has approved a scheme for the extension and modification of the bulk supply equipment at Gibbons Road substation. Application is to be made for sanction to borrow £6,177.

FINANCIAL SECTION

Company News. Stock Exchange Activities.

Reports and Dividends

Barcelona Traction, Light & Power Co., Ltd.-At the annual meeting on December 17th a statement was made regarding the company's proposals for dealing with the amounts due to the holders of its sterling bonds, interest on which has not been paid, owing to the company's inability to convert pesetas into sterling, since 1936. The bondholders, by a large majority accepted a plan by which they would be paid a capital sum in sterling instead of running the risk of a possible continued accumulation of arrears of interest. Although the company secured the necessary commitment from "a group interested in the successful operation of the company" it had failed to secure the necessary permission of the Spanish Government and the British Treasury was not prepared to consider the plan until that permission was obtained.

It has been intimated to the company that an offer may be made by parties substantially interested in the prior lien bonds to purchase the bonds of other holders at a price equal to or slightly above the December 14th market price. The company is continuing to press for the Spanish Government's sanction to the conversion of pesetas to sterling to enable it to meet its liabilities to holders of the sterling bonds.

Crossley Bros., Ltd., last Friday offered for subscription 475,000 5 per cent 5s. cumulative preference shares at 6s. each and 475,000 5s. deferred ordinary shares at 15s. 6d. each. The deferred ordinary shares are entitled to participate in the profits remaining after dividends have been paid on two classes of 5 per cent preference shares and 7 per cent preferred ordinary shares. The company has no debenture or mortgage debt. In the past three years the existing deferred ordinary shares have received dividends of 5, 10 and $12\frac{1}{2}$ per cent, respectively. The proceeds of the issue will be used to finance the company's large programme of extension and development.

The Mexborough & Swinton Traction Co. has called an extraordinary general meeting for January 8th at which a Provisional Order for which application has been made to the Minister of Transport will be submitted. This Order relates to the use of trolley-buses on certain routes in the urban districts of Mexborough and Conisborough, West Riding.

The Great Northern Telegraph Co., Ltd., has announced an unchanged interim dividend of $2\frac{1}{2}$ per cent in respect of the second half of 1946.

The Globe Telegraph & Trust Co., Ltd., is again paying an interim dividend of 1 per cent, tax free.

Cape Electric Tramways, Ltd., reports a revenue for the year ended June 30th last of $\pm 98,628$ (against $\pm 60,985$). The dividend is maintained at 6 per cent and $\pm 109,790$ ($\pm 67,505$) is carried forward.

The Bagdad Light & Power Co., Ltd., reports a profit for the past year of $\pounds 21,733$, as compared with $\pounds 17,246$ for the preceding year. The dividend for the year is 6 per cent (against 5 per cent).

Johnson Matthey & Co., Ltd., are maintaining their interim dividend at 3 per cent.

New Companies

Daveen Manufacturing Co., Ltd.—Registered December 10th. Capital, £3,000. To acquire the business of manufacturers of, and dealers in, lampshades and standards and electrical and other fittings carried on by A. J. Stockford and D. I. Phillips at 41, Howland Street, W.1. Directors: A. J. Stockford and D. I. Phillips. Regd. office: 506, Ulster Chambers, 168, Regent Street, W.1.

Slaters Electricals, Ltd.—Registered December 2nd. Capital, £5,000. Electrical, mechanical, marine, constructional, internal combustion and general engineers, etc. Directors: H. W. Slater and H. F. Slater. Regd. office: 34, Princess Way, Team Valley Trading Estate, Gateshead-on-Tyne.

C. A. Pocock & Co., Ltd.—Registered November 30th. Capital, £1,500. To acquire the business of an electrical engineer and contractor carried on by Charles A. Pocock at 10, Mill Street, Somercotes, Derbyshire. Directors: C. A. Pocock and J. O. Clark. Regd. office: 10, Mill Street, Somercotes.

W. E. Rawcliffe, Ltd.—Registered November 29th. Capital, £500. Manufacturing electricians and mechanical engineers, radio engineers, electrical engineers, etc. Directors: W. E. Rawcliffe and Mary A. Rawcliffe. Regd. office: 18a, Church Road, St. Annes-on-Sea.

Interboro Electrical Installations, Ltd.— Registered December 3rd. Capital, £500. Electrical and general engineers and dealers, etc. Directors: S. G. Griffiths, C. O. Smith, A. W. Main and W. H. Boyd. Regd. office: 3, Holly Hill, Hampstead, N.W.3.

Rolls Products, Ltd.—Registered November 29th. Capital, £100. Manufacturers of, and dealers in, electrical apparatus and appliances, tools, radio and television equipment, etc. Secretary: Eileen R. Pinnell. Regd. office: 22, Charing Cross Road, W.C.2.

Rolls Switches, Ltd.—Registered November 29th. Capital, £100. Manufacturers of, and dealers in, electrical switches and all kinds of electrical switchgear, tools, radio and television apparatus and equipment, etc. Other particulars similar to Rolls Products, Ltd.

Northern Electronic Industries, Ltd.—Registered November 27th. Capital, £500. To acquire the business of retail radio and electric supply shops now carried on by G. A. Taylor and R. M. Taylor at 372, Rochdale Road, Collyhurst, Manchester, and 38, Mumps, Oldham. Directors: G. A. Taylor and R. M. Taylor. Regd. office: Windsor Works, 349, Manchester Street, Oldham.

Lewis Battery Service, Ltd.—Registered December 4th. Capital, £3,500. Wireless and television manufacturers and service engineers, etc. Directors: T. R. J. Lewis (permanent governing director), Mrs. L. V. Lewis and W. D. Buckingham. Registered office: 6/7, Queen Street, Cheapside, E.C.4.

John Sylvester, Ltd.—Registered December 4th. Capital, £1,000. Manufacturers, assemblers and makers of electrical and electronic goods and equipment, etc. Permanent directors: J. D. Sylvester, D. C. Moore and E. G. Warland. Regd. office: 89, Wandsworth Bridge Road, S.W.6.

Electron Engineering Co., Ltd.—Registered December 4th. Capital, £1,000. Maintenance and installation contractors and engineers, general, consulting, radio and television engineers, manufacturers of, and dealers in, electrical goods, etc. Secretary: F. Dirs, 76, New Cavendish Street, W.1.

A. G. Earwicker, Ltd.—Registered December 4th. Capital, £3,000. Manufacturers, designers and repairers of, and wholesale or retail dealers in, electrical, radio, television and associated apparatus and appliances, etc. Subscribers: A. G. Earwicker and R. H. Foster. Solicitors: Wills Chandler & Burrows, Basingstoke.

Folco (Radio Services), Ltd. — Registered November 12th. Capital, £1,000. To acquire the business of radio servicing carried on by G. R. A. Foll at 18, Rose Bank, Rawtenstall. Directors: L. P. Talbot, W. Ashworth, G. R. A. Foll, Jane Foll and J. Ainsworth. Regd. office: Brook Street, Rawtenstall.

H. L. Bolton Engineering Co., I.td.—Registered November 27th. Capital, £7,000. Electrical, mechanical, etc., engineers, manufacturers of, and dealers in, domestic appliances, wireless parts, etc. Directors: H. L. Bolton and Mary Bolton. Regd. office: 106, Queen's Head Road, Birmingham, 21.

Electropower Co., Ltd.—Registered December 4th. Capital, £500. Manufacturers of, dealers in, and agents for, the sale of electrical and mechanical apparatus, etc. Directors: L. P. Bevan and Mrs. E. W. Bevan, both of 3, Retreat Close, Kenton, Middlesex.

Rowland & Colbourne, Ltd.—Registered December 13th. Capital, £200. To acquire (1) the business of builders and decorators carried on by A. R. Rowland and E. L. Rowland, and (2) the business of an electrical contractor carried on by E. W. Colbourne. Directors: A. R. Rowland, E. L. Rowland, A. E. P. Knapp and E. W. Colbourne. Secretary: A. Knapp. Regd. office: The Elms, Sompting Road, Lancing, Sussex.

Increases of Capital

Laurence, Scott & Electromotors, Ltd.— Increased by $\pm 400,000$ in 400,000 d $\frac{1}{2}$ per cent non-redeemable preference shares of ± 1 each (entitled to vote only in special circumstances), beyond the registered capital of $\pm 700,000$. (Note : 6,000 of the company's redeemable preference shares were redeemed in October.)

Electrical Components, Ltd.—Increased by $\pounds 100,000$, beyond the registered capital of $\pounds 150,000$.

E. P. Allam & Co., Ltd.—Increased by $\pounds 14,000$ beyond the registered capital of $\pounds 6,000$.

Electron Equipment (Portsmouth), Ltd.—Increased by £4,500 beyond the registered capital of £500.

C. & D. Electric (Appliances), Ltd.—Increased by $\pounds 11,000$ beyond the registered capital of $\pounds 1,000$.

F. J. Lloyd & Sons (Burnham), Ltd.—Increased by $\pounds1,000$ beyond the registered capital of $\pounds500$.

Liquidations

Coventry Automatic Telephones, Ltd.—Winding up voluntarily. Liquidator, Mr. W. E. Fordham, 31, Copthall Avenue, London, E.C.2. Particulars of claims to the liquidator by January 7th. This notice is entirely formal as all known creditors have been, or will be, paid in full.

Hollinwood Electric Light & Power Co., Ltd.— Winding up voluntarily. Liquidator, Mr. S. L. Stapleton, 1, Sixth Avenue, Limeside Estate, Hollinwood, Oldham.

Larne Electric Light & Power Co., Ltd.— Particulars of claims by January 31st to the liquidator, Mr. S. Boyle, 38, Donegall Place, Belfast.

Bankruptcies

R. J. Thurlow, electrical engineer, 13, Bolton Lane, Ipswich, carrying on business at 27, Fore Street, Ipswich, as Electrical & Radio Repair Services.—Trustee, Mr. K. E. Fisk, 13A, Great Colman Street, Ipswich, released December 7th, 1946.

H. H. Moore, Junior, electrical engineer, "The Lindens," West Cliff Gardens, Bournemouth.—First and final dividend of 11s 9d in the £, payable December 30th at 10, Rockstone Place, Southampton.

W. T. Spencer, electrician, 376, Oldham Road, Newton Heath, Manchester.—Receiving order made December 11th, 1946, on a creditor's petition.

e divite:

:144

eding yea: cent laizan

h. 116 m

nies

10.1月

gistered Dean trical, exern al combuston, rectors: H Regd, oact of Trauta is

Registers 1 To sayar enginer 22 ries A hav Derbyter 1. O. Carl. 1 ertores

facturers and appar

equipmen ered Notes cturers of d all kinds

STOCKS AND SHARES

HE Stock Exchange being closed on Christmas Eve and the two following days, it was not to be supposed that business in advance would show any considerable degree of activity. The Government's decision to proceed with the Transport Bill, in the teeth of extensive opposition, aroused more regret than surprise. It had no effect upon the prices of Home Railway stocks, and electricity supply shares have hardly moved from the levels of a week ago. The high-priced preference shares are rather easier. The radio group continues dull. On the other hand, the ordinary shares of the equipment and manufacturing companies remain very firm. New issues compete with existing stocks and shares, but without having any material influence upon the quotations of the latter. Vague talk of money being still cheaper in the New Year is responsible for the strength that continues to be shown by gilt-edged securities.

Home Electricity Supply

Business in Home electricity supply shares is, for this season of the year, fairly active. The same tendency is noticeable as that to which attention has already been drawn here. That is to say, the smaller holder of shares has been, and is, inclined to dispose of his interests on account of the probably reduced income which nationalization would entail. Trust companies and other large concerns have come, however, into the market as substantial buyers, in order to obtain the Compensation Stock at a lower price than that which obtains at the present time for similar British Government securities.

Cross Currents

Although no official announcement has been made on the subject, it is taken for granted, if prematurely, that any new security issued in exchange for shares in the Home electricity supply companies, will take the form of $2\frac{1}{2}$ per cent stock at 100. Thanks to the cross currents —the selling by small holders, and buying by institutional investors—the market keeps tolerably steady. As compared with a month ago, the majority of changes are against holders, for which the cuts in electricity and the constant fears of coal shortage are to some extent responsible.

Home Rails

Prices in the Home railway market have settled down at a point or two below those fixed by the Government for compensation purposes. A substantial volume of business is being done between buyers who see an opportunity for securing the equivalent of Government stock at a discount, and sellers unwilling to accept the prospect of a reduced income from the Compensation Stock. Since the sellers are parting from their stock at figures below the take-over value, there is evidently a body of opinion

Changes on the Month

58s. 6d. to 61s. 3d.

Cable & Wireless 51 per cent preference at 1191 has shed 51 during the past month, but the ordinary is a point up at 118. Both classes of Globe Telegraphs have hardened, the 6 per cent preference being 3s. 6d. higher. A rise of 31 to 38 in Great Northern Telegraphs has reflected a moderate demand in a narrow market. International "Tel. & Tel." at 20 recovered \$2 of month's fall of \$3. Marconi Marines are a better market, but Canadian Marconis have receded to 13s. 9d. Anglo-American Telegraphs further continued their earlier improvements. The radio group has lost favour for the time being: there are falls in Radio & Television, E.M.I., Scophony and Cossor. E. K. Cole at 29s. 6d., and Plessey at 37s. 6d.-the latter on the increased dividend -are two exceptions to the dullness in this market.

Upward Movements

Amongst the notable changes of the past month, General Cables are prominent with a 9s. gain at 33s., the dividend having been raised from 15 per cent to 25 per cent. Tube Investments are 10s. higher at $6\frac{13}{14}$ on the expansion in the company's interests recently announced. A rise of 5s. lifted De la Rue to $13\frac{3}{4}$, following upon the previous month's advance of 20s. Mather & Platt at 60s. gained 4s. 3d. Johnson & Phillips at 85s. 6d. and Greenwood & Batley at 55s. are 4s. to the good. English Electrics rose 3s. 6d. to 66s. 6d. Reference to the table of prices will show a number of other improvements.

Equities on Offer

On Associated Electrical Industries shares, which are on offer at 74s. 3d., the yield on the current dividend is now no more than £2 13s. 6d. per cent—a return which measures the degree of confidence held in the chances of a more liberal distribution next year. Of the other electrical market leaders, General Electrics and Crompton Parkinsons return £3 8s. 0d. pet cent and $3\frac{1}{2}$ per cent respectively. Among the shares which come less frequently into the market, mention may be made of a line of Reyrolles at 81s. 3d., yielding £3 1s. 3d. pet cent on the 12 $\frac{1}{2}$ per cent dividend. Crabtree Electrical are available at 48s. 3d. ex dividend to yield £3 12s. 6d. per cent, and Siemens can be bought at 38s. 3d., the return being £3 18s. 6d.

(Continued on page 1076)

December 27, 1946

ELECTRICAL INVESTMENTS

Past Month's Price Changes

Component	Divi Pre-	dend	Price	Month's Rise	Υ	iel			Divi	dend	Middle Price	Month's Rise	,	Yi
Company		Last	Dec. 18	or Fall	1	p.c.		Company	Pre- vious	Last	Dec. 18	or Fall		p.
1	lome l	Electrici	ty Ordin	ary				Equipment and I	Hanuta	eturine	(Contina		£	
Bournemouth and	1				£	s.	đ-	Baldwin, H.J.(2/-) 10	20	12/6		3	
Poole	121	121	65/6	-6d.	3 1		3	British Aluminiu	m 10	8	46/-	+ 2/9		9
British Power and	1 E							British Insulated		0	±0/-	-12/ a	3	3
Light	7	8	33/6		4 1	5	7							
City of London .		7	34/-		4			& Callender's		1.2	4 6/G	24		
Clyde Valley		8	42/6		3 1		3	British Rola (2/-		15	7/-		4	5
County of Londo		10	45/-	-6d.	4		0	BritishThermosta	it.					
Edmundsons .		6	29/-	+1/-	4		9	(5/-)	. 181	18ł	23/9	+ +	3	17
Elec.Dis.Yorkshi		9	48/6	-1/-	3 1		0	BritishVac.Clean	er	131				
Elec. Fin. and Se		Ū	2010		0 1	×	0	(5/-)	. 30	20	25/-		4	C
carities		15	66/6		41	0	3	Brush Ord.(5/-).		-1	7/9		2	
Elec. Supply Con		10	0010		-# 1	0	5	Burco (5/-)		20	30/		3	
poration		10	4017	3.10		0	-7	ChlorideEl.Storag						
Lancs. Light and		10	46/3	-1/6	+	U	7			15	51	+)-	2	
		71	2210	1/		0	-7	Christy Bros.		171	85/-	1.1	4	2
Power	6	71	33/6	-1/-	4		7	Cole, E. K. (5/-)		20	29/6	+6d.		7
Lianelly Elec		6	27/6	— 6d.	4		3	Cossor, A. C. (5/-		1210	30/6	— 6d.	2	1
Lond.Assoc.Elect		6	28/-	* *	4		9	Crabtree (10/-)	. 171	171	48/-	+6d.	3	13
London Electric		6	27/6	-6d.	4		3	CromptonParking	50D					
Metropolitan E.S		9	44/6		4		0	Ord. (5/-)	221	221	32/-	-2/-	3	10
Midland Countie		8	47/6	-1/-	3		6	De La Rue	. 40	45	131	+2		5
Mid. Elec. Powe		9	47/0	—6d.	3 1		8	Decca (1/-)	100	112	52/6		2	5
Newcastle Elec		7	34/-		4		4	E.M.I. (10/-)	8	8	26/3	-2/3	3	
NorthEasternEle		7	32/-	-3/-	4	7	6	Elec. Constructio		124	65/-	+1/6	3	
Northampton .	. 10	10	49/-	-2/-	4	1	8	Enfield Cable Ord		121	54/-		0	
Northmet Power	. 7	9	43/6		4	2	10	English Electric .		10	66/6	+ 1	2	2.0
Scottish Power .	. 8	9	42/-	-1/6	4	5	9	Ericsson Tel. (5/-)		200	56/3	+3/6	1	
Southern Areas.	. 5	51	23/-	-6d.	4 1	5	7	Ever Ready (5/-)		40		+ 2/6	4	
South London .		7	33/-		4						50/-	+3/-		
Yorkshire Elec.,		9	47/6		3 1			Falk Stadelmann		10	46/3	+ 1	4	
				2.5				Ferranti Pref	. 4	7	37/	+9d.	3	15
	6	ublic B	oards					G.E.C.	0.7		12.0			
Central Electricit	y:								61	6	41/3	+9d.	3	3
1963-93 .	. 3분	31	110	-3	3		7		171	171	103/-		3	7
1974-94 .	. 3]	31	111	-2	2 1	8	6	GeneralCable(5/-)		25	33/6	+9/6	3]	
LondonElec.Trai		21	1011	-1	2	9	3	Greenwood&Bath		15	55/-	+4/-		9
Lond.Pass.Trans	.Bd.			-				H.T.A. (10/-)	121	10	21/3	61	4	
	. 41	41	1271		3 1	1	0	Heatrae (3/-)		121	7/6	— 3d.	5	
	. 5	ð	1231	$+\frac{1}{2}$	4		0	Henley's (5/-)		20	28/6	+6d.	3	
C		3	651	+1	4 1		7	41% Pref.		41	30/-	+1/6		Ú
· ·· ·		0				î			175	20	5 👬	**	3 1	17
Ov	rseas	Electric	ity Comp	anies				Intl. Combustion		321	101	+ 🛿		1
	. Nil	Nil	9/9	+1/-				Johnson & Phillip		15	86/-	+4/6	3	9
Calcutta Elec		6*	51/3	-3/9	2	6	8	LancashireDynam		22 1	G		3 1	
Cawnpore Elec	13	13	57/6	-1/-	41		0	Laurence, Scott(5/-		121	15/6	+31.	4	
East African Powe		7	47/-	+1/-	21		7	London Elec. Wire	71	71	42/-		3]	11
Jerusalem Elec.		5	24/-	++/-	4		4	Mather & Platt	10	10	60/-	+ 4/3	3	
		6		+6d.	4 3		9	Metal Industries(10	61/3	-6d.	3	
Madras Elec.		0	37/- 25/-	+0u. +1	5		0	Mid. Elec. Mfg		25	9 🛔	+ #	2 1	
Montreal Power.					5		3	Murex		20	97/6	+ #	4	
Nigerian Elec.	10	121	47/6	+5/6	3		6	Newman Ind.(2/-)		221	9/6	+ 30.	41	
PalestineElec."A		6*	36/6				0	Plessey (5/-)		30	37/6	+ 18	4	
Perak Hydro-elec		7	15/-	14.81				Power Securities.		6	32/-		3 1	
Tokyo Elec. 6%		6	443	-5			0	Pye Deferred (5/-)		25	32/6	**	3]	
Victoria FallsPow		19	52	÷.	3			Radio & Tel. (2/-)		10	10/0	-1/6	0 1	
Whitehall Inv.Pr	ei.—	6	28/6	+1/-	4	4	3	Revo (10/-)		20	53/-	+1/-	3 1	5
		A and I	denule of	uning					124	121	80/-	+1/- +2/6	3	
			Aanutact		0.1	0		Scophony (5/-)			8/6	- 6d.	5	-
Aron Elec. Ord		10	51/3		31		2	Siemens Ord	71	71	38/		2 1	0
Assoc. Brit. Eng.	8	12	42/6		5 1	3	0	Strand Elec. (5/-)	10			+1/-	3 1	
Assoc. Elec. ;						-		Switchgear & Cow-		121	12/3	+6d.	5	3
	. 10	10	74/6	+2/6	2 1		9			0.0	0.51			
	8	8	48/6	+1/-	3		0	ans (5/-)		20 121	25/-		4	
Pref														
Pref AutomaticTeL& I		121	76/3	+2/-+1/-	3 1		5	T.C.C. (10/-)			33/- next page		3 1	9

• Dividends are paid free of Income Tax.

1, 190 Dinier Lainer Lainer Li then Dinis an er The stock : Lorge:

iner i here i e d i here i her

TEC

i izan i un an a a i a a i bital bital

076)

c

ELECTRICAL REVIEW

December 27, 1946

Dividend Middle Month's						Dividend		Middle Month's Price Rise		Yield	
G		Price	Rise	Yie		A	There	-	Dec.	01	p.c.
	us Last	Dec. 18	or Fall	p.0		Company	Pre- vious	Lost	18	Fall	p.o.
	13 13430	10	Pau				1003	144.50			
Equipment and Man	afacturing	(Continu	ied)	£ s.	d,	Traction and Tran	sport (Continu	ieđ)		£ s. (
T.C. & M 10	10	55/-	+ +	3 12	9	T. Tilling	10	10	61/3	+3/3	3 4
TelephoneMfg.(5/-) 9	9	14/6	+1/-	3 2	1	West Riding	10	15	52/6	-1/-	514
Thorn Elec. (5/-) 20	20	30/-		36	8						
Tube Investments 20	221	6 17	+10/-	3 8	2		felegra	ph and	Telepho	ne	
Vactric (5/-) 1	lil Nil	18/	+6d.			Anglo-Am. Tel. :					
Veritys (5/-) 7	1 73	8/-	10	4 13	10	Pref		6	$147\frac{1}{2}$	+4	4 1
WalsallConduits(4/-)	55 55	58/	+2/-	3 15	10	Def		11	371	+2	4 0
Ward & Goldstone						Anglo-Portuguese		8	28/6	-6d.	5 12
(5/-) 25	35	53/-	+1/-	36	0	Cable & Wireless					
Watford (2/-) 15	15	7/9	+6d.	3 19	0	5½ Pref		51	1191	-51	4 12
WestinghouseBrake 1	4 14	78/9	4.2	3 11	1	Ord		4	118	+1	371
West, Allen (5/-)	1 7 <u>1</u>	10/-	+6d.	3 15	0	CanadianMarconi Globe Tel. & Tel.		4 cts.	13/9	- 16	-
Tra	ction and	Transpo	rt			Ord.		5*	46/6	+1/6	2 3
Brit. Elec. Traction :						Pref	6	6	39/6	+3/6	3 0
Def. Ord 48	i 45	1230	+10	3 9	3	GreatNortherp'Te	1.		'		
Pref. Ord 8		195	+3	4 2	1	(£10)	20	18	38	+ 31	4 14
	1 73	55/6	2/-	2 14	0	Inter. Tel. & Tel	. Nil	Nil	19	+1	
Cane Elec. Trams	~	37/6		3 4	0	Marconi-Marine.	78	7+	33/6		4 9
Southern Rly. :		· · ·				Oriental Tel. Ord	4	4	53/6	-2/-	
5% Prefd 5	5	751	+1	$6\ 12$	3	Telephone Props.	Nil	6	21/6		5 11
5% Pref, å	5	$122\frac{1}{2}$	+4	4 1	8	Tele. Rentals(5/-)) 10	10	15/-		3 6
		-	* Divider	ids are	paid	l free of Income Ta	х.				

Stocks and Shares (Continued from p. 1074)

per cent. On Plesseys, which can be bought at 38s. 3d., the return on the recently increased dividend is 1s. under 4 per cent. Chloride Electrical Storage "A" shares are offered in a small way at $5\frac{1}{6}$. They give £2 18s. per cent on the money.

Preference Shares

A return of 4 per cent is available from the recently issued Aberdare Cables $5\frac{1}{2}$ per cent preference, now quoted at 27s. 6d. Brush $5\frac{1}{2}$ per cent preference are on offer at 25s. 6d. to yield £4 3s. 6d. per cent; and Laurence Scott $4\frac{1}{4}$ per cents at 23s. 6d. giving £3 12s. 3d. per cent. E. K. Cole 7 per cent preferred ordinary are entilled, after the fixed dividend, to participate up to a further 3 per cent when 7 per cent has been paid on the ordinary. They have received the full 10 per cent in each of the last four years. At 40s. the shares give a 5 per cent return on that basis. Yields on the preference shares of English Electric and General Electric are in the neighbourhood of 3 per cent. Rather more can be obtained from the less familiar high-priced preference issues. Watford Electric 6 per cent 10s. preference are available at 16s., and Electric Construction "sevens" at 41s. 3d., the respective returns being £3 15s. 0d. per cent.

Trustee's Headache

Stock Exchange brokers are confronted every day with cases of genuine distress arising from the prospect of a severe cut in income when the nationalized stocks are replaced by a presumably much lower-yielding security. For the stockholder with no restriction on his actions, there are difficulties enough in finding satisfactory alternatives which would maintain the income. For the trustee with limited investment powers, the problem is yet more acute. A pressing demand has arisen for widening the range of securities eligible for the investment of trust money. Many people consider that the latitude in this respect could be widened without danger, affording much needed relief to those dependent on trust funds from which the income is being steadily whittled away by redemptions, conversions and, now, by nationalization. The Government recently refused to assent to the suggestion, but hope is by no means quenched that such an obvious relief will be accorded later on.

Dictograph Telephones, Ltd., point out that the reference to their new preference shares in the "Stocks and Shares" column of our December 13th issue was incorrect. The dividend is 5, not $5\frac{1}{2}$, per cent making the yield $\frac{1}{2}4$ per cent, not $\frac{1}{2}4$ 8s., at the issue price of 25s.

Contract for Road Signs

NE of the largest contracts for road signs placed in this country has been received by the Tube Investments' subsidiary, Gowshall, Ltd., for erection in the City of Westminster. The order is for 600 gas and 600 electrically illuminated "Keep Left" guardposts designed according to the Report of the Departmental Committee on Traffic Signs and approved by the Ministry of Transport. The new guardposts, which are 4-ft high with both the upper and lower glass panels illuminated, are the result of some months' development and tests on the part of Tube Investments' engineers. Ba

22

1120

-

50

į.

in

oper

181



CONTROL GEAR

OIL IMMERSED HAND OPERATED AUTOMATIC

SWITCHGEAR

SWITCHES FUSES SWITCHBOARDS AIR BREAK OIL IMMERSED

FANS

CEILING DESK and BRACKET VENTILATING

OF IMPORTANCE TO YOU

In order that we may give you the best service under the present difficult conditions we appeal to you to utilise standard equipment, ratings, etc., whenever possible. Your co-operation in this respect will enable us to concentrate on standard production with consequent reduction in despatch time.

USE "STANDARD "


LIGHTING FITTINGS

DISCHARGE

VERITYS Ltd.

Sales Headquarters : BRETTENHAM HOUSE, LANCASTER PLACE, W.C.2 Works : ASTON, BIRMINGHAM 6

55



HEAVY DUTY FANS. MECHANICAL DRAUGHT FANS. SINTERING FANS.

HOWDEN-LJUNGSTROM AIR PREHEATERS.

HOWDEN TURBULENT FLOW AIR PREHEATERS.

HOWDEN I.C.I. GAS WASHERS.

HOWDEN VORTEX DUST COLLECTORS.

Howden auxiliaries for all types of boilers, from the largest power station plant to the smallest industrial installation.

HOWDEN

James Howden & Company (Land) Ltd. 195, Scotland Street, Glasgow, C.5, and 101-103, Baker Street, London, W.1.

ELECTRICAL REVIEW

Railway Claims

Conditions of Carriage Surveyed By Graham Saville

YITH traffic dispatched by railway goods service, three sets of conditions are of principal interest to electrical firms. These are lettered "A," "B" and "E," and cover merchandise as follows :---

"A" Merchandise (other than dangerous goods and merchandise for which terms and conditions are specially provided) when carried by merchandise train at company's risk rates.

"B" (a) Merchandise (other dangerous goods and merchandise for which terms and conditions are specially provided) when carried by merchandise train at owner's risk rates; and (b) Merchandise which is included in the Classi-

In view of the increase in pilferage, loss and damage it is imperative that the conditions of carriage should be understood in order that compensation may be obtained

fication of Goods by merchandise train as accepted for carriage at owner's risk only.

"E" Damageable goods not properly protected by packing when carried by merchandise train at company's risk rates.

It will be found that a very large proportion of traffic is covered under conditions "A." In this case the railway company is liable for any loss, misdelivery or damage unless it can prove that such arose from any of the following circumstances:-Act of God; act of war or of the King's enemies; arrest or restraint of princes, or rulers, or seizure under legal process; orders or restrictions imposed by the Government or any Department thereof: act or omission of the trader, his servant, or agent; inherent liability to wastage in bulk or weight, latent defect or inherent defect, vice or natural deterioration of the merchandise; or casualty (including fire or explosion).

Even when such loss, misdelivery or damage arises from any of these causes, the railway company, to escape liability, must be able to prove that it used all reasonable care and foresight in the carriage of the goods. On the other hand, if there has been fraud on the part of the trader, the railway company is relieved of all liability.

There are various classes of electrical

equipment which can, if the consignor so desires, be forwarded under owner's risk (or "B") conditions; some examples are :--Electric batteries (not containing liquid): electric lamps or torches (pocket); electric lighting fittings (without lamps) for exterior lighting (without glass); electric stoves, grates, heaters and ranges; and regulating resistances (except motor starting switches).

Under these conditions the railway company is not liable for loss, damage,

deviation, misdelivery, delay or detention of or to a consignment or any part of a consignment unless it can be proved that it arose through the wilful misconduct of the railway company or its servants. Electrical concerns will, however, be interested

in the three exceptions to this liability which apply if the railway company is unable to show that the non-delivery, pilferage or misdelivery of goods was not caused by its negligence or misconduct. The exceptions are as follows :---

- (1) Non-delivery of the whole of a consignment or of any separate package forming part of a consignment, properly packed and addressed in accordance with the requirements of the Standard Terms and Conditions, unless non-delivery is due to accidents to trains or to fire.
- (2) Pilferage from packages of merchandise protected otherwise than by paper or other packing readily removable by hand, provided the pilferage is pointed out to a servant of the railway company on or before delivery.
- (3) Misdelivery where merchandise addressed in accordance with the requirements of the Standard Terms and Conditions is not tendered to, or placed at the disposal of, the consignee, within twenty-eight days, or in the case of perishable merchandise, within a reasonable time which shall not be less than seventy-two hours after receipt of the consignment by the railway company to whom the goods were handed by the sender.

Electrical firms are also concerned with the conditions lettered "E," as certain types of electrical apparatus when not conforming with certain packing regulations come under this heading. Under these damageable goods conditions, the railway company is not liable for loss or damage except when it can be proved that it arose through the wilful misconduct of the railway company or its servants, or would have occurred had the goods been properly protected by packing and the railway company would have been liable had the goods been carried under the ordinary company's risk conditions.

Observing Time Limits

Perhaps the most important point with regard to present day presentation of complaints and claims is to observe the time limits laid down. In connection with this there has been an extension of the periods from those which were laid down in the Standard Terms and Conditions of Carriage. In cases of partial loss, consisting of damage, pilferage, loss, delay or detention, the complaint must now be made within six days and the claim within ten days of the termination of transit. With the loss of a whole consignment or a complete package or packages forming part of a consignment, the complaint must be made within twentyeight days and the claim presented within forty-two days of the dispatch of the merchandise.

The regulation indicates that all claims and complaints must be in writing and addressed either to the forwarding or delivering stations or to the district or head office of the forwarding or delivering railway company. Recently, railway companies have been very particular in maintaining their rights to reject claims which are not made within these time limits. Provision is, however, made in the Standard Terms and Conditions for dealing with exceptional circumstances which prevent the lodging of complaints and claims within the statutory periods: the appropriate section reads:—

"Provided that if in any particular case a trader before action is brought proves to the satisfaction of the company, or where the company is not so satisfied, of the Railway Rates Tribunal, that it was not reasonably possible for him to advise the company in writing or to make his claim in writing within the aforesaid times, and that such advice or claim was given within a reasonable time, the Tribunal may, if having regard to all the circumstances they consider it equitable, declare that nothing in this condition shall be a bar to the maintenance of proceedings against the company."

Another important bearing on the possibility of obtaining compensation in the event of loss or damage is the signature given for the receipt of merchandise. Where there has been obvious damage or pilferage it is of course essential that the merchandise should be signed for "Damaged" or with some similar remark. It is also generally advisable that even when the goods are in apparently good order the signature be qualified with such a remark as "Not examined." The effect of this is to prevent the railway company from being able to state that it holds a clear signature for the goods.

It will be recalled that with regard to the second exception for owner's risk traffic it is stipulated that the pilferage should be pointed out to a servant of the railway company on or before delivery. In such circumstances it is also advisable that the qualification should be given on the railway company's delivery sheet or warehouse book, but it must also be borne in mind that the requirement for a written complaint is not complied with by any qualification on railway company's documents.

Miscellaneous Points

There are, of course, a considerable number of other points which have to be attended to if claims are to be successful, some being the disposal of salvage, the protection afforded by the Carriers Act and "inherent vice." Consignors will also find it to their advantage to give full details to the railway company when presenting their claim, and it will often be found that considerable clerical labour is saved by having special forms printed for this purpose.

The conditions of carriage by passenget train are very similar to those for goods train traffic, the only major exception being with regard to merchandise carried under owner's risk conditions. With owner's risk traffic, the railway company is normally only liable in respect of loss or damage arising from wilful misconduct. There are again exceptions dealing with non-delivery, pilferage and delay similar to goods train traffic, but in any case the railway liability is never in excess of 75 per cent of the net invoice value of the merchandise.

Finally, large electrical concerns may be

1078

December 27, 1946

at not

ar tot

the m

ne sien

OF PS

Denter ed" (1)

20005 1:

iloode se

interested in the special commuted claims agreements which it is now possible to arrange with the railway companies. Under this scheme the trader refrains from lodging claims on the railway company, and in return the railway company makes a bulk payment to the trader. Normally there is a limit to the value of the claims not lodged and the payment by the railway company is in the form of a percentage of the carriage charges

on the traffic covered by the agreement. It may be mentioned that the percentage under existing commuted claims arrangements has been affected by the increase in railway charges and firms having such agreements in operation may find it an opportune time to review the whole scheme in view of the enhanced value of goods generally and the greater number of cases of damage and loss now arising.

NEW PATENTS

Electrical Specifications Recently Published

The numbers under which the specifications will 15 10 J.R. be printed and abridged are given in parentheses. gathan Copies of any specification (1s. each) may be obtained from the Patent Office, 25, Southampton Buildings, London, W.C.2.

KT.-GES. Brown, Boveri & Cie.-" Multirisk trafic: break electric gas blast circuit-breakers." September 11th, 1943. (582835.) 17319/44. of the re Automatic Telephone & Electric Co., Ltd.very 1 "Telephone substation circuits." 4793/44.

isable the May 10th, 1943. (582801.) Automatic Telephone & Electric Co., Ltd.,

of we and C. E. Beale .- " Telephone or like systems." Ring 17737. September 16th, 1944. (582838.)

Automatic Telephone & Electric Co., Ltd., en compie and G. A. Burns .- " Indicating boards for electric power transmission systems or the like." 7845. April 27th, 1944. (582741.) R. W. Bailey, P. P. Starling, H. H. Burton,

A. B. Winder, Metropolitan-Vickers Electrical Co., Ltd., and English Steel Corporation, Ltd.-"Casting metals." Cognate applications 7408/40 and 6274/41. April 24th, 1940. (582846.) J. B. Birks .--- " Electromagnetic radiators or of give receivers." 12864. July 5th, 1944. (582856.) R. H. F. Boot and Under Water Welders & Repairers, Ltd.—" Electric arc cutting devices."

4027. March 3rd, 1944. (582731.) K. W. Branczik and O. L. B. Westergaard .--

"Cooling towers." 3094. February 18th, : fould 1944. (582727.)

14282 British Electricon (London), Ltd., and W. A. Chambers .--- " Electrical relays." 5959. March

9th, 1945. (582793.) British Thomson-Houston Co., Ltd.-"Electromagnetic wave propagation systems." 6159/43. April 16th, 1942. (582757.) "Imise and pedance transformer systems." 17310/43. October 24th, 1942. (582760.) "Secret carrier wave signalling systems." 19732. November (55 76 25th, 1943. (582798.) "Electric insulating (at the compositions." 20287/43. December 7th, 1942. (582799.) "Washing machines." 6431/44. h 004 April 9th, 1943. (582804.) "X-ray generating apparatus." 13881/43. August 26th, 1942. alway (582889.) "Insulating bushings for electrical (102089.) Insulating bushings for electrical mild¹⁰ apparatus." 18797/44. October 1st, 1943. g. (582915.) "X-ray tubes." 18798/44. October cems m 2nd, 1943. (582916.) "Headlight indicators for self-propelled vehicles." 19042/44. October 6th, 1943. (582920.) " Electrical insulators. 23396/45. September 14th, 1944. (582929.)

British Thomson-Houston Co., Ltd. (General Electric Co.).-" Control of the transmission of electromagnetic waves." 17456. October 22nd, 1943. (582848.) "Noise reduction in radiolocation and communication systems." 18439. November 5th, 1943. (582849.) "Pulse generating systems." 18561. " Pulse November 8th, 1943. (582850.) generating systems." 19228. November 17th, 1943. (582851.)

L. F. Broadway, N. C. Barford and A. F. Pearce .- " Coupling of hollow electrical resona-10352. June 25th, 1943. (582714.) tors.

N. E. W. Carter.—" Telephone receivers. 6311/44. April 5th, 1945. (582735.)

Cinema-Television, Ltd., and H. G. Flood.-"Electron discharge devices and methods of manufacturing such devices." 18621. September 28th, 1944. (582913.)

Farnsworth Television & Radio Corporation. "Thermionic impulse amplifier." 8929/44. March 18th, 1943. (582744.)

General Electric Co., Ltd., and E. Friedlander .-. " Electrical multi-turn windings." 18005. December 18th, 1942. (582888.)

D. L. Hings .- " Radio-frequency generating and modulating systems." 10326. July 23rd, 1942. (582795.)

V. Hope .- " Protecting devices for electric circuits and apparatus." 2676. February 14th, 1944. (582726.)

H. W. K. Jennings (B. F. Sturtevant Co.) .-"Dust collecting apparatus." 11910. Mav 11th, 1945. (582883.)

Landis & Gyr Soc. Anon.—" Contacts of electrical switches." 13003/44. July 13th, 1943. (582817.)

Marconi's Wireless Telegraph Co., Ltd.-" Combined transmitter and receiver for radio signalling." 2827/44. February 15th, 1943. (582766.) "Oscillation generator." 3108/44. February 20th, 1943. (582767.) "Switching in wave guide transmission systems." 3487/44. February 25th, 1943. (582768.) " Apparatus for controlling the velocity of a cathode-ray beam." 1725/44. January 30th, 1943. (582892.)

P. L. Millwood and E. A. Cox .- " Automatic kettles or electrically heated water boiling receptacles." 6715. April 12th, 1944. (582897.)

M-O Valve Co., Ltd., and R. W. Sloane.-"Velocity - modulated frequency - changers." 9479. July 25th, 1941. (582886.)

Mullard Radio Valve Co., Ltd., J. A. M. Van Moll, A. J. Van Hoorn and G. L. Sutherland .--" Methods of applying emissive coatings to the cathodes of electron discharge devices." 3779. February 29th, 1944. (582729.)

Siemens Bros. & Co., Ltd., and B. A. Hensler. "Telephone systems." 13599 July 17th, 1944. (582786.)

Soc. Anon. des Industries Radio-Electriques (S.A.D.I.R.) .- " Arrangements of aerials for radio-beacons." 3674/42. May 29th, 1941. (582755.)

Standard Telephones & Cables, Ltd.-"Arrangements for ensuring a given angular relation between the rotors of two electric motors." 1677 44. February 6th, 1943. (582724.) "Cathode-ray oscillograph circuits." 17689/44. September 23rd, 1943. (582836.) Standard Telephones & Cables, Ltd. (Inter-

national Standard Electric Corporation) .--" Means for amplifying and translating electrical impulses." 14669. November 14th, 1941. (582753.)

Standard Telephones & Cables, Ltd., and C. W. Earp.—" Arrangements for obstacle detection and measurement of distances by electromagnetic waves." 4506. April 3rd, 1942. (582708.)

Standard Telephones & Cables, Ltd. (trading as Stanelco Products) and J. Handley .--- " Electric soldering apparatus." 15926. August 21st, 1944. (582829.)

Standard Telephones & Cables, Ltd., and M. M. Levy .- " Electrical oscillation genera-"Apparatus for measuring the duration of electric impulses or signals." 969. January

24th, 1941. (582885.) Standard Telephones & Cables, Ltd., and J. D. Weston .- " Means for discriminating between complementary keyed electric signals." 13497. July 14th, 1944. (582784.) keyed electrical

Standard Telephones & Cables, Ltd., P. K. Chatterjea and L. W. Houghton .- " Secrecy communication systems." 14938. October 23rd, 1942. (Addition to 580843.) (582709.)

Standard Telephones & Cables, Ltd., W. J. L. Wildbore and J. M. Kennan .--- "Wire lapping or like core-covering machines." 18577. September 28th, 1944. (582911.)

P. P. Starling, H. H. Burton, A. B. Winder. Metropolitan-Vickers Electrical Co., Ltd., and English Steel Corporation, Ltd.-" Production of metal castings." 13194. August 19th, 1940. (582847.)

T. W. Tattersall .--- "Switching arrangements for electric vehicles." 2257. February 7th, 1944. (582893.) W. E. Tomlin.—" Washing machines."

7059/44. April 17th, 1945. (582739.)

Under Water Welders & Repairers, Ltd., and R. H. F. Boot .- " Electric arc welding " 6773. April 12th. 1944. (582769.)

F. E. Waller .- " Lamp supports." 18647. September 29th, 1944. (582914.)

F. Watson (Aktiebolaget Ljungstroms Angturbin) .--- "Turbines." 14725. August 2nd. 1944. (582825.)

Westinghouse Brake & Signal Co., Ltd. (Union Switch and Signal Co.).—" Electrical control apparatus." 17723. October 27th, 1943. (582761.)

Westinghouse Electric International Co .-"Protective systems for X-ray apparatus." 10902/43. July 7th, 1942. (582715.)

H. G. White, A. Middleton and Metropolitan-Vickers Electrical Co., Ltd.—" Resilient gear wheels." 18277. September 25th. 1944. (582878.)

F. C. Williams .- " Electronic relay circuit arrangements," 10351. June 25th, 1943. (582758.)

Amended Specifications

535127. Marconi's Wireless Telegraph Co., Ltd.-"" Antenna circuit modulation systems."

570188. H. G. Solomon.-" Electric condensers more particularly intended for the production of h.f. impulses and for use in h.f. circuits.'

Forthcoming Events

Friday, January 3rd. — BIRMINGHAM. — Imperial Hotel, Temple Street, 6 p.m. Illuminating Engineering Society (Birmingham Centre). "Industrial Decoration," by J. H. Nelson.

Monday, January 6th. — BIRMINGHAM. James Watt Institute, 6 p.m. I.E.E. South Midland Centre. " Development and Design of Colonial Telecommunications Systems and Plant," by C. Lawton, and "General Planning and Organization of Colonial Telecommunications Systems," by V. H. Winson. (Joint meeting with the Institution of Post Office Electrical Engineers).

LONDON.-At the Institution of Electrical Engineers, 2, Savoy Place, W.C.2, 5 p.m. Institution of Post Office Electrical Engineers. "The Provision of Line Communications for the Fighting Services," by H. R. Harbottle.

BRADFORD.-Technical College, 7.15 p.m. Bradford Engineering Society. "Fuel Economy in Facts and Figures," by W. Goldstern.

Tuesday, January 7th. — MANCHESTER. -Engineers' Club, Albert Square, 6 p.m. I.E.E. North-Western Centre, "The Influence of Resistance Switching on the Design of High-Voltage Oil Circuit Breakers," by H. E. Cox and T. W. Wilcox.

LONDON .- Oddfellows' Hall, 186, Hammersmith Road, S.W., 7 p.m. Association of Supervising Electrical Engineers (West London Branch). " Some Applications of Electricity and Gas."

GLASGOW. -- Ca'doro Restaurant, Union Street, 7.30 p.m. Electrical Society of Glasgow. " Power Factor Correction," by R. H. Banmister.

December 27, 1946

- 9-

-10th

Name .

Lin

14.1

に加し

194. E

Time

in pe

Events

In the second

Ren I

230

ELBI

uls --tr-

1000

- 6125

The last

e Jegi

RECENT INTRODUCTIONS

Notes on New Electrical and Allied Products

Plunger Switch

N industrial switch which can be employed in place of a distant push-button for starting and stopping motors driving weaving

looms and machine tools, is being made by BRITISH KLOCK-NER SWITCHGEAR, LTD., of Guildford St., Chertsey, Surrey. It is operated by

the depression of a plunger, which must remain depressed while the machine

Plunger switch for actuating motor starter

is running: its release will stop the motor,

This " LAT " type switch is most useful when the motor is controlled by a lever that also actuates a mechanical brake,

because application of the latter will automatically stop the motor and prevent its restarting until the brake is released again. This switch merely furnishes impulses to the normal starter. so that the latter will maintain its no-volt protective circuit (when included) through separate contacts provided for the purpose. The hard brass plunger can be fitted with a rocker roller attachment, if desired. The housing is die cast, of a zinc base alloy, being 3 in. wide by

5 in. long and 1.5 in. deep; two 0.75 in. tapped conduit entries are provided.

Animal Grooming Equipment

It does not seem to be generally appreciated that a suction cleaner can be an effective means of grooming animals, as well as of cleaning farm buildings. harvesters, reaping machines and food carts, and the collection of grain. A suitable machine for these purposes is one of the industrial models made by the BRITISH VACUUM CLEANER & ENGINEERING CO., LID., Gobhn Works, Leatherhead, Surrey

The equipment is mounted on a small push-handle base fitted

with caterpillar tracks for mobility and capable of being driven either by a miniature petrol engine. or by a 1.5 H.P. three-phase motor of 400 440 V at 2,800 r.p.m. through an enclosed Wigglesworth belt. The motor is mounted upon a steel frame above the TM-6 exhauster, of the multi-stage turbine type, with six impellers on a shaft running in ball bearings. The 36-in. filter container has a removable top to enable the internal dust bag to be emptied.

An assortment of cleaning tools and brushes is provided, but an extra charge is made for single-phase motor drive.

Automatic Oven Control

All household cookers supplied by the GENERAL ELECTRIC Co., LTD., Magnet House, Kingsway, London, W.C.2, are eventually to be fitted with "Ovenmaster" automatic control as a standard feature. When possible the DC.6 thermostat is to be replaced by the DC.29. which is smaller and will be used in conjunction with either of two control units, the DC.38 for the new DC.113 cooker and the DC.39 for the older cast-iron type.

In both arrangements the thermostat is housed in a moulded bakelite case with electrical connections brought out to external terminals for easy connection in the wiring chamber. The movement of the expanding member of the thermostat is conveyed to a quick make-andbreak switch capable of controlling 15 A at 200 to 250 a.c., the setting knob, which moves over a calibrated scale, being coupled to the thermostat through a connecting rod. The thermostat can be set to operate at any tem-

perature between 200 and 550 deg F. The new control is standard equipment on

Grooming a racehorse with a suction machine





ELECTRICAL REVIEW

the DC.113 cooker and will be fitted to the DC.438, 100 and 105 models, but it cannot be fitted to all G.E.C. cookers and the following will still use the DC.6 thermostat : DC.334, 434, 734, 1034, 435 and 735.

Domestic Convector

Hitherto DE RENZI HOLMES & CO., LTD., Fox's Lane, Wolverhampton, have concentrated their production on rustless unbreakable grid resistances, cam-operated contactor controllers, slider

pattern rheostats and welding rheostats. Recently, however, the company has entered the domestic market with a neatlydesigned 2-kW convector.

Measuring 28¹/₂ in. high by 18¹/₄ in. wide by 6½ in. deep, this "Deren" convector is available in six attractive finishes, blue, pink, green, bronze, silver and cream. Special element units are being made up of mica and nickel-chrome wire construction of an improved shape. Four elements are



arranged vertically in the base of the convector with gills between each in order to provide a greater heating surface and so accelerate the flow of hot air, the temperature of which at the vent is approximately 150 deg C. A switch is provided in the front whereby 1 or 2 kW may be brought into use at will, and there is a red pilot lamp to indicate when the apparatus is switched on. A similar 1-kW model measures $15\frac{1}{2} \times 11 \times 5$ in.

Audio-frequency Millivoltmeter

A convenient instrument for measuring in a simple way the small voltage drop that occurs in a.c. circuit-breaker contacts, busbar connections, heavy duty cable links, etc., is available from the GENERAL ELECTRIC CO., LTD., Magnet House, Kingsway, London, W.C.2. The instrument is really an audio-frequency (25 to 20,000 c/s) millivoltmeter for high impedance circuits in communication equipment and sonic-frequency amplifying apparatus, its accuracy being approximately 3 per cent full scale reading on all ranges with true sine wave output.

The circuit comprises a two-stage amplifier with negative feed-back which stabilizes the gain at 100, and is followed by a diode rectifier and a d.c. amplifier with a degenerative action, so eliminating errors due to change in valve parameters. The amplifier is connected in a bridge circuit and the out-of-balance current indicates the voltage. Although the instrument indicates the peak value of the wave, it is calibrated in r.m.s. volts, assuming a sinusoidal input. The short-period overload capacity is extremely high; even if full mains voltage, say 440 V, is accidentally applied to the lowest range (15 mV) no damage will result if the instrument is disconnected quickly. The greatest overload which can possibly be applied to the moving coil approximates to 100 per cent and is not sufficient to burn out the coil, even if continued indefinitely.

The measuring ranges are 15, 50, 150 and 500 mV and 1.5, 5, 15, 50 and 150 V, the consumption being 50 W at 200-250 V and 40-100 c/s. The resistive component is approximately one megohm throughout the frequency range and input capacitance is approximately 20 picofarads. The indicating instrument is of robust moving coil design with an open 5-in. scale which is appreciably longer than is usually provided in instruments of the valve-voltmeter class. The net weight of the millivoltmeter in its polished walnut case is $27\frac{3}{2}$ lb and it measures $16 \times 10 \times 10\frac{1}{2}$ in.

Anti-frost Refrigerator Windows

A glass screen which permits good visibility at a temperature equivalent to 125 deg frost has been evolved for experimental refrigerating plant by the TRIPLEX SAFETY GLASS CO., LTD., Eckersall Road, King's Norton, Birmingham, being an adaptation of the principle used to prevent aircraft windscreen "mist up," which obscures the pilot's vision. The company overcame this problem by means of thoroughly dried air enclosed in hollow chambers. The adaptation of this method will be useful for industrial and scientific units necessitating observation of results during refrigeration.

Export Inquiries

E have received the undermentioned inquiries regarding agencies for British electrical equipment and appliances or to import them into the territories named. We shall be glad to pass on replies received from readers which should be addressed to the Editors, quoting the number given in parentheses. We cannot vouch for the standing of inquirers and manufacturers replying to them will no doubt require the usual references :---

China.—London exporters to China wish to get into touch with makers of 5-A, two-pin plugs and sockets, 5-A s.p. switches, side-entry iron connectors and lampholders—all of bakelite. (X.169.)

India.—A representative from India now in England is seeking agencies for medium-sized firms who are not yet represented in India. He is interested in small motors, fans, domestic appliances, electrical accessories, fluorescent lamps and fittings, incandescent lamps, small ironclad switchgear and scientific electrical novelties. (X.170.)

December 27, 1946



2001-

(mag

10

三十二

in.

150

212

STREET

internet.

Series to

men"

Fine

設ち

LE QL

Same an

-

The

a d'àm

dante.

1 had

-

ins.

已料

1

1 m

ado

10

d'Al

= 10

00

cint a

4 1

10

CONTRACT INFORMATION

Accepted Tenders and Prospective Electrical Work

Contracts Open

Where "Contracts Open" are advertised in our "Official Notices" section the date of the issue is given in parentheses.

Dundee.—January 15th. Corporation. Multicore, high- and low-voltage paper-insulated cables. (See this issue.)

Gainsborough.—Electricity Department. One 6.6-kV switch unit. (See this issue.)

Isle of Ely.—January 4th. County Council-Installation of electric lighting at the Orchards Nursery, Wisbech. R. D. Robson, county architect, County Hall, March.

Kingston - upon - Thames. — January 13th. Borough Council. Self-interlocking type underground cable covers. (See this issue.)

London.—Metropolitan Water Board. New or second-hand alternators, three-phase, 400/440 V, for coupling to Diesel engines running at 600 r.p.m. (eighteen approximately 200 kW and six approximately 300 kW). (December 13th.)

Newark-on-Trent.—January 16th. Borough Council. P.i. and armoured cable. (December 13th.)

North Scotland.—January 20th. Hydro-Electric Board. High- and low-voltage distribution lines (wood poles) on the island of Arran. (December 13th.)

Weymouth and Melcombe Regis.—Electricity Department. Two 500-kVA three-phase transformers. (See this issue.)

Orders Placed

Carlisle.—Electricity Committee. Accepted. Transformers (£3,104). — Yorkshire Electric Transformer Co.

Dartford.—Electricity Committee. Accepted. Extension panel (£302).—A. Reyrolle & Co. 450-kVA transformer (£517).—Hackbridge Electric Construction Co.

Hackney.—Electricity Committee. Accepted. Air heater elements (£2,610).—International Combustion.

London.—Metropolitan Water Board. Accepted. Fluorescent lighting at Battersea works. —Carlin Engineering Co. (£3,988); G.E.C. (£3,008). Three electrically driven pumps for Cricklewood works (£10,929).—Harland Engineering Co.

Paisley,—Corporation. Accepted. Electrical installation at the Saucel Hill housing scheme (£1,893).—Henry C. Mort.

Salford.—Light, Heat and Power Committee. Accepted. Transformers for twelve months.— Bryce Electric Construction Co. Southport.--Estates Committee. Accepted. Electrical installations in 66 houses at Rufford Road (£1,922).-Brooks & Southworth.

Stalybridge.—Markets Committee. Accepted. Electric lighting installation at Victoria Market Hall (£180).—Phillips Electricity Supplies, Ltd.

Swansea.—Electricity Committee. Accepted. Chlorination plant (£4,968).—Wallace & Tiernan. Modification of milling plant of boilers at Tir John station (£20,930).—International Combustion. Six 750-kVA transformers (£4,998).—British Power Transformer Co.

Contracts in Prospect

Particulars of new works and building schemes for the use of electrical installation contractors and traders. Publication in this section is no guarantee that electrical work is definitely included. Alleged inaccuracies should be reported to the Editors.

Ashton-under-Lyne.—Two nurseries, welfare centres and clinics (£17,500); A. T. Kemp, borough surveyor.

Bedlington (Northumberland). — Factory for Welwyn Laboratories; W. Stockdale, 73, Howard Street, North Shields.

Birmingham.—Motor omnibus garage, Quinton; general manager, City Transport Department, Congreve Street.

Blackburn.—Departmental stores, Victoria Street and Church Street; Littlewoods Mail Order Stores, 100, Old Hall Street, Liverpool.

Brampton.—Houses (50), Cotchill, for Brampton Public Society; J. Millar & Sons, builders, 15, London Road, Carlisle.

Brighton.—Adaptation of Buckingham House, Shoreham, as children's nursery (£12,000); borough engineer.

Buckingham.—Houses (30) for R.D.C. (£43,948); Y. J. Lovell & Son, Ltd., builders, Marsham Lane, Gerrards Cross.

Chesterfield.—Houses (500), at Eckington, for R.D.C.; J. B. Wikeley, surveyor, Rural Council House.

Clay Cross.—Hosiery factory, Bridge Street; John Smedley, Ltd., Lea Mills, Matlock.

Clitheroe.—Houses (32) for R.D.C. (£42,176); W. Houghton & Sons, builders, Tower House, Grimsargh, Preston.

Dalton. — Works for Imperial Chemical Industries, Ltd.; John Mowlem & Co., Ltd., builders, 91, Ebury Bridge Road, Pimlico, London, S.W.1.

Dartford.—Houses (102), Temple Hill estate (£132,537); Gough-Cooper & Co., Ltd.

Denton (Lancs).—Public baths; J. B. Cooke, surveyor, Town Hall.

Easington.—Central bus station at Easington Village; R.D.C. surveyor.

Erith.—Houses (42), Riverdale Road and Lesney Farm estate (£49,340); H. Friday & Sons, Ltd., builders, Northend Works.

Felling-on-Tyne.—Bottling factory for A. Towers & Co., Temple Street, Newcastle; E. M. Lawson, Barras Buildings, Barras Bridge, Newcastle.

Fence Houses (Co. Durham).—Factories on new trading estate for North-Eastern Trading Estates, Ltd., Gateshead; Mauchlen & Weightman, architects, 12, Saville Row, Newcastle-on-Tyne.

Filton.—Nursery school; county architect, Shire Hall, Gloucester.

Foleshill (Coventry).—Rebuilding works, Kingfield, for J. & J. Cash, Ltd., textile manufacturers; J. Parnell & Son, builders, Oliver Street, Rugby.

Glasgow.—School buildings at Cardonald (£40,000), at Bernard Street Junior Secondary School (£45,000), and at Whitehill Junior Secondary School (£50,000) for Corporation Education Department; city architect.

Golborne.—Houses (80) and bungalows (10), Derby Road site, for U.D.C.; A. Clough, surveyor.

Heywood.—Works additions; Ames Crosta Mills & Co., Ltd., Moss Ironworks.

Horden Colliery (Durham).— Kitchen for 2,000 meals; J. Berriman, Fence Houses, Co. Durham.

Jarrow.—Garage, Station Street, for the Northern General Transport Co., Ltd., Chesterle-Street.

Houses (146), Bilton Hall estate ; H. W. T. Perkins, borough engineer.

Kearsley.—School canteen (1,000 meals), Lord Street; G. Noel Hill, county architect, County Offices, Preston.

Keighley.—Houses (100); Thomas Feather & Co. (Bradford), Ltd., builders, Six Lane Ends, Bradford.

Kelso.—Housing scheme (electric), for Town Council; borough engineer.

Lambeth.—Houses (46), Elder Road (£71,473); borough engineer.

Leith.—Building to house radar equipment for Leith Nautical College; principal.

Liverpool.—Houses (73), Woolton (£81,954); J. W. Jones & Sons, Ltd., builders, 158, Allerton Road, Wavertree.

Newcastle-on-Tyne.—Houses (114), at Walker, for City Council; Harvey & Co., Milburn House.

Newcastle (Staffs).—School kitchen and dining hall, Ellison Street Schools; A. Cotton, schools architect, Lancaster Building.

Ice-cream factory; Cotton, Son & Richards, architects, Tunstall.

North Riding.—Schools at Whitby and Ormesby (£70,000): county architect, County Hall, Northallerton

Perth.-Houses (560); burgh surveyor.

Plymouth.— Reinstatement of wards at city hospital, flats at Peel Street, Stonehouse, and part of Salisbury Road School; city architect, Weston Lodge, Seymour Road.

Portland.—Houses (54), Pound Piece, for U.D.C.; Kent & Sussex Contractors, Ltd., Carlton Road, Erith.

Prescot.—Houses (200), Bryer estate; U.D.C. surveyor, Council Offices, High Street.

Redditch.—Three schools and Grammar School; L. C. Lomas, county architect, 60, The Tything, Worcester.

Rushden.—Permanent houses (120), Higham Road estate; surveyor, Council Buildings.

St. Helens.—Factory for Tootal-Broadhurst Lee Co., Ltd., Manchester; R. T. James, consulting engineer, 6, Lower Grosvenor Place, London, S.W.1.

Sheffield.—Works extensions, Stocksbridge; Samuel Fox & Co., Ltd., steel manufacturers, Stocksbridge.

Shildon (Co. Durham).—Factory for the Barry Manufacturing Co.; W. Moss & Co., St. Mary's Place, Newcastle-on-Tyne.

South Shields.—Rebuilding of war-destroyed stores in King Street for F. W. Woolworth & Co., Ltd., London.

Three dining rooms at Mortimer secondary and primary schools; borough engineer.

Houses (152), Cussins type; Gustavus Bailey, Ltd., builders, King Street.

Stalybridge.—Garage and workshop, Tame Valley, for Joint Transport Committee; S. T. Davies, acting transport manager.

Stanley (Co. Durham).—Houses (42), Pike Street, Dipton; U.D.C. surveyor.

Stourbridge. — Extensions to Children's Homes, Clent Grove, Clent; secretary to Sunfield Homes Trustees, Clent.

Sunderland.—Two factories on the Pallion Estate, for North-Eastern Trading Estates, Ltd.; R. G. Finlay, Ltd., builders, West Sunniside.

Tynemouth. — Houses (50); J. H. Rogers, Queen Alexandra Road, North Shields.

Wadebridge. — Houses (28) for R.D.C.: W. E. Blackwell, clerk, Council Offices.

Walsall.—County and nursery schools, Harden Road (£75,132); borough engineer.

Houses (100), Dudley Fields estate (£136,080); Tarslag, Ltd., Wolverhampton.

Watford.—Houses (1,000), L.C.C. Oxhey estate (£1,498,044); Unit Construction Co., Ltd., Westminster.

West Hartlepool.—Eleven primary schools; borough engineer.

Worsborough.—Factory; Johnson & Barnes, Ltd., hosiery manufacturers; Stapleford, Notts. December 27, 1946

C. U

the state

100

denti

1990 2. (a)

20 2

-

ale:

3 1000

SF

TIL



Which Stop Nut will you choose—Simmonds or Pinnacle—fibre collar or metal diaphragm? The Pinnacle is the newer product and has some advantages over its older brother. But there are still many conditions which are best satisfied by the fibre collar of the Simmonds Nut. Simmonds have learned the virtues and limitations of Stop Nuts in the only school that matters—the school of experience; ten solid years of it. In that time 90% of Stop Nuts used in British Industry have been supplied by Simmonds. We don't need to tell you that all we know, all we have learned is at your service. And you can be sure of an unbiased opinion because we design and make both types of nut; and—in our modest way—have no doubt at all that we make the best of both.

SIMMONDS STOP NUTS

Simmonds Aerocessories Limited + Great West Road + London + A Company of the Simmonds Group

December 27, 1946

5.C. INDICATORS BAKELITE BELLS · PUSHES AND TRANSFORMERS

Note the three fuses in the transformer, one to each pole on the secondary side, thus complying fully with 1.E.E. Regulations No. 210.

0 4



Get into touch with your nearest G.E.C. Branch for all requirements in Bell installation material.

REMEMBER THERE IS NO SUBSTITUTE FOR QUALITY

Adut. of The General Electric Co. Ltd., Magnet House, Kingstoay, London, W.C.2

ELECTRICAL REVIEW

CLASSIBID A D V D RINS DAT DNY ADVERTISEMENTS for insertion in the following Friday's issue are accepted up to First Post on Monday, and should be addressed to Classified Advertisement Department, Dorset House, Stamford

Street, London, S.E.1. THE CHARGE for advertisements in this section FIGURE 101 ADJE for advertisements in this section is 2/6 per line (approx. 7 words) per insertion; ONLY OFFICIAL AND GOVERNMENT ANNOUNCE-MENTS CAN NOW BE DISPLAYED: $-3\hat{n}/$ per inch. Where the advertisement includes a Box Number this counts as six words and there is an additional charge of 6d. for postage of replies. SITUATIONS WANTED, — Three insertions

under this heading can be obtained for the price of two if ordered and prepaid with the first insertion.

Original testimonials should not be sent with applications for employment.

Please address your envelope.. CLASSIFIED ADVERTISEMENT DEPT.

OFFICIAL NOTICES, TENDERS, ETC.

ROYAL BOROUGH OF KINGSTON-UPON-THAMES

TENDERS are invited for the supply and delivery of self-interlocking type Underground Cable Covers. Tenders and all documents (which must be in plain sealed envelopes not bearing any name or mark indicating the sender), endorsed "Tender for Cable Covers," must be delivered to the Borough Electrical Engineer, 17, High Street, Kingston-upon-Thames, from whom specification and form of tender may be obtained. Tenders must be delivered before noon on Monday, the 13th January, 1947. No tender will be considered which does not comply with the above conditions, and the Connel do not bind themselves to accept the lowest or any tender.

513

any tender.

A. W. FORSDIKE Guildhall, Kingston-upon-Thames. Town Clerk 4103 December, 1946.

GAINSBOROUGH U.D.C. ELECTRICITY DEPT.

TENDERS are invited for the supply and delivery of one Outdoor 6.6-kV Switch Unit consisting of one air break isolator and two oil circuit breakers. Specification and form of tender may be obtained on application to Reg. C. Hammersley, A.M.I.E.E., Engmeer and Manager, Electricity Offices, Lord St., Gamsborough. The Conneil does not bind itself to accept the lowest or any tender.

ERIC R. MORGAN. Clerk of the Council Lord St., Gainsborough. 11th December, 1946. 4102

BOROUGH OF WEYMOUTH AND MELCOMBE REGIS Electricity department

TENDERS are invited for the supply and delivery of two 500-kVA. 11.000/415/240-volt. 3-phase Trans-formers. Copies of specification may be obtained on opplication to the Borough Electrical Engineer. The lowest is any tender will not necessarily be accepted. T. WHITEHOUSE. A.M.I.E.E.. Electric House. Borough Electrical Engineer. Westham Road, Weymouth.

Electric House. Bo Westham Road, Weymouth. 12th December, 1946. 4112

THE CORPORATION OF DUNDEE

THE Dundee Corporation invites tenders for multicore H.V. and L.V. Paper-insulated Cables. Particulars be obtained on application to the City Electrical sincer. Tenders to be lodged with the Town Clerk. Y Chambers. Dundee, not later than 15th January, 1947.

P. PHILIP, M.I.Mech.E., M.I.E.E., Rd., City Electrical Engineer. Dadhope Crescent Rd., Dundee,

REPLIES TO advertisements published under a Box Number if not to be delivered to any particular firm or individual should be accompanied by instructions to this effect, addressed to the Manager of the ELECTRICAL REVIEW. Letters of applicants in such cases cannot be returned to them. The name of an advertiser using a Box Number will not be disclosed. All replies to Box Numbers should be addressed to the Box Number in the advertisement, c/o ELECTRICAL REVIEW, Dorset House, Stamford Street, London, S.E.1. Cheques and Postal Orders should be made payable to ELECTRICAL REVIEW LTD. and crossed.

SURREY COUNTY COUNCIL

Selected Contractors

A List of Contractors is now being prepared for the Council's building and maintenance works. Con-tractors and manufacturers are therefore invited to make tractors and manufacturers are therefore invited to make application for consideration in respect of one or more of the following classes of work or materials :-1. General building. 2. Redecorations and repairs. 3. General maintenance and repairs. 4. Tar paying and tar macadam. 5. How time, between the assisted lation

- Heating, hot water and gas installation. Electrical installations.
- Fencing and railings and gates.

- Ference and the second storage.
 Refrigeration and cold storage.
 Sterlizing and disinfector plant.
 Swimming pool filtration and treatment plants.
 Water softeners.
 Water softeners.

- Land works.

- Labidi Works, interface and action of the second sec

- Sanitary fittings. Roof tiling and slating Joinery.
- 23. Plastering (general and fibrous).
- Asphalic, etc., water proofings. Paints, varnishes and distempers. Floor finishing (all types). Patent roof coverings. Metal windows.

- 29. Plumbing installations.

23. Fumming installations. Those contractors applying in connection with Items 1. 2 and 3 should state the limit of cost (maximum and/or minimum) of work for which they are prepared to tender, and also some indication of the labour force normally employed. Applications should be addressed to the fourth.

Applications should be addressed to the County Archi-tect, County Hall, Kingston-on-Thames, to be received not later than 31st January, 1947.

DUDLEY AUKLAND. Clerk of the Council.

4077

SITUATIONS VACANT

FIRST GARDEN CITY LIMITED

 $T_{(a)}^{\rm HE}$ following vacancies are open :— (a) FITTER AND TURNER for general maintenance work, experience with Brush-Ljungstrom turbines desirable.

(b) FITTER for water-tube boiler and pump main-tenance. experience with Babcock & Wilcox stoker-fired units desirable.

units desirable.
 Rates of pay 2s. 4d. per hour for day work, plus extra for superior ability and experience.
 (c) CONTROL ENGINEER, experienced with E.H.T. feeders and turbo-alternators, also D.C. rotary plant, rate 2s. 74d. per hour for shift work.
 The above to be in accordance with J.I.C. (No. 9 Area) conditions; subsistence allowances will be considered pend-ing permanent settlement in the district. Applications to the undersigned by 11th January, 1947.
 Works Road, Electrical Engineer and Manager.
 4060

Works Road, Letchworth, Herts. 4060

A PPLICATIONS are invited from Corporate Members of the Institution of Electrical Engineers for the following appointments (1) DEPUTY EL

 of the Institution of Electrical Engineers for the following appointments:—

 (1) DEPUTY ELECTRICAL ENGINEER AND MANAGER. A sound training, wide experience and progressive record in the technical development and administration of large or medium-sized undertakings in the electricity supply industry is essential. The salary will be in accordance with Grade 1, Class G, of the National Joint Board Schedule (at present £833).
 (2) SERVICE AND DEVELOPMENT ENGINEER. The applicant must have had a sound training and experience in the sales and development section of a medium or large electricity undertaking, and must be capable of roorganising and expanding a domestic apparatus repair workshop. of preparing reports on schemes for development, and of dealing efficiently with all matters relating to a consumer' department. The salary will be in accordance with Grade 3, Class G, of the National Joint Board Schedule (at present £681).
 (3) TRENNICAL ASSISTANT. Candidates must have had a thorough grounding in electrical technology, experience in the preparation of distribution schemes, and must be capable of dealing critically and statistically with all matters relating to an electricity undertaking. The salary will be in accordance with Grade 5, Class G, of the National Joint Board Schedule (at present £573).
 Th addition to the above three appointments there is also a fourth appointment set out below, for which the applicant is not required to be a Corporate or a Graduate Member of the Institution of Electrical Engineers.
 (4) EX-SERVICE TRAINEE, Training, principally in be required to show that he intends and is reasonably capable of electrical member. The applicant will be required to show that he intends and is reasonably capable of electrical will be in accordance with Grade 2, Class G (at present £312) and, subject to satisfactory roorgens, will be intereased during the second years to Grade 9a, Cla present £343). (at

(at present £343). The successful candidates will be required to pass an examination by the Medical Officer of Health, and to contribute to the Council's Superannuation Scheme. Con-ditions of service, except those laid down in the National Joint Board Schedule, will be those included in the scheme of the National Joint Council for Local Authorities' Administrative, Professional, Technical and Clerical Services. Candidates must disclose any relationship which may exist hetween them and members of the Borough Council or its chief officers. Applications, stating age, whether married or sincle.

Council or its chief officers. Applications, stating age, whether married or single, and present appointment, together with full details of training and experience, and accompanied by not more than three recent testimonials, must be sent to the under-signed not later than 31st December, 1946, the envelope being clearly marked with the designation of the post for which application is being made. a application is being made. R. W. STEEL, A.M.I.E.E., Engineer and Manager. 4021

METROPOLITAN BOROUGH OF WOOLWICH ELECTRICITY DEPARTMENT

Appointment of Two Junior Mains Engineers

A PPLICATIONS are invited for the position of Junior Engineers in the Mains Section of the Woolwich Electricity Department at a commencing salary of £408 9s. per annum, in accordance with the National Joint Board Schedule, Grade 9a, Class J. Applicants should have had experience in (a) The laying and jointing of medium and high-voltage underground cables; (b) The operation of an urban district network; (c) Should be a Graduate Member of the Institution of Electrical Engineers, or possess equivalent qualifications. The appointment will be subject to the provisions of the Local Government Superannuation Act, 1937, and the successful candidate will be required to pass a medical examination.

examination.

Applications, stating age, qualifications and experience Applications, stating age, dualications and experience, together with not more than three recent testimonials, should be made to the undersigned not later than Satur-day. 11th January, 1947. Canvassing members of the Council, directly or indirectly, will be a disqualification.

		DAVID	JENGINS.			
Fown Hall,			Town	Clerk.		
Woolwich,	S.E.18.			4123		

BOROUGH OF CHELTENHAM ELECTRICITY DEPT. | BOROUGH OF SCUNTHORPE ELECTRICITY DEPT.

Appointment of Chief Technical Assistant

A PPLICATIONS are invited for the above appointment from Engineers who are Corporate Members of the I.E.E. or who possess equivalent technical qualifications, and are not more than 45 years of age. Applicants should have had a thorough training and experience in electricity supply, preferably with a Local Authority. They must be conversant with the design, construction, operation and maintenance of 33-kV transmission, E.H.T., H.T. and L.T. distribution (overhead and underground systems) and substations. and substations.

and substations. The salary scale for the position will be that of Grade 3. Class F, as prescribed by the National Joint Board for the Electricity Supply Industry, commencing at $\pounds 0$ per annum. The appointment will be subject to the provisions of the Local Government Superannuation Act. 1937, terminable by one month's notice on either side, and the successful candidate will be required to pass a medical examination. Further particulars, conditions attached to the annoin-

Further particulars, conditions attached to the appoint-ment and form of application may be obtained from me ment and form of application may be obtained from me on receipt of a stamped addressed envelope. Applications, which must be made on the official form, should be delivered to me, in envelopes marked "Chief Technical Assistant," not later than 10th January, 1947. Canvasing, either directly or indirectly, will be a disqualification.

W. P. ERRINGTON 34. High St., Scunthorpe, Lincs. 9th December, 1946. Town Clerk 4044

SHEFFIELD CORPORATION ELECTRICITY DEPT.

Installation Engineer (Electrical Contracting)

A PPLICATIONS are invited for the above position from A PPLICATIONS are invited for the above position from applicants who have had a sound training and con-siderable practical experience in the electrical contracting industry. Applicants should be able to prepare estimates and specifications for all classes of electrical installation work, to supervise the carrying out of the work, and to control staff. Exprience of development work in the domestic, commercial and industrial applications of elec-tricity would be an advantage. The salary will be in accordance with Class M, Grade 9a. of the National Joint Board Schedule, commencing at \$478 per annum.

£478 per annum.

 6478 per annum.

 The appointment will be subject to the provisions of the Local Government Superannuation Act, 1937. Appli-cantis must preferably be not more than 40 years of age.

 or have had previous Local Authority service carrying transfer value within the meaning of the Act. The selected applicant will be required to pass a medical examination. Applications, on forms to be obtained from the under-signed, are to be returned to me not later than Monday.

 (that applications, on forms to me not later than Monday.

 (that provide the testimonials. Canvassing or any com-munication to a member of the Council, either directly or indirectly, is prohibited and is a disgualification. JOHN K. STRUTHERS,

 Commercial Street.
 General Manager. 4043

Sheffield, 1

METROPOLITAN BOROUGH OF WOOLWICH Electricity Department

Radio Engineer

A PPLICATIONS are invited for the position of a Radio Engineer in the Electricity Department, at a com-mencing salary of £446 5s. per annum and increases in accordance with the National Joint Board Schedule. Grade 9, Class J.

Grade 9, Class J. Applicants should be (a) Associate Members of the Institute of Radio Engineers or hold equivalent technical qualifications on radio; (b) Have had at least one year's apprenticeship with a firm of communication engineers; (c) Have had necessary practical experience to take com-plete control of radio repair shop, including diagnosing and testing. The appointment will be subject to the provisions of the Local Government Superannuation Act, 1937, and the successful candidate will be required to pass a medical examination.

examination. Applications, stating age, qualifications and experience, together with not more than three recent testimonials, should be made to the undersigned not later than Satur-day, 11th January, 1947. Canvassing members of the Council, directly or indirectly, will be a disgualification. DAVID JENKINS. DAVID JENKINS.

Town Hall, Woolwich, S.E.18.

Town Clerk

VE

1.10

6

信用ないのあり

3

B

ELECTRICAL REVIEW

METROPOLITAN BOROUGH OF ISLINGTON Electricity department

Appointment of General Clerks-Meter Reading Section

annum.

Female.—From £144 per annum at 21 years of age, rising by annual increments to £264 per annum at 30 years of age, plus temporary cost-of-living bonus, at present £48 2s. per annum.

The commencing salary will be the salary appropriate to the age of the successful candidate at the date of his/her appointment.

Applicants should have a sound general education, aptitude for accurate figure work, and preferably some experience in dealing with filing systems and records similar to those used in a meter reading records department.

similar to those used in a meter reading records department. The appointments will be subject to the provisions of the Local Government Superannuation Act, 1987, and the successful candidate will be required to pass a medical examination. Candidates are required to disclose in writing whether, to their knowledge, they are related to any member or holder of any senior office under the Council. Canvassing, either directly or indirectly, will be a disqualification. The Council are unable to make any arrangements whatsoever for the provision of housing accommodation for the successful candidate. Applications, stating age, particulars of education, qualifications and experience, accompanied by copies of not more than three recent testimonials. should be for-warded to the Engineer and General Manager, 341/343. Holloway Road, N.7. so as to reach him not later than neon on Friday. 17th January, 1947. W. ERIC ADAMS. Town Hall. Upper Street, N.1. 4130

Town Hall. Upper Street, N.1.

4130

WEST MIDLANDS JOINT ELECTRICITY AUTHORITY

Appointment of Meter Repairer (Mechanician), Grade 1

THE above-named Authority have a vacancy for a Meter Repairer (Mechanician). Grade 1, at their Meter Repair Depot, Shrewsbury. Applicants must have had practical experience in the repair and testing of all types of meters, both A.C. and D.C. single-phase and polyphase, and of time switches. A knowledge of general electrical instrument and trivector meter repairs would

electrical instrument and trivector be an advantage. The rate of pay and conditions of service are in accord-ance with the District Industrial Council for the Elec-tricity Supply Industry (No. 5 West Midlands Area. Zone B). The rate is at present 29.28d, per hour. Applications, stating age and full particulars of experi-ence, should be addressed to the undersigned. H. F. CARPENTER. H. F. Clerk and Manager.

Phœnix Buildings. Dudley Road, Wolverhampton. 13th December, 1946.

LONDON COUNTY COUNCIL

PEQUIRED at South-East London Technical Institute. The Lewisham Way, S.E.4, a full-time Lecturer in the Electrical Engineering Department. Candidates must be graduates, or hold equivalent qualifications, and have had good industrial experience either in the generation and distribution of electrical machinery. The work includes Ordinary and Higher National Certificate courses in day and evening students and may include some tracking in the Secondary Technical School. Burnham scale salary, £300 × 515 to £525 (mm), plus London allowance (minimum £36), a year, and addition for training and qualifications as applicable. Commencing salary according to teaching and mdustrial experience. Other things being equal, preference will be given to registered disabled persons. Application forms from the Education Officer (T.1), County Hall, S.E.1 (stamped addressed foolscap envelope necessary). returnable by 18th January, 1947. H.M. Forces personnel abroad should apply by letter.

METROPOLITAN BOROUGH OF ISLINGTON ELECTRICITY DEPARTMENT

Appointment of Assistant Engineer

Application of Assistant Engineer Application of Assistant Engineer on advisory and meno of an Assistant Engineer on advisory and mepection work in the Consumers' Service Section. Applicants must be between the age of 25 and 40 years and have had a sound secondary and technical education and must possess technical qualifications for the testing and industrial application. A sound knowledge of current regulations of the I.E.E. Home Office and Electricity Commissioners is essential. Salary and conditions of employment will be in accordance with the National Joint Board Schedule, Class G, Grade 9. For first two years £399, third and fourth years £406 7s... after four years £414 15s. The appointment will be subject to the provisions of the Local Government Superannuation Act. 1937, and the examination. Forms, on which applications must be made, can be

examination. Forms, on which applications must be made, can be obtained from the Engineer and General Manager. 341/343. Holloway Road, N.7, and must be returned to him by not later than the 4th January. 1947. Candidates are required to disclose in writing whether, to their know-ledge, they are related to any member or holder of any senior office under the Council. The Councel are unable to make any arrangements whatsoever for the provision of housing accommodation for the successful candidate. Canvassing, either directly or indirectly, will be a disqualification. W TERC ADAMS

METROPOLITAN	RORALICH	0.5	SUNCTON
Fown Hall. Upper Street, N.1.	W.	ERIC	ADAMS. Town Clerk. 413

ELECTRICITY DEPARTMENT

Appointment of Engineering Draughtsman

A PPLICATIONS are invited for the position of Engineering Draughtsman on the permanent staff of the Council.

 Engineering Draughtsman on the permanent stafl of the Council.

 The salary and conditions of service. in accordance with the National Joint Board Schedule, will be from Grade 9a.

 2560 3S. per annum, to the maximum of Grade 8. £499 16s.

 per annum, in Class G, according to the qualifications and experience of the successful candidate.

 The position offers scope for initiative in design con-nected with the development of a superimposed 33 kV transmission scheme, the reinforcement of the existing distribution system and future planning in connection with the standardisation of voltage and supply.

 The appointment will be subject to the provisions of the successful candidate will be required to pass a medical examination.

 Candidate will be required to pass a medical examination.

 Canvassing, either directly or indirectly, will be a disqualification. The Council are unable to make any arcangements whatsoever for the provision of housing accommodation for the successful candidate.

 Application forms, which may be obtained from the Engineer and General Manager. Electricity Department. 341/3, Holloway Road. N.T. should be completed and returned to him. endorsed "Engineering Draughtsman." by not later than noon on Friday. 10th January. 1947.

 Town Hall.
 Town Clerk. Upper Street, N.1.

NORTH OF SCOTLAND HYDRO-ELECTRIC BOARD

A PPLICATIONS are invited for the post of Develop-ment Representative in the Board's Distribution Areas in the Higblands of Scotland. Applicants should have experience of dealing with enquiries about electricity and sales in a rural area. Possession of E.D.A. Salesman-sing Diploma will be an advantage. Commencing salary

The successful applicant will require to pass a medical xamination and contribute to the Board's Superannuation Scheme.

Scheme. Application forms can be obtained by sending addressed foolscap envelope to The Secretary. North of Scotland Hydro-Electric Board, 16, Rothesay Terrace, Edin-burgh, 3. Final date for receipt of applications will be 3rd January, 1947. 11th December, 1946. 4149

Assistant Engineers (6) in the Department of Posts and Telegraphs, Dublin

A PPLICATION forms for and particulars of the above-named posts may be obtained from the Secretary, Civil Service Commission, 45, Upper O'Connell Street. Civil Dublin.

Civil Service Commission, 45. Upper O'Connell Street. Dublin. Salary Scale: Man, £150-£15-£400 a year plus bonus; Woman, £150-£10-£300 a year plus bonus. At present the bonus (including emergency bonus) on £150 is £164 2s. A successful candidate who can show to the satisfaction of the Minister for Posts and Telegraphs that he/she has had approved practical experience of (a) telecommunica-tions engineering or (b) general engineering (i.e., any branch of engineering other than (a)) or (c) both, may be allowed to enter the appropriate salary scale at a point above the minimum equal to one increment for each completed year of such experience, subject to limits of seven increments for (a) or three for (b) or seven for (c). Age Limits: 21-35 years on the 1st December, 1946. An extension of the upper age limit may be allowed in the case of persons with certain specified service in the Defence Forces or in the Auxiliary Defence Services. Essential Qualifications: Each candidate must (i) hold a recognised University Degree in Engineering subject in the Final examination for such Degree, or hold a recognised University Degree in Science and have taken Experi-mental Physics as a subject in the Final examination for such degree, or have passed in Parts I and II or joint Section A and Section B of the Associate Membership Examination of the Institution of Electrical Engineers; (ii) have a knowledge of Mathematics at least equivalent to that required to obtain Hanours in that subject at the Department of Education Secondary School Leaving Certificate Examination

Latest time for accepting completed application forms : 5 p.m. on the 22nd January, 1947. 4126

BOROUGH OF CONWAY ELECTRICITY DEPT.

Appointment of Mains Assistant Engineer

A PPLICATIONS are invited for the above appointment at a salary in accordance with Class A, Grade 6, of the National Joint Board Schedule (£368 rising to £391 per annum)

per annum). Applicants must have had a sound technical training and practical experience in the installation, maintenance and operation of E.H.T. and L.T. underground cables and o/b systems and substations, and be able to under-take work of layout, design and planning and the keeping of records and drawings. Candidates must be Graduates L.E.E. The appointment will be subject to the provisions of the Local Government Superannuation Acts, and the successful applicant will be required to pass a medical examination.

Applications, endorsed "Mains Assistant Engineer," stating age, full particulars of experience and qualifica-tions, together with copies of three recent testimonials, must be received by the undersigned not later than Saturday, 11th January, 1947.

	ARTHUR	L.	RALPHES.
Town Clerk's Office,			Town Clerk.
Bodlondeb, Conway.			
12th December 1946			4144

CHEADLE AND GATLEY URBAN DISTRICT COUNCIL ELECTRICITY UNDERTAKING

A PPLICATIONS are invited for the position of Instal-lation Inspector. Candidates must be experienced electricians, conversant with I.E.E. Wiring Regulations, and able to inspect and report upon domestic and in-dustrial installations. Conditions and rate of pay in accordance with District Joint Industrial Council, No. 3, North-Western Area, at present £5 6s. per week for a 27 hour work. 47-hour week.

47-bour week. Applications, in candidate's own handwriting, stating age, experience and present occupation, accompanied by two recent testimonials (endorsed "Installation Inspec-tor"), must be forwarded to the Electrical Engineer and Manager, 19. High Street, Cheadle, Cheshire, and must reach bim not later than 10 a.m. on Friday, January 10th, 1947. Canvaseing, directly or indirectly, will be deemed a disqualification.

W. TIMPERLEY Clerk to the Council.

Town Hall, Bruntwood, Cheadle, Cheshire. 14th December, 1946.

4104

WALTHAMSTOW CORPORATION ELECTRICITY UNDERTAKING

Switchboard Attendants (Two)

A PPLICATIONS are invited for the above positions at a salary in accordance with D.J.I.C. (Area No. 10) Conditions, at present \$7 6s. 3d. per 48-hour week. Applicants will be required to undertake shift duties at the power station and at a large substation, and must have had previous experience in the control of high and low pressure switchgear, including operation of rotary and notor converter plant for D.C. supplies. Applicants must be members of their appropriate trade union, should state whether related to any member or senior officer of the Council, and should not be more than 45 years of age. The appointment will be subject to satisfactory medical

The appointment will be subject to satisfactory medical examination for the purposes of the Local Government Superannuation Act, 1987, to the Council's Sick Pay Regulations, and to determination by one week's notice Regulations, a on either side.

on either side. Forms on which applications must be made can be obtained from E. S. Riley, Borough Electrical Engineer and Manager, Electric House, Church Hill. Walthamstow. London, E.17, and should be forwarded in envelopes endorsed "Switchboard Attendant" to reach the under-signed not later than 10th January, 1947. G. A. BLAKELEY, Town Hall, London, E.12

Walthamstow, London, E.17. 16th December, 1946. 4112

ALDERLEY EDGE AND WILMSLOW ELECTRICITY BOARD

Appointment of Lady Demonstrator

A PPLICATIONS are invited for the position of Lady Demonstrator at a commencing salary of £252 per annum. In addition a cost-of-living bonus will be paid which is at present £48 2s. Candidates must have a good general education, and must be able to conduct lecture-demonstrations in the showroom and on consumers' premises. They must have a wide knowledge of domestic electrical appliances, and be able to advise customers on their selection and uses and should possess a Diploma in Domestic Science and/or the E.A.W. Electrical Houseeraft Diploma. The appointment will be subject to the provisions of the Local Government Superannuation Act, 1937, and the successful candidate will be required to mass a medical examination.

examination. Applications, on forms to be obtained from the under-signed, endorsed "Lady Demonstrator," stating age, whether married or single, and giving details of qualifica-tions, experience and appointments held (including present position), to be submitted to the undersigned not later than the 12th January, 1947.

C. CAMERON KIRBY 13, Water Lane, Wilmslow, Cheshire. Engineer and Manager 4128

COUNTY BOROUGH OF SOUTHEND-ON-SEA ELECTRICITY DEPARTMENT

Installation Engineer

A PPLICATIONS are invited for the above appointment from persons under 35 years of age, preferably corporate members of the L.E.E., with sound technical training, who have had experience in the Installation Department of an Electricity Undertaking. The successful applicant will be required to prepare specifications and estimates for all classes of installation work and act as senior inspector in charge of wiremen and meter fixers under the supervision of the Installation Supervision enterties.

and meter fixers under the supervision of the Installation Superintendent. The salary will be in accordance with Class F. Grade 8. of the N.J.B. Schedule. commencing at £442 per annum. (Undertaking likely to be re-graded in Class G shortly.) The appointment will be subject to the local Govern-ment Superannuation Act. 1937, and the person selected will be required to pass a medical examination. Applications, giving full details of training and experi-ence, accompanied by copies of two recent testimonials, and endorsed "Installation Engineer." to reach the Borough Electrical Engineer and Manager, Electric House London Road, Southend-on-Sea. not later than 11th January, 1947. Canvasing will disqualify. ARCHIBALD GLEN.

Martin and Destalation of	ARCHIBALD GLEN.
Municipal Buildings.	Town Clerk.
Southend-on-Sea.	4100

62

Piter.

In the second se

100 Land

12.11

10

「日本の」

THE OWNER

EII.

LONDON AND HOME COUNTIES JOINT ELECTRICITY AUTHORITY

ELECTRICAL REVIEW

PELECTRICITY AUTHORITY PELICATIONS are invited for the appointment of Showroom Assistant, Surbiton district, 'Andidates must have had a good general education to matriculation standard, and had experience in the showroom of an electricity supply undertaker or electrical contractor. Good personality, sales ability and wide knowledge of domestic electrical apparatus are essential — Tonditions of service and salary in accordance with Local Authorities Administrative, etc., Services National Scale, Miscellaneous Division, Grade II. Commencing salary £315 per annum, plus £20 for London area, and cost-of-living honus, which is now £59 fls. per annum at age of twenty-one and over. — The person appointed will be required to pass a medical become subject to the Authority's medical adviser, and to become subject to the Authority's Superannuation Scheme, which applies generally the provisions of the Local Govern-ment Superannuation Act, 1937, including the provisions of that statute relating to transfer value: — Applications, stating age, qualifications and experience, and endorsed "Showroom Assistant." accompanied by be sent to the District Manager of the Authority a 22, caremont Road, Surbiton, so as to reach him by not atter than the 17th January, 1947. Canvassing, directly or indirectly, will be a disqualification. A Lancester Place. A Lancester Place.

ualification. A. L. BURNELL, Clerk to the Authority. 4147 5-6, Lancaster Place, Strand, W.C.2.

METROPOLITAN BOROUGH OF BETHNAL GREEN Electricity department

Appointment of Meter Test Room Assistant

A PPLICATIONS are invited from persons of not more than 45 years of are for the appointment of Meter Test Room Assistant in the Electricity Department. Candidates must have had a sound technical training and be conversant with the Electricity Supply (Meters) Act. 1936, as applied to a Class A Polyphase Testing Station. and be capable of testing all types of A.C. meters, includ-ing 3-phase, 3-wire and 3-phase, 4-wire polyphase and two equipments. The salary will be in accordance with the National foint Board Scale. Class F, Grade 9a, at present £3343 7s. Cinclusive of cost-of-living bonus. The sethand Green Borough Council (Superannuation) Acts, 1906-1937, and the Council's Bye-laws and Standing Orders, and the selected candidate will be required to pass a medical examination. Applications, in the candidate's own handwriting, with

Applications, in the candidate's own handwriting, with particulars of age, experience and qualifications, and accompanied by not more than three recent testimonials, must reach me at the under-mentioned address not later than 12 noon on Monday, 6th January, 1946. Canvassing will disquality. S. P. FERDINANDO, S. P. FERDINANDO, Town Clerk. 4091

Town Hall, Bethnal Green, London, E.2.

BOROUGH OF HASLINGDEN ELECTRICITY DEPT.

Mains Assistant

A PPLICATIONS are invited for the position of Mains Assistant in the Electricity Department at a salary in accordance with Grade I of the Administrative. Pro-ressional and Technical Division. National Joint Council's Scale for Local Authorities' Staffs (2330 × £15 to £375 per annum, plus bonus at present £59 168, per annum). Candidates must possess the Higher National Electrical Engineering Certificate or equivalent technical qualifica-tion, and must have had experience in the laying of 6.6 kV high tension mains, three phase distribution, and maintenance and operation of static substations. The appointment is subject to the provisions of the Local Government Superannuation Act, 1937. The successful candidate will be required to pass a medical examination by the Council's Medical Officer of Health. The Applications, stating age, whether married or single. Twing details of training and experience, and accom-manied by copies of three recent testimonials, must be orwarded to the Borough Electrical Engineer, John St. Haslingden, Lancashire, not later than Wednesday, 8th January, 1947. Municinal Offices, Haslingden. Town Clerk.

Municipal Offices, Haslingden, 13th December, 1946. L. M. BURTON, Town Clerk, 4142

ADWICK-LE-STREET U.D.C. ELECTRICITY DEPT

Appointment of Assistant Mains Engineer

examination. Applications, in scaled envelopes endorsed "Assistant Mains Engineer," stating age, whether married or single, qualifications with subjects taken. full details of experience, and accompanied by copies of net more than three recent testimonials, must reach the undersigned net later than Friday, 10th January, 1947, Canvassing will discussific disqualify.

Electricity Offices, Electrical Engineer and Manager. 10-12, Church Lane, Adwick-le-Street, near Doncaster. 4139

4139

COUNTY BOROUGH OF ST. HELENS ELECTRICITY DEPARTMENT

A PPLICATIONS are invited for the appointment of Power Station Superintendent at a salary in accord-ance with Class G. Grade 3, of the N.J.B. Schedule, commencing at 2681 per annum. Candidates must have had a good engineering training. followed by experience in the operation, maintenance and installation of plant in generating stations. They should preferably be under 45 years of age and must be Corporate Members of one of the leading Engineering Institutions.

Institutions. Applications, accompanied by copies of not more than three testimonials, must be made on the form obtainable from the undersigned, and be received not later than 15th January, 1947, in an envelope clearly endorsed "Power Station Superintendent." The appointment will be subject to the provisions of the Local Government Superannuation Act, 1937, and the successful candidate will be required to pass a medical examination. PERCOVER

Carlton Street, St. Helens, Lancs, 14th December, 1946.

P. BREGAZZI, Engineer and Manager.

4143

BURGH OF LERWICK ELECTRICITY DEPT.

Overhead Linesman

EXPERIENCED Overhead Linesman required, one with underground jointing experience preferred but not essential. Wages and conditions of employment will be in accordance with D.J.I.C. rates for No. 13 Area as a minimum, but a higher rate may be paid depending on qualifications.

Applications should be sent to the undersigned, giving full particulars of experience and enclosing copies of references.

JAMES STEPHEN. Engineer and Manager. 4026 Electricity Works. Lerwick.

SPALDING U.D.C. ELECTRICITY DEPARTMENT

Mains Assistant

A PPLICATIONS are invited for the post of an Assistant Mains Engineer in the above undertaking. Salary in accordance with N.J.B. Schedule, Grade 8b. The appoint-ment will be subject to the Local Government Super-annuation Act. 1937, and the successful candidate will be required to pass a medical examination. Applications schould be in the office of the undersigned by January 11th. 1947.

	FRANK R. C. ROBERTS.
9. Winsover Road.	Engineer and Manager.
Spalding, Lincs.	4125

A Senior Electrical Sales Engineer is required for service

A senior Electrical Sales Engineer is required for service in Malaya. Applicants should be fully qualified electrical engineers, preferably with steam turbine experi-ence. Reply, giving full details of experience, age, and salary required, to--The Labour Dept., Brush Electrical Engineering Co. Ltd., Loughborough. APPI,ICATIONS are invited for the position of Sales Clerk at a salary communcing at £315 per aunum, rising to £360 by three annual increments, plus bouns, at present fixed at £59 16s. per annum. Preference will be given to applicants who have had experience in stock keeping and recording all types of electrical goods sold in electricity showrooms. Applications, stating age, educa-Recping and recording all types of electrical goods sold in electricity showrooms. Applications, stating age, educa-tion, details of experience, present position, etc., to be sent to the undersigned not later than Friday, 3rd January, 1947. — A. W. Barham, Chief Engineer and General Manager, Electricity House, The Parade, Watford. 4014 A RMATURE Winders required, also Chargehand or Foreman, also Improvers for fractional motors up

Foreman, also Improvers for fractional motors up to 50 h.p. Standard rates, good prospects.—D.C. Engi-neering, Sherborne, Dorset.
 ARMATURE Winders and Improvers required, A.C.
 And D.C., top rates, good working conditions.— Electrical Power Repairs (Gillingham) Ltd., Strover Street. Gillingham, Kent.
 ARMATURE Winders and Improvers urgently required.
 Top rates and good conditions.—Box 113, c/o The Electrical Review.
 ARMATURE Winders and Improvers urgently required.

Electrical Review. A RMATURE Winders and Improvers urgently required. Top rates and good conditions.—Collins Electrical Ltd. 22, St. Alban's Place, London, N.1. 85 A RMATURE Winders and Improvers wanted, must be used to A.C. and D.C. repair shop work. Write, stating experience and wages required, to—W. H. Sugden & Co. Ltd., Glenny Road, Barking. A RMATURE winding Working Foreman required for repair shop in South London. Good disciplinarian and repair shop exprisence essential.—Box 5057, c/o The Electrical Review. A RTLANG Limited require a Representative for South London, Wholesale experience and possession of a

A RTLANG Limited require a Representative for South A RTLANG Limited require a Representative for South London. Wholesale experience and possession of a car are essential. Remuneration by salary, commission and expense allowance. Please apply by letter to—Sales Director 42. Langtham Street, W.1. A SSISTANT Bookkeeper (Lady) required by City firm of exporters. No Saturdays. Write—Box P.Y.R., C/0 95. Bishopsgate, E.C.2. A SSISTANT District Engineer required by electricity supply undertaking in North Scotland. Salary SSISTANT Electrical Engineer required for develop-ing references.—Box 5081, c/0 The Electrical Review. A SSISTANT Electrical Engineer required for develop-ment work on specialised contactors and electro-mechanical auxiliary equipment. Applications, stating fully, qualifications, experience and salary expected, envelopes endorsed "Assistant Engineer," to—South Wales Witchgear Ltd. B'ackwood, Mon.

Inity, qualifications: "Assistant Engineer," to—South Wales envelopes endorsed." Assistant Engineer, "to—South Wales switchgear Lifd. Elackwood, Mon. 4100
CABLE Jointers urgently required by large industrial concern operating in Middle East. Applicants for ionining 11.000 volts and 33.000 volts paper insulted, elad covered armound cables. Age under 35, salary insterling according to experience but not less than \$660/020/620/640 for a three years' agreement plus generous allow ance in local currency, together with free furnished pachelor accommediation, free pasages out and home, ree medical attention, kit allowance and Provident Fund penefits. Apply, stating age, qualifications, experience, to Dent. F.39. Further vacancies exist for Cable Jointers with experience in jointing on L.C.P.I. armoured cables up to 440 volts. Experience in house service supply mains work essential. For these vacancies candidates, who should be under 40 years of age, will be ender to sign an 18 months' agreement at a salary of \$60 per month with allowance in local currency. Similar fund, Apply, stating age, qualifications, experience, etc. no—Bert. F.40. Box 4135, e/o The Electrical Review.
CHIEF Draughtsman required for progressive position the well estabilished firm in North-West manufacturing domestic electric appliances, salary required at experience, do domestic appliances essential. Company's staff have been notified of this vacancy. Write, stating age, alary required dor store softe. Must have good knowledge of electrical contracting. Able to prepare estimates and render accounts. Please state up and the apply account with a solar and render accounts. Please accounts of the solar source of a destate of a prepare estimates and render accounts. Please accounts of the solar source and ealary required to - Box 4075, c/o The Electrical Review.

DESIGNER-Draughtsman required for consulting engi-

D ESIGNER-Draughtsman required for consulting engi-neer's office, with electrical and mechanical experi-ence. Part-time service would be considered. -Box 5097. (>0 The Electrical Review. D ESIGNER Draughtsman, with telecommunication ex-perience, required for work on electronic measuring apparatus. Write, giving details of experience, age and salary required.-L.M.K. Manufacturing Co. Ltd., Harle-quin Avente, Brentford, Middlesex. OMESTIC electrical appliance manufacturers require Assistant to Export Manager in London. Candidates should have some knowledge of electrical appliances and experience in dealing with enquiries, the execution of orders, shipping formalities, invoicing and general export routine. Applicants should give full particulars of previous experience, age and salary required.-Box 4074, c/o The Electrical Review.

DRAUGHTSMAN required (Walthamstow district) with good general experience in machine and plant design. Good working conditions. Pension scheme. Reply stating age, experience and salary required, to—Box 4117, c/o The Electrical Review.

DRAUGHTSMAN with experience of H.T. and L.T. oil circuit breakers and metalclad switchgear required for South Midlands. Technical man preferred. Write, giving details of experience, technical education, age and salary required.—Box 3841, c/o The Electrical Review.

DRAUGHTSMAN with experience of small pressings, castings and/or electrical fittings required for work on automobile lamps by progressive firm in North London -Box 4057, c/o The Electrical Review.

DRAUGHTSMEN, preferably with telecommunications experience, required by large firm in the Midlands. Maximum salary £350 plus cost of living bonus. Write, giving details of experience, age, and salary required. Box 11, c/o The Electrical Review.

erving details of experience, age, and salary required.— Box 11, c/o The Electrical Review. ELECTRIC Light Fittings Co. have vacancy for person to take charge of ordering, despatch and invoicing, Experience in trade necessary. Write full details age and sal. reqd.—Box 4034, c/o The Electrical Review. ELECTRICAL Draughtsman required for large Sheffield steelworks. Applicants must have experience in preparation of wiring diagrams, shop layouts for lighting and service trenchwork, and be capable of taking measure-ments on site, preparing cable plans and general electrical service records. Standard salary. Apply, stating age, qualifications and experience, enclosing copies of recent testimonias, to-Labour Manager, S. Fox & Co. Ltd.. Stocksbridge Works, near Sheffield. 4072 ELECTRICAL Engineer required for investigations into factory processes and cable manufacturing problems. R.Sc. or equivalent in electrical engineering or physics. Some factory experience desirable. Age 21-26. Salary 65 to 28 per week according to age and experience. Oppor-tunities for advancement. Apply-Stati Officer, British Insulated Callender's Cables Ltd., Erith Works, Belvedere Kent. SR 144. — Poly-Stati Officer, British Insulated Callender's Cables Ltd., Erith Works, Belvedere Marker Stater Stater required for service in Malaya

TLECTRICAL Engineer required for service in Malaya with merchant house holding British electrical manu-facturers' agencies and engaged in sales and contracting work. Three years' agreement, first-class passage out and home, salary according to experience. State age, qual-factions and experience and submit copies of testimonials to --Box 4097, c/o The Electrical Review.

ELECTRICAL Showroom Salesman required for old-established company in South Kensington, age under 45. Must have knowledge of electrical and radio trade. Permanent position. Write, stating age, salary and experience, to—Box 4018, c/o The Electrical Review.

experience, to—Box 4018, c/o The Electrical Review. **I**NGINEERS and Draughtsmen are invited to apply to a large electrical engineering firm in the Midlands which has vacancies in the switchgear department for Technical Sales. Contract, Costing and Design Engineers: also experienced Technical Engineers capable of handling large projects for generation, transmission and distribution. Vacancies also exist for Draughtsmen for circuit diagram and general work.—Box 69, c/o The Electrical Review. **UNCINEERS** required for research and development

and general work. --Box 69, c/o The Electrical Review. ENGINEERS required for research and development department of a firm in the London area. Previous experience on the development of electronic components necessary. Applicants should write, stating age and ex-perience, to-Box 3929, c/o The Electrical Review. ESTIMATOR and Draughtsman required, with good knowledge of installation work, Write, giving full particulars, to-Troughton & Young Ltd., Imperial Court. Basil Street, Knightsbridge, S.W.3. UIBNACE Engineers required.

FURNACE Engineer required by manufacturers, London district. Electrical and mechanical experience neces-sary in design and estimating, all types electric furnacea Apply, stating age, experience and salary required, to-Box 4032, c/o The Electrical Review.

THE REAL FOR

the local division of the local division of

ni ina i dai y

en ch Lien c Lien c

FIRST-class Electrician wanted, used to installation post for right man. Apply-R. J. M. M. Coalville, nr. Leicester. 9926 JUNIOR Mans Assistant required, preferably with some experience of the erection of high and low tension mes in rural areas. Commencing salary 46 per week with good prospects of advancement. Applications, with copy testimonials, to-The Boston & District Electric Supply to. Ltd., Resco House, Boston, Lincs. 4084 ADY Shorthand Typist required in electrical contrac-tors' office in the City. Please apply, giving details as to experience, salary required, to-Box 4061, c/o The Electricial Review.

La bar Shorthand Typist required in electrical contracts tors office in the City. Please apply, giving details to experience, salary required, to —Box 4061, c/o The Electrical Review.
London electrical wholesalers require Representative with car to cover London area and outskrifs. Godo commission paid with small car allowance. Write, stating commission paid with small car allowance. Write, stating the construction of the position of Works Superintendent. Persons appointed will be required to organise and plan the manufacture of position of Works Superintendent and susceptients accession of the position of the pos

1000 Han, functionage Weils. 4118 NORTH-East Coast firm requires Engineer between 25 and 30 years of age for land boiler department to assist with tenders, testing, etc. Preferably with application and state salary required.—Box 4025, c/o The Electrical Provider State Stat Review.

OVERHEAD Linesmen required for Newbury district. Must be experienced in erection and maintenance of E.H.T. and L.T. overhead lines and aervices. Conditions of service and pay in accordance with the No. 9 D.J.I.C. Present rate 2s. 2d. per hour. Apply—Wessex Electricity Company, Oxford Road. Newbury, Berks. 4107

OLL company, Persian Gulf, require Electricians for high-voltage line work and rewinding motors. Salary 2650 plus free meals and accommodation. No income tax. Married applicants must be prepared separation from families for two years. Write full details to-Box 1467. c/o Charles Barker & Sons Ltd., 31, Budge Row, London. E.C.4.

4120 DLANT Engineering Draughtsmen. Capable men with comprehensive experience of plant lnyout, heating. lighting and ventilation are invited to make application for position in London area.—Box 4068, c/o The Elec-trical Review.

trical Review. **REPRESENTATIVE** required to cover Midlands by manufacturers of small electrical accessories. Please state age. qualifications, terms and references to-Box 4137, c/o The Electrical Review. **REPRESENTATIVE** wanted, electrical cables and flexes, London district, car owner.-Box 4169, c/o The Electrical Review. **REQUIRED** for electrical contractors in Westminster, a Storekeeper/Order Clerk. Good salary and con-ditions offered to reliable man. Write, giving details of experience and salary expected, to-Box 5098, c/o The Electrical Review. **CENIOR** Designer-Draughtsman required for electrical

Bietrical Review. SENIOR Designer-Draughtsman required for electrical control gear. Knowledge of contactor design essential. 5-day week and excellent prospects. Age over 35. Write details of experience, salary required, to—Box No. 327. 8. Serle Street. London, W.C.2. SEVERAL first class Electricians wanted in East Mid-blands district, fully conversant with industrial in-stallations and all wiring systems. Permanent employ-ment for suitable applicants.—Box 4136, c/o The Elec-trical Review.

STORES Clerk required by firm of elec. contractors, S S.W.1 area. Knowledge of purchasing necessary. Write full details, age and salary reqd.—Box 4033, c/o The Electrical Review.

S.W.1 area. Knowledge of purchasing necessary. Write full details, age and salary reqd.—Box 4033, c/o The Electrical Review.
 TECHNICAL Manager (about 30) wanted to take charge of design and production of control gear, starters, etc., in Wolverhampton. Only men with brains and wide experience and salary required, to—Box 4116, c/o The Electrical Review.
 THE CHNICAL Manager (about 30) wanted to take charge experience and salary required, to—Box 4116, c/o The Electrical Review.
 THE Civil Service Commissioners announce that a special competition will be held for appointments as special competition will be held for appointments as special competition spread over a period of two or three years. Candidates must have been born on or after the 2nd August, 1915, and have attained the geo of 18 by the 1st January of the year in which they competent of 3rd September, 1939. Men only are eligible to compete for appointment as Assistant Engineer (New Style): Locales are as follows: Assistant Engineer (New Style): Locales, 2425 to 2435 to which is added a consolidation addition. Assistant Traffic Superinterdent to 590 at the maximum for men over 21, which corresponding addition from £63 to £72 for women 548 to £375. Trovinces, E180 × £12 to £355. Male and women below the age of 21 the additions are as follows: Age 18, men £47, women £47; age 19, men 55, women £55, women £63, women £64, women £64, women £64, exceed and the sum of a men over 21. For men and women below the age of 21 the additions are as follows: Age 18, men £47, women £47; age 19, men 555, women £55, women £55, women £63, women £64, women £64, exceed and the sum of the service Commission not inter the treach the completion of their servi

TRADE Counter Assistant required. Good knowledge of electrical material essential.—London Electrical Co., 92, Blackfriars Road, S.E.1. 125

TELECOMMUNICATION Engineers required for ex-change engineering. Sound grounding in "light current" electrical engineering; ability to read drawings and some experience in telephone exchange work required; aud some experience in telephone exchange work required. Applicants should give full details of age, training and experience and state salary required.—Siemens Brothers & Co. Ltd., Bef. 231. Woolwich, S.E.18. 4051 TEST and Calibration Engineer with telecommunication experience. Must be carable of discontinue

resperience. Must be capable of diagnosis and trouble shooting electronic measuring apparatus. Write, giving details of erperience, age and salary required, -L.M.K. Manufacturing Co. Ltd., Harlequin Avenue, Brentford,

shooting electronic measuring apparatus. Write, giving details of experience, age and salary required.-I.M.K. Mannfacturing Co. Ltd. Harlequin Avenue, Brentford. Middlesez. 4071
THE Metropolitan Electric Supply Company Limited thas avacancy for a Clerk (Male) in the Western Area. Applicants should be between 20 and 23 years of age, of coord deducation and address. Apply in writing, giving details of previous employment, etc., to-H/F14. 2/6. Windmill Lane, Southall, Middlesez. 4111
TRANSFORMER Technical Sales Engineer. Internal appointment, tendering and correspondence, static renginements. Single man (25-30) suggested due housing difficulty: 5-day week, pension scheme. Particulars and salary required to HTC please.- British Electric Transformer Co. Itd. Hares Middle Kast. 4006
UEGENTIX required for service in the Middle East. Helectrical Engineer Instructor. Applicants should have baderse experience in annalure winding and all types of work for earliers in a davantage. Must be able and willing to instruct 40-60 apprentices in the cleasroom and AT. shop. Should possess Ordinary or Higher National Certificate Engineer needs at whether a plus a generous allowance in local currency. Free furnished barbelor accommodation for married scommedation available), free passages out and home, it allowance. Provident Fund benefits, free medical atom works: ability to desime and existing sage, and fund score and fund score and subards. For the Middle East.

APPOINTMENTS FILLED

Dissatisfaction having been so often expressed that un-successful applicants are left in ignorance of the fact that the position applied for has been filled, may we suggest that Advertisers notify us to that effect when they have arrived at a decision? We will ther insert a notice free of charge under this heading.

BOROUGH of Ealing—Technical Assistant, Junior Mains Assistant, Assistant Consumers' Engineer and Static Substation Attendant. All applicants are thanked.

An appucants are thanked. SITUATIONS WANTED A.M.I.E.E., A.M.I. Mech.E., demobbed R.E.M.E. officer, disengaged, seeks employment with consultants or others. Good exp. specifications and supervision elec. light and power, lifts, switchgear and cable distribution up to 11.000 volts, etc.—Box 5086, c/o The Electrical Review. A CCOUNTANT requires responsible position, 20 years commercial experience. fully competent, accounts. costing, wages, P.A.Y.E., etc.—Box 5100, c/o The Elec-trical Review.

trical Review.
 DLECTRICAL Engineer, 21 years' experience all types wiring, cooking, heating installations and maintenance, desires change to post where executive ability.
 ENERTICAL ENGINEE and the appreciated.— Box 5048, c/o The Fleetrical Review.
 EXECUTIVE (39) seeks progressive permanent position.
 B.S., A.M.L.E.E., extensive experience in design, development, industrial research. Modern mass production methods as annihile address enuinment. Tadio

tion methods as applied to public address equipment, radio components and precision electrical measuring instruments. Experienced sales, purchasing and business management. —Bnx 5040, c/o The Electrical Review.

-Box 5040, c/o The Electrical Review. FULL-time Agency wanted, London and the South, by Tondon engineer with own house, car and telephone. A.M.I.E.P., public school and university background: 20 years sales engineer for well-known motor and starter manufacturers. Excellent credentials. --Box 5035, c/o The Electrical Review. MECHANICAL Engineer, age 38, 10 yrs. Colonial Govt. service, comprehensive practical experience

Gort. service, comprehensive practical experience maintenance and operation of Diesel-electric gents, (and pumoing plants), seeks position, preferably where housing available.—Box 9992, c/o The Electrical Review.

REPRESENTATIVE (30), experienced supply company A routine (inc), showroom) as consumers' adviser, has practical experience of installations and apparatus. Seeks

practical experience of installations and apparatus. Seeks prospects S. London or near. Min. £350 p.a. - Box 5061, c/o The Electrical Review. SENIOR Draughtsman, age 26, desires change of occupa-neering. Any progressive position considered. -Box 5046, c/o The Electrical Review. TECHNICAL Engineer, A.M.I.E.E. (42), extensive ex-perience electricity supply routine, including con-sumers' and mains work, specialized knowledge tanffs: metering, relays, general testing, including h.v. work, conversant some aspects generation, seeks change, prefer-ably North or Midlands. Mod. salary. -Box 5091, c/o The Electrical Review.

FOR SALE

Traders buying and selling hereunder must observe the Restriction of Resale Order, S. R. & O. 1942 No. 958.

SALE BY TENDER

THE Ministry of Supply have for disposal the following nunsed machine tool: One Loewy Engineering Co. 2.500-tons Vertical Hydraulic Lead Cable Covering Press for cables up to 9 mm. dia. Complete with Lead Melting

Furnace. Location and Inspection: This machine is already dis-mantled and lying in store. The parts may be inspected by arrangement with the Chief Valuation Officer. Direc-torate of Disposals (Tools), Carton House East, Tothill Street, London, S.W.I, from whom the location and any further particulars may be obtained. Tenders are to be for the machine "as and where lying" and should be addressed to the Director of Contracts. Ministry of Supply, Great Westminster House, Horseferry Road, London, S.W.I. Tenders are returnable not later than 20th January

Tenders are returnable not later than 20th January. 47. The following particulars should be quoted on the velope: "Tender No. 574701, due 10 a.m. 20th January. 1947 envelope: 1947

Payment shall be made within 7 days from the date of w contract made as a result of this tendering. Packages

Payment shall be made within 7 days from the date of any contract made as a result of this tendering. Packages shall be removed by and at the expense of the purchaser within 28 days from the date of the contract. Such contract will also be subject to the Standard Con-ditions of Government Contracts for Sale of Goods set out in Form COC/ Sales/1 (Edition February, 1946), copies of which may be obtained from the Ministry of Supply, Con-tracts Directorate, C.B.4, at the above address. 4088

CITY OF MANCHESTER

THE Electricity Committee has the following Second hand Material, lying at the Bennett Street Depot.

hand Material, lying at the Bennett Street Depot.
 for disposal: —
 List A: Direct Current Motors.
 List B: Miscellaneous Electrical Equipment, including motor generator sets, starters, forge blower units, rotary converters, starting panels, and motors from dental lathes, exhaust fans, desk fans, etc.
 Particulars and form of tender may be obtained from Mr. R. A. S. Thwailes, Chief Engineer and Manager.
 Tenders, addressed to the Chairman of the Electricity Committee. to be delivered not later than 10 a.m. on Monday, 6th January, 1947. The Committee does not bind itself to accept the highest or any tender.

	PHILIP	D.	DEAGT	Er.
Town Hall, Manchester, 2.			TOWD	Clerk.
16th December 1946				4108

A Cooksley & Co. Ltd. offer large selection of used A. Cooksley & Co. Ltd. offer large selection of used Tabernacle Street. London, E.C.2 (Monarch 3357/58) 46 A Contity of Pencil Type Fire Bar Formers, sizes A Contity of Pencil Type Fire Bar Formers, sizes (Phone, Portreath 265). A Quantity of 3-ph. 400-v. Snds Pumps, reconditioned. Fortune Green Rd., W.6 (Tel. Hampstend 8132), 4000 A Superior Streamland Toaster in one-piece diceas aluminium, with attractive mirror finish. Price 398; 6d, subject. Immediate delivers, Sample, 318 Cos with order. — Met Rowits Met aluminium, with attractive mirror finish. Price 398; 6d, subject. Immediate delivers, Sample, 318 Cos with order. — Met Rowits Price Meters, all sizes, quarterly and prepayment, reconditioned, guaranteed one year and prepayment, reconditioned, guaranteed one year Repairs and recultrations. —The Victa Electrics 10, 16 Battersea High Street, S.W.11. Tel. Battersea 0130, 19

A.C. and D.C. Motors, all sizes, large stocks, fully guaranteed. — Milo Engineering Works, Milo Road East Dulwich S.E.22 (Forest Hill 2278-9). Iv2 A.C./D.C. Motors and Switchegar can be supplied from Stock or at short notice. Send your requirements to—John Phillips & Co. Electrics, 31. Fortune Green Rd., W. Hampstead (Telephone, Hampstead 8132). 128 A.C./D.C. 5-valve Superheterodyne Eensitive 3-wave Band Receiver. Excellent tone. Attractive modern rabinets in "Plastele" or polished wood, 216 165. Usual rade terms and facilities. Early delivery. Trade oily.-Morgan, Osborne & Co. Ltd., Southview Road, Warling ham. Surrey.

Irade terms and facilities. Early delivery. Trade only.-Morgan. Osborne & Co. Ltd., Southview Road, Warlingham. Surrey.
 A.C. Motors, 1/75th h.p. to 5 h.p., all voltages. Also D.C.-The Johoson Engineering Co. 319, Kennington Road, London, S.E. 11. Telephones, Reliance 1412/3. 57 A.C. Slop-Ring Motors. 517 h.p., 3300/3/50 cycles, 580 r.p.m., L. D. & M.: 340 h.p., 400/3/50 cycles, 580 r.p.m., L. D., & M.: 340 h.p., 400/3/50 cycles, 1450 r.p.m., Harland: 260 h.p., 400/3/50 cycles, 580 r.p.m., Mook: 2 35 h.p., 400/3/50 cycles, 580 r.p.m., Crom. Park.; 35 h.p., 400/3/50 cycles, 580 r.p.m., Rook: 2 35 h.p., 400/3/50 cycles, 580 r.p.m., Rook: 2 35 h.p., 400/3/50 cycles, 960 r.p.m., Fuller-Newman Industries Limited, Yate, Bristol. 3992
 A TIRACTIVE Electrical Hall Lanterns available from stock at reduced price. Reeves Electrical & Radio Co. Ltd., Baldock, Herts. 3933
 A TIRACTIVE Evekly offers from The Electoplant Co. Wembler, Middx A number of complete Dynames or stors from 14-3 kVA. 230/1/50 almost new. Many M.G. Sets of various descriptions. Ask for further details. 4092
 A UTO Bulbs. Side and Tail and Head Bulbs, prompt delivery. Wholesalers send purchase tax number of samples and price.-J. N. Somers Ltd., 10/12 Cricklewood Broadway, London, N.W.2 (Tel. GIA. 3005.) 5033
 B ATIERY Chargers for home and export. 4 models. 2-6-12 v. 1. 2 or 4 amp. D.C., any mains voltage. Generous trade terms. Write for catalogue.-The Banner Electric Co. Ltd., Hoddesdon, Herts. Tel.: Hoddesdon

Berrous trade terms. Write tor catalogue. The Banner Electric Co. Ltd., Hoddesdon, Herts. Tel.: Hoddesdon, 2659.
BEEANTEE Festoon Striplight Holders, made of X20 Bakelite, for use with 7/.029 T.T.R. cable, require no tools or screws for wiring. Immediate delivery of any quantity. Passed by the fire authorities. Used by corporations and supply companies all over the world. Large quantities of British made Electric Lamps and Cable always in stock.—The Becantee Illuminations (London) Ltd., Temporary Address, 6, Upper Street, Islington, London, N.1 (Phone, Canobury 4555).
TI A. A comprehensive service is now available for allows to trade. — B.T.A., 246, Cavendish Road, London, S.W.12. Tel. Baham 6691/2.
Be & W. Water Tube Beolets for disposal. Two 50.000 Ibs. evaporation, 200 Ibs. w.p.; two 50.000 Ibs. evaporation, 200 Ibs. w.p.; two 50.000 Ibs. evaporation, 200 Ibs. w.p.; one 9/10,000 Ibs. evaporation. 200 Ibs. w.p.; one 9/10,000 Ibs. evaporation. 200 Ibs. w.p.; two fielding brickwork. Economisets, Pumps, Piping, Valves, Generating Sets and Notors in stock.—Tlease send us your enquiries; we can give immediate delivery.—Burford, Taylor & C. Ltd. and E. C. Motors and Starters equal to new. Day and night service.—Stonhouse SL. Claphan, S.W.4. Mat. 4555. Item CHOKES, suitable for 80 w. fuorescent tubes, reputable mainfacture, very reliable totally enclosed, or nutring tracks, Available tapped 20/250 w. or untarped 220/230 w. 50 cycles. Ex stock.—Rardman & Company Ltd., The Baum. Rochodle. Lance Tel. 4130.

Hardman & Company Ltd., The Education 4089
(Tel. 4151).
(Tel. 4151).
(Tel. FA" Small Accessories. Copper Earth Clos, Upright Gimbals and other metal parts made to order.
Good deliveries. -Central London Engineering (Fabrications) Ltd., 120, Old Street, E.C.1.
(Tel. 100)
(Tel. 15 h.p., 220 v.; Sturtevant No. 6, 10" outlet, 10 h.p., 220 v.; Sturtevant No. 6, 10" outlet, 10 h.p., 220 v.; Sturtevant No. 6, 10" outlet, 10 h.p., 400 v.Keith Blackman, type S, 8" outlet, 64 h.p., 440 v.Keith Blackman, type S, 8" outlet, 64 h.p., 440 v.Sturtevant No. 3, 7" outlet, 64 h.p., 400 v.-

D. C. Motors, new. 200/230 volts, 1,400 r.p.m.; 8 to 314 h.p., also 110 volts, D.C., 21 h.p., several available with starters.—Stewart Thomson & Sons (1, pool) Ltd., Fort Road, Seaforth, Liverpool, 21 (Bootle 2697) or Darre House, Victoria Street, London, S.W.1 (Abbey 4017). 96

D. C. Higgs Motors, one 15 h.p., with starter, £22 10s.; one 10 h.p., ditto, £15.--Ryland, 150, Moseley Rd., Birmingham, 12.
 D. DESEL Alternators Sets, consisting of Parman Ricardo vertical engines, radiator-cooled, direct coupled to self-contained modern units, complete with fuel tank, schencer, etc. Three available. -Stewart Thomson & Sons (1 pool) Ltd., Fort Road, Seaforth, Liverpool 21 (Bootle 2697.8) or Darre House, Victoria Street, Westminster, Loodon, S.W.1 (Abbey 4017).
 D. EECTRIC Furnace Control Panel, suitable for 2 furnaces. by Wilde Barfield, with Cambridge recorders and thermostats, unused.-W. H. Sugden & Co. dtd., Glenny Road, Barking.
 D. ELECTRIC Lamps, Flashlights, Flashlight Bulbs, Port-able Fires, Accessories. Prompt delivery.-Suplex amps Ltd., 50, Gray's Ion Road, London, W.C.1. Holborn 0223.
 D. ELECTRIC Motors, A.C. and D.C. We supply all types

Balloy 100., 30. Glays Juli Road, London, W.C.I.
 Holborn 0223.
 ELECTRIC Motors, A.C. and D.C. We supply all types and sizes of electrical machinery. Slow speed reduc-tion gears can be supplied to customers' requirements with bort deliveries. Send your enquiries to—The Electro Power Co. Ltd. (formerly Be-Be Engineering). 3. Retreat Close, Kenton, Middx. (Wordsworth 4928).
 GLECTRIC Motors, 1/3 h.p., 3,000 r.p.m., D.C. 110 volts. Also 220 volts. Stock delivery, £6 each.— John Steel, Clyde Mills, Bingley, Yorks.
 FLECTRIC Motors and Dynamos. We hold one of the largest stocks of new and secondhand motors. Second-naud machines are thoroughly overhauled. Inspection and tests can be made at our works. For sale or hire. Send your enquiries to—Britannia Manufacturing Co. Ltd., 22-26. Britannia Walk, City Road, London, N.1 (Phone, 5512-3 Clerkenwell).
 ISPLECTRIC Welding Plant, Engine and Electric, A.C.

13 ELECTRIC Welding Plant, Engine and Electric, A.C. driven, 300 amps. output, complete with weather-proof covers.—Box 34. c/o The Electrical Review. FIRE Elements. Good quality, pencil type. Wound nichrome wire. 9½", 1 kW, 48/- dozen; 500 lots, 3/7 cach; 1,000 lots, 3/8 each; 5,000 lots, 3/3 each; 5,000 lots, 2/9. Quotations for other sizes. Immediate delivery all sizes. Carriage paid 500 and over, otherwise 4/2 per 100 extra. Samples 5/- each.—The Wellco General Supplies, New Close, Knebworth, Herts. 5029 5029

5029 **F**LUORESCENT Chokes, 80 watt Low noise level, for satisfied users: long life, for low replacement costs characteristics matched with lamp, for rated lamp life and light output. Prompt deliveries.-Micramatic Ltd., Meico Works, Congleton, Cheshire. 73 **F**LUORESCENT Lighting. Constead Units for sale. Dispenses with all starter gear and gives instantaneous lighting, prevents maintenance worries, each unit guaran-teed. Apply-Scemeo Ltd., 6/7, Soho Street, London, W.1 (Tel. GER. 1461). 117 **F**LUORESCENT Lighting. Self-contained Ballast Units by Hi-Craft. Complete with Glow Starter Switch and Power Factor Condenser for 80. watt tubes. Supplied from stock.-Scemeo Ltd., 6/7, Soho Street, London, W.1 Tel. GER. 1461. 121 DELUORESCENT Lighting. Special offer, immediate

Into Sock. —Scenco Ltd., 6/7, Soho Street, London, W.1. 1990.
 Irom skock. —Scenco Ltd., 6/7, Soho Street, London, W.1. 1991.
 ILUORESCENT Lighting. Special offer, immediate delivery. Trough and Flush Type Fittings. fitted with Constead or ballsst control gear. Without tubes. —Scenco Ltd., 6/7, Soho St., London, W.1 (Tel. GER, 1461).
 ILUORESCENT Lighting fittings. Extensive range. Including Trough and Flush type, fitted with "All in One". — Constead Unit." and complete with tubes. Write—Scenco Ltd., 6/7, Soho Street, London, W.1. Phone, GER, 1461.
 Turbo-Alternator by A.E.G., 400 volts, 3-phase, 50 cycles, 450 lb, working pressure; with 22,000 lb. evapora-tion water tube boiler, 450 lb. pressure; Two new 300 h.p. and one 200 h.p. twin-cylinder Gas Engines, with suction plants, belt driving 300 and 200-kVA alternators, 220 v. 500 cycles, with 15-panel switchboard and step-up trans-former, 900 kVA, 200 to 6.000 volts; Two new 75-ton hand-operated Travelling Gantry Cranes, 40ft span, 20ft. lift. each with 16-wheel rubber-tyred trailer for trans-forting; Three 3-ton Portal type Electric Level Luffing Wharf Cranes, with 52ft. lattice steel jib, 400 volts D.C. "Four new 37-kW Diesel Alternators, 4021 volts, 50 cycles, 1,000 c.p.m.: Eight new 30-kW Diesel Generator Sets 4-cylinder vertical engines coupled to 230-volt D.C. Tortable Petrol-driven Generating 5-ts with control panels, 19-h.p., eix-cylinder engines.—Reed Brothers (Emrineer-ing) Ltd., Brvis Marks House, London, E.C.3. 4086

tine.

in a second seco

1001

-

は日本

.

市田市

日本日日の日日

日本日本日本日本日本日

68
Билонски как сорональства соро

London Central Radio Stores, 23, Lisle Street, London, W.C.2. 3824 **P**OR sale in Guernsey, Chanuel Islands: 1.200 kVA Geared Steam Turbo Alternator by A.E.G. in 1943, 400 v. 3-phase, 50 cycles, steam pressure 450 lb. running at 7,000 r.p.m., alternator 1,500 r.p.m., star connected. with surface condensing plant: 1,200 kVA as elf-cooled Transformer by Alsthom, Paris, 1943, for oil immersion. 400 to 6,000 volts, with tappings from 6,900 to 4.700 v. connected star/star, 50 cycles; 900 kVA self-cooled Transformer, 220 to 6.000 v. 3.phase, 50 cycles, for oil immersion, connected star/star; New 8-panel High Tension Switchboard; 5-ton Hand-operated Travelling Gantry Cranes, 40' span, 20' lift, fabricated steel con-struction, approx. weight 35/40 tons; Good Secondhand Locomobile Type Compound Condensity, Star Streke, two 10' fivwheels and surface condensers; Three 3-ton Electric Portal Type Level Luffling Dock Cranes, 52' lattice steel jib, with portal 18' high x 28' wide, 440 v. D.C.-Reed Brothers (Engineering) Ltd. Bevis Marke House, London, E.C.3. 3896

FRINGES. Braids, Tassels for lampshades always in stock.—Philip Cohen, 77, Great Portland Street. London, W.1. Langham 1385. 38

G ENERATING Sets. Thoroughly overhauled, tested and guaranteed. Lister, 22 kW, self-contained, all D.C. voltages, tropical finish.—Box 4083, c/o The Elec-trical Review.

trical Review. Hical Review. HOUSE METERS, 200/240 v. A.C., s/ph., 50 c. Price 175. 6d. plus 15. carriage.—Universal Electrical, 221. City Road, London, E.C.1. HOUSEHOLD Electrical Appliances a meciality. A variety of 1-kW and 2-kW Electric Fires (nortable and inset types). Artificial Coal Fires. Boiling Rings and other Portable Heaters and Cookers: Hot Plates. Radiators. Convector Heaters, Kettles; a variety of Electric Irons: Table Lamps and Shades, Radios. Moving (oil Pick-Ups, Fans, Hair Dryers; Accessories, Flexibles, Switches, Torch Cases and Lighting Batteries. New articles added to list weekly. Lists and illustrations on application.—Brooks & Bohm Ltd., 90. Victoria Street, London, S.W.I. Plone, VICtoria 9550-1441. Inland Telegrams: Beebatts, Sowest, London. 66

chty Road, London, N.I. Telephone, Clerkenweil 5512, 28
Sola & Sola 28
MAMEPLATES, Engraving, Diesinking, Stencis, Steel Punches.-Stilwell & Sons Ltd., 152, Far Gosford Street, Coventry. 14
MEW 4-h.p. 100/110 volt D.C. Motors, 1,800 r.p.m. continuous rating. New 1/75-h.p. A.C./D.C. Motors 110 volt, 50 cycles continuous rating, 4,500 r.p.m. continuous rating. New 1/75-h.p. A.C./D.C. Motors 110 volt, 50 cycles continuous rating, 4,500 r.p.m. continuous rating. New 1/2-volt D.C. Motors, shunt wound, geared down to 25 r.p.m. New A.C. Mains Trans-formers, 200, 230, 250 input, 6 and 11 volts, 2 amps. out-put. New Westinghouse Rectifiers style L.T. 42 A.C. volts 11, D.C. 6 volts 1 amp. continuous.-Box 4062. c/o The Electrical Review.
MISSEN Type Huts, secondhand, 24' × 16', £52; 36' x 16', £72. Plasterboard Huts and other build-ings now available, some with floors. Prompt despatch arranged and no licence required. Inspection welcomed or write for full list from-J. Thorn & Sons Ltd., Box 80. Brampton Road, Bexleyheath, Kent (Telephone, Bexley-heath 305).

heath 305). ONE Erro

Death 305.
 O'RE Browett Lindley Steam Engine, 160/200 lb., coupled to G.E.C. 33.4W, D.C. 220.volt, 720.rp.m. Generators: two G.E.C. 33.4W, D.C. 220.volt, 720.rp.m. Generators: Inspect on site.—Cromer Ring Mill (1919) Ltd., Jubilee Road, Middleton.
 O'NE 2-Cubicle B.T.H. Mercury Arc Rectifier, 150 kW. volts 230, amps. 326. Complete with transformer and bulbs. New in 1938. Little used. Purchaser to remove from existing site. Price 4600.—West Gloucestershire Power Co., Ltd., 126, London Road, Goucester.
 O'NE 36.h.p. totally enclosed Vertical Fan Motor, Lanca-shire Dynamo make, for 200 v., 2rh., 50 cys., at shire Manamo make, for 200 v., 2rh., 50 cys., at worth. Glos.
 O'MOR Radio Heart equals complete first-class 5-valve

OSMOR Radio Heart equals complete first-class 5-valve Superhet, positively only small condensers and resist-ances to find. Super-efficient components. Building in-structions. £5 16s. Cabinets. Trade invited.—Worgan Oshorne Ltd., Southview Rd., Upper Warlingham 2560, Sur

101 PHONE 98, Staines. 250-kW Steam Generating Set. 20 v. D.C.; 25-kW Mirrlees Diesel Set, 110 v. D.C.; 60-kW Allen Semi-Diesel Set, 220 v.; 24" Electric Turbo Pump, 34-6/3/50; 5-kVA Ruston Diesel Set, 400/1/50; Large Hot Water Boiler, about 900.000 b.t.u.'s.—Harry H. Gardam & Co. Ltd., Staines. 60 PLATING Dynamos (2), 92 volts, 900 amps., 1.000 revs., B.B., unused, by Crompton-Parkinson, also clear.—W. H. Sugden & Co. Ltd., Glenny Road, Barking, 3936

BEBUILT Motors and Generators. Long deliveries can often be avoided by purchasing rebuilt secondhand plant. We can redesign or replace surplus plant of any size. Send us your enquiries. Over 1,000 ratings actually in stock here.—Dynamo & Motor Repairs Ltd. Wembley Park. Middlesex (Telephone, Wembley 3121, 4 lines) also at Phenix Works, Belgrave Terrace, Scho Road Hands-worth, Birmingham (Telephone, Northern 0898) 26

「ない」 -

二日 日本 日本

Hall -16 C MIL

And a state of the state of the

To lar

「日日日日日

ALL DE

<text><text><text><text><text><text>

Miller – Bill 255. Similas, 100. Field Sufect.
 STEAM Generating Plant. The following is a selection of sets available in our comprehensive stock : 2.000-kW
 B.T.H. Turbo-Alternator. 6.600/3/50.180/210-lbs. pressure. complete with surface condenser and all auxiliaries. scen running. 1.250-kW Brush Ljungstrom Turbo-Alternator.
 400/3/50.200 lbs. pressure. complete with surface conden-ser and all auxiliaries, scen running. 750-kW Adamson/ Mather & Platt High pressure Pass-out Turbo-Generator.
 200-lbs. initial steam pressure. passing out 25 000 lbs. per hour at 80-lbs. pressure. solo volts. three-wire D C. with balancer. complete with surface condenser and all auxili-aries. First-class condition. Full particulars from-Stewart Thomson & Sons (Liverpool) Ld. Fort Road.
 SUPERIOR Type Builders' Ladders now in production: also Steps. Trestles and Extension Ladders. Phone-shaftsebury Ladders Ltd., 453. Katherine Road. E.7.
 Grangewood 3363/4.
 HREE rubber flexible coupled Motor Generator Sets.

Grangewood 3363/4. 15 THREE rubber flexible coupled Motor Generator Sets. monted on channel iron runners. M.E.M. auto starters and generator field regulators. Condition as new. Motors. 400 volts. 50 cycles. three phase. 1.430 r.p.m.: Generators, 110 volts. D.C. ten amps. Also two rubber fexible coupled Motor Generator Sets, similar mounting. Condition new. Motors, 110/115 volts D.C. 4 h.D. shunt windings. 1.450 r.p.m.: Generators, 400/440 volts D.C. 7 amp. - Box 4150. c/o The Electrical Review. TRANSFORMER ''Welders'' to BSS/171/1936 4 kVA. 1. phase. 50, type AN. 400/230-0-90 volts. excellent condition. £50. carriage paid. Apply-J. Thorn & Sons Ltd. Brampton Road, Bexleyheath, Kent (Berkleyheath 3051. 122 VIACULIM Cleaner Snares and Accessories. Bast hear

VACUUM Cleaner Spares and Accessories. Bags. bear-ings, belts. brushes. fans. switches, etc. Reparts. rewinding, rebristling. Send for price list. Rehance Vacuum Cleaner Service, 152-154. Broadway, Becley. heath. Kent. 93

WEE Meggers, 500 v., in case, fl2 5s. 6d : Record 500-v. Test Set, fl1, CO.D. (new).—Robins, 222 West End Lane, N.W.6 (HAM, 0879). 82 Schler 100-volt. 13-kW Automatics, ex. cond.—Box 3916, c/o The Electrical Review.

<text>

 Street, Guiddord, Surrey. 4113
 230 VA Auto Transformer. O. I. starter. --S. C. Bilsby. Crosswells Road, Langley, nr. B'ham, 4106
 250 kW Rolary Converters (2), with transformers and switchgear, input 6,600 volts. 3-phase, 50 cycles, output 420/210 volts; also A.C. and D.C. Motors, Switch-gear, Generating Sets, Welders, etc. --Midland Counties Electrical Engineering Co. Ltd., Grice Street, Spon Lane, 90 March 2000, 2000 West Bromwich.

Storight Sto tively --induces telectron (c. Ltd (Molesey 3541), 5068 5 000 good strong Crates, inside measurements 29 x 94' x 93'', 4' thick, battened all roand, at Is, 9d. each, ex works.—K. Goldser & Sons, 14a. Rec-tory Square, London, E.1 (Tel. Stepney Greene 2550), 75 129 000 yds, of 1/20 and 1/22 s.w.g. Yellow Rubber Connecting Wire in 500-yd, coils at £2 5s. per 1.000 yds, (ex works).—Box 5090, c/o The Electrical Review.

ARTICLES WANTED

ARTICLES WANTED A.C. and D.C. Molors and Transformers urgently wanted. Burnt- out machines acceptable. — Max Fletric Co. Ltd., 190. Thormon Rd., Croydon. — 12 A COUNCLATOR Plates (old) and lead Peroxide: as actual smelters we pay top price. Also old storage matteries, transformers and whole installations purchased. — Etton. Levy & Co. Ltd., 18, St. Thomas Street, S.E.I., hop 2825.6. — 39 MOTHER machine could go into production if power was available. Move your surplus A.C. Motor stock back into work. All types, makes and powers urgently wanted. We will repair and rewind if necessary. Write, tating price, etc., to.—A. P. Watson, 104a, Upper Brook Street, Manchester, 18. — 126

A C. Motors wanted urgently, all sizes and voltages. Best prices offered.—John Phillips & Co. Electrics. 31. Fortune Green Road, W. Hampstead (Hampstead

A BOUT Fluorescent Tubes, top prices paid. Any quan-tity, 10" and 12" pencil elements. Any electrical surplus, etc. Write-Adams, 114, Stroud Road, Shirley. Warks

Surplus, etc. Write-Adams, 114, Shoud Road, Shirley, Warks.
 BRASS Rods, Brass Sheets: We are prepared to buy in practically any quantity small diameter Brass Rods and Brass Strips or Sheets. Please state exact size with limits, quantity available and condition.—Box 4133, c/o The Electrical Review.
 CABLE, P.I.L.C.A.S., wanted urgently: 110 vds. .5 sq. in., 3-core; 160 vds. .0225 sq. in., 3-core; 50 vds. .0225 sq. in., 4-core.—Box 4067, c/o The Electrical Review.
 CNAMELLED Copper Wire, 44, 45 and 46 s.w.g., any quantity purchased. Also require capacity for small extent to vds. 2018 Dimensioner. Structure is a structure in the structure in the structure is a structure in the structure in the structure is a structure in the structure in the structure is a structure in the structure in the structure is a structure in the structure in the structure is a structure in the structure in the structure is a structure in the structure in the structure is a structure in the structure in the structure is a structure in the structure in the structure is a structure in the structure in the structure is a structure in the structure in the structure in the structure is a structure in the st

ENGINEERING Technical Books (new or secondband)

Intervet.
 ENGINEERING Technical Books (new or secondband) --Third floor, 356, Oxford Street, W1, or "Stoneleigh," St. George's Avenue. Weybridge.
 FIRE Bar Elements (Flat), 9" × 3", 1 kilo.; also 5 to 15-amp. Switches, Large or small quantities. Offers to-supreme Electrical Manufacturers, 3, Downs Road, Epsom, Surrey (Phone, Epson 1958).
 FUUORESCENT Lamps, 5 ft., urgently required, any quantity, best prices paid. Collected London area... FACTIONAL H.P. Motors. Large quantities required, but open to purchase any quantity. Cash with order or advertisers would consider financial assistance to manu- factured to downs. (Contractors) Ltd... Sydenham, S.E.26.
 Hamin ATIONS. Large types required in any reason- able quantities, T's and U's; also 75's and 4A's... Camercroft, Fallibroome Road Macclesfield.
 MEHAD Crame Brief, Stone Stor, c/o The Metal consider financial active of a stress of the store of th

L Electrical Review. METAL or Bakelite Galleries required for 33 and 4 Lip Glass Shades. Send samples with prices and quantities available to Litecraft Products, 17, Oswald

quantities available to—Litecraft Products, 17. Oswald Street. Glasgow, C.1.
PHOSPHOR Bronze Strip, 26 s.w.g., urgently required in small or large quantities, 4" width preferred but not essential.—Box 5084, c/o The Electrical Review.
WANTED, D.C. and A.C. ball bearing Motors. Full details to—Eritannia Manufacturing Co. Ltd., 22/26.
Britannia Walk, Loudon, N.1.
29
WANTED, Rotary Converters, any size.—Universal, 21, City Road, London, E.C..
21
WANTED, within 12 months, Modern Rotary Conver-tor or Rectifier, new or secondhand. Any size, 75 to 150 kW, output at 440 volts, input 400 volts, 3-phase, 50 cycles.—Fraser & Borthwick Ltd., 12a, College Square Morth, Belfast.

4082 Morth, Belfast. 1 h.p., 230-v. A.C. or D.C. Motor.—Universal Electrical. 221. City Road, London, E.C.1. 25. City Road, London, C.C.1. 26. Augusta 10. City Road, London, C.C.1.

Rotary Convertor, 400 kW, 6-phase, 230 volts D.C., to Robary Convertor, 400 kW, 6-phase, 230 volts D.C., to transformer, preferably transformer at 400 volts with star point brought out; 1 Rotary Convertor, D.C. 220 v., A.C. 400 v., 50 cycle, 3-phase.—William Tatton & Co. Ltd., Upperhulme, nr. Leek, Staffs. 124
 1 150 or 200-h.p. (or near), 950 r.p.m. Slip-ring Motor, 3,000 or 400 v., 3-ph. 50 cycles, complete with standard control gear.—Box 4127, c/o The Electrical Review.

6000 kW Reciprocating or Turbine-driven Alternator. 440 volts, 3-phase. 60 cycles, 150 hb. pressure. 100° F. superheat: 1,200 kW ditto Set.—Box No. C.253, Glovers Advertising, Mark Lane, Bristol, 1. 5050

WORK WANTED AND OFFERED

WORK WANTED AND OFFERED Progress System can be put into your factory to increase and stabilise production. Details—S. Green. 42. Hertslet Road, London, N.7. 5082 ILL makes and kinds of Electrical and Radio Measuring Instruments repaired by skilled technicians, A.1.D approved. All work quoted by return without charge. Also for sale, large variety of Voltmeters. Ammeters. Milli-ammeters. 2" and 24" dials. reconditioned er Au Ministry stock.—W. O. Prescott Ltd., Dett. A. 29-31. Cowcross St., E.C.1 (Tel. Cle. 6783). 9670

A RMATURE. Rotor and Stator Rewinds and Repairs: fractional to 100 h.p. Prompt delivernes.—T. A. Boxall & Co. Horley, Surrey. Phone 654. 9899 B RISCOE Plating Co. Ltd. now have available capacity for Silver and Nickel Plating and quantity produc-tion of Electrical and Household Products, in which we are specialists. Enquiries invited to—3-5, Maddox Street, London. W.1. 123

ando. W.1.
 123
 CAPACITY available for coil winding, impregnating, engraving and light machine work.—Castlenau Instruments Ltd., 50, Glentham Road, S.W.13.
 CAPACITY available for light assembly, February, March. Some machining, London area.—Box 91, c/o The Electrical Review.
 ENGINEERS, Precision, South England, seek manu-facture of electrical, mechanical or domestic assemblies or components. Press tools, gauges, small stampings, capstan turning, also Internal and External Grinding. Write—Box 74, c/o The Electrical Review.
 FACTORY Capacity up to 100,000 sa. ft. available for manufacture and assembly work. Fine modern factory, situated on riverside. North-West Kent area. Own wharf, road and rail access. Owners desire working agreement to manufacture any articles in large demand. Inquiries treated in confidence.—Box 19, Brandis Davis, 231, Strand, London, W.C.2.
 FOR Fractional, H.P. Motor Rewinds and Repairs you

Inquiries freated in connence. Box 19, brands Davis, 231, Strand. London, W C.2. 4151 POR Fractional H.P. Motor Rewinds and Repairs you cannot do better than send them to "Autofraction." We have a lifetime of concentrated experience in this field. Our work is high class and gives confidence to our customers. Why not send us your enquiries?—The Auto-fraction Motor & Eng. Co., 106, Beaconsfield Rd., Southall, Middlesex (Phone, Sou. 3598). INSTAILATION and Maintenance of Internal Tele-phones—London company with branches in the larger centres, would like to hear from reliable electrical tion and maintenance of small internal telephone systems, in Kent, Suffolk, Norfolk, Lincs, Leics, Notts, Derby, Wales, Somerset, Devon, Cumberland, Westmorland, Isle of Man and Eire.—Box 4056, c/o The Electrical Review. M ACHINING Work, for Centre Lathes up to 64 in centres and medium-sized milling (good grade work preferred).—The London Electric Firm, Croydon. Up lands 4871.

lands 4871

MECHANICAL Engineering Designs, Drawings, Tracing and Printing confidentially and promptly executed by experienced staff.—Sharpe & Gates (Technical Services) Co., Station Buildings, Raynes Park, S.W.20. 5083 M IDLAND firm with skilled electricians wish to contact firms who require sub-contractor for Assembly Work of any type, Panel Wiring, etc. — Box 5099, c/o The Electrical Review.

GHOT Blasting and Metal Spraying. We are able to undertake the efficient and prompt handling of all goods sent for treatment. Large capacity available. Enquiries to—Commercial Structures Ltd., Staffa Works, Staffa Road, E.10. 112

ANTED, Contracts for Metal Work to specification. We supply material.—Box 5089, c/o The Electrical Review.

WE can supply all types of Presspahn Insulating pieces to specification, and would appreciate enquiries.— Tradex Manufacturing Co., Tradex Works, Swindon, 4099

UVOODTURNING to our design of Electric Table Stan dards. Timber licence supplied. — Box 5088, c/o The Electrical Review.

AGENCIES

A GENCIES required for London, South of England, for the following: (1) Domestic electrical appliances; (2) Bras electrical accessories, switch plugs, etc.; (3) Con-duit. Advertisers have clientele with every wholesaler in the territory mentioned. Immediate turnover can be guaranteed. Either commission or buying basis. Post-war arrangements considered.—Eox 64, c/o The Elec-trical Review.

A GENCIES required, South of England, including the London area: (a) Cables: (b) Small Switchgear; (c) Transformers: or any lunes suitable for distribution for wholesalers' business.—Box 40, c/o The Electrical Review. wholesalers' business.—Box 40. c/o The Electrical Review. **E** Adherent accessories not yet firmly represented abroad are offered the facilities of a comprehensive export organ-isation controlled by one of the largest engineering trading concerns m the country. Advertisers have own assembly shops, showrooms, shipping department, skilled staff and City office. They are interested in representing only well-known makers of equal standing to their own. For further details write to—Box 4093, c/o The Electrical Review. 1

1

eine. Logi L

ENGINEER. A.M.Brit.I.R.E., M.I.R.E., travelling commissions or representation communication and elec-tronic systems, components, etc.-Box 5103, c/o The Electrical Review. travelling

Electrical Review. **EXPERIENCED** Sales Engineer with leading manu-facturer, free to take additional agency (London area).—Box 5037, c/o The Electrical Review. UNDON company experienced in successful distribu-tion of electrical products through wholesale trade seeks sole representation for V.I.R. and P.V.C. Flexes and Cables, Brass and Bakelite Accessories. Would con-sider Continental ii import possible.—Box s1, c/o The Electrical Review.

Electrical Review. MANUFACTURERS' Agents, covering the whole of Great Britain and Colonics, are desirous of contact-ing manufacturers with a view to sole selling rights (either commission or buying), post-war arrangements considered. -Box 23, c/o The Electrical Review. MANUFACTURERS. Agents with offices London and Scuth Coast wish to hear of additional lines, includ-ing Cables and Domestic Appliances, for sale to corpora-tions, wholesalers and retailers. --Box 5077, c/o The Electrical Review.

Electrical Review.

Electrical Review. MANUFACTURING and Distributing Company, covering the British Isles, and having important export connections, are desirous of handling additional products suitable for the electrical, hardware and ironmougery trades, preferably sole distributing rights. Substantial contracts will be placed for suitable lines. Reply—Rox J.P.195, c/o Maurice Vernon Ltd., 2, St. Andrew's Hill, Queen Victoria Street, E.C.4. 61 COUTEM African Importary and programmed in cells.

COUTH African Importer, well represented in all provinces, including South-West Africa and both Rhodesias, would like to secure Lamp Agency from reliable quality British factory.—Box 4073, c/o The Electrical Review.

BUSINESSES FOR SALE AND WANTED

FOR sale as a going concern, old-established firm of Registered Electrical Contractors in Northern Ireland, owner retiring. Replies principals only.—Box 4124, c/o The Electrical Review.

L AMPSHADES and Electrical, West London. Unique and exclusive business of character. Turnover £80 per week. Low rental, £1,200 S.A.V.-John Swait Ltd., 34, Mall, Ealing (Tel, Ealing 2866).

BUSINESS PREMISES

URGENTLY required, Factories in London and suburbs. Areas from 5,000 to 100,000 sq. ft. Send particulars in confidence to-Leopold Farmer & Sons, Factory Agents, 46, Gresham Street, E.C. (Tel. Monarch 3422). 4069

EDUCATIONAL NOTICES

EDUCATIONAL NOTICES The second secon

Institute of Great Britain, 35, Temple Bar House, London, 77 ATEST A.M.I.E.E. Results. In the examinations held by the Institution of Electrical Engineers 646 can-didates sat who had taken B.I.E.T. courses. Of these 620 were successful in passing the examinations. We believe this record of 620 successes out of 646 entrants has never before been approached by any oral or correspondence tutorial organisation, and indicates the very high efficiency of the modern system of technical training which we have laid down. The B.I.E.T. tutorial organisation is waiting to assist you either with a short specialist course or com-plete training for a recognized examination. We have available a large full-time staff of instructors, while the efficiency of our extensive organisation is a byword among engineers. We guarantee—"No pass—no fee." May we send a copy of "Engineering Opportunities"? Containing a great deal of useful advice and examinations, this hand-book is of very real value to the ambitious engineer. Our bighly informative handbook will be sent free and without obligation on request.—British Institute of Engineering Technology (established 1927—over 200.000 students). 12. Shakespeare House, 17, 18 & 19. Stratford Place. Oxford Street, London, W.I. 33

Dirich Street, London, w.1. 33 **PLASTICS offers particularly good prospects to experi-enced Engineers with a sound knowledge of Plastics Technology.** Authoritative home-study courses are now available in General Plastics and specialised branches of the science. Full details of these courses and the prospects in the rapidly expanding plastics industry will be found in our handbook." Opportunities in Plastics "-sent free on request.-British Institute of Plastics Technology (Dept. 301), 17. Stratford Place, London, W.1. 3822

[Continued on page 72.]



BUSINESS OPPORTUNITIES

MANUFACTURERS of fluorescent lighting auxiliary equipment wish to contact sheet metal manufacturers who are in a position to offer Fluorescent Lighting Fittings or who would be prepared to manufacture same.—Box 5085, c/o The Electrical Review.

SCEMCO Ltd., Fluorescent Lighting Specialists, wish to Science Ltd., Filorescent Lighting Specialists, wish to contact manufacturers of electrical equipment and accessories, including "Novelty" and "Improved" appliances. Domestic fluorescent fittings and components of particular interest. When possible complete output will be taken, and full co-operation given in exchange for sole distribution rights. Replies will be treated with strictest confidence.—Man. Director, Scenco Ltd., Scenco House, 6/7, Soho Street, London, W.1. 119 WIHOU FSALERS invited to send for price list etc.

WHOLESALERS invited to send for price lists, etc., of Imitation Coal Fires and Radiators, patented features.—Firenheat Ltd., 5, Buckingham Street, Strand, London, W.C.2, 5080

PATENT NOTICES

PATENT NOTICES MOTICE is hereby given that Stoves Ltd. and Samuel Edward Allan Ryder seek leave to amend the speci-fication of Letters Patent No. 577962, entitled "Improve-ments in cooking stoves having thermostatic control devices." Particulars of the proposed amendment were set forth in the Official Journal (Patents). No. 3021, dated December 18th, 1946. Any person may give Notice of Opposition to the amendment by leaving Patents Form No. 19 at the Patent Office, 25. Southampton Buildings. London, E.C.2, on or before 18th January. 1947.—H. L. Saunders, Comptroller-General. PATENT Agents.—A. E. Hill, Chartered Patent Agent, 27, Chancery Lane, London, W.C.2. Tele. Chancery, 2444.

8444

8444. 88 THEE Trade Mark AGILUX (No. 635101), registered in included in other classes, scientific, nautical, photographic, chiematographic, optical, signalling and checking (super-vision) instruments and apparatus, was assigned on the 21st May, 1946, by Aeronautical & General Instruments Limited, of Purley Way, Croydon, to Agilux Limited, of Purley Way, Croydon, without the goodwill of the business in connection with which it was then in use. 4078

PARTNERSHIPS

PRACTICAL Partner wanted for Electrical Contractors

PRACTICAL Partner wanted for Electrical Contractors in Cambridgeshie. Good opportunity for man with small capital.—Box 5078, c/o The Electrical Review. OPENING occurs for Electrical Engineer or man with electrical engineering knowledge suitable for con-sultative work. Opportunity for investing approx. £2,000 in progressive London firm with good contacts and prospects. Directorship will be considered.—Box 5043, c/o The Electrical Review.

MISCELLANEOUS


BATTERY Chargers Modernised. Your old Charger made like new by specialists. Conversion from valve to metal rectification. Send for interesting leaflet "Q.D." on this service.—Runbaken Electrical Products. Manchester. 1. 45 FXPERT Technical Translations. Write—Box 5079. c/o The Electrical Review.

C/0 The Directificat Access. S HORTHAND Typists, Private Secretaries. Clerks. etc. If you are in urgent need of staff, contact Eubassys Secretarial Employment Bureau, Excel House, Whitcomh Street, W.C.2 (Whitehall 5924). We specialise in efficient personnel









Switchboards of all types for A.C. and D.C., open or enclosed

Illustration shows typical Marine Main Switchboard recently manufactured

出肥

FLED

記言


2


MER

UT

in the second

William McGEOCH & Co. Ltd. Warwick Works, BIRMINGHAM 10 also GLASGOW and LONDON





ST. ALBANS MOULDINGS LTD WATFORD PHONE: WATFORD 4494



All types of Lighting and Radio Dry Batteries

ITONIA BATTERY CO. 3-10 Leeds Place, Tollington Park LONDON, N.4. Tel.: ARChway 4311/2

- 7 D W X H D A D X W A H H M W A H A

ELECTRICAL REVIEW

December 27, 1946

Index to Advect from		
Index to Advertisers	Co	PAGE
Aberdare Cables Ltd. Aerialite Ltd. Agro Electrical Co. Ltd.		90
Agro Electrical Co. 1 td. Air Ducts Ltd. Alfa-Laval Co. Ltd. Allen, W. H., Sons & Co. Ltd. Allon Battery Co. Ltd. Arcokelectric (Switches) Ltd. Arrow Electric Switches Ltd. Associated Dynamo & Motor Manufacturers. Bakelite I.td. Baldwin Instrument Co. Ltd. Barries Electrical Agencies Ltd. B F N. Patents I td.		100
Air Ducts Ltd.		100
Allen W H Sons & Co 1td.		37
Alton Battery Co. Ltd.		47
Arcolectric (Switches) Ltd		110
Arrow Electric Switches Ltd.		. 99
Bakelite I td		40
Baldwin Instrument Co. Ltd.		96
Barries Electrical Agencies Ltd.		. 96
Benham & Sons Ltd	• • • •	
Bill Switchgear Ltd Braithwaite & Co. Engineers Ltd		19
Bray, George, & Co. Ltd Britannic Electric Cable & Construction Co. Lt		. 86
Britannic Electric Cable & Construction Co. Lt British Insulated Callender's Cables Ltd	d	. 38
British Jewel Manufacturing Co. Ltd		82
British Mica Co. Ltd.		112
British Mica Co. Ltd. British Thomson-Houston Co. Ltd. British Vacuum Cleaner & Engineering Co. Ltd	Co	over i
Britmac Electrical Co. Ltd		17
Bruce Peebles & Co. Ltd.		2
Brush Electrical Engineering Co. Ltd.		29
Burco Ltd		28
Burn, George, Ltd.		16 50
Rylock Electric I td		. 34
Britma Electrical Co. Ltd. Brooks & Bohm Ltd. Bruse Peebles & Co. Ltd. Bruse Electrical Engineering Co. Ltd. Burn, George, Ltd. BX Plastics Ltd. BX Plastics Ltd. Bylock Electric Ltd. Caxton Wood Turnery Ltd. Celestion Ltd.		14
Celestion Ltd Consolidated Pneumatic Tool Co. Ltd		. 34
Cornercroft (Plastics) Ltd.	42	35 & 87
Crovdon Engineering Co. Ltd.		. 78
Cryselco Ltd		. 4
Compton Parkinson Ltd. Crowydon Engineering Co. Ltd. Cryselco Ltd. Davall Bros. Ltd. Davis & Timmins Ltd.		. 30
Davis & Timmins Ltd		. 112
Diamond H Switches		20
Dennis, G. P., Ltd. Diamond H Switches Dolphin Engineering Co. Ltd.		. 72
Donovan Electrical Co. Ltd. Drake & Gorham Wholesale Ltd. Drayton Regulator & Instrument Co. Ltd		. 76
Drake & Gorham Wholesale Ltd.		. 8
Elcordia Ltd.		. 78
Ellison, George, Ltd.		. 103
Elordia Ltd. Ellison, George, Ltd. Enfield Cables Ltd. Engineering & Lighting Equipment Co. Ltd. English Electric Co. Ltd. English Electric Co. Ltd.		. 36 . 33
English Electric Co. Ltd		. 21
Ensel Electric Co. Ltd.		108
English Electric Co. Ltd. Ensei Electric Co. Ltd. Ensign Lamps Ltd. Erg Industrial Corporation Ltd. Evans, F. W., Ltd. Everett Edgcumbe & Co. Ltd. Fan Manufacturers' Association Ltd.		. 44
Erg Industrial Corporation Ltd		. 111
Everett Edgeumbe & Co. Itd		. 112 . 54
Fan Manufacturers' Association Ltd.		105
Firani Ltd. Finch, B., & Co. Ltd. Finlayson, Bousfield & Co. Ltd. Fisher, Marcus, & Co. Ltd. Flextol Engineering Co. Ltd.	. 11	& 45
Finch, B., & Co. Ltd.		. 30
Finlayson, Bousheld & Co. Ltd.		. 75
Plextol Engineering Co. 1 td.		106
Fluxite Ltd.		. 14
For CI & Sone Lid		. 80
tox, C. J. de Bolis Ltd		. 110
Geipel, William, Ltd.		8, 50
Geipel, William, Ltd General Electric Co. Ltd Sodwin H. L. Ltd	46	& 58 106
Geipel, William, Ltd. General Electric Co. Ltd. Godwin, H. J., Ltd. Gowshall Ltd.	46	& 58 106 78
Geipel, William, Ltd. General Electric Co. Ltd. Sodwin, H. J., Ltd. Sowshall Ltd. Graseby Instruments Ltd.	46	& 58 106 78 94
Genet, William, Ltd. General Electric Co. Ltd. Godwin, H. J., Ltd. Gowshall Ltd. Graseby Instruments Ltd. Grey, John A., & Partners Ltd.	46	& 58 106 78 94 12
Geipel, William, Ltd. General Electric Co. Ltd. Godwin, H. J., Ltd. Sowshall Ltd. Graseby Instruments Ltd. Grey, John A., & Partners Ltd. Harland Engineering Co. Ltd. Harland Engineering Co. Ltd.	. 46	& 58 106 78 94 12 6
Go, C. J., & Gons Ed., General Electric Co. Ltd. Godwin, H. J., Ltd. Gowshall Ltd. Grasseby Instruments Ltd. Grey, John A., & Partners Ltd. Harland Engineering Co. Ltd. Hawkins, L. G., & Co. Ltd. Heatrae Ltd.	46	& 58 106 78 94 12 6 16
Harland Engineering Co. Ltd. Hawkins, L. G., & Co. Ltd. Heatrae Ltd.		. 6 . 16
Harland Engineering Co. Ltd. Hawkins, L. G., & Co. Ltd. Heatrae Ltd.		. 6 . 16
Harland Engineering Co. Ltd. Hawkins, L. G., & Co. Ltd. Heatrae Ltd.		. 6 . 16
Harland Engineering Co. Ltd. Hawkins, L. G., & Co. Ltd. Heatrae Ltd.		. 6 . 16
Harland Engineering Co. Ltd. Hawkins, L. G., & Co. Ltd. Heatrae Ltd.		. 6 . 16
Harland Engineering Co. Ltd. Hawkins, L. G., & Co. Ltd. Heatrae Ltd.		. 6 . 16
Fluxite Ltd. Geipel, William, Ltd. General Electric Co. Ltd. Godwin, H. J., Ltd. Gowshall Ltd. Gress John A., & Partners Ltd. Gress John A., & Partners Ltd. Harland Engineering Co. Ltd. Harland Engineering Co. Ltd. Harland Engineering Co. Ltd. Heatrae Ltd. Heatrae Ltd. Henley's, W. T., Telegraph Works Co. Ltd. Hick, Hargreaves & Co. Ltd. Higgs Motors Ltd. Horstmann Gear Co. Ltd. Howden, James, & Co. (Ltd.) Howden, James, & Co. (Ltd.) Howden, Lettric Co. Ltd. Imp Radio Ltd.		. 6 . 16
Go, C. J., & Golls Ltd. General Electric Co. Ltd. Godwin, H. J., Ltd. Gowshall Ltd. Graseby Instruments Ltd. Graseby Instruments Ltd. Harland Engineering Co. Ltd. Havkins, L. G., & Co. Ltd. Healey's, W. T., Telegraph Works Co. Ltd. Henley's, W. T., Telegraph Works Co. Ltd. Hick, Hargreaves & Co. Ltd. Hick, Hargreaves & Co. Ltd. Horstmann Gear Co. Ltd. Horstmann Gear Co. Ltd. Howden, James, & Co. (Land) Ltd. Iddon, Victor H., Ltd. Igranic Electric Co. Ltd. Imp Radio Ltd. Imperial Chemical Industries Ltd. Injection Moulders Ltd.	13	. 6 . 16

FOR ACCURATE INDICATION OF EVERY FORM OF SPEED



Speed, which has always been prized by mankind, has become today a vital factor in industry—a factor which must be measured and controlled for its many purposes. For this measurement there are no more accurate instruments than A.T. Indicators, as these have a movement that stands up to the most gruelling conditions.

These instruments are available for practically every form of speed indication. Their unwavering reliability is made possible by a jewelled movement of simple design and robust construction; by individual attention at every stage of making, testing and calibrating. A.T. Indicators can be waterproofed and tropicalised for marine and oversea duty, and can be calibrated to meet particular needs. Available with dials from 11 to 9" diam., and revolution counters with or without trip mechanism may be incorporated in instruments from 4" diam.





FINLAYSON BOUSFIELD & CO. LTD. . JOHNSTONE . SCOTLAND

Pectric

CP3


tial)

RS

ALARM CLOCKS . **BOWL FIRES** COFFEE PERCOLATORS FIRES, I, 2 and 3 kW HEAT-CONTROLLED IRONS HAIR DRYERS FLUORESCENT LAMPS • RADIO RECEIVERS **TOASTERS** • TOWEL RAILS VACUUM CLEANERS and many other proprietary lines From Stock .

Send stamped envelope for new, interesting comprehensive lists of post-war supplies Purely Electrical and Radio FACTORS' ORDERS SOLICITED


MARCUS FISHER & CO. LTD. MANUFACTURERS & FACTORS N.2 37 Aylmer Parade, LONDON, Telephone : MOUntview 2461/2 Telegrams : "London, Mountview 2461 "



LONDON OFFICE : ABFORD HOUSE, WILTON RD., S.W.1 Telephone : VICTORIA 5957/8

75

December 27, 1946






INDEX TO ADVERTISERS

76

ELECTRICAL REVIEW



INSIDE STORY

As with most things that are sound in practice and reliable in action, the construction of the Aeroflex Standard Type Fuse is essentially simple.

It has a definite time-lag and a close and accurate rating which remains constant under all conditions; and is capable of carrying its full load current indefinitely without deterioration.

Wool Packing

le, EB

7

4

TI GS

141 30 M Powder Subsidence Chamber

Copper Contacts

You are invited to write for a copy of our publication " Aeroflex Fuses " which gives full technical details.



dm PH.4

ALL SITUATIONS FOR

PARMITER HOPE & SUGDEN LTD Fluvent Electrical Works LONGSIGHT MANCHESTER 12

CONDENSING PLANT Surface and Jet Types AUXILIARY EQUIPMENT from Turbine Flange to **Boiler Check Valves** The illustration shows a Hick Hargreaves Low Level jet type Condensing Plant with "Hivac "Ejector and split casing Extrac-tion Pump working in conjunction with a 5,000 kW. Turbo-Alternator Gra Phone: BOLTON "Hick, Bolton " AD 48C

December 27, 1946

Quality in F.H.P. Motols-

The in-built quality of CROYDON motors developed and perfected through years of experience in the F.H.P. motor market is your guarantee of satisfaction when you specify CROYDON motors. As specialists in the design and application of high grade F.H.P. motors to specific needs, we invite you to send us your motor problem.

Range of Electric Motors includes

GOVERNED MOTORS (fixed and variable speed) INTERLOCK, MASTER & CAMERA MOTORS SYNCHRONOUS MOTORS (for A.C. only) GEARED MOTORS (for A.C. or D.C.) *SHADED POLE & AIRCRAFT MOTORS MOTOR ALTERNATOR SETS MOTOR GENERATOR SETS ROTARY CONVERTORS

*A strictly limited number of Shaded Pole Motors can be supplied from stock



YOU CANT KEEP IT DARK

Typical Gowshall Clearly Illuminated Guard Post as supplied

to leading Corporations. Beacon Globes · Safety Posts · Road Signs Street Nameplates · Route Direction Signs Posts and Lighting Columns.

GOWSHALL LTD., Lamb's Conduit Passage, Red Lion Square, W.C.I. (Chancery 7042/7845) St. Paul's Street, Walsall. (Walsall 48678).



Phone WATerios \$502/3

(Supplement) 79

Indoor ... Outdoor ... and Pole Mounting Transformers

A COMPLETE RANGE OF POWER TRANSFORMERS UP TO 11 KV—1,000 KVA.

The illustration shows the tanking of the core and coils of a 300 KVA transformer for use in a S.W.S. Kiosk

SOUTH WALES SWITCHGEAR LTD · TREFOREST · GLAM (Power transformer division)



UIIIIII

December 27, 1946

80 (Supplement) All-over warmth all over the whole Britain

With the AEROFIER Portable Space Heater all the room - floor to ceiling, wall to wall - gets evenly heated at once. Consisting of 2-kilowatt element and distributing fan, compactly built in, AEROFIER circulates warm air in winter, cooling air in summer – eliminating stuffiness. Of attractive design and colour choice, AEROFIER looks well in any part of room or business premises. Robustly constructed. Thorough insulation makes it burn-proof, scorch-proof. Here is a heater of unique sales appeal. Retails at $f_{10,10}$

Full details and Trade terms from sole concessionnaires: C. J. FOX & SONS LTD., 117 VICTORIA ST., LONDON S.W.I Telephone: Victoria 0204



AEROFIER EVEN HEAT DISTRIBUTOR

We Specialise in "CONTINENTAL TYPE" Accessories

dige Sec.



Let us quote you for these items, as well as for Conduit tubing, Cables and Insulators. Lampholders in Bakelite and Brass.

THE OVERSEAS ENGINEERING CO. LTD. 200 BISHOPSGATE, LONDON, E.C.2 Phone : BISHOPSGATE 9878 (3 lines Cables : MYCAMYN

(Supplement) 81






No Need to Use Substitutes Now—Delivery of the Real Thing from Stock.

 BRITISH
 JEWEL
 MANUFACTURING
 C°
 L^{TD}

 A D E L P H I
 S T R E E T
 S A L F O R D
 3

 Telephone :
 BLA 5040
 Telegroms : 'BRITJUEL, MANCHESTER'





ELECTRICAL REVIEW

December 27, 1946



The engineers responsible for equipping 500 of Britain's Power Stations pinned their faith to Tudor Accumulators. This confidence was justified by the Tudor record of unsurpassed efficiency and reliability. Many of the largest battery installations in the country are Tudor, and some of these

ACCUMULATORS

have been functioning without pause or hitch for over 30 years. You should specify Tudor for important jobs.

SAFETYLYTE is the Tudor Emergency Light ng System, which is automatic and instantaneous in operation. It is installed in thousands of schools, hospitals, factories and other large buildings.



The Tudor Accumulator Co., Ltd., 50, Grosvenor Gardens, London, S.W.I. SLOane: 0168 9

WT 35b 44

JK

00

MN 6

PRS

(Supplement) 85

THE FINGER OF COINCIDENCE

ABC

L.E.W. 3636...

and you will be put through to LEY 3636, the Leyton Works of the London Electric Wire Company and Smiths Limited, the centre of supply and service for all types of insulated winding wires and strips. The Standard of quality maintained requires no emphasis.

THE LONDON ELECTRIC WIRE COMPANY AND SMITHS LIMITED CHURCH ROAD · LEYTON · LONDON · E·IO

ELECTRICAL REVIEW

December 27, 1946



ONE HORSE OR TWO THOUSAND HORSE POWER ?



These two Illustrations reflect the diverse uses of B.V.C. Vacuum Cleaners in industry today. YOUR industry may have a problem remote from these two examples, which, however, can be solved by our experts. Get in touch with B.V.C. Our long experience on these problems is at your service

THE BRITISH VACUUM CLEANER & ENGINEERING CO. LTD. (Dept. 4/H) LEATHERHEAD, Surrey. Phone : Ashtead 866

Flour Millers, Power Stations, Poultry Breeders, Dairy Farmers, Technical Colleges, Cinemas, and Transport Undertakings are among those receiving satisfactory service from B.V.C. Systems

VACUUM CLEANERS





It went with the wind

When production depended on the wind, calm days were idle days. Yet even in these times of electrical power, continuous production from every section of the factory plant is still to be achieved. By pioneering improved designs in vital electrical plant—in motors, transformers, switchgear and cables. Crompton Parkinson Ltd. have done a great deal to eliminate the windless hours from modern production. Their pioneering continues—and will continue—setting new standards—responding to new needs and always leading—always a little ahead of their time.

rompton

ELECTRA

PLANT

LONDON.

DIVISION

HOUSE, VICTORIA EMBANKMENT

W.C.2

LALETHIC MOTORS OF ALL DAGS. ACTIVATIONS DE CRACANTORS SWITCHCEN RET. TRANSFORMERS INSTRUMENTE MITTER PAPER CABLES AND LUCETHIC INDUSTRIEL TROOPS

「日本をある」を、日本

HOW LONG DOES IT LIVE

The Pike.

The pike has a deserved reputation for ferocity and exercises complete control over the secluded waters it

selects for its home. Many of over 40 lbs. in weight have been taken in our lakes and rivers and it is credited with a potential life of 200 years. Certainly, it is one of the longest-lived freshwater fish in the British Isles.

The Westinghouse metal rectifier cannot yet claim such a long life, but many are still in constant use after 20 years' continuous service.



LOW TENSION CABLING FOR LIGHTING AND POWER

The illustration shows the "Pyrotenax" installation of Control Cables in the tunnel to the Switch House at the I.C.I. Metals Ltd., Kynoch Works. Note that no conduits are used.

"Pyrotenax" is an exclusive trade mark name and must only be used to designate cables and other products manufactured by this company and its associates.

"In the long tun" BEING made entirely of copper and a mineral insulant "Pyrotenax" M.I.C.C. cables are, for all practical purposes, indestructible and everlasting. Once installed they require no maintenance or renewal. Installation too, is simple; any form of saddle or clamping device, widely spaced, holds them in position. Their tough copper sheath keeps their mineral insulant intact, even when subjected to the grossest ill-usage. By the same token they cannot be damaged by oil, water or condensation and being inorganic they



PYROTENAX LIMITED, HEBBURN, CO. DURHAM. Phone: Hebburn 32244/5 LONDON OFFICE: 7 Victoria Street, S.W.I. Telephone: Abbey 1654 BIRMINGHAM OFFICE: 2 Moor Street. Telephone: Midland 1265

are inherently fire resistant.

December 27, 1946



Shockproof Lettle

NETTLE Shockproof Electrical Accessories are designed for safety and for easy wiring. They are of exceptionally robust construction.

The comprehensive range of domestic and industrial types includes :

Switches, Lampholders, Bell Transform^eers, Sockets and Plugs, Ceiling Roses, Hand Lamps, etc.

WYTHENSHAWE MANCHESTER

December 27, 1946



DAY AND NIGHT ELECTRIC SERVICE

For Quick Reliable Repairs and Rewinds

THE MIDLAND DYNAMO CO. LTD.

Phone 20172 (3 lines)

SYNCYCLE FREQUENCY CONVERTER



LEICESTER

The Syncycle provides low frequency current at one-thud mains supply frequency—e.g., $16\frac{2}{3}$ c/s or 20 c/s for such purposes as signalling, alarm systems, laboratory use, etc. It is particularly suitable as a source of ringing current for telephone exchanges.

The Syncycle is compact and easily installed. It has no moving parts, thermionic valves, electrolytic capacitors or any other components liable to require maintenance. It is automatically protected against overloads.

- "5 watt" series for Wall, Batten or Back mounting: Input: Output: from 900. to 2600, A.C. from 450. to 900. A.C.
- "20 watt" series for Wall or Batten mounting: Input: Output: from 2000. to 2500. A.C. from 200. to 900. A.C.

Fully Tropical models for wall mounting are available.



Write for full details to the Sole Manufacturers and Patentees: **TELEPHONE MANUFACTURING CO. LTD.** HOLLINGSWORTH WORKS, DULWICH, LONDON, SE.21

Telephone: GIPsy Hill 2211 (10 lines)

WELVIC"

"CORVIC" polyvinyl chloride

"ALKATHENE" polythene





ELECTRICAL REVIEW

December 27, 1946

The G.I.

"STROBO-VISOR"

A SMALL PORTABLE STROBOSCOPE OF HIGH ACCURACY

GRASEBY INSTRUMENTS LTD.

KINGSTON BY-PASS ROAD HOOK RISE, TOLWORTH Telephone : ELMBRIDGE 5742



Electric and Steam Cooking Appliances. Specialist planning of large kitchens for consulting engineers and architects. Makers of "Hercules" precision made heavy duty dishwashing machines. Heating, ventilating and air-conditioning engineering.



BENHAM & SONS LTD, 4 66 Wigmore Street, LONDON, W.I

BRIGHTON BOURNEMOUTH BIRMINGHAM MANCHESTER CARDIFF GLASGOW DUELN



ELECTRICAL REVIEW

December 27, 1946



GE

101

ELECTRICAL REVIEW

(Supplement) 97

WHAT IS INSIDE ?

What's inside a Philips Lamp? The answer is: "Over half a century's experience". The fruit of this experience is a lamp that gives a maximum of clear, bright light for a minimum of current.



- the Lamps the Public like Makers of Good Lamps for over 50 Years HILIPS LAMPS LIMITED, CENTURY HOUSE, SHAFTESBURY AVENUE, W.C. 2. (161)

ELECTRICAL REVIEW

December 27, 1946

1



C

H

at le

TEL I

ELECTRICAL REVIEW

(Supplement) 99

TUMBLER SWITCHES

QUICK MAKE AND BREAK

30 amp. Double Pole - 60 amp. Double Pole

Onsure the reliability of your products by the selection of a switch of PROVEN efficiency. There is built into ARROW switches something you'll not find elsewhere a more scientific design . . . a more positive action . . . greater accuracy in detail and increased durability under severe operating conditions.

RROW ELECTRIC SWITCHES LIMITED HANGER LANE, LONDON, W.5

is fully ensured by

THE DEPENDABLE

ELECTRICAL REVIEW

December 27, 1946

Maximum protection for the Lubricating System...

Centrifugal separation is the only practical method of purification for turbine oils. Outstanding features of De Laval centrifugal equipment are the reduction of moisture content to a negligible minimum, and constant high

efficiency independent of the quantity

of solid matter in the centrifuge bowl.

ALFA-LAVAL CO. LTD., GREAT WEST ROAD,

DE AVAL

Illustration of Littlebrook Power Station is reproduced by permission of the Kent Electric Power Co. BRENTFORD, MIDDLESEX. Ealing 0116 P.B.X

Smee's DL

RUBLICAT

AGRO ELECTRICAL CO. L^{TD}

Electrical Apparatus and Accessories Manufacturers

WHOLESALE & EXPORT ONLY

London Office: 7 MADDOX ST. REGENT ST. . Tel: MAYfair 4068-9 . Works: Aylesbury, Buc

ELECTRICAL REVIEW

(Supplement) 101



APPOIN

SUN 8

appointment with FIRE

December 27, 1946

Do you know when fire will break out in your premises?

THE

NATIONAL

FIRE PROTECTION

COMPANY LIMITED, ARGOSY WORKS, KINGSTON ROAD, LEATHERHEAD, SURREY, Telephone: LEATHERHEAD, 2208

Cupurestment with FIRE

Be prepared against such a possibility. Install "National" the most efficient fire fighting equipment on the market and take advantage of our maintenance service to ensure you are always ready to combat the danger wherever and whenever it threatens.

WRITE FOR ADVICE ON YOUR OWN PARTICULAR RISKS December 27, 1946 ELECTRICAL REVIEW

(Supplement) 103

Ellison **STARTERS FOR** SQUIRREL-CAGE MOTORS...



GEORGE ELLISON

The Ellison range of starters for squirrelcage motors includes direct on, star-delta and auto-transformer statters, for motors taking currents of up to 600 amps. These starters have solenoid automatic releases with oil dashpot time lags. The releases provide absolute protection to the motor against burn-out by causing the starter to break circuit when the limit of safety is reached. The time Jags prevent unnecessary stoppage on momentary peak overloads.

104 (Supplement)

ELECTRICAL REVIEW

December 27, 1946



ELECTRICAL REVIEW

(Supplement) 105

Manufacturers' Association Tan

A Technical Group formed by the leading firms in the Fan Engineering Industry for the purpose of advancing and spreading knowledge in Fan Technology



FOUNDER MEMBERS :

ALLDAYS & ONIONS LTD., Great Western Works, Birmingham II

DAVIDSON & CO. LTD., Sirocco Engineering Works, Belfast

JAMES HOWDEN & CO. LTD., 195 Scotland Street, Glasgow, C.5 KEITH BLACKMAN LTD., Mill Mead Road, Totten-ham, N.17

- MATTHEWS & YATES LTD., Swinton, Manchester
- MUSGRAVE & CO. LTD., St. Ann's Ironworks, Belfast
- STANDARD & POCHIN BROS. LTD., Evington Valley Road, Leicester

STURTEVANT ENGINEERING CO. LTD., 25 Worcester Road, Sutton, Surrey


THERMOTANK LTD., Govan, Glasgow

WALKER BROS. (WIGAN) LTD., Pagefield Iron-works, Wigan

FAN **MANUFACTURERS'**

ASSOCIATION LTD.. 23 QUEEN SOUARE, LONDON.

W.C.1



THIS ASSOCIATION SHOULD NOT BE CONFUSED WITH ANY OTHER FAN ASSOCIATION

Its individual members are manufacturers and specialists in all branches of Fan Engineering, such as :

AIR CONDITIONING . HEATING AND VENTILATING . DUST EXTRACTION AND COLLECTION DRYING . FORCED AND INDUCED DRAUGHT . FUME REMOVAL . PNEUMATIC CONVEYING . BLAST FOR FURNACES • MINE VENTILATING -AND WHEREVER FANS ARE USED 106 (Supplement)

ELECTRICAL REVIEW

December 27, 1946

From 40 /- Retail Generous Trade discounts

R.M.R.11 TUBULAR REFLECTOR FIRE

with suitable length of 3 core flex. Polished aluminium reflector reinforced with strong alloy on each side and fixed on anodised tubular frame. The guard over the element is also made from anodised alloy. Whole construction superior and novel. $18'' \times 16'' \times 15\frac{1}{2}''$. I kW '2 kW, 230 250 v, unless otherwise stated. Deliveries excellent but in strict rotation Large Range of Portable and Wall Electric Fires, Radiators, Convector Heaters, Oak Floor Standard and Table Lamps, Fluorescent Lighting Fittings, Electric Frans, Torch Cases, Cycle Lamps, all types of Batteries ('A'' Class), etc. Detailed List available

BROOKS & BOHM LTD.

90 VICTORIA STREET, LONDON, S.W.I. Phone : VICtoria 9550 & 1441

<image>

k this Man.





The Spiral Tube and Components Co. Ltd. Technical Department OSMASTON PARK ROAD, DERBY Head Office - Honeypot Lane, Stanmore, Middlesex L'-hones - Derby 46067-8 Edgware 4658-9 SpiralDerby46067;Spiratucem Phone London





NEXT TIME HELL GET AN ATLAS

Men and women who buy lamps remember the Atlas message because it strikes the right note. That moment of baffled exasperation when a lamp fails—that is the moment when the public is really lamp conscious.

At that moment they remember the Atlas message ... it is always in the right place ... at the right time ... in the leading newspapers and magazines ... on the best poster sites ... in the best dealers windows.

Atlas offer the dealer generous rebates and discounts—without any restrictions. Sales aids include attractive display material and a comprehensive window-dressing service. Give YOUR lamp sales new staying power! Write for Atlas terms today.

ATLAS LAMPS

EXPORT ENQUIRIES WELCOMED



Thorn Electrical Industries Ltd., 105-109 Judd Street, London, W.C.1. Phone : EUSton 1183 Northern Branch : Stevenson Square, Manchester I. Phone : Central 3185 N. E. Depot : 46 Sandhill, Newcastle-on-Tyne I. Phone : Newcastle 24068

TO CONSULT

THE CLAMPING

Speed Tools

TAVIOR 862

December 27, 1946





ELECTRICAL REVIEW

(Supplement) 109



From SMALL to **LARGE**

At Mersey Cable Works, wires, cables and flexibles, insulated with rubber, are made in all sizes for all purposes. Types include: Single, Twin and Multicore, Lead-covered, Armoured, Trailing, Welding, Mining, Varnished Cambric Insulated and H.S.O.S.



MERSEY CABLES meet ALL requirements

MERSEY CABLE WORKS LIMITED, LINACRE LANE, BOOTLE, LIVERPOOL. BOOTLE 2777-8-9



NO.3 INSET MOUNTING

Jusing

Facilities

ELECTRICAL REVIEW

(Supplement) 111



ERG'S HAVE THE URGE TO GO ABROAD

ERG Resistors have an exceptional electrical specification and performance, with mechanical strength.

High-grade Vitreous Enamels used on our Tropical Resistors give long life, and definitely assist in the trouble-free manufacture and performance of Radio Receivers, Television and Test Equipment.


ERG Resistors are processed up to the highest Service Standards at a competitive price.





An unique facility of interest to designers and makers of Control Panels and similar equipment embodying flush mounted instruments, switches, etc. Frontal projection is reduced to one half the overall fuse depth and connections may be made direct into the base ends instead of through the usual back-studs. A simple fixing clip, as illustrated, eliminates the use of visible panel screws, thus facilitating ease of assembly and maintenance. Let us submit a sample mounting. You'll fall for it, sure !

Exclusive to the NEW 5 to 100 amp.





Grip!

with a

The

ELECTRICAL REVIEW

For Safer, Surer Earthing . .

ADVANTAGES:

11

Larger contact surface than any other Earthing Clip. Suitable for all sizes of c on duit. A permanent safeguard against accidents. Coils of wire under tension, therefore a perfect earth 10/6 per doz. Subject to Trade Discount

OBTAINABLE FROM ALL LEADING ELECTRICAL WHOLESALERS

EARTHING

FLMO

AS SUPPLIED TO THE G.P.O. Write for Samples to-

M. MOLE & SON LTD., 51-56 CHARLOTTE ST., BIRMINGHAM 3

THE LIGHT WEIGHT INSULATOR

An ideal material that can be specified with confidence for any job requiring an insulator combining mechanical strength with high dielectrical properties.

Manufactured to B.S.S. 972, 668 and 1137, etc.

Our technical staff can help you with your problems

SPICERS LTD.

19 NEW BRIDGE STREET, LONDON, E.C.4. CENTRAL 4211 Ext.

m



HOW IT IS DONE

'Laying-up' machines fitted with special devices to ensure that the pre-twisted cores of Aberdare Cable are correctly set into place to give uniformity of construction and finish. Just one of the many processes in which the application of really up-to-date methods ensures the consistently high quality and reasonable price of Aberdare Cables.

alberelerre Cerbles

ABERDARE CABLES LTD., NINETEEN WOBURN PLACE, LONDON, W.C.1. Tel: Terminus 2777 Works: ABERDARE, GLAM., SOUTH WALES. 'Phone: Aberdare 416 Specialists in paper-insulated cable for power purposes up to and including 33,000 volts Manufacturers also of P.B.J. cables, Copper Wire and Strand

D,