

# THE BELL SYSTEM TECHNICAL JOURNAL

A JOURNAL DEVOTED TO THE  
SCIENTIFIC AND ENGINEERING  
ASPECTS OF ELECTRICAL  
COMMUNICATION

*EDITORS*

R. W. KING      J. O. PERRINE

*EDITORIAL BOARD*

W. H. HARRISON	O. E. BUCKLEY
O. B. BLACKWELL	M. J. KELLY
H. S. OSBORNE	A. B. CLARK
J. J. PILLIOD	F. J. FEELY

## TABLE OF CONTENTS

AND

## INDEX

VOLUME XXVI

1947

AMERICAN TELEPHONE AND TELEGRAPH COMPANY  
NEW YORK



P. 25/47

P. 363/59  
PRINTED IN U. S. A.

# THE BELL SYSTEM TECHNICAL JOURNAL

VOLUME XXVI 1947

## Table of Contents

### JANUARY, 1947

Development of Silicon Crystal Rectifiers for Microwave Radar Receivers— <i>J. H. Scaff and R. S. Ohl</i> .....	1
End Plate and Side Wall Currents in Circular Cylinder Cavity Resonator— <i>J. P. Kinzer and I. G. Wilson</i> .....	31
First and Second Order Equations for Piezoelectric Crystals Expressed in Tensor Form— <i>W. P. Mason</i> .....	80
The Biased Ideal Rectifier— <i>W. R. Bennett</i> .....	139
Properties and Uses of Thermistors—Thermally Sensitive Resistors— <i>J. A. Becker, C. B. Green and G. L. Pearson</i> .....	170

### APRIL, 1947

Radar Antennas— <i>H. T. Friis and W. D. Lewis</i> .....	219
Probability Functions for the Modulus and Angle of the Normal Complex Variate— <i>Ray S. Hoyt</i> .....	318
Spectrum Analysis of Pulse Modulated Waves— <i>J. C. Lozier</i> .....	360

### JULY, 1947

Telephony by Pulse Code Modulation— <i>W. M. Goodall</i> .....	395
Some Results on Cylindrical Cavity Resonators— <i>J. P. Kinzer and I. G. Wilson</i> .....	410
Precision Measurement of Impedance Mismatches in Waveguide— <i>Allen F. Pomeroy</i> .....	446
Reflex Oscillators— <i>J. R. Pierce and W. G. Shepherd</i> .....	460

OCTOBER, 1947

The Radar Receiver— <i>L. W. Morrison, Jr.</i>	693
High-Vacuum Oxide-Cathode Pulse Modulator Tubes— <i>C. E. Fay</i>	818
Polyrod Antennas— <i>G. E. Mueller and W. A. Tyrrell</i>	837
Targets for Microwave Radar Navigation— <i>Sloan D. Robertson</i>	852
Tables of Phase Associated with a Semi-Infinite Unit Slope of Attenuation— <i>D. E. Thomas</i>	870