

ABSTRACTS SUBJECT INDEX.

Numbers refer to Abstract Numbers. (P) denotes Abstract of Patent Specification.

- Acetone, motor fuel, cold starting, 1901
- Acetylene :
catalytic hydrodimerization, 1067
from olefin-containing gas (P), 417
manufacture (P), 876
recovery from acetylene-diolefin mixture (P), 417
recovery from hydrocarbons (P), 417
styrene from (P), 417
- Acids, fatty, hydrocarbon formation, 1
- Acrylonitrile, manufacture (P), 876
- Active carbon :
activation (P), 417
heat of wetting determination, 1486
- Adsorbent, montmorillonite clay (P), 876
- Adsorption :
measurement on solid-solution interface, 1108
multimolecular mechanics of, 281
- Aerial photography :
trimetrogon, 767-
use in structure mapping, 766, 936
- Agra Dulce, Texas, 1049
- Agriculture, petroleum products in, 1218
- Air, accommodation coefficients, 280
- Aircraft :
British, 157
de-icing, 298
design, 304
in Paris show, 155
power installations, 759, 1121
Spitfire development, 156, 299
twin jet A.W.52, 300
- Alabama :
developments in 1945, 79
Gilbertown oilfield, geology, 1759
W., pre-Selma stratigraphy, 13
- Alaska :
exploration, 173, 1142, 1560-1
petroleum possibilities, 30
- Albania, production, 835
- Aliphatic alcohols, hydrogenolysis, 1298
- Aliphatic chlorides, production (P), 876
- Aliphatic ether alcohols, barium salts (P), 1289
- Alkali-metal oleates, anaerobic fermentation, 1690
- Alkanes, isomerization, 623, 624
- Alkyd resin, manufacture (P), 876, 1689
- Alkylates, analyses, 1488
- Alkylation :
benzene (P), 121
boiling point reduction (P), 727
isobutane, 591, 600, 622
hydrofluoric acid (P), 727, 876
hydrogen fluoride recovery (P), 876
paraffins, 116, (P) 121, 417
isopentane, 622
process (P), 417, 876, 1072, 1202, 1689
- Alkylation—cont.
sludge, sulphur dioxide from (P), 876
thiophene, 621
- Alkylbenzenes :
dehydrogenation, 1190
isomeric, 1301
thermodynamic properties, 285
- Alkylcyclohexanes, freezing point, 1074
- Alkylcyclopentane, freezing point, 1074
- Alkylcyclopropane, preparation, 620
- Alkyl disulphides determination, 632
- Alkyl halides :
separation (P), 1689
sound velocity and absorption, 1704
- Alkylparaffin, manufacture (P), 727
- Alkyl phenols, metal derivatives (P), 121
- Alumina, stabilized (P), 1689
- Aluminium dilaurate :
gels and jellies of, 1313
in benzene, 1910
- Aluminium soaps, water sorption and moisture content, 1899
- Amana, Venezuela, 950
- Amines, aromatic (P), 1072
- Ammonia, from natural gas, 599
- Amylenes, manufacture (P), 876
- Anderson-Prichard, Oklahoma, 1357
- Aniline point determination, aromatics, 649
- Anthracene, oxidation rate, 1306
- Antioch, Southwest, Oklahoma, 1358
- Apollo engine, 1510
- Aratu, Brazil, 1053
- Area, definition, 1014
- Argentina :
Comodoro Rivadaria-Buenos Aires gas line, 1676
petroleum industry, 380, 381, 763
pipeline co-ordination, 1056
petroleum production, 1172, 1452
San Pedro oilfield, 32
- Arizona :
developments, 70, 1747
Grand Canyon geology, 174
Western, Palaeozoic seaways in, 683
- Arkansas :
developments in 1945, 69
discoveries, 1756
gas conservation, 65
Haynesville field, 1619
- Aromatic amine stabilization (P), 1289
- Asphalt :
emulsification (P), 876
rheology, 1092, 1093
- Asphalt-concrete flooring, 668
- Asphalt macadam, road, 667
- Asphaltenes, characteristics, 1086
- Atoms, bonded, electronegativities, 127

- Australia :
 exploration, 695, 1583
 natural gas, 712
 Queensland, Roma, geology, 1789
 stratigraphy, 520
 substitute fuels, 480
- Austria :
 gas discovery, 1152
 petroleum production, 574, 835-6, 1461, 1839
- Azeotropes, purification (P), 1289
- Auricula*, boiler oil used in diesels, 1718
- Aviation fuel. *See* Gasoline, aviation.
- Bacteria, petroleum formation, 54, 222, 821, 1532, 1612, (P) 1047
- Bahamas :
 exploration, 245
 geophysical survey, 1383, 1794
- Bahrain, developments, 1284, 1470
- Barco concession, Colombia, 1834
- Barinas, Venezuela, 513
- Barium *tert*-octyl phenol sulphide (P), 121
- Barrier creams, evaluation, 120
- Bearings :
 dynamically-loaded, performance, 1914
 friction reduction, 1503
 metals for, 1341, 1504
 plain, 143
 failure, 665
 scoring in, 1502
- Beaver oilfield, Kansas, 20
- Bell XP-3 engine, 1512
- Benzene :
 alkylation (P), 121, 876, 1289
 aluminium dilaurate in, 1910
 ethylation, 110
 monoalkylation, 724
 purification by azeotropic distillation, 114
 sound velocity and absorption, 1704
- Benzene derivatives, absorption spectra, 1888-9
- Benzene-toluene, analysis, spectrophotometric, 637
- Benzoates, manufacture (P), 166
- Benzoic acid, from phosgene and benzene, 115
- Benzol :
 forerunnings :
 analysis, 1489
 recovery, 1907
 refining (P), 417, 1072
 wash oil regeneration, 1908.
- Benzonitrile, from toluene-ammonia, 1688
- Benzoyl peroxide, decomposition kinetics, 1867-8
- Benzyl chloride, from chloromethylation of benzene, 118
- Binary mixtures, analysis, spectrophotometric, 637
- Bitumen :
 Mexican petroleum, X-ray diffraction, 1209
 road, specifications, 1217
 manufacture (P), 121, 876
- Blankets, dust-laying oil treatment, 168
- Block, definition, 1014
- Bloomer oilfield, Kansas, 20
- Boilers, domestic, economies, 135, 136
- Bolivar Coastal oilfield, Venezuela, 35
- Bolivia :
 developments, 1529
 exploration, 1453
 petroleum industry, 163
 petroleum production, 495, 571, 711, 1658
- Bollard method for marine drilling, 330
- Bond order, relation to covalent bond distance, 1878
- Border oilfield, Montana, 177
- Borneo :
 oil industry reconstruction, 91
 oilfield geology, 40
 petroleum production, 1856-7
- Boron fluoride, solubility in *n*-pentane, 613
- Bradford, Pennsylvania, 816, 823, 831, 921
- Brazil :
 Bahia, exploration, 382
 developments, 1053
 petroleum production, 496, 1454, 1465, 1655-7
 tectonics, 31
- British Borneo, petroleum production, 1682, 1856
- British Columbia, Alcan Highway, geology, 1766
- Bromobenzene, absorption spectra, 1888
- Brookhaven, Mississippi, 1549
- Brown Bouveri gas turbine locomotive, 316-7
- Burma, developments, 1470
- Burner :
 atomizer (P), 1289
 domestic jet propulsion principle, 1215
 fuel oil, 137-140, (P) 1202, 1689
 locomotive, 1522
 gasoline mantle lamp (P), 1072
 kerosine, 1923, (P) 876
 rotary, servicing, 455
- Butadiene :
 azeotropic distillation (P), 1289
 from alcohol-acetaldehyde, 1911
 from butylene (P), 417
 from ethane (P), 417
 from ethylene-acetylene (P), 1289
 from propene and formaldehyde (P), 1289
 monomeric, stabilization (P), 417
 polymerization, photochemical, 426
 manufacture (P), 876
- 1 : 2-Butadiene, infra-red spectra, 1694
- 1 : 3-Butadiene :
 equilibrium constants of reactions, 424
 infra-red spectra, 1694
- Butane, isomerization, 624
- iso*Butane :
 alkylation, 116, 600, 622, (P) 417, 876, 1289
 alkylation mechanism, 591
 2 : 3-dimethylbutane from, 603
 from *n*-butane, 412-13

- n*-Butane :
 alkylation, 116
 cracking (P), 121
isobutane from, 412-3
 isomerization, 623, (P) 417, 727, 876, 1202
 isomerization with aluminium bromide, 593
- Butene :
 dehydrogenation (P), 876
 interpolymerization, 609
- cis*-2-Butene :
 thermal properties, 730
 vibrational frequency, 1075
- iso*Butene :
 alkylation, 116
 mercury reactions, 1698
 thermal properties, 730
 vibrational frequency, 1075
- trans*-2-Butene :
 thermal properties, 730
 vibrational frequency, 1075
- 1-Butene :
 mercury reactions, 1697
 thermal properties, 730
- 2-Butene :
 azeotropic distillation (P), 1289
 fractionation (P), 1289
 mercury reactions, 1697
- Butylbenzene, freezing point, 1074
- Butylene, butadiene from (P), 417
- iso*Butylene :
 hydrogen chloride addition, 1300
 separation (P), 1289
- Byoritsu, Formosa, China, 1241
- Cables, oil-filled, pressure and oil flow, 1314
- Calcite, selective coloration, 1495
- Calcium stearate, molecular layers, lubricating properties, 900
- California :
 developments in 1945, 71
 drilling practices, 48
 exploration, 242
 Kettleman Hills, new oil zone, 1353
 Kettleman Hills-Lost Hills, gravity survey, 964
 Los Banos sandstones, mineralogy, 14
 North Coles Levee field, 226
 petroleum geology, 505
 pipeline, Kettleman Hills-Los Medanos, 93
 Puente and San Jose Hills, Miocene conglomerate, 14
 Salt Creek oilfield, 78, 770
 Santa Maria :
 crude oil treatment, 1021
 light oil near, 1544
 Ventura Avenue, high pressures in, 1422
 well completions, 1728
 West Newport, geology, 506
 Wilmington oilfield, 769
 sand control, 1405
- Calorimeter :
 flow, for vapours, 1292
 for heat of wetting measurement, 1486
 melting point, 1316
 Cameron engine, 303
- Canada :
 Alberta :
 Brazeau area, 691
 developments, 509, 775, 1171
 gas reserves, 1765
 geophysical survey, 201
 Jurassic-Cretaceous boundary, 21
 Kinsella gas field, 1765
 Leduc oilfield, 1363-4, 1563, 1651, 1762-3
 Lloydminster development, 1764
 Medicine Hat gas field, 1765
 Mildred-Ruth Lakes, bitumen sands, 1362, 1562, 1761
 Muskeg anticline, 692
 North Pinhorn gas field, 1765
 petroleum production, 711, 1833
 Viking gas field, 1765
 Athabaska bituminous sands, 1237
 developments, 87, 1760
 exploration, 1050, 1051, 1651
 Gaspé, exploration, 1050, 1767
 New Brunswick :
 petroleum production, 1831
 Stony Creek field, 1652
 Nova Scotia : exploration, 1050, 1768
 petroleum geology progress, 690
 petroleum production, 922, 1832
 Taber, exploration, 1769
- Candeias, Brazil, 1053
- Cantagallo, Colombia, 1571
- Capillarimeter, precision, 628
- Caquot pressure tanks, 853
- Carbon :
 colloidal, 148
 determination, apparatus, 641
 thermochemistry, 734
- Carbon black :
 electron bombardment effect, 1085
 furnace process, 1116
 halogenation (P), 876
 heat of adsorption, 1290
 impingement process (P), 121
 Micronex, X-ray diffraction, 1209
- Carbon dioxide, accommodation coefficients, 280
- Carbon monoxide :
 accommodation coefficients, 280
 detection, 1317
- Carbon oxides, reduction products (P), 1072
- Carthage, Texas, 1048, 1412, 1551
- Castor oil, Bouveault reduction, 1912
- Catalysis, process (P), 1689
- Catalytic apparatus (P), 1202
- Catalysts :
 activation (P), 1289
 alkoxy aluminium halide (P), 876
 alumina-molybdenum oxide (P), 876
 aluminium (P), 876
 aluminium chloride (P), 876
 aluminium-chloride-kerosine (P), 876

Catalysts—*cont.*

- aluminium halide (P), 417
- aluminium halide-phosphoric acid (P), 417
- amination (P), 876
- bentonite (P), 121
- boron fluoride (P), 417
- boron trifluoride, recovery (P), 417
- corrosion inhibitor (P), 1289
- dehydrogenation activation (P), 417
- Friedel-Crafts (P), 876
- gel (P), 876, 1689
- granular (P), 876
- manufacture (P), 121, 1072, 1289, 1689
- metal oxide (P), 417
- Raney nickel, 629
- ring form (P), 876
- silica-alumina-zirconia (P), 876
- silica gel (P), 1689
- spectroscopic tests, 886
- Catarole process, 472, 726, 872, 1182
- Caustic solutions, gravity and caustic soda content, 481
- Cebu, Philippines, 1584
- Ceram, oil industry reconstruction, 91
- Chicago pneumatic dual fuel engine, 313
- Chile, Spring Hill tests, 779, 780, 832, 949, 1141, 1367-71, 1564-8
- China :
 - exploration, 963
 - Formosa oilfield, 1241
 - oil resources, 1241
 - petroleum production, 1853-4
 - Szechuan field, 1241
 - Tsungari field, 1241
 - Yenchang field, 1471
 - Yuman oilfield, 1241
- Chlorination, McIlhiney, ferrocyanide as reducing agent, 1087
- Coal :
 - hydrogenation. *See* Hydrogenation.
 - pulverized, as fuel, 1908
- Coal tar, discontinuous phase, X-ray diffraction, 1209
- Coal-tar fuel, 200, 662
- Coating composition :
 - manufacture (P), 876, 1689
 - paraffin wax-polyvinyl acetate (P), 727
- Coevorden, Holland, 90, 252, 781, 954, 1672, 1846-7
- Colombia :
 - Barco concession, 1834
 - Cantagallo, 1571
 - El Difícil field, 1571
 - exploration, 246-8, 510, 777-8, 1145-6, 1148-9, 1372, 1569-71, 1771
 - Floresanto, 1571
 - La Salina, 1571, 1770
 - Llanos region, 693
 - petroleum industry, 764, 1660
 - petroleum production, 497, 1455, 1659
 - tectonics, 31
 - Tibu field, 1569-70
 - Velasquez, 1571
- Colorado :
 - Baca Co., Palaeozoic rocks, 16
 - Canon City magnetic survey, 186

Colorado—*cont.*

- developments, 77, 1359
- Golden, geology, 1731
- Gramp's Field oilfield, 15
- Rangely :
 - diamond-bit coring, 526, 793
 - drilling cost reduction, 1244
 - geology, 686
 - structure map, 1140
- Colour lakes from lubricating oil stocks, 908
- Combustion :
 - boiler efficiencies, 454
 - developments in R.N., 930
 - flame propagation, 151
 - fuel oil, 135-6
- gases :
 - in tubes, 151
 - under water (P), 680
- spray particle size, 1083
- Communications, oilfield, 791
- Compressor, free-piston, 915
- Convair XP-81 engine, 1512
- Corrosion :
 - boilers, 583
 - by natural graphite, 898
 - casing, 56
 - causes and prevention, 167
 - drill pipe plastic coatings, 704
 - drilling equipment :
 - protection by plastics, 1389, 1475
 - protection by sodium chromate, 343
 - inhibitors :
 - for brine, 541
 - formaldehyde, 703
 - Kontol, 115, 260, 347
 - manufacture (P), 718
 - sodium chromate, 57, 343, 533
 - pipeline, 1683
 - protection, 98, 257-8
 - plastic coatings, 529, 704, 1389, 1475-6
 - production equipment, 346, 809-10, 1163, 1438, 1609-10
 - protection, 56-7, 260, 346-7, 1408, 1816
 - protective composition (P), 417, 876, 1202, 1289
 - refinery plant, 386
 - protection, 1475-6
 - springs, protection, 1525
 - storage tanks, protection, 1058, 1472
- Cotswold air-screw turbine, 1219
- Cracking :
 - catalysts :
 - bead, coke combustion, 869
 - Filtrol (P), 876
 - manufacture (P), 121, 1202
 - metal oxide-silica gel (P), 876
 - regeneration (P), 876
 - silica-alumina, analysis, 1318
 - catalytic process (P), 876, 1072, 1202, 1289, 1689
 - catalytic, suspensoid, 1866
 - coking unit at Toledo refinery, 107
 - fluid catalytic :
 - catalyst regeneration, 868

Cracking—*cont.*fluid catalytic—*cont.*

naphthas from, 722

technique, 401

U.O.P., 723

Leonard T.C.C. Unit, 1481

natural gas—steam reaction, 590

polyform process, 587-9

process (P), 121, 417, 727, 876, 1289

residual feed stocks, 1066

T.C.C., catalyst replacement, 405

thermal, yield factors, 1186

Thermoform, temperature effect, 1187

Cracking plant :

catalytic :

Houdry reactor, 403

modern, 270

pilot plant at Sunbury, 866

delayed coking unit, 271, 867

fluid catalytic :

automatic control, 400

gas-solid separator (P), 121

small scale, 108

largest, 406

operation (P), 876

T.C.C., 404

commercial, 109

thermal, conversion to T.C.C., 1686

Creole oilfield, Gulf Coast, 1758

Creosote pitch mixture, 662

o-Cresol, high-pressure hydrogenation, 1296

Crude oils :

British, 1213

dehydration plant, 1862

demulsification, 350, 351, (P) 707

deodorization (P), 121

desalting, 351, 391, 580, (P) 417, 876

fluorochemical analysis, 978

gum deposition in treatment, 397

treatment economics, 353

Cuba :

Camagüey, palæontology, 516

petroleum production, 1654

Cunningham oilfield, Kansas, 556

Curve greases, 469

Cut Bank oilfield, Montana, 177

Cutting oil :

manufacture (P), 876, 1289, 1689

sulpho-chlorinated, 904

Cymene, manufacture (P), 121

 β -Cymene, from terpene (P), 121

Czechoslovakia :

developments, 1841-2

natural gas search, 838

petroleum production, 835

D.D.T. *See* Insecticides.

Dakota, South, geology, 687

De Havilland Ghost engine, 674, 1511

Decanes, physical properties, 1291

Dehydrogenation :

catalytic (P), 1072

hydrocarbon (P), 121

Delaware, West Texas, 1552

Delaware-Childers, Oklahoma, 1406

Delhi, Louisiana, 1448, 1547

Denmark, exploration, 1776-7

Desulphurization :

Linde process, 871

process (P), 876, 727, 1689

Detergents :

manufacture (P), 417, 876

refractive indexes, 1700

solubilization of organic liquids, 146

Detonation :

anti-detonants :

lead tetraethyl, 450, 451

manufacture (P), 876, 1202

organic nitrogen, 290, 451

tetraethyl lead, 290

electronic meter, 288, 646

Ethyl Corp'n. research laboratory, 325

fuel chemical structure, 452

intensity determination (P), 417

measurement, multicylinder engine (P), 1202

octane number determination, 437

prevention (P), 417

Dialkylacetylenes, determination, 1325

Dialkylbenzene, dehydrogenation, 1191

Dialkyl naphthenes, geometric configuration, 1883

Dichlorobenzene, absorption spectra, 1887

Dielectrics, rheological properties, 897

Diesel fuel :

boiler oil as, 747

cetane number :

relation to gravity and b.p. index, 453

significance, 456

heavy, 895

lubricant additive (P), 1689

manufacture (P), 1072

prices, 322, 919

sources, 675

supply and demand, 1500

Diethyl ether, motor fuel, cold starting, 1901

Diethylbenzene, physical properties, 612

Dihaloalkanes, manufacture (P), 876

Diisobutane, boron-trifluoride reaction (P), 877

Diisopropyl, manufacture (P), 876, 1202

2 : 2-Dimethylbutane-2 : 3-dimethylbutane, liquid-solid equilibrium, 1309

2 : 3-Dimethylbutane, from isobutane, 600

2 : 2-Dimethylbutane-cyclopentane, liquid-solid equilibrium, 1309

2 : 3-Dimethylbutenes, manufacture (P), 876

1 : 1-Dimethylcyclohexane, infra-red absorption, 1076

cis-1 : 2-Dimethylcyclohexane, infra-red absorption, 1076*trans*-1 : 2-Dimethylcyclohexane, infra-red absorption, 1076

1 : 1-Dimethylcyclopentane, infra-red absorption, 1076

cis-1 : 2-Dimethylcyclopentane, infra-red absorption, 1076*trans*-1 : 2-Dimethylcyclopentane, infra-red absorption, 1076

- trans*-1 : 3-Dimethylcyclopentane, infra-red absorption, 1076
- 1 : 2-Dimethyl-3-ethylcyclopropane, preparation, 620
- 2 : 4-Dimethylpentane, manufacture (P), 727
- Dimethylsiloxane polymers, viscosities, 503
- 2 : 3 : 1' : 8'-Dinaphthalene, 276
- Dispersions, water-in-oil (P), 876
- acid-treated oil corrosion prevention (P), 876
- Distillation :
- azeotropic (P), 876, 1689
 - crude oil, gummy deposits, 397
 - extractive, furfural-water analysis, 658
 - flow controller, proportional, 651
 - fractionating columns :
 - continuous, 1184
 - design, 266, (P) 876
 - plate calculations, 387, 595
 - pipe-still outlet temperature, 584
 - laboratory :
 - apparatus evaluation, 653
 - column head (P), 1072
 - falling-film still, 739
 - fractionation column, 445, 655, 1332
 - product withdrawal, 654
 - vapour-liquid equilibrium still, 635
 - multi-component mixtures, 105
 - pipe still design, 265
 - process (P), 876, 1072
 - superfraction, 605
 - ternary mixtures, 104
 - twenty centuries of, 1185
- District, definition, 1014
- Drilling :
- blowout control, 702
 - cable-tool, 1805
 - California practices, 48
 - casing, stuck, location of, 1387
 - cementing, 216
 - casing rotation, 1011
 - squeeze, 1801
 - coring, diamond-bit, 526
 - costs, 44, 211-2, 1244
 - deep, 1598
 - deepest well, 998, 1634, 1646, 1650
 - diamond, 49
 - directional, 335, 789, 794-5, 1007-8, 1597
 - efficiency and cost, 88
 - Electrodrill method, 1591
 - engineering in, 219
 - gas control, 530
 - high-pressure, mud weight recording, 531
 - horizontal drain holes, 1004
 - kicking, combating, 1595
 - lateral, 522
 - logging, 1155, 1394, 1423, 1808
 - ionizing radiation detection, 1873
 - neutron, 1395
 - thermal, 1396
 - marine, 213, 333, 1000, 1002, 1601
 - bollard method, 46, 330
 - mud removal, 797
 - reverse circulation, 51
- Drilling—cont.
- rock, 1001
 - rotary, 999, 1159, 1594, 1806
 - speed and rock hardness, 45
 - speed, increase by larger drill pipe, 1010
 - testing strata, core freezing, 527
 - thief formation combating, 1595
 - well testing, 1384
 - without pilot hole, 332
- Drilling equipment :
- boiler, hydrostatic (P), 1013
 - barges, 524, 525, 1246, 1385, 1596
 - boiler, 1003
 - cementing, 1247
 - diesel-electric, 525, 787
 - bit :
 - elongated (P), 706
 - reconditioning, 1386
 - rotary (P), 706
 - boiler feed (P), 706
 - brake mechanism (P), 706
 - air-operated, 1005
 - casing, 1245
 - design, 1388
 - moving of, 1249
 - sanding practice, 215
 - stress effect, 1814
 - warm worked, 337
 - casing perforator (P), 52
 - casing support (P), 706
 - cement, hydraulic (P), 706
 - cementing unit, 1407, (P) 1013
 - chain design, 701
 - clamp (P), 1013
 - cooling, separate, 1807
 - core barrel (P), 1013
 - coring, 334, 793, 1391, (P) 1013
 - corrosion protection :
 - formaldehyde, 703
 - plastic, 529, 1475
 - sodium chromate, 343, 533
 - costs, 1600
 - derrick base (P), 1013
 - derricks, muffled, 1390
 - developments, 42, 43
 - diesel-electric auxiliaries, 1802
 - drill collar (P), 706
 - drill holder (P), 1605
 - drill pipe :
 - corrosion protection by plastics, 704, 1389
 - cutting, 1393
 - failure by fatigue, 339
 - fishing, 1393
 - moving of, 1249
 - testing, 338
 - tool to keep free, 342
 - torque strength, 1251
 - yield strength, 214
 - drill pipe rack (P), 1013
 - drill-pipe tester, 1250
 - drive, torque converter, 1248, 1392
 - engines :
 - diesel, 488
 - maintenance, 336
 - selection, 340
 - fishing tool (P), 1013

Drilling equipment—*cont.*

- graph machine (P), 52
 - gun perforator, 528
 - hard formation, 47
 - hydraulic drives, 796
 - inclinomater (P), 1013
 - logging, electrical (P), 706, 1013
 - Magna-Tector, 1387
 - marine, 46, 1006, 1802
 - masts (P), 1202
 - modern, 1593
 - mud pumps :
 - mud compressibility effect, 341
 - piston lubrication, 1604
 - mud screen (P), 706
 - mud weight recorder, 531
 - permeability tester (P), 1013
 - pipe-screwing device (P), 1013
 - pressure recorder (P), 706
 - pump, free, 1811
 - record keeping, 1803
 - rig, 786
 - air-operated, 700
 - Britain's largest, 210
 - heavy, 1599
 - marine, 788 790
 - moving, 1804
 - portable, 521, 523, (P) 706
 - unitized, 331
 - rotary :
 - design (P), 706
 - developments, 42
 - rotary swivel (P), 1013
 - setting and releasing tool (P), 706
 - shooting plug, 1009
 - slips (P), 706
 - slush pump, 50
 - slush tube (P), 706
 - tubing, torque strength, 1251
 - water locator (P), 706
 - water loss reduction (P), 1013
 - well radioactivity measurement (P), 706
 - wire ropes, 1245
 - maintenance, 1252
- Drilling mud :
- barite recovery, 532
 - carboxymethylcellulose in, 217
 - clay chemistry, 1160
 - filtration control, 1397
 - hydrocarbon detection, 744
 - manufacture (P), 1072
 - oil-base, 218, 1399
 - selection, 1400, 1810
 - starch in, 1603
 - testing, 1809
 - treatment, 705, 1398
 - yield value determination, 442
- Drying oils :
- from wool wax acids, 1913
 - gelling of, 1508
 - manufacture (P), 1289
- Dukhan, Qatar, 1284
- Dust-laying oil :
- application to fabrics, 168
 - manufacture (P), 121

East Guara, Venezuela, 515

East Indies :

- developments, 1856-7
 - oil industry restoration, 91, 714
 - oilfield geology, 40
 - petroleum geology, 1682
 - reef coral evolution, 39
- Ecuador :
- exploration, 511
 - oil operations, 1661
 - petroleum production, 572
 - tectonics, 31
- Upper Cretaceous and Paleocene micro-palaeontology, 33
- Egypt :
- developments, 1470
 - exploration, 518, 782, 1284, 1376-7, 1576
 - petroleum production, 848
- El Difical, Colombia, 1571
- Electrodrill drilling method, 1591-2
- Electron scattering by hydrocarbon films, 126
- Emersol process, 725
- Emulsifiers :
- industrial, 874, 1229
 - manufacture (P), 1072
- Emulsion :
- bituminous :
 - adhesivity increase (P), 1289
 - manufacture (P), 876
 - demulsification, 350, 351, 799, (P) 417, 727
 - industrial, 467, 468
 - oil-in-water, chemical resolution, 804
 - testing, 740
- Engines :
- aircraft, 759, 301-2, 305-6
 - Apollo, 1510
 - British, 159, 161, 1711-2
 - Cameron, 303, 484
 - cold starting, 485
 - Cotswold turbine, 1219
 - De Havilland Ghost, 674, 1511
 - ejector performance, 297
 - fuel systems, 296
 - Goblin, 1509
 - in Paris show, 160
 - Pratt and Whitney Wasp, 1340
 - Rolls-Royce Eagle, 911
 - Rolls-Royce Nene, 760
 - selection, 1121
 - supercharged, operation (P), 1689
 - Theseus, 912
 - Thornton research laboratory, 1228
 - U.S.S.R., 486
 - bearing metals, 1341
 - bearing, research, 1227
 - C.A.V.—Ricardo pintaux nozzle, 1917
 - Chicago pneumatic duel fuel, 313
 - compression-ignition :
 - fuels and lubricants, 675
 - Harland and Wolff, 1918
 - low-temperature starting, 914
 - Ruston high-power, 1919
 - Waukesha-Hesselman, 916
 - cylinder bore wear, 913
 - cylinder liner, 1524

Engines—*cont.*

cylinder temperature measurement, 1220
 cylinders, chromium-treated, 1119
 diesel :
 cold starting, 308, 310
 combustion in, 309
 exhaust-smoke measurement, 490
 fuel consumption, 134
 German, 311
 heavy oils for, 875
 opposed piston, 312
 Polar, 761
 supercharged, 307
 testing, 1519
 Thornycroft marine, 1520
 use in oil industry, 488
 Ethyl Corpn. research laboratory, 325
 exhaust, smoke cause, 1517
 exhaust gases, analysis, 1497
 Fedden, 154
 filters, oil, 1113
 fouling by lubricants, 1114
 free-piston, 314, 915
 fuel consumption and power output, 743, 884
 gas turbine, 1224
 American, 1512
 British, 315
 "can" combustion chamber, 1223
 ceramics in, 150
 efficiencies, 1715, 1922
 for bunker C fuel, 491
 fuels and lubricants, 1214, 1903
 G.E.C., 1714
 generator, 917-18
 locomotive, 316-17
 marine, 1225, 1920
 Napier Naiad, 1713
 performance calculation, 1122
 Metrovick, 1222
 thermodynamics, 1523
 Hercules 2000 h.p., 153
 high-compression, 1498
 internal combustion :
 breaking-in (P), 1072
 cold starting, 489, 914
 silencing, 1120
 water injection, 487
 water temperature, 1516
 internal combustion-gas turbine, 1226
 Leonides, 158
 loop-scavange, 1514
 manifold, gas vibration analysis, 1916
 marine :
 opposed piston, 152
 Ruston, 1521
 oil consumption reduction, 753
 Petter-Fielding, 1221
 piston assembly (P), 1689
 Polar two-stroke, 1515
 research, photographic, 1513, 1717
 rocket, 1716
 turbo-jet, thermal analysis, 1123
 wear, filter effect, 1915
 wear reduction, chemical treatment, 752

Esteramides, sub-resinous (P), 1289
 Esters, reduction by sodium, 607
 Ethane :
 butadiene from (P), 417
 dehydrogenation, 1190
 Ethene, decomposition, 1203
 Ethyl alcohol :
 dehydration (P), 1689
 motor fuel, cold starting, 1901
 Ethylbenzene :
 from ethylcyclohexane (P), 417
 manufacture, 601, (P) 1202
 solubilization, 1702
 styrene from, 597, 604, (P) 1202
 vibrational frequencies, 1081
 Ethylcyclopentane, vapour pressure and density, 1311
 Ethylene :
 alkylation (P), 876
 oxidation, 421-3, (P) 727
 propylene from (P), 417
 polymerization (P), 417, 1072, 1202, 1689
 thermal properties, 730
 vibrational frequency, 1075
 viscosity measurement, 1487
 Ethylene oxide, structure, 617, 878, 1078, 1691-2
 3-Ethyl-5-methylpyridine, 1303
 Europe :
 Carpathian oilfields, 38
 Central, oil economics, 1151
 petroleum imports, 1234
 petroleum production, 835
 Fatty acids. *See* Acids, fatty.
 Fault block, definition, 1014
 Field, definition, 1014
 Film thickness, radiographic measurement, 1494
 Filtration :
 colloidal graphite, 463
 pre-coat (P), 417
 Filtrol catalyst (P), 876
 Fires, extinguishing, 728, 1199-1201
 Fischer-Tropsch process :
 catalyst :
 activity, 736, 737
 analysis, 657
 cobalt-thoria-magnesium, 1870
 developments, 409, 602
 German developments, 1871
 improvements (P), 876
 Japanese developments, 1344
 methane participation, 736, 1195
 synthesis gas production, 289
 with ketene, 627
 Flame-thrower fuels :
 gelled petrol, 483
 Napalm thickener, 670
 Floresanto, Colombia, 1571
 Florida :
 geology, 940
 developments in 1945, 79
 north, geology, 176
 Sunniland oilfield, 176

- Flow :
 inhomogeneous, behaviour of macro-molecules, 278
 plastic, 428-30
- Fluid flow :
 chart for pressures, 97
 flowmeters :
 calorimetric, 1876
 pulsation errors, 415
 forced oscillations in tubes, 1518
 gas through ideal porous media, 1425
 gas-condensate reservoirs, 1162, 1163
 in rough tubes, turbulent, 1205
 in sands, temperature effect, 802
 in tubes, 883
 in water and oil strata, 183
 maximum flow determination, 119
 percolation through porous media, 1253
- Fluid solids, utilization (P), 1289
- Fluids, solid and gaseous, contacting (P), 1202
- Flushing oil (P), 1202
- Foam inhibited oil (P), 417, 876
- Fog :
 artificial (P), 1202
 dispersal, 502
- Formation, definition, 1014
- Formosa, China, 1241
- Fractionating column. *See* Distillation.
- France :
 Aquitaine basin, 37
 developments, 1778
 exploration, 839, 840, 1240
 gas exploitation, 1844-5
 Gensac oilfield, 953
 locomotive conversions to oil, 765
 natural gas, production, 1240
 Pechelbronn, developments, 1843
 petroleum production, 835
 refinery restoration, 1531
 storage repair, 853
 substitute fuels, 499-500
- Friction, abrasion and, 1109
- Fruit, waxing (P), 876
- Fuel oil :
 burning, 137-40
 burning index, 894
 carbon-hydrogen ratio, 1499
 combustion, 135-6
 creosote-pitch mixture, 662
 for high temperature processes, 661
 manufacture (P), 1689
 prices, 322, 919, 1719
 properties, 660
 refinery, 896
 utilization in Great Britain, 1343
- Fuels :
 gas turbine, vaporization, 420
 gaseous, combustion under water (P), 680
 prices, 1719
- Furnace :
 domestic, jet propulsion principle, 1215
 fuel oil, efficiency, 135, 136
- G.E.C. gas turbine, 1714
- Ganzo Azul, Peru, 1573
- Gas oil :
 bubble points, 420
 dew points, 420
- Gas turbine fuels, vaporization, 892
- Gas turbines. *See* Engines.
- Gases :
 accommodation coefficients, 128
 adsorption apparatus, 652
 analyser (P), 1202
 catalytic reactions (P), 876
 combustion in tubes, 151
 cracked, hydrogen sulphide removal, 402
 dangerous, detector (P), 1289
 farm manure, 1230
 fuel, under-water combustion (P), 680
 high-temperature, recovery of particles (P), 417
 hydrate forming component removal (P), 1202
 hydrogen sulphide, determination, 647
 pumping, pulsation dampening (P), 727
 refinery, oxygenated chemicals, 478
 separation (P), 1689
 solids separation (P), 121
 sulphur determination, 648
 sulphur dioxide separation (P), 727
 temperature, pseudo-critical, 1819
- Gasoline :
 aromatics determination, 644, 1320
 aromatics extraction (P), 1289
 aviation :
 alkylate-hydropolymer content, 274
 containing hydrindene (P), 121
 manufacture (P), 121, 417, 727, 876, 1202, 1289, 1689
 bubble points, 420
 catalytic reforming (P), 1202
 copper strip corrosion tests, 1705
 cracked, bromine number reduction (P), 121
 desulphurization, catalytic, 275, 1192
 dew points, 420
 dispensing system (P), 417
 gelation, 483
 Napalm thickener, 670
 gum inhibitor (P), 1289
 hydroforming process, 410, (P) 1289
 hydrogen disproportion, 1287, 1480
 inhibitor (P), 417
 iron pentacarbonyl determination, 1490
 isomerization, 598
 knock-rating, *n*-heptane reference fuel, 132
 leaded, tributyl phosphite addition (P), 876
 manufacture (P), 121, 727, 1072
 molecular weight correlation, 123
 naphthenes determination, 1320, 1321
 octane number and peroxide content, 448
 octane rating trends in U.S.A., 1100
 olefins determination, 645
 olefins removal (P), 417
 paraffins determination, 1321

Gasoline—*cont.*

- polyforming, 273
- spectroscopic study, 438
- stabilization (P), 1072
- sulphur compounds, 449
- sulphur determination, 643
- synthesis (P), 1689
- Synthol process, 1484
- tests, laboratory *v.* performance, 888
- tetraethyl lead, microdetermination, 1319
- toluene from (P), 1202
- United States, quality and supply, 1131
- viscosity, 106
- 100-octane, vaporization, 892
- See also* Motor fuel.
- Gaspé, Canada, 1767
- Gaza, Palestine, 1378
- Gear-boxes, pre-selective, lubrication, 901
- Gears, hypoid, 470
- Geletrol, 483
- Gelled oils (P), 876
- Gensac, France, 953
- Geochemical prospecting :
 - developments, 184
 - disturbing factors, 981
 - method (P), 41
- Geochemistry, processes in Permian deposits, 1243
- Geologists, services in wartime, 9
- Geology. *See* Petroleum geology.
- Geophysical surveying :
 - amplifier, resistance-coupled, 202
 - case history publication, 11
 - data use improvement, 328
 - developments, 1790, 1792
 - electrical, 975
 - field of oscillating dipole, 976
 - electromagnetic waves in, 977
 - fluorescent surveys, 200
 - geophone (P), 698
 - gravimetric, 201, 1380
 - airborne, 1382
 - ambiguity in, 979
 - anomaly solution, 972
 - submarine : 784, 980
 - tripod for, 1588
 - zerodrift error, 995
- logging :
 - electric, 1155
 - radioactive, 1800
- magnetic, 1586
 - over igneous pipes, 186
- magnetometer, airborne, 197-9, 697, 982, 1381, 1383, 1795
- marine, radar in, 1796
- micromagnetic, structural correlation, 1156
- oblique reflection, data analysis, 187
- organization, 208, 970
- precision radar, 203
- principles for determining surface conditions, 1791
- radioactivity, interpretation and application, 1157
- radiographic, 1797

Geophysical surveying—*cont.*

- reflection shooting, well velocity data, 992, 993
- refraction, developments, 965
- refraction shooting, continuous profiling, 983
- Resistology method, 967
- seismic :
 - airplane noise interference, 985
 - correlation refraction, 984
 - cross-section plotting, 195
 - data review and analysis, 192
 - depth-displacement slide rule, 973
 - detonation velocity, 974
 - distortion testing, 188
 - elastic waves, 988
 - explosive hazards, 989
 - path curvature effect, 190
 - plane waves, 986
 - portable equipment, 1589
 - Raleigh waves, 987
 - refraction technique, 1158, 1798
 - refractive wave reflection, 191
 - repeated *P*-waves, 189
 - salt column depth, 991
 - shot point procedure, 994
 - structural correlation, 1156
 - surface topography effect, 990
 - velocity-depth relationship, 196
- seismometer (P), 698, 996
- selection, 971
- soil-air ion measurement, 193
- techniques, 1585
- torsion balance, 204
 - inundated areas, 1799
 - trends in, 209
- U.S.A., 1587
- world activity, 205
- Georgia :
 - developments in 1945, 79
 - exploration, 938
- Germany :
 - fuel technology reports, 1339
 - hydrogenation plants, 117
 - lubricants, storage and distribution, 666
 - lubricating oil technology, 292
 - oilfield developments, 89
 - petroleum industry, 162
 - petroleum production, 835, 1173, 1673-4
 - Reitbrook oilfield, 1779
 - rockets, 1236
 - synthesis developments, 870, 1871
 - technical reports, 673, 910
- Ghost engine, 674, 1511
- Gilbertown oilfield, Alabama, 1759
- Glycerides, Bouveault reduction, 1912
- Goblin engine, 1509
- Gold Coast, exploration, 1785
- Gramps Field, Colorado, 16
- Graphite :
 - corrosion by, 898
 - n*-heptane absorption film, 122
- Great Britain :
 - Catarole plant, 472, 726, 872, 1182
 - crude oil, 1213

Great Britain—*cont.*

- exploration, 251, 519, 837, 1774-5, 1840
- fuel oil developments, 1343
- geosynclines, 952
- largest drilling rig, 210
- oil equipment industry, 929
- oilfield geology, 36
- Petrochemicals Ltd. plant, 1182
- petroleum Acts, chemical aspects, 1893
- petroleum chemical plants, 872, 873, 905, 1069
- petroleum production, 835
- petroleum trade, 324, 676-7, 923-8, 1129, 1233, 1342, 1927-8
- storage, wartime, 854
- Group, definition, 1014
- Guario oilfield, Venezuela, 1838
- Guatemala, oil possibilities, 512
- Guico oilfield, Venezuela, 1838

Haiti, exploration, 1578

Harris Co., Texas, 27

Hawkins oilfield, Texas, 178

Haynesville field, Louisiana-Arkansas, 1619

Heat exchange :

- coefficients for vapour condensation, 596
- control (P), 1689
- fluid and porous solid, 1295
- low temperature, 1864

Helium :

- accommodation coefficients, 280
- pipeline transport, 100

*cyclo*Heptane, heat of combustion, 1293*n*-Heptane :

- absorption film on graphite, 122
- heat capacities, 1292

Hexachloro*cyclo*hexane, insecticide, 482

Hexane :

- isomerization (P), 121
- isomers :
 - critical constants, 625
 - thermal data, 610

*cyclo*Hexane :

- heat capacity, 619
- heat of combustion, 1293
- infra-red absorption, 1076, 1696
- manufacture (P), 876

*cyclo*Hexane carboxylic acid radioactivity effect, 626*n*-Hexane, film coefficients, 434

1-Hexane, isomerization, 111

*cyclo*Hexyleicosanes, preparation, 1297*cyclo*Hexylidane, 1485

Holland :

- Coevorden oilfield, 90, 252, 781, 954, 1672, 1846-7
- petroleum production, 252, 835
- refineries in, 1183

Houdry catalytic cracking reactor, 403

Howard, Oklahoma, 1550

Hub-web greases, 469

Huleikat, Palestine, 1378

Hungary :

- developments, 1462
- exploration, 1153, 1579

Hungary—*cont.*

oilfield geology, 38

petroleum production, 835, 1462, 1465, 1848

Hydraulic oil (P), 876, 1202

Hydrocarbons :

- aliphatic, synthesis, 592
- aliphatic-cyclic, dehydrogenation, 1190
- alkylates, analyses, 1488
- analysis :

- by relative light dispersion, 444
- spectroscopic, 443, 637, 639, 642, 1328-30

aromatic :

- alkylation (P), 417, 727, 876, 1202, 1689

Antoine vapour-pressure equation, 1082

Catarole process, 472, 726, 872, 1182

*cyclopent*ylation, 1068

determination in gasoline, 644

extraction (P), 417

from petroleum, 1869

high-pressure hydrogenation, 1296

isomerization (P), 727

manufacture (P), 121, 727, 876

molecular volumes, 124

nitration (P), 876

oxidation rate, 1306

butadiene extraction (P), 1202

carcinogenic activity, 1306

catalytic treatment (P), 876

catalytically active material removal (P), 1289

condensation products (P), 876

conversion (P), 876, 1202, 1689

 C_2-C_7 , separation (P), 876 C_4 , extractive distillation (P), 417 C_6 diolefines, separation (P), 1202 C_nD_{2n+2} , infra-red spectrum, 1208

dehydrogenation (P), 876

diene, polymerization, 732

diolefin :

aliphatic conjugated (P), 121

concentration (P), 1289

conjugated, determination, 638

dimerization (P), 1289

from pentenes, 615

manufacture (P), 417, 876, 1072, 1202, 1289

electrolytic solutions in, 279

entropy, 735

fluorine removal (P), 1289

halogenated (P), 1202

heats of formation, 735

high molecular weight air oxidation, 408

hydrocodimers, analyses, 1488

hydrogen fluoride removal (P), 1289

hydrogen sulphide removal (P), 1202

low-boiling :

physical constants, 427

synthesis, 630

mass spectra, temperature effect, 1701

mono-olefin :

diolefins from (P), 417

manufacture (P), 1689

polymerization (P), 417, 876

Hydrocarbons—*cont.*

naphthene :

- alkylation (P), 417
- dehydrogenation (P), 876, 1289
- heat capacity, 619
- oxidation (P), 1202

non-benzenoid, conversion (P), 876

notation, 1884

olefin :

- alkylation (P), 1289
- autoxidation, 1188
- catalyst activation (P), 417
- conversion (P), 876
- dehydrogenation (P), 1289
- determination in gasoline, 645
- formaldehyde reaction (P), 1689
- gaseous, determination, 1327
- hydration (P), 1072
- isomerization (P), 876
- manufacture (P), 1289
- oxidation, 1886
- polymerization (P), 121, 727, 876, 1072, 1118, 1689
- structure and peroxidation, 733
- unsaturated alcohols from, 1188
- vibrational frequencies, 1075

cycloolefinic (P), 876*tert.*-olefins, separation (P), 1689

paraffin :

- alkylation, 116, (P) 1289
- branched chain (P), 1689
- from synthetic gasoline, 721
- isomerization (P), 121, 417, 1072, 1202
- "long chain frequency," 1208
- manufacture (P), 727, 876
- solubility, 1699
- unsaturateds separation (P), 1202

cycloparaffin, hydroaromatic (P), 1689*isoparaffin* :

- alkylation (P), 121, 417, 876
- liquid (P), 121
- manufacture (P), 121, 727

n-paraffin, isomerization (P), 1689

paraffin/oxygen, oxidation reaction, 418

polycyclic aromatic, alkylation to synthetic lubricants, 1102

pure :

- maintenance of standards, 879
- specific dispersion calculation, 631
- standard samples, 729
- viscosities, 608

purification, 1074

research by U.O.P. Co., 616

smoke tendency, 125, 431

solubilization, 1702

standard :

- freezing point and purity, 286
- purification and sealing, 284

thermodynamic properties, 432, 433, 755, 880

See also individual hydrocarbons.

Hydrocodimers, analyses, 283, 1488

Hydrocol process for petroleum chemicals, 1906

Hydrofluoric acid, for desalting crude (P), 417

Hydroforming, 410

Hydrogen :

- accommodation coefficients, 280
- detection in submarines (P), 1289
- determination, apparatus, 641
- manufacture, 603, (P) 1072
- sorption on alumina, 1310

Hydrogen halide, distillation (P), 1689

Hydrogenation :

- catalyst, for sulphurous oils (P), 876
- coal, Germany, 117, 1871
- process (P), 417, 1072, 1289

Hypercal laboratory fractionation column, 398

Hypersorption process, 1338

Hypoid gears, 470

Illinois :

- developments, 1737
- McClosky oilfield, 235
- Mattoon oilfield, 771
- Patoka oilfield, 235
- Siggins oilfield, 235

Incendiaries, smoke tendency, 125

Indane, alkylation, 1485

India :

- developments, 850, 1786
- petroleum production, 1470

Indiana :

- developments, 1737
- petroleum production, 1546

Insecticides :

aerosols :

- for mosquitoes and houseflies, 474
- heat-generated, 473

D.D.T. :

- determination in dusts and oils, 650
- preparation, 672
- synthesis, 1507

1 : 1-Dihalopropene (P), 1289

hexachlorocyclohexane, 482

manufacture (P), 1689

isoparaffinic (P), 876

petroleum, 1218

Insulating oil :

- cable, spreading measurement, 131
- manufacture (P), 1202

Interfacial tension, measurement, centrifugal method, 1094

Interval, definition, 1014

Iodobenzene, absorption spectra, 1888

Iran :

- developments, 1470
- oil prospects, 181
- oilfield geology, 181
- petroleum production, 253, 575-6, 849, 1176, 1285, 1466-9, 1677-80
- petroleum reserves, 1755
- wartime labour, 1065

Iraq :

- developments, 1470
- pipeline, 715

Iron pentacarbonyl determination, 1490

Isomate isomerization process, 111, 411

Isomerization :

- aliphatic hydrocarbon synthesis, 592
- n*-butane by aluminium bromide, 593

Isomerization—*cont.*

- butane plant conversion to polymeriza-
tion plant, 586
- C₄ fraction (P), 121
- gasoline, olefinic, 598
- hexane, 111, (P) 121
- Isomate process, 111, 411
- paraffins (P), 121, 417
- pentane, 112, (P) 121
- pretreatment (P), 121
- Shell vapour-phase process, 412-3
- U.O.P. unit, conversion to polymeriza-
tion, 1189, 1482
- water removal (P), 876

Isoprene :

- from propylene (P), 417
- from trimethylethylene (P), 417
- infra-red spectra, 1694
- manufacture (P), 876

Italy :

- exploration, 841, 1465
- oil research, 321
- petroleum industry, 501, 1130
- road bitumen specifications, 1217

Itaparico, Brazil, 1053

Jackson, Texas, 1360

Japan :

- oilfields, 1242
- petroleum production, 851, 1681, 1787,
1855
- petroleum reserves, 852
- rockets, 1236
- synthetic oil, 1344
- Teshio discovery, 1783

Jarahuca, Cuba, 1654

Java :

- isostatic anomalies south of, 969
- oil industry reconstruction, 91
- oilfield geology, 40

Jet engines. *See* Engines : gas turbines.

Jet propulsion, energy evolution, 882

Jutland, exploration, 1580

Kansas :

- Beaver oilfield, 20
- Bloomer oilfield, 20
- central :
 - geology, 1734
 - Ordovician limestones, 1354
- crude oil-stratigraphy relationship, 507
- Cunningham oilfield repressuring, 556
- developments, 74, 1736
- Kraft-Prusa oilfield, 20
- pre-Cambrian hills, 20
- Sedgwick Co., Kinderhook dolomite, 18
- Silica Arbuckle field recovery-well
spacing relation, 369
- Siluro-Devonian strata, 19

Katy field, Texas, 26

Kentucky, developments, 75, 1744

Kerosine :

- bubble points, 420
- dew points, 420
- inhibitor (P), 417
- molecular weight correlation, 123
- vaporization, 892

Ketones :

- aliphatic (P), 1072
- oxidation (P), 876
- unsaturated (P), 1289
- Kettleman Hills, California, 1353
- Kevin oilfield, Montana, 177
- Kinsella gas field, Alberta, 1765
- Knock-rating, aviation fuel, oxygen
boost method, 1315
- Kontol 115 corrosion inhibitor, 260, 347
- Koppers gasification process, 1194
- Kraft-Prusa oilfield, Kansas, 20
- Kurnub, Palestine, 1378
- Kuwait :
 - developments, 1284, 1926
 - petroleum production, 1852

La Gloria, Texas, 997, 1049

La Salina, Colombia, 1571, 1770

Langlie Unitized repressuring project,
367

Laochionmiao, China, 1241

Latent heat, power laws of, 1206

Lead alkyl compounds (P), 876

Lead tetraethyl, anti-detonant, 450, 451

Leduc, Canada, 1363-4, 1563, 1651,
1762-3Lignite, gasification, Koppers process,
1194

Linde copper sweetening process, 871

Lindsay, Oklahoma, 1356

Linoleates, manufacture (P), 166

Linseed oil, Bouveault reduction, 1912

Liquefied petroleum gas :

- applications, 762
- developments, 447
- dispensing system (P), 121
- supply and demand, 1231
- uses and trends, 1097

Liquid delivery, apparatus, 1322

Liquid volume, temperature conversion,
1477

Lloydminster, Alberta, 1764

Lobata, Brazil, 1053

Locomotives :

- French, conversion to oil, 765
- fuel oil burner, 1522
- gas turbine, economics, 1921

Loma Alto-Seven Sisters, Texas, 967

Los Banos, California, 14

Los Cerritos, Venezuela, 514

Louisiana :

- Delhi oilfield, 1448, 1547
- developments in 1945, 69, 72
- Erath, salt water disposal system, 64
- Gulf Coast, developments, 1757
- Haynesville oilfield, 1619
- north, discoveries, 1756
- submarine exploration, 783

Lovell Lake, Texas, 966

Lubricants :

- additives, 1110, 1114
- graphite, filtration, 463
- manufacture (P), 121, 417, 876, 1202,
1289, 1689
- air bubble rise in, 1101
- antifricition (P), 1289

Lubricants—*cont.*

- Clock (P), 876
 - corrosion inhibitor (P), 1289
 - crankcase, ageing tests, 130, 440, 441
 - desulphurization (P), 727
 - deterioration cause, 461
 - distillation, vacuum, 113
 - electrical properties, 459
 - engine, compression-ignition, 675
 - films, fluidity measurement, 1112
 - foam suppression, silicone compounds, 1687
 - gas turbine, 1214, 1903
 - German developments, 292
 - graphited, running-in, 1336
 - instrument (P), 876
 - heavy duty, engine testing, 291
 - manufacture (P), 417, 727, 1072, 1202, 1289, 1478, 1689
 - molecular weight correlations, 123
 - motor, filtration, 1113
 - oleophobic films, 899, 1312
 - optical properties, 459
 - oxidation: 1110
 - inhibitor (P), 417
 - physical properties: 663
 - and chemical constitution, 457
 - pour-point depressants (P), 1289
 - reclaiming (P), 1689
 - sludge removal (P), 1689
 - solvent extraction, 748
 - furfural, 1479
 - stage estimation, 1491
 - synthetic, 1102, (P) 417
 - testing, 750
 - engine, 1706
 - four-ball machine, 435
 - laboratory *v.* performance, 888
 - thin films, detection by radiography, 1494
 - used, filters, 141
 - viscosity, 1106, 1110, 1710
 - dependence on composition, 458
 - improvement (P), 121
 - index, 742
 - winter-grade, tests, 1905
- Lubricating emulsions, 467, 468
- Lubricating greases:
- aluminium, 144, (P) 876
 - curve, 469
 - hub-wedge, 469
 - manufacture (P), 876, 1072, 1202, 1289, 1689
 - strontium, 751
 - viscosity characteristics, 133
- Lubrication:
- adsorbed films, diffraction patterns, 1904
 - adsorbed layer action, 1108
 - bearing: (P), 876
 - plain, 143
 - boundary, production, 1502
 - coefficient of rolling friction, 465
 - development, 460
 - friction and wear, 1109
 - gear, selective (P), 680
 - gear-boxes, pre-selective, 901

Lubrication—*cont.*

- hydrodynamic, 1103
 - oil spread, 462, 754
 - pads for (P), 680
 - Reynolds equations, 1104, 1105
 - steam turbines:
 - demulsibility significance, 1216
 - oil cooling function, 466, 902
 - rusting, 1709
 - turbines, 755
 - vade mecum, 142
- McClosky, Illinois, 235
- McIlhiney chlorination, ferrocyanide as reducing agent, 1087
- Magna-Tector, 1387
- Manchuria, Fushun oil shale, 1241
- Maracaibo, Venezuela, 1670
- Marketing, world oil, 1527
- Mata Grande, Venezuela, 1669
- Mattoon, Illinois, 771
- Medicine Hat gas field, Alberta, 1765
- Mene Grande, Venezuela, 35, 515
- Mercaptans:
- manufacture (P), 1289
 - vapours disposal, 1302
- Metal sulphonates, dry, manufacture (P), 1289
- Metering, fluid (P), 718
- Methane:
- accommodation coefficients, 280
 - chlorides (P), 876
 - conversion, 875
 - motor fuel, 165
 - reagent in Fischer-Tropsch process, 1195
- Methane-*n*-butane, phase equilibria, 731
- Methane-*n*-butane-decane, phase equilibria, 614
- Methane-ethane, expansion, 446
- Methyl groups, barrier values, 277
- 3-Methyl-butyl 2-ethyl-hexyl orthophosphate, aromatic amine salt (P), 876
- Methylcyclohexane:
- heat capacity, 619
 - infra-red absorption, 1076
 - vapour pressure and density, 1311
- Methylcyclopentane:
- infra-red absorption, 1076
 - vapour pressure and density, 1311
- 2-Methyl-1-heptene, infra-red spectra, 1695
- 6-Methyl-1-heptene, infra-red spectra, 1695
- Methylpentane, isomerization (P), 727
- Methylthiophene, physical properties, 618
- Metrovick jet engine, 1222
- Mexico:
- exploration, 699, 1545
 - Government oil organization, 494
 - oil industry, 1052
 - Pemex developments, 1147
 - petroleum production, 244, 711, 1451, 1653
 - well completions, 710

Michigan :

- Afton-Onaway area, 772
- developments, 73, 1738
- oil geology, 1548
- southeastern, geology, 685

Middle East :

- developments, 1284
- oil industry, 713
- petroleum reserves, 1575, 1780

Mikhailovsky, U.S.S.R., 785

Mildred-Ruth Lakes, Canada, 1362, 1562, 1761

Mioerhkwow, China, 1241

Mississippi :

- Brookhaven field, 1549
- developments in 1945, 79
- marine sediments, 944
- Permian basin production, 943
- salt domes, geophysical history, 942
- Missouri, oil and gas possibilities, 773

Mixtures, two-component, separation (P), 1204

Molecular weight :

- correlation with physical properties, 123
- determination, 129, 439, 476, 738, 1324
- theory, 885, 1079

Molecules :

- entropy, 1887
- vibrational frequency determination, 1081

Monoalkylacetylenes, determination, 1325

Monoalkylbenzenes :

- dihydrogenation, 1191
- from benzene alkylation, 724

Monomeric formic acid, infra-red spectra, 1878-9

Montana :

- central and N.W., geology, 1732
- developments, 77, 1359
- Judith Basin, 22
- Jurassic-Cretaceous boundary, 21
- oilfield geology, 177

Moore oilfield, Oklahoma, 1741

Morocco, French, petroleum production, 1851

Motembo, Cuba, 1654

Motor fuel :

- breaking-in (P), 1072
- detonation behaviour, electronic indicator, 646
- gas, farm manure, 1230
- manufacture (P), 1202
- methane, 165
- stabilization (P), 876
- substitute :
 - cold starting, 1901
 - in Australia, 480
 - in France, 499, 500
 - testing, engine, 1706

See also Gasoline.

Motor Industry Research Association, 758

N.F.B. displacement pump, 546

Napalm gelling agent, 670

Naphtha :

- aromatics removal (P), 417
- conversion (P), 417
- desulphurization (P), 417

Naphthalene, high-pressure hydrogenation, 1296

Naphthalene-tetralin-decalin, analysis, 1326

Naphthenates, manufacture (P), 166

Naphthenic Acids :

- distribution in gas oil, 1885
- radioactivity effect, 626

Napier Naiad engine, 1713

Natural gas :

- ammonia from, 599
- analysis :
 - A.S.T.M., 1091
 - mass spectroscopy, 1492
- dehydration, 891
- deviation from Boyle's law, 425
- gasoline recovery (P), 1689
- mobile laboratory for, 1098
- oxygenated chemicals, 478
- purification, 1099
- storage, in buried pipes, 745
- sulphur recovery, 931
- synthesis of hydrocarbons, 289
- thermal conductivity, 134
- transport cost, 384
- treatment plant, direct-fired oil heater, 262

volume conversion, 811

United States industry in 1946, 659

Natural gasoline :

- absorption plant, 267
- evaluation, 268
- de-ethanization fat-oil, 269

Netherlands East Indies :

- developments, 1856-7
- petroleum production, 1682
- rehabilitation, 91, 714

New Brunswick, petroleum production, 1831

New Guinea. *See* Papua.

New Mexico :

- developments, 70, 86, 1747
- gas drive operations, 1261
- Langlie, repressuring project, 367
- natural gas purification, 1099
- Ogallala cap rock, reefs in, 23
- Permian correlation, 179
- Rattlesnake oilfield, 945
- southeastern :
 - developments, 1755
 - geology, 1748

New York :

- developments, 75, 1744
- oil geology, 536

Nigeria, exploration, 1784

Nitric oxide, accommodation coefficients, 280

Nitriles, hydrocarbon, separation (P), 1289

Nitro compounds :

- aromatic, catalytic reduction (P), 417
- in petroleum distillates, 1303

Nitrolic acids, from mononitroparaffins (P), 417

- Nitrous oxide, accommodation coefficients, 280
- Nonane, freezing point, 1074
- Non-aqueous media, dispersions in, 1882
- North Coles Levee, California, 226
- North Pinhorn gas field, Alberta, 1765
- Nova Scotia, Canada, 1768
- Nowata-Claggett oilfield, Oklahoma, 362
- Nylon, properties, 1115
- cyclo*Octane, heat of combustion, 1293
- iso*Octane, motor fuel, cold starting, 1901
- cyclo*Octatetraene, 1493
- infra-red and Raman spectrum, 1207
- Octene, infra-red spectra, 1695
- Oden, Texas, 947
- Oficina, Venezuela 515
- Ohio, developments, 75, 1744
- Oil seals, German, 1925
- Oil shale :
- distillation (P), 876
- Fushun, Manchuria, 1241
- retorting, fluid solid technique, 906
- treatment, Swedish method, 479
- treatment (P), 1072
- Oilfields, classification, 1014
- Oklahoma :
- Anderson-Prichard field, 1357
- Cotton County development, 937
- crude oil-stratigraphy relationship, 507
- Delaware-Childers, secondary recovery, 1406
- developments, 76, 1739
- geophysical survey, 204, 206
- Golden Horse-Shoe, geology, 1740
- Greater Seminole development, 1139
- Howard 1 well, 1355
- Howard well, 1355, 1550
- Lindsay field, 1356
- Moore oilfield, geology, 1741
- Nowata-Clagget, secondary recovery, 362
- Southwest Antioch pool, 1358
- West Cement, unitization, 822
- West Edmond field, 243
- Wheeler oilfield, geology, 1742
- iso*-Olefin-diolefin interpolymers (P), 876
- Oleic acid, production, 725
- Oleophobic monolayers, 899, 1312
- Olive oil, Bouveault reduction, 1912
- Oregon, Upper Nehalem river basin, 24
- Oregon Basin oilfield, Wyoming, 1733
- Organic acids, complex salts (P), 166
- Organic liquids, solubilization by detergents, 146
- Organographites, X-ray diffraction study, 1209
- Origin of petroleum, 1690, 1724
- bacteria in, 54, 222, 821, 1532, 1612, 1720
- carbon isotopes and, 185
- clay mineralogy, 1721
- hydrocarbons from fatty acids, 1
- organic material transformation, 7
- redox potential of marine sediments, 6
- Orthobaric density, power laws, 1206
- Oxygen, accommodation coefficients, 280
- Oxidation inhibitor (P), 876, 1072
- P.V.C., properties, 1115
- Palestine, exploration, 1378, 1781
- Panama :
- exploration, 1564
- Sinclair concession, 833
- tectonics, 31
- Papua :
- exploration, 1379
- oil industry reconstruction, 91
- Paraffin wax. *See* Wax.
- Paraguay :
- exploration, 1572
- Santa Rosa, exploration, 1373
- Patoka, Illinois, 235
- Pechelbronn oilfield, France, 1843
- Pennsylvania :
- Bradford, developments, 816, 823, 831, 921
- developments, 75, 537-8, 1744
- production data, 1126
- 1 : 3-Pentadiene, infra-red spectra, 1694
- Pentanes, isomerization (P), 121
- cyclo*Pentane :
- from piperylene (P), 417
- heat capacity, 619
- heat of combustion, 1293
- infra-red absorption, 1076
- vapour pressure and density, 1311
- cyclo*Pentane-neohexane-aniline, study of, 611
- iso*Pentane :
- alkylation, 116, 622
- from *n*-pentane, 413
- n*-Pentane :
- boron fluoride solubility, 613
- isomerization (P), 1289
- isopentane* from, 413
- 2-Pentane :
- isoforming, 112
- isomerization, 112
- Pentenes :
- heat capacities, 1294
- pyrolysis, 615
- cyclo*Pentene, from *cyclopentane* (P), 1289
- Perco catalytic desulphurization process, 275
- Permeameter, Sun, 376
- Peroxides, ditertiary (P), 1689
- Perspex, properties, 1115
- Peru :
- developments, 1835
- exploration, 1573, 1772
- Ganzo Azul, 1573
- petroleum production, 573, 711, 1456-8, 1662-4
- Puerto Oriente, 1573
- Santa Clara, 1573
- southeastern, geology, 34
- tectonics, 31
- Petroleum chemicals :
- British plants, 872, 873, 1182
- developments, 293-4, 1338
- fluorine, 1906
- Gulf Coast, 1337
- Hydrocol process, 1906

- Petroleum chemicals—*cont.*
 manufacture, 477, 907
 rubber, 1069
 Shell Chemical Corp'n. plant, 294
 U.S.A. developments, 294, 1483, 1872
 uses, 905
- Petroleum geology :
 aerial photography, 766-7, 936
 application : 12
 to reservoir analysis, 368
 clay mineralogy, 1721
 conodonts as guide fossils, 3
 continental shelves, 933, 1135
 origin, 4
 core analysis :
 electrical resistivity, 696
 freezing cores, 527
 crude oil-stratigraphy relationship, 507
 diastrophic activity in Gulf Coast, 684
 dolomites :
 differentiation from calcite, 1495
 replacement, 961
 evolution of, 932
 exploration :
 bacteriological analysis, 785
 methods, 1722
 fault structures, 175, 1723
 gas migration thermodynamics, 194
 geological sections, vertical scale exaggeration, 681
 geosynclines, 952
 geothermal gradients, 941
 grain roundness application, 8
 limestones :
 porosity, 5
 spectrochemical logging, 182
 log map, 682
 marine fauna in gypsum, 170
 marine sediments, redox potentials, 6
 micropaleontology, 939
 oceans and continents, distribution, 327
 Ogallala cap rock, seep in, 23
 oil accumulation, thrust-shatter theory, 1745
 oil discovery :
 fluorescent technique, 978
 submarine slumping, 2
 oil sands, clay content, 534
 oil search needs, 1345
 origin of petroleum. *See* Origin of Petroleum.
 paleontologists activities, 10, 1133
 Permian correlation in Texas/New Mexico, 179
 platform structures, 464
 pressure on sea-bed measurement, 935
 reservoirs, classification, 169
 rocks, permeability measurement, 376
 salt domes, 934, 942, 1138
 sediments, correlation, 955
 source material accumulation, 329, 1724
 strata correlation, insoluble residue terminology, 1725
 stratigraphy, fossil fish in, 1238
 structure mapping aerial photography, 766
- Petroleum geology—*cont.*
 territorial units, 171
 Tertiary marine sedimentary cycles, 944
 Petroleum industry, progress of 100 years, 1526
 Petter-Fielding engine, 1221
 Phenol-brine mixture, phenol recovery (P), 1072
 Phenolic compounds, manufacture (P), 417, 1202
 Phenols :
 alkylation (P), 1202
 extraction, Phenosolvan process, 1193
 Phenosolvan process, 1193
 Phenyl acetylene, absorption spectra, 1889
 1-Phenylalkane, molecular volume, 124
 2-Phenylalkane, molecular volume, 124
 Phenylbutenes, from benzene-butadiene (P), 417
 Phenyl cyanide, absorption spectra, 1889
 Phenyl isocyanate, absorption spectra, 1889
 Phenyleicosanes, preparation, 1297
 Philippines, Cebu oil discovery, 1584
 Pipelines :
 aerial patrol, 1859
 Argentina, 1056
 automatic control, 1858
 China-India, 857
 corrosion, 1683
 protection, 98, 257-8
 cutter (P), 718
 design, 94-7
 electrically-operated, 1861
 engines, diesel, 488
 flow chart for pressures, 97
 helium, Bureau of Mines, 100
 natural gas, 1055
 butt-welded, 578
 compressors, 1060, 1178, 1474
 Kettleman Hills-Los Medranos, 93
 paraffin removal by salt, 377
 pipe data, 259
 Portland-Montreal, 1858
 pressure drop, 883
 pumps, plunger, variable capacity, 1860
 repair (P), 680
 submarine loading, 857
 technology, 256
 transfer, pressure drop, 716
 United States, 92
 valve (P), 1059
 wartime technology, 855
 world construction, 577
 Piperylene, cyclopentane separation (P), 417
 Plastic flow, 428-30
 Plastics, from petroleum, statistics, 475
 Poland :
 gas discovery, 1154, 1463
 oilfield geology, 38
 petroleum production, 835
 Polar diesel engine, 761, 1515
 Polishes, furniture, 149

- Polyform process, 587-9
 Polymerics, curing (P), 1689
 Polymerization :
 benzoyl peroxide decomposition, 1867-8
 butadiene, photochemical, 426
 converted U.O.P. isomerization unit, 1189, 1482
 correlation of variables, 272
 ethylene (P), 417
 olefins (P), 121, 417
 plant conversion from isomerization unit, 586
 process (P), 417, 876, 1072, 1202
 propylene (P), 121
 Polymers :
 high molecular weight (P), 1289
 hydrocarbon, 1117, 1118, (P) 1202
 resinous, 1118
 treatment (P), 417
 Polystyrene, properties, 1115
 Polythene, properties, 1115
 Pool, definition, 1014
 Pratt and Whitney Wasp engine, 1340
 Pressure-volume relationship, 1890
 Production of petroleum :
 abandoned wells, danger of, 1257
 acidizing, 234, 1016
 mud, 1265-7, 1404
 water intake increase, 345
 air drive, 223
 air-gas drive, 807-8, 1259, 1406
 water-flood following, 826
 bacteria in, 54, 222, 821, 1532, 1612, (P) 1047
 bottom-hole pressure calculation,, 1018
 brine density, temperature effect, 1618
 capped well re-sealing, 62
 cementing, plastics in, 1620
 clay permeability, 800
 completion :
 multiple (P), 707
 technique, 1015, 1405
 core examination, quick-freeze seal, 803
 cores :
 oil saturation, 1414
 water estimation, 1416
 costs, 493
 crude oil treatment, 350, 351, 353, 1428
 cycling :
 economics, 1817-8
 gas injection, 1410
 recovery from retrograde reservoir, 1420
 unitized, 261
 decline curves, 55, 1813
 definitions of terms, 1014
 difficulties, 1611
 dual completions, 348, 1409
 remedial work, 1815
 engineering developments, 53, 219-20
 explosives in, 1608
 flow in sands, temperature effect, 802
 formation testing, 1255
 Production of petroleum—cont.
 gas :
 dual completions, 1023
 flow charts, 1017
 testing back pressure, 1263
 gas condensate reservoirs, 1820
 equilibrium factors, 1163
 fluid flow, 1162
 reserve fluid, 543
 valuation, 542
 well data, 221
 gas conservation, 65
 gas drive, 1260, 1261
 Cunningham oilfield, Kansas, 556
 dry gas reinjection, 1262
 gas injection, 344
 gas recovery, 228
 gas required, 544
 gas treatment, 352
 nitrogen for, 1823
 pressure maintenance, 1032
 use of old wells, 1044
 gas gathering system, hydrate plugging, 1024
 gas lift :
 continuous flow, 1264
 thermodynamics, 1411
 gun perforation :
 design, 1022
 factors in, 1413
 hydrodynamics, 1401
 interstitial waters movement of, 236
 logging. *See* Drilling.
 methods, 88
 mud acid, composition, 1027
 mud removal, 1029
 natural gas, volume conversion, 811
 oil and connate water determination, 1616
 oil detection, fluorologs, 1590
 oil sand permeability, 534, 539
 organization, 1402
 packer problems, 1028, 1165
 paraffin elimination, 60
 percolation through porous media, 1253
 permeability :
 determination, 376, 1030
 increase, 799
 mud effect, 1029
 X-ray measurement, 1424
 plugging :
 agents, 356, 813
 chemical, 225, 1426
 plastics, 1268
 smokes, 224, 1031
 pressure, bottom-hole, 1607
 pressure controlled intermitters, 227
 pressure maintenance, 226, 551, 1427, 1614
 pressure-temperature-gravity relation, 805, 806
 pumping, sucker rod stretch, 1035-6
 remote control, 1613, 1821
 research laboratory, 378
 reserves, estimation, 349
 reservoir analysis, 368

Production of petroleum—*cont.*

- reservoir behaviour :
 - core analysis, 1019
 - well-bore effects, 1421
- reservoir fluids, analysis, 1164
- reservoirs :
 - bottom water-drive, 1045
 - electric analogy, 1415
 - fluid control, 557
 - gas-condensate, 370
 - gas-drive, crude gravity effect, 1025
 - performance, physical properties correlations, 1197
 - pressure, high, 1422
- salt water disposal, 64, 375
- sand consolidation, 1417-8, 1617
- secondary recovery :
 - calculations, 362
 - capillary diaphragms, 817
 - capillary pressure, 820
 - plugging agents, 355, 356
 - pump selection, 357
 - research, 231, 553
 - unitized, 552
 - use of old wells, 361
 - water exclusion in input wells, 1277
- shooting, 1269-71
 - marble, 1812
 - selective, 535
- stripper wells, cleaning, 1273
- unit operation, 1033
- volumetric behaviour, 1419
- water, sulphate reduction, 237
- water control, top, 1281
- water drive: 232, 235, 816, 823, 1043, 1166-8, 1276, 1279, 1619
 - after air-gas drive, 826
 - algæ control, 1825
 - brine advantages, 1429
 - channeling and by-passing, 555, 558
 - chemical agents, 819, 1435
 - clay studies, 1037, 1038, 1275
 - displacement and invasion factors, 564
 - dissolved iron effect, 1436
 - dry-oil recovery, 359
 - economics, 229, 233
 - elongated reservoir, 1431-2
 - flowing production, 374
 - free pump use, 1826
 - hazards, 1437
 - intake rate, 234
 - interfacial tension reduction, 819, 1435
 - interference between wells, 561
 - methods, 373
 - migration of oil, 1040
 - oil ahead of water, 372
 - pressure gradient effect, 825, 1278
 - producing rate by expansion, 560
 - pumping plant, 550
 - radial reservoir, 565
 - recovery-well spacing relation, 369
 - research, 360, 1434
 - reservoir division, 1274
 - reservoir pressure decline, 559
 - specific injectivity index, 360

Production of petroleum—*cont.*

- water drive—*cont.*
 - suspended matter in water, 371
 - tools for, 1430
 - two-pay intervals, 1042
 - use of old wells, 1044
 - water characteristics, 554
 - water pH effect, 818, 824, 827
 - water pressure effect, 1280
 - water requirements, 1039
 - water treatment, 1433
 - well capacity, 562, 563
 - well location, 1041
- wells :
 - cleaning, 1256
 - gun-perforated, cleaning, 540
 - spacing and recovery, 230, 369
 - wax removal, 1615
- work over planning, 1606
- Production equipment :
 - artificial lift, 1258
 - barges, 1046
 - blow-out remedy, 792
 - casing, stress effect, 1814
 - cleaner, well (P), 1047
 - compressors, shaft treatment, 1403
 - corrosion: 346, 809-10, 1163, 1438, 1609-10
 - protection, 56-7, 260, 346-7, 1408, 1816
 - developments, 1161
 - engines, diesel, 488
 - flow controller (P), 66, 707
 - fluid separator (P), 707
 - foam suppression (P), 1047
 - gas-lift, 812, (P) 1047
 - motor, pressure, control (P), 707
 - oil-water separator, 1020, 1021
 - packer (P), 707
 - paraffin removal, 547, (P) 1047
 - barge equipment, 1046
 - perforation locator (P), 1047
 - pipe coupling (P), 66
 - plug, plastic (P), 707
 - pressure control (P), 1047
 - production from depleted fields (P), 1047
 - pump :
 - displacement, N.F.B., 546
 - gas operated (P), 707
 - hard-faced valve seats, 358
 - hydraulic (P), 707
 - walking beam for (P), 707
 - packing (P), 707
 - pumping, 1824
 - electricity distribution, 548, 549
 - gas engines, 1254
 - jacks, electric, 545
 - motors, 1822
 - power distribution, 815
 - unit design, 814
 - rotor valve, 1430
 - sand screen, 63
 - scale formation, 58, 59
 - screen (P), 1047
 - secondary recovery, surface equipment, 363, 364

Production equipment—*cont.*

- shooting (P), 707
- shot-hole caliper, 1430
- shot-hole core drill, 1430
- sucker rod scrapers, 60
- sucker rod tightener (P), 707
- swabs, 1272
- torpedo (P), 1047
- tubing :
 - corrosion, 1438
 - paraffin removal (P), 707
- tubing release (P), 707
- tubing scraper, 547
- water purification (P), 66
- water repellent (P), 1047
- well head, 798

Propane :

- carbon monoxide reaction, 1308
- properties, 1708

*cyclo*Propane, structure, 617, 878, 1078, 1691-2*iso*Propyl alcohol, purification (P), 417

Propylene :

- alkylation (P), 876
- from ethylene (P), 417
- hydrogen bromine addition, 1299
- isoprene from (P), 417
- oxidation, catalytic, 1077
- polymerization (P), 121, 417, 727
- thermal properties, 730
- vibrational frequency, 1075

Puente Hills, California, 15

Puerto Oriente, Peru, 1573

Pulverized fuel, 1909

Pumping :

- costs, 1180
- pipeline, electric power, 856

Pumping stations, electrification, 99

Pumps :

- centrifugal :
 - performance charts, 1057
 - performance, viscosity influence, 390
- pipeline (P), 718
- refinery, 392

Pyridine, absorption spectra, 1888

Qatar, developments, 1284

Railways, dieselization, 1501

Raney nickel catalyst, 629

Rangely, Colorado, 526, 686, 793, 1140, 1244, 1398

Rattlesnake, New Mexico, 945

Refineries :

- Co-operative Refinery Assoc., 1479
- Gulf Coast, 1286
- Haifa, 859
- Leonard Refineries Inc., Alma, 1686
- Pure Oil Co., Toledo, 107
- Sinclair Refining Co., Houston, 113

Refinery plant :

- absorbers, plate efficiency, 387, 399
- air compressors, safe practices, 385
- barrel-drying, 1865
- boilers, corrosion cause, 583
- compressor, centrifugal, 719
- control instruments, air supply, 414

Refinery plant—*cont.*

- cooling towers, 1061
- design charts, 1177
- evaluation, 1863
- corrosion control, 386
- corrosion protection, plastic, 1475, 1476
- counter-current treating (P), 876
- cracking. *See* Cracking plant.
- crude dehydration, 1862
- cyclones, 106
- debutanizer design, 1874
- desalting, 391
- distillation. *See* Distillation.
- filter, disc (P), 876
- filter, leaf (P), 876
- flow controller proportional, 651
- furnaces, tube decoking, 388
- heat exchangers, heat loss effect, 389
- heat losses, 394, 861
- hoists, transportable, 865
- homogenizer (P), 1202
- insulation, 1062
- pipe joint (P), 876
- power :
 - electric, 395
 - steam, 1181
- process control instruments, 1874, 1875-6

pumping costs, 1181

pumps :

- centrifugal, priming, 1684
- design, 392, 1196
- operating data, 1179
- steam consumption, 1288
- vacuum, 1685
- servo mechanisms, 416
- stacks :
 - draft, 862-3
 - size, flue gas temperature, 1063
 - size, furnace draft, 1064
- steels, creep strength, 264
- thermal conductivity of materials, 393
- transfer line vaporization, 864
- tube, diameter and thickness, 263
- valve, high-temperature (P), 1289

Refining :

- carbonate strength, 1089
- caustic soda treatment (P), 1202
- caustic strength, 1089
- cracking. *See* Cracking.
- desulphurization, 582, (P) 121
- distillation. *See* Distillation.
- doctor solution strength, 1089
- feed stocks, basic nitrogen determination, 636
- fuel oil in, 896
- fuels, heating values, 101
- gasoline, sulphuric acid treatment, 594
- gasoline-doctor solution, breaking, 581
- heat absorption in tube-still furnace, 102
- hydroforming, 410
- instrumentation, 1070
- Isomate process, 111, 411
- isomerization. *See* Isomerization.
- pipe still transfer temperatures, 106
- process data, 860
- solvent refining. *See* Solvent refining.

- Refining—*cont.*
 sulphuric acid, 594, 1073
 transfer-line pressure drop, 716
 waste disposal, 396, 579
 waste gases, burning, 720
 waste water disposal, 103
- Region, definition, 1014
- Reitbrook oilfield, Germany, 1779
- Reservoir, definition, 1014
- Resinates, manufacture (P), 166
- Resinox plastic for plugging wells, 355
- Resins :
 chlorinated hydrocarbon, 318-9
 synthetic (P), 1072
- Resistolog electrical survey, 967
- Rheology. *See* Viscosity.
- Richard King field, South Texas, 1034
- Road construction :
 asphalt-concrete, 668
 asphalt macadam, 667
 bitumen specifications, 1217
 bituminous, cotton fabric in, 669
 joint filler, rubber-asphalt, 903
 mobile hot mix asphalt plant, 471
- Rocket propulsion, energy evolution, 882
- Rockets, German and Japanese, 1236
- Rolls-Royce Eagle engine, 911
- Rolls-Royce Nene engine, 760
- Roma, Queensland, 1789
- Rose Hill oilfield, Virginia, 1746
- Roumania :
 drilling, 842
 oilfield geology, 38
 petroleum production, 678, 835, 1464-5,
 1849-50
 Soviet-Roumanian Oil Co., 1465
- Rubber, synthetic :
 butadiene, research, 295
 dimethylstyrene-butadiene copolymers,
 671
 manufacture (P), 876, 1202, 1289
 statistics, 475
- Rust preventative oil, 147
- Ruston marine engine, 1521
- Sabine Pass oilfield, Gulf Coast, 1758
- St. Marcet, France, 1844-5
- Sakhalin, exploration, 1788
- Salt Creek, California, 78, 770
- Sampling, apparatus (P), 876
- San Pedro, Argentina, 32
- San Jose Hills, California, 15
- Sand, definition, 1014
- Santa Clara, Peru, 1573
- Santa Maria, California, 1544
- Santa Rosa, Paraguay, 1373
- Saudi Arabia :
 developments, 713, 1284, 1470
 petroleum reserves, 1575, 1578
- Schoonebeek, Holland. *See* Coevorden.
- Sea, pressure on bed, measurement, 935
- Seeligson Ranch, Texas, 1361
- Servo mechanisms, design, 416
- Shale oil, ichthyolic, evaluation, 1506
- Shell Oil Co.'s production laboratory, 378
- Ships, motor, 254
- Shukkokko, Formosa, China, 1241
- Siggins, Illinois, 235
- Sludge :
 aluminium chloride, hydrocarbon re-
 covery (P), 1689
 separation, centrifugal (P), 680
- Sludge coke, treatment (P), 876
- Slushing oil (P), 876
- Smoke-point, organic substances, 125
- Soap-thickened oils (P), 876
- Soaps :
 refractive indexes, 1700*
 water insoluble (P), 1289
- Soil stabilization, tests for, 887
- Solexol solvent extraction process, 585
- Solidified oils (P), 1202
- Solids, surface, 122
- Solubility, set time and particle size, 1080
- Solvent dewaxing :
 wax crystal formation (P), 1202
 wax purification (P), 1289
- Solvent refining, 748
 furfural plant, 1479
 furfural-water analysis, 658
 furfural-water solvent (P), 1289
 nitrocyclohexane as solvent (P), 1289
 non-mineral oils, 585
 process (P), 876
 Solexol process, 585
 stage estimation, 1491
- Solvents :
 benzene, industrial risks, 1198
 industrial, recovery, 407
- Sound velocity and absorption measure-
 ment, 1704
- South America :
 oil resources, 948
 palæogeography, 1366
 tectonics, 31
- South Haldeman, Texas, 1556
- Southwest Antioch, Oklahoma, 1358
- Spain, exploration, 1375, 1581
- Specific dispersion, calculation, 631
- Specific gravity, conversion of A.P.I.
 degrees, 436
- Spectroscopy :
 absorption apparatus (P), 417
 analysis of binary mixtures, 637
 application to hydrocarbons, 886
 gas blending apparatus, 1088
 gasoline, 438
 hydrocarbon solubilization, 1702
 hydrogen discharge, analysis of C₈
 aromatics, 889
 industrial, 881
 infra-red, 287, 1090
 application to hydrocarbons, 443,
 639, 1328-30
 dual path analysers, 1707
 limited radiation analysers, 1211
 logging limestones, 182
 mass, 1331, 1900
 natural gas, 1492
 temperature effect, 1701
- Raman spectra, 1897
 hydrocarbon mixtures, 642
 polarization measurement, 1898
 thermodynamic data calculation, 432

- Styrene :**
 absorption spectra, 1889
 azeotropic purification, 597
 drying, 1505
 fractionation (P), 1689
 from benzene-acetylene (P), 417
 from ethylbenzene dehydrogenation, 604
 reaction with magnesium perchlorate, 1505
- Steam-carbon system, reaction kinetics, 606**
- Steam turbines :**
 lubrication :
 demulsibility significance, 1216
 rusting, 1709
- Stearic acid :**
 molecular layers, lubricating properties, 900
 production, 725
- Stony Creek, New Brunswick, 1652**
- Storage installations, fires in, 1199-1201**
- Storage, oil, on G.W. Rly., 1232**
- Strontium greases, 751**
- Sulpho succinates, production (P), 876**
- Sulphonates :**
 aliphatic (P), 1689
 metal, oil soluble (P), 417
 organic, manufacture (P), 1289
 petroleum (P), 876, 1289
 analysis, 634
- Sulphur :**
 copper strip corrosion, tests, 1705
 determination in organic compounds, 1333
 elementary, determination in gasoline 643
 organic, determination, 640
- Sulphur compounds :**
 alkyl disulphide, determination, 632
 mercaptan determination, 633
- Sulphur dioxide, from alkylation sludge (P), 876**
- Sumatra :**
 oil industry reconstruction, 91
 oilfield geology, 40
- Sun Permeameter for measuring permeability, 376**
- Sunniland oilfield, N. Florida, 176**
- Surface tension :**
 determination (P), 417
 diffusion rôle, 282
 liquids, 1703
 measurement, centrifugal method, 1094
 power laws, 1206
- Suspensoid catalytic cracking plant, 1866**
- Sweden :**
 exploration, 1580, 1582
 motor fuels, 893
 oil shale treatment, 479
 petroleum in post-war economy, 1235
- Synthesis :**
 developments, 1496
 German plants, 870, 1871
 Koppers process, 1194
 low-boiling hydrocarbons, 630
 process (P), 1289, 1689
- Synthesis—cont.**
 Synthol process, 1484
 U.S.A. plants, 870
See also Fischer-Tropsch.
- Synthol process, 1484**
- Szechuan, China, 1241**
- Taber, Canada, 1769**
- Tankers :**
Auricula, boiler oil used in diesels, 1718
 engines, diesel, 488
 world statistics, 383
- Tanks :**
 aircraft, magnesium, 255
 storage :
 bottom cathodic protection, 1472
 breather valve (P), 718
 construction (P), 718, 1689
 corrosion protection, 1058
 fires in, 1199-1201
 fire control, 1071
 gas, underground cells, 1473
 magnesium, welded, 717
 pressure, 853
 pressure control (P), 1059
 repair, 853
- Tar, lignite, evaluation, 757**
- Tarakan, petroleum production, 1857**
- Tarini, China, 1241**
- Tennessee :**
 developments in 1945, 75
 Lower Middle Ordovician, 28
- Terpene, monocyclic, conversion to p-cymene (P), 417**
- Testing instruments :**
 electrical, 1896
 optical, 1894
 thermal, 1895
- Tetraethylbiphenyl, 1304**
- Tetraethylmethane, 1305**
- Tetralin, high pressure hydrogenation, 1296**
- Texas :**
 Carthage gas field, 1048, 1412, 1551
 developments in 1945, 81-6
 East :
 developments, 1750
 oil discovery near Jackson, 1360
 oil in San Augustine County, 1555
 production problems, 801, 1026
 salt water disposal, 375
 gas drive operations, 1260-1
 geophysical surveys, 207
 Gulf Coast, developments, 1754
 Hawkins oilfield, 178, 354
 Hull and Silk field, repressuring programme, 365
 Katy field, 26
 La Gloria oilfield, geophysical history, 997
 Loma Alto-Seven Sisters, Resistolog survey, 967
 Lovell Lake oilfield, 966
 natural gas reserves and production, 80, 1830
 North, water drive possibilities, 373

Texas—*cont.*

- north and west central, developments, 1751
- Odem oilfield, 947
- Ogallala cap rock, reefs in, 23
- Panhandle, developments, 1752
- Richard King field, 1034
- Rincon field, pressure maintenance, 1427
- Seeligson Ranch discovery, 1361
- South :
 - Agua Dulce to La Gloria fields, 1049 developments, 1753
 - South Haldeman field, 1556
 - southwest, production developments, 379
 - Waller Co., 27
 - Waskom, dual completions, 1409
 - water-drive projects, 1043
- West :
 - core analysis, 688
 - Delaware oil prospects, 1552 developments, 1755
 - Fullerton field, pressure maintenance effect, 551
 - Permian correlation, 179
 - seismic exploration, 1158
 - West Pampas, repressuring, 366
 - Woodson field, water drive, 1279
- Theseus engine, 912
- Thiophane, from thiophene (P), 876
- Thiophene, alkylation, 621
- Thornton aero engine research laboratory, 1228
- Thornycroft marine diesels, 1520
- Tibu, Colombia, 1569-70
- Toluene :
 - absorption spectra, 1888
 - azeotropic distillation (P), 1689
 - C-H-bond energy, 1881
 - from benzene-aromatics mixture (P), 121
 - from benzene-methane (P), 727
 - from coal-tar products, 419
 - manufacture (P), 121, 876, 1289
 - Transformer oil, dehydration (P), 121
 - Transport of oil, pipeline. *See* Pipelines.
 - Transylvania, gas field geology, 38
 - Triisobutylene, manufacture (P), 1689
 - 2 : 2 : 3-Trimethylbutane :
 - heat capacities, 1292
 - manufacture (P), 727
 - cis*-1 : 2 : 4-Trimethylcyclopentane, infra-red absorption, 1076
 - 1 : 1 : 2-Trimethylcyclopropane, preparation, 620
 - Trimethylethylene, isoprene from (P), 417
 - 2 : 2 : 4-Trimethyl-1-pentane, infra-red spectra, 1695
- Trinidad :
 - petroleum production, 711
 - Tank Farm area, 1136
- Triptane, manufacture (P), 1072
- Tsungari, China, 1241
- Tucupido, Venezuela, 1574
- Tuimazy, U.S.S.R., 1174
- Tunisia, exploration, 1782

Turbine oil :

- additive anti-corrosion (P), 121
- oxidation inhibitor (P), 876

Turbines :

- lubrication, 466
 - oil cooling, 755, 902
- TXL oilfield, 508
- Tzyeliusing, China, 1241

U.S.S.R. :

- aircraft engines, 486
 - Don bend, geology, 957
 - Emba production, 1675
 - exploration, 843-7
 - Karataou uplift tectonics, 962
 - Kazakhstan, geology, 956
 - Maikop beds, age, 180
 - Mikhailovsky gas field, 785
 - Moscow Palaeozoic depression, 959
 - Near-Caspian depression, 1374
 - oil-shale reserves, 843
 - petroleum production, 835, 1283, 1676
 - petroleum reserves, 847, 1054, 1175, 1575, 1780
 - River Juriazan, geology, 958
 - Sarabikulovo, 1243
 - South Emba region, geology, 326
 - Timan, geology, 960
 - Tuimazy oilfield, 1174
 - Ural region, replacement dolomites, 961
 - Volga region, replacement dolomites, 961
- Ultrasonic propagation in liquids, 1704
- United States :
- Andarko basin, geology, 504
 - Appalachian area :
 - developments in 1945, 75, 1805-6
 - oil geology, 536
 - Atlantic Coast, developments, 1743
 - Chicago oil companies, 1125
 - continent shelf area, 172, 1135
 - Corpus Christi-Cornwell gas pipeline, 578
 - drilling outlook, 1829
 - Eastern Interior basin, developments in 1945, 68
 - eastern seaboard, natural gas market, 1924
 - exploration, 830
 - gasoline :
 - octane rating trends, 1100, 1902
 - quality and supply, 1131
 - synthesis, 870
 - geophysical surveys, 1587
- Gulf Coast :
- continental shelf, 1758
 - development, 1137-8
 - diastrophic activity, 684
 - geothermal gradients, 941, 1793
 - marine drilling, 1554
 - oil geology, 940, 1553, 1749
 - oilfields, 709
 - petroleum chemicals industry, 1337
 - refineries, 1286
 - submarine exploration, 783, 784

United States—*cont.*

- natural gas :
 - industry, 659, 1629
 - natural gasoline, economics, 1132
 - plants, 1528
 - reserves, 746, 1639
 - Mid-Continent :
 - developments in 1945, 74
 - geothermal gradients, 941, 1793
 - water flood trends, 61
 - north-eastern, structure development, 768
 - oil developments 1946, 1347
 - oil exploration costs, 1346
 - oil industry, 320
 - oil production costs, 493
 - oil reserves, 1124
 - oil search needs, 1345
 - petroleum chemicals plants, 294, 1483, 1872
 - petroleum industry, 920, 1929
 - petroleum production, 239-40, 323, 1443-5, 1626-8, 1641, 1647-9
 - petroleum reserves, 829, 1349-50, 1444-5, 1447, 1534, 1538, 1541, 1543, 1644
 - petroleum trade, 1929
 - pipeline construction, 92, 577
 - railway dieselization, 1501
 - refinery yield trends, 679
 - research :
 - chemical, 164
 - petroleum, 498
 - Rocky Mountain :
 - developments, 77, 1359
 - oilfield geology, 946, 1730
 - well completions, 67-79, 81-6, 241, 568-70, 708, 828, 1143-4, 1169-70, 1348, 1351-2, 1440-2, 1446, 1533, 1535-7, 1539-40, 1542, 1624-5, 1630-8, 1640, 1643; 1726-8, 1828
- See also individual States.*
- Universal Oil Products Co., hydrocarbon research, 616
 - Utah, Vinta Mountains, stratigraphy, 29
 - Vacuum gauge, 1323
 - Valves :
 - design, 858
 - self-lubricating (P), 680
 - Vaporization, intermolecular forces and energies, 1891
 - Velasquez, Colombia, 1571
 - Venezuela :
 - Amana oilfield, 950
 - Barinas, exploration, 513
 - Bolivar Coastal oilfield, 35
 - Curazao, deepest well, 776
 - eastern, 1671
 - exploration, 1150, 1773
 - geology, 1239
 - Greater Oficina, exploitation, 515
 - Guarico oilfield, 1838
 - Guico oilfield, 1838
 - Lake Maracaibo, drilling in, 1002
 - Los Cerritos, exploration, 514
 - Maracaibo, 35, 1670

Venezuela—*cont.*

- Mata Grande, 1669
- Mene Grande oilfield, 35
- Pelayo concession, 1574
- petroleum industry, 1127-8
- petroleum production, 249-50, 834, 1459-60, 1665-8, 1836-7
- reserves, 1460
- Socony-Vacuum operations, 1838
- tectonics, 31
- West Tana field, 694
- Ventura Avenue, California, 1422
- Viking gas field, Alberta, 1765
- Vinyl alkyl ethers, 756
- Virginia :
 - Lower Middle Ordovician, 28
 - Rose Hill oilfield, 1746
- Viscometer :
 - Bingham, 1096
 - capillary type, 1335
 - rotational, 1334
 - variable speed, 1095
 - spinning cup (P), 1202
 - U-tube for pure hydrocarbons, 608
- Viscosity :
 - asphalt, 1092-3
 - ballister, 1212
 - continuum theory, 749
 - dielectrics, 897
 - dimethylsiloxane polymers, 503
 - electric field effect, 664
 - gases, high pressure, 1487
 - kinematic, conversion, 741
 - kinetic energy correction, 1084
 - linear functions of velocity, 1106
 - lubricants, 1710
 - non-Newtonian, 1111
 - power laws, 1206
 - pure hydrocarbons, 608
 - rate process theory, 1693
 - rheological behaviour and classification, 1892
 - soap-in-hydrocarbon systems, 890
 - temperature function, 1210
 - torque between two concentric spheres, 1107
- Viscosity index, comparison with viscosity-temperature characteristics, 742
- Viscosity temperature coefficients, 742
- Vulcanized composition (P), 1202
- Washington, exploration, 1557
- Waskom, Texas, 1409
- Water :
 - film coefficients, 434
 - oil removal (P), 66
- Water repellent composition (P), 417
- Water-gas reaction, kinetics, 606
- Waukesha-Hesselman, low-compression engine, 916
- Wax :
 - application to fruit (P), 876
 - coating composition (P), 417, 727
 - crystalline, crack tendency inhibition (P), 121
 - crystallography, 145

Wax—*cont.*

- crystals, from solvent dewaxing (P), 1202
 - de-oiling (P), 876
 - manufacture (P), 1689
 - molecular weight correlation, 123
 - oxy-aromatic (P), 417
 - paraffin :
 - aqueous emulsion (P), 417
 - chlorinated (P), 876
 - in rubber and allied industries, 1115
 - sweating control (P), 876
 - synthetic (P), 876
 - use in rubber and allied industries, 909
- Welding, resistance, 492
- West Cement, Oklahoma, 822
- West Edmond, Oklahoma, 243
- West Guara, Venezuela, 515
- West Newport oilfield, California, 506
- West Pampas, Texas, 366
- West Tana field, Venezuela, 694
- West Virginia :
 - developments, 75, 1744
 - natural gas production, 1558
 - petroleum production, 1559
- Wheeler oilfield, Oklahoma, 1742
- Wilmington, California, 769, 1405
- World :
 - deepest well, 998, 1634, 1636, 1650
 - future oil prospects, 517
 - oilfields, 1282
 - petroleum atlas, 1827

World—*cont.*

- petroleum developments, 1365
 - petroleum production, 566, 567, 1439, 1449-50, 1621-3
 - petroleum reserves, 517, 1450
 - pipeline construction, 577
- Wool wax acids, heavy metal soaps, 1913
- Wu Su, China, 1241
- Wyoming :
 - developments, 77, 1359
 - drilling technique, 332
 - geology, 687
 - Gros Ventre mountains, stratigraphy, 1729
 - Oregon Basin oilfield, geology, 1733
 - Palaeozoic formations, 689
- Xylene :
 - absorption spectra, 1888
 - C-H bond energy, 1881
 - manufacture (P), 1689
 - non-aromatics removal (P), 876
- m*-Xylene :
 - high pressure hydrogenation, 1296
 - manufacture (P), 876
- Yenchang, China, 1471
- Yugoslavia, petroleum production, 835
- Yuman, China, 1241
- Zone, definition, 1014