

BIBLIOGRAPHY

1. Adhvaryu B., Kumar S.: Public transport accessibility mapping and its policy applications: A case study of Lucknow, India. *Case Studies on Transport Policy*, 2021, Vol. 9, No. 4, pp.1503–1517.
2. Ager-Wick Ellingsen L., Singh B., Hammer Strømman A. : The size and range effect: lifecycle greenhouse gas emissions of electric vehicles. *Environmental Research Letters*, 2016, Vol 11, No. 5, 054010.
3. Almada J.F., Renner J.S.: Public transport accessibility for wheelchair users: a perspective from macro-ergonomic design. *Work*, 2015, Vol .50, No. 4, pp. 531–41.
4. Ambrose H, Kendall A.: Effects of battery chemistry and performance on the life cycle greenhouse gas intensity of electric mobility, *Transportation Research Part D: Transport and Environment*, 2016.
<http://www.sciencedirect.com/science/article/pii/S1361920915300390>.
5. Amundsen F.H., Engebretsen A.: *Studies on Norwegian Road Tunnels II. An Analysis on Traffic Accidents in Road Tunnels 2001–2006*. Statens Vegvesen, Oslo, Norway: Vegdirektoratet, Roads and Traffic Department, Traffic Safety Section, 2009, Raport no: TS4-2009.
6. Anisul Islam Md., Gajpal Y., ElMekkawy T.Y.: Hybrid particle swarm optimization algorithm for solving the clustered vehicle routing problem, *Applied Soft Computing*, 2021, Vol. 110, pp. 107655.
7. Aralt T.T., Nilsen, A.R.: Automatic fire detection in road traffic tunnels, *Tunnelling and Underground Space Technology*, 2009, Vol. 24, pp. 75–83.
8. Asabere S.B., Acheampong R.A., Ashiagbor G., Beckers S.C., Keck M., Erasmi S., Schanze J., Schanze J., Sauer D.: Urbanization, land use transformation and spatio-environmental impacts: Analyses of trends and implications in major metropolitan regions of Ghana. *Land Use Policy*, 2020, Vol. 96, 104707.
9. Basargan H., Mihaly A., Gaspar P., Sename O.: Fault-tolerant semi-active suspension control for degradation in damper performance. *MED 2021 – 29th Mediterranean Conference on Control and Automation*, Jun 2021, Bari (virtual), Italy.
10. Basso R., Kulcsár B., Egardt B., Lindroth P., Sanchez-Diaz I.: Energy consumption estimation integrated into the electric vehicle routing problem, *Transportation Research Part D*, 2019, Vol. 69, pp. 141–167.
11. Beard A., Carvel R.: *The Handbook of Tunnel Fire Safety*, London, Thomas Telford Ltd., 2005.
12. Benek I., Labus A., Kampka M. (ed.) – *Fundacja Laboratorium Architektury 60+: Wytyczne w zakresie projektowania uniwersalnego mając na uwadze potrzeby osób niepełnosprawnych*. Ekspertyza wykonana na zlecenie Ministerstwa Infrastruktury i Budownictwa, Warszawa 2016.

13. Bhuvanewari M., Eswaran S., Rajagopalan S.P.: A survey of vehicle routing problem and its solutions using bio-inspired algorithms, *International Journal of Pure and Applied Mathematics*, 2018, Vol. 118, pp. 259–264.
14. Bonilha I.S., Mavrovouniotis M., Müller F.M., Ellinas G., Polycarpou M.: Ant colony optimization with heuristic repair for the dynamic vehicle routing problem, *2020 IEEE Symposium Series on Computational Intelligence (SSCI)*, 2020, pp. 313–320.
15. Borčinová Z.: Two models of the capacitated vehicle routing problem, *Croatian Operational Research Review*, 2017, Vol. 8, pp. 463–469.
16. Boustead I., Hancock G.F.: Energy and materials required to produce glass containers in the U.K.. *Resources and Conservation*, Vol. 6, Iss. 2, 1981, Pages 85–99, ISSN 0166-3097, [https://doi.org/10.1016/0166-3097\(81\)90061-4](https://doi.org/10.1016/0166-3097(81)90061-4).
17. Braekers K., Ramaekers K., Nieuwenhuyse I.V.: The vehicle routing problem: State of the art classification and review, *Computers & Industrial Engineering*, 2016, Vol. 99, pp. 300–313.
18. Braun A., Rid W.: Energy consumption of an electric and an internal combustion passenger car. A comparative case study from real word data on the Erfurt circuit in Germany, *Transportation Research Procedia*, 2017, Vol. 27, pp. 468–475.
19. British Standard PD 7974-6: The application of fire safety engineering principles to fire safety design of buildings. Part 6: Human factors: Life safety strategies-Occupant evacuation, behavior and condition (Sub-system 6), 2004
20. Bruglieri M., Mancini S., Pisacane O.: More efficient formulations and valid inequalities for the Green Vehicle Routing Problem, *Transportation Research Part C*, 2019, Vol. 105, pp. 283–296.
21. Bruglieri M., Mancini S., Pisacane O.: The green vehicle routing problem with capacitated alternative fuel stations, *Computers and Operations Research*, 2019, Vol. 112, pp. 104759.
22. Burdzik R.: A comprehensive diagnostic system for vehicle suspensions based on a neural classifier and wavelet resonance estimators. *Measurement*, 2022, Vol. 200, 111602.
23. Burnos P., Gajda J., Piwowar P., Sroka R., Stencel M., Zeglen T.: Measurements of road traffic parameters using inductive loops and piezoelectric sensors, *Metrology and Measurement Systems*, 2007, Vol. 14, No. 2, pp. 187–203.
24. Carlbom P., Berg M.: Passengers, seats and carbody in rail vehicle dynamics. *Vehicle System Dynamics*, 2002, Vol. 37, pp. 290–300.
25. Cempel C.: *Wibroakustyka stosowana*. Warsaw, Wydawnictwo naukowe PWM, 1989.
26. Chen X., Ulmer M.W., Thomas B.W.: Deep q-learning for same-day delivery with vehicles and drones, *European Journal of Operational Research*, 2022, Vol. 298, pp. 939–952.
27. Chen Y., Li D., Zhang Z., Wahab M.I.M., Jiang Y.: Solving the battery swap station location-routing problem with a mixed fleet of electric and conventional vehicles using a heuristic branch-and-price algorithm with an adaptive selection scheme, *Expert Systems With Applications*, 2021, Vol. 186, pp. 115683.
28. Chiang W.-C., Lib Y., Shang J., Urban T.L.: Impact of drone delivery on sustainability and cost: Realizing the UAV potential through vehicle routing optimization, *Applied Energy*, 2019, Vol. 242, pp. 1164–1175.
29. Choi S.B., Lee H.K., Chang E.G.: Field results of a semi-active ER suspension system associated with skyhook controller. *Mechatronics*, 2001, Vol. 11, pp. 345–353.

30. Chul Kim H., Wallington T.J., Arsenault R., Bae Ch., Ahn S., Lee J.: Cradle-to-Gate Emissions from a Commercial Electric Vehicle Li-Ion Battery: A Comparative Analysis. Cite this: *Environmental Science and Technology*, 2016, Vol. 50, No. 14, pp. 7715–7722, <https://doi.org/10.1021/acs.est.6b00830>.
31. Coindreau M.-A., Gallay O., Zufferey N.: Parcel delivery cost minimization with time window constraints using trucks and drones, *Networks*, 2021, Vol. 78, pp. 400–420.
32. Comi A., Nuzzolo A., Brinchi S., Verghini R.: Bus travel time variability: some experimental evidences, *Transportation Research Procedia*, 2017, Vol. 27, pp. 101–108.
33. Cong W., Shi L., Shi Z., Peng M., Yang H., Zhang S., Cheng X.: Effect of train fire location on maximum smoke temperature beneath the subway tunnel ceiling. *Tunnelling and Underground Space Technology*, 2020, Vol. 97, 103282.
34. Costa J.G.C., Mei Y., Zhang M.: Adaptive search space through evolutionary hyper-heuristics for the large-scale vehicle routing problem, 2020 IEEE Symposium Series on Computational Intelligence (SSCI), 2020, pp. 2415–2422.
35. Cristobal T., Padron G., Quesada-Arencibia A., Alayon F., de Blasio G., Garcia C.R.: Bus travel time prediction model based on profile similarity, *Sensors*, 2019, Vol. 19:2869.
36. Crolla D.A., Chen D.C., Whitehead J.P., Alstead C.: Vehicle handling assessment using a combined subjective-objective approach. SAE technical paper 980226, 1998.
37. Czapla Z., Krawiec S.: GPS data-based estimation of travel time parameters for electric buses, [in:] Stajniak M. et al. (eds): *Challenges and modern solution in transportation*. Spatium, Radom, 2019, pp. 135–146.
38. Czapla Z., Krawiec S.: Travel time description for urban routes operated with electric buses, [in:] Rozicka J. (ed.): *Smart Cities Symposium Prague*. IEEE, 2020.
39. Dahlberg E.: A method determining the dynamic roll over threshold of commercial vehicles. SAE paper 2000-01-3492, 2000.
40. Dane techniczne Peugeot 208, <https://www.autocentrum.pl/dane-techniczne/peugeot/208/ii/hatchback/>.
41. Dane techniczne Peugeot e-208, <https://www.autocentrum.pl/dane-techniczne/peugeot/208/ii/e-208/silnik-elektryczny-elektryczny-136km-od-2019/>.
42. Dang Y., Allen T.T., Singh M.: A heterogeneous vehicle routing problem with common carriers and time regulations: Mathematical formulation and a two-color ant colony search, *Computers & Industrial Engineering*, 2022, Vol. 168, pp. 108036.
43. Dantzig G.B., Ramser J.H.: The truck dispatching problem, *Management Science*, 1959, Vol. 6, pp. 80–91.
44. Darabi J., Ekula K.: Development of a chip-integrated micro cooling device. *Microelectronics Journal*, 2016, Vol 34, Issue 11, p. 1067–1074, <https://doi.org/10.1016/j.mejo.2003.09.010>.
45. Dasdemiir E., Testik M.C., Öztürk D.T., Sakar C.T., Güleriyüz G., Testik Ö.M.: A multi-objective open vehicle routing problem with overbooking: exact and heuristic solution approaches for an employee transportation problem, *Omega*, 2022, Vol. 108, pp. 102587.
46. De Cauwer C., Van Mierlo J., Coosemans T.: Energy consumption prediction for electric vehicles based on real-world data, *Energies*, 2015, Vol. 8, pp. 8573–8593.
47. Deng X., Guan M., Ma Y., Yang X., Xiang T.: Vehicle-assisted UAV delivery scheme considering energy consumption for instant delivery, *Sensors*, 2022, Vol. 22, pp. 2045.
48. Directive 2004/54/EC of the European Parliament and of the Council of 29 April 2004 on minimum safety requirements for tunnels in the Trans-European Road Network, 2004.

49. Dobaj K.: Simulation analysis of the EUSAMA Plus suspension testing method including the impact of the vehicle untested side. IOP Conference Series: Materials Science and Engineering, 2016, Vol. 148, 012034.
50. Dong X.M., Yu M., Li Z., Liao C., Chen W.: A comparison of suitable control methods for full vehicle with four MR dampers, part I: Formulation of control schemes and numerical simulation. Journal of Intelligent Material Systems and Structures, 2009, Vol. 20, pp. 771–786.
51. Dukkanci O., Kara B.Y., Bektaş T.: The green location-routing problem, Computers and Operations Research, 2019, Vol. 105, pp. 187–202.
52. Dyrekcja Generalna ds. Polityki Wewnętrznej „Badanie dla Komisji Transportu i Turystyki – Samochody elektryczne o napędzie bateryjnym: rozwój rynku i emisje w całym cyklu życia”.
53. Ehlert A., Schneck A., Chanchareon N.: Junction parameter calibration for mesoscopic simulation in Vissim, Transportation Research Procedia, 2017, Vol. 21, pp. 216–226.
54. Elbaz H., Alaoui A.E.: Optimal installation of the power transmitters in the dynamic wireless charging for electric vehicles in a multipath network with the round-trip case, International Journal of Intelligent Transportation Systems Research, 2022, Vol. 20, pp. 46–63.
55. El-Geneidy A., Levinson D., Diab E., Boisjoly G., Verbich D., Loong C.: The cost of equity: Assessing transit accessibility and social disparity using total travel cost. Transportation Research: Part A, 2016, Vol. 9, pp. 302–316.
56. Els P.S., Theron N.J., Uys P.E., Thoresson M.J.: The ride comfort vs. handling compromise for off-road vehicles. Journal of Terramechanics, 2007, Vol. 44, No. 4, pp. 303–317.
57. Els P.S.: The applicability of ride comfort standards to off-road vehicles. Journal of Terramechanics, 2005, Vol. 42, pp. 47–64.
58. Erdem M.: Optimisation of sustainable urban recycling waste collection and routing with heterogeneous electric vehicles, Sustainable Cities and Society, 2022, Vol. 80, pp. 103785.
59. Erdoğan S., Miller-Hooks E.: A green vehicle routing problem, Transportation Research Part E: Logistics and Transportation Review, 2012, Vol. 48, No. 1, pp. 100–114.
60. Erdoğan K., Karabulut K.: Bi-objective green vehicle routing problem, International Transactions in Operational Research, 2022, Vol. 29, pp. 1602–1626.
61. Euch J., Yassine A.: A hybrid metaheuristic algorithm to solve the electric vehicle routing problem with battery recharging stations for sustainable environmental and energy optimization, Energy Systems, 2022.
62. Fan W, Gurmu Z.: Dynamic travel time prediction models for buses using only GPS data, International Journal of Transportation Science and Technology, 2015, Vol. 4, No. 4, pp. 352–366.
63. Fent K.W., Evans D.E., Couch J.: Evaluation of Chemical and Particle Exposures During Vehicle Fire Suppression Training, Health Hazard Evaluation Report, HETA 2008-0241-3113, National Institute for Occupational Safety and Health, 2010.
64. Ferreira K.M. Queiroz T.A., Toledo F.M.B.: An exact approach for the green vehicle routing problem with two-dimensional loading constraints and split delivery, Computers and Operations Research, 2021, Vol. 136, pp. 105452.

65. Fransen K., Neutens T., Farber S., De Maeyer P., Deruyter G., Witlox F.: Identifying public transport gaps using time-dependent accessibility levels. *Journal of Transport Geography*, 2015, Vol. 48, pp. 176–187.
66. Gadziński J., Goras E. (eds.): Raport o stanie polskich miast. Transport i mobilność miejska. Instytut Rozwoju Miast i Regionów, Warszawa 2019.
67. Gajda J., Sroka R.: Vehicle classification by parametric identification of the measured signals, XVI IMEKO World Congress, Vienna, Austria, 2000.
68. Gamota D.R., Filisko F.E.: Dynamic mechanical studies of electrorheological materials: moderate frequencies, *Journal of Rheology*, 1991, Vol. 35, pp. 399–425.
69. Gardulski J.: Assessing the reliability of testing methods used for fluid telescopic shock absorbers in cars. *Journal of KONES Powertrain and Transport*, 2008, Vol. 15, No. 1.
70. Giffinger R., Fertner C., Kramar H., Kalasek R.: Smart cities: Ranking of European medium-sized cities. Centre of Regional Science (SRF), Vienna University of Technology, Vienna 2007.
71. Goga V., Klucik M.: Optimization of vehicle suspension parameters with use of evolutionary computation. *Procedia Engineering*, 2012, Vol. 48, pp. 174–179.
72. Golański D., Chmielewski T., Skowrońska B., Rochalski D.: Advanced Applications of Microplasma Welding. *Biuletyn Instytutu Spawalnictwa w Gliwicach*, 2018, Vol. 62, Issue 5, p. 53–63. <http://dx.doi.org/10.17729/ebis.2018.5/5>.
73. Grogan S., Pellerin R., Gamache M.: Using tornado-related weather data to route unmanned aerial vehicles to locate damage and victims, *OR Spectrum*, 2021, Vol. 43, pp. 905–939.
74. Grosman F., Kurzydłowski J.K., Pawlicki J., Tomecki L.: Przyrząd do obróbki plastycznej metali. Patent nr PL 211139 B1, 2012.
75. Grosman F., Kurzydłowski J.K., Pawlicki J., Tomecki L.: Sposób kształtowania odkuwek i przyrząd do kształtowania odkuwek matrycą segmentową. Patent nr PL 210904 B1, 2012.
76. Grosman F., Kurzydłowski J.K., Pawlicki J., Tomecki L.: Sposób plastycznego kształtowania wyrobów metalowych i przyrząd do plastycznego kształtowania wyrobów metalowych. Patent nr PL 211138 B1, 2012.
77. Grosman F., Pawlicki J., Korbel A., Bochniak W., Kiełpiński R., Tomecki L.: Sposób walcowania, zwłaszcza metali oraz klatka walcownicza do walcowania, zwłaszcza metali. Patent nr 203220 B1, 2009.
78. Grosman F., Pawlicki J., Tomecki L., Kurzydłowski J.K.: Przyrząd do obróbki plastycznej matrycą segmentową. Patent nr PL 211137 B1, 2012.
79. Grosman F., Pawlicki J., Ziółkiewicz S.: Kształtowanie segmentowe odkuwek ze stopów tytanu i aluminium. *Hutnik. Wiadomości Hutnicze*, t. 77, nr 8, 2010, s. 388–391.
80. Guclu R., Gulez K.: Neural network control of seat vibrations of a non-linear full vehicle model using PMSM. *Mathematical and Computer Modelling*, 2008, Vol. 47, pp. 1356–1371.
81. Guglielmino E., Sireteanu T., Stammers C.W., Ghita G., Giuclea M.: Semi-active suspension control, improved vehicle ride and road friendliness. 2008, Springer-Verlag London Limited, London, United Kingdom.
82. Gupta A., Saini S.: On solutions to vehicle routing problems using swarm optimization techniques: A review. [in:] *Advances in Computer and Computational Sciences*, Singapore, 2018, pp. 345–354.

83. Gysen B.L.J., Janssen J.L.G., Paulides J.J.H., Lomonova E.A.: Design aspects of an active electromagnetic suspension system for automotive applications, 2008 IEEE Industry Applications Society Annual Meeting, 2008, pp. 1–8.
84. Hadryś D.: Impact load of welds after micro-jet cooling. *Archives of Metallurgy and Materials*, 2015, Vol. 60, Issue 4, pp. 2525–2528, <https://doi.org/10.1515/amm-2015-0409>.
85. Hamed M., Tesfa B., Gu F., Ball A. D.: A study of the suspension system for the diagnosis of dynamic characteristics. 2014 20th International Conference on Automation and Computing, 2014, pp. 152–157.
86. Hao, H.; Mu, Z.; Jiang, S.; Liu, Z.; Zhao, F.: GHG Emissions from the Production of Lithium-Ion Batteries for Electric Vehicles in China. *Sustainability* 2017, 9, 504. <https://doi.org/10.3390/su9040504>
87. Hecht Ch., Victor K., Zurmühlen S., Sauer D.U.: Electric vehicle route planning using real-world charging infrastructure in Germany, *eTransportation*, 2021, Vol 10, pp. 100143.
88. Hernandez-Alcantara D., Morales-Menendez R., Amezcua-Brooks L.: Fault detection for automotive shock absorber. *Journal of Physics: Conference Series*, 2015, Vol. 659, No. 1, 012037.
89. Hesam Sadati M.E., Akbari A., Çatay B.: Electric vehicle routing problem with flexible deliveries, *International Journal of Production Research*, 2022, pp. 1–27.
90. Heßler K.: Exact algorithms for the multi-compartment vehicle routing problem with flexible compartment sizes, *European Journal of Operational Research*, 2021, Vol. 294, pp. 188–205.
91. Holdmann P., Holle M.: Possibilities to improve the ride and handling performance of delivery trucks by modern mechatronic systems. *JSAE Review*, 1999, Vol. 20, No. 4, pp. 505–510.
92. Hou D., Fan H., Ren X.: Multi-depot joint distribution vehicle routing problem considering energy consumption with time-dependent networks, *Symmetry*, 2021, Vol. 13, pp. 2082.
93. Hrovat D.: Survey of advanced suspension developments and related optimal control applications. *Automatica*, 1997, Vol. 33, pp. 1781–1817.
94. <http://www.anl.gov/energy-systems/publication/life-cycle-analysis-summary-automotivelithium-ion-battery-production-and>.
95. <http://www.ucsusa.org/clean-vehicles/electric-vehicles/life-cycle-ev-emissions#.WWamKdNuJTY>.
96. <http://ziemianarozdrozu.pl/encyklopedia/152/wytwarzanie-rzeczy>.
97. <https://alebank.pl/fabryki-aut-coraz-bardziej-zielone/?id=16653&catid=361>.
98. <https://autokult.pl/4985,materialy-konstrukcyjne-w-nowoczesnych-pojazdach-samochodowych-cz-1>.
99. <https://autokult.pl/4757,materialy-konstrukcyjne-w-nowoczesnych-pojazdach-samochodowych-cz-2>.
100. <https://elektrowoz.pl/porady/jaka-jest-emisja-co2-z-samochodu-elektrycznego-czyli-gdzie-sie-myli-dziennik-pl-liczymy/>.
101. <https://energyeducation.ca/encyclopedia/Aluminum>.
102. https://learn.openenergymonitor.org/sustainable-energy/energy/industry-plastic?fbclid=IwAR2-AAuYRML-hMnUw644U7-6_aYuji_DzQ5RYVEP327JFF3NrS-9fDLcMAA.

103. <https://pushevs.com/2020/04/04/comparison-of-different-ev-batteries-in-2020/>.
104. <https://www.electricitymap.org/>.
105. <https://www.hyundai.com/pl/modele/kona-electric1.html>.
106. <https://www.jlg.com/pl-pl/equipment/engine-powered-boom-lifts/telescopic/400-series/400s-2015>.
107. <https://www.joanneum.at/life/aktuelles/news/news-detail/expert-notification-on-estimating-ghg-emissions-and-primary-energy-of-vehicles-tested-in-green-ncap-lca-methodology-and-data>.
108. https://www.kobize.pl/uploads/materialy/materialy_do_pobrania/wskazniki_emisyjnosc_i/Wskazniki_emisyjnosci_grudzien_2021.pdf.
109. <https://www.transportenvironment.org/publications/electric-vehicle-life-cycle-analysis-and-raw-material-availability>.
110. Hu X., Yan W., Zhang X., Feng Z., Wang Y., Ying B., Zhang H.: LRP-based design of sustainable recycling network for electric vehicle batteries, *Processes*, 2022, Vol. 10, pp. 273.
111. Iwańkiewicz R.: Effective permutation encoding for evolutionary optimization of the electric vehicle routing problem, *Energies*, 2021, Vol. 14, pp. 6651.
112. Jacob B., O'Brien E., Jehaes S.: COST 323, Weigh-in-Motion of Road Vehicles, 1999, http://www.is-wim.org/doc/wim_eu_specs_cost323.pdf [accessed in May 2022].
113. Jaewson L., Kamran A., Jwo P.: Modeling of failure mode of laser welds in lap-shear specimens of HSLA steel sheets. *Engineering Fracture Mechanics*, 2011, Vol 1, p. 347–396.
114. Jazar, N.J.: Chapter 3, Tire dynamics, [in:] *Vehicle Dynamics: Theory and Applications*, 1st ed., Springer, New York, USA, 2008, pp. 95–164.
115. Ji B., Zhou S., Yu S.S., Wu G.: An enhanced neighborhood search algorithm for solving the split delivery vehicle routing problem with two-dimensional loading constraints, *Computers & Industrial Engineering*, 2021, Vol. 162, pp. 107720.
116. Julio N., Giesen R, Lizana P.: Real time prediction of bus travel speeds using traffic shockwaves and machine learning algorithms, *Research in Transportation Economics*, 2016, Vol. 59, pp. 250–257.
117. Junyou Z., Fanyu W., Shufeng W.: Application of support vector machine in bus travel time prediction, *International Journal of System Engineering*, 2018, Vol. 2, No. 1, pp. 21–25.
118. Karimipour H., Tam V.W.Y., Le K. N., Burnie H.: Routing on-road heavy vehicles for alleviating greenhouse gas emissions, *Cleaner Engineering and Technology*, 2021, Vol. 5, pp. 100325.
119. Karpuchok U.: Projekt inżynierski, Porównawcze analizy cyklu życia pojazdów EV i spalinowych, *Comparative life cycle analysis of EV, and internal combustions vehicles*, Gliwice, 2021.
120. Karwińska A.: Miasto sprawiedliwe. Idee i możliwości realizowania. *Prakseologia nr 156/2014*, Instytut Filozofii i Socjologii Polskiej Akademii Nauk / Akademia Leona Koźmińskiego, Warszawa 2014, p. 79–106.
121. Kashef A.: Ventilation strategies – an integral part of fire protection systems in modern tunnels, in: *Seventh International Symposium on Tunnel Safety and Security*, Montreal, Canada 2016.

122. Kashef A.Z., Benichou N.: Investigation of the performance of emergency ventilation strategies in the event of fire in a road tunnel-a case study. *Journal of Fire Protection Engineering*, 2008, Vol. 18, No. 3.
123. Kashef A.Z., Viegas J., Mos A., Harvey N.: Proposed idealized design fire curves for road tunnels, in: 14th International Symposium on Aerodynamics and Ventilation of Tunnels, Dundee, Scotland 2011.
124. Ke-Wei J., San-Yang L., Xiao-Jun S.: A hybrid algorithm for time-dependent vehicle routing problem with soft time windows and stochastic factors, *Engineering Applications of Artificial Intelligence*, 2022, Vol. 109, pp. 104606.
125. Khairy O.M., Shehata O.M., Morgan E.I.: Meta-heuristic algorithms for solving the multi-depot vehicle routing problem, 2020 2nd Novel Intelligent and Leading Emerging Sciences Conference (NILES), 2020, pp. 276–281.
126. Kiełtyka A.: *Przemysł pojazdów EV w Polsce*, praca inżynierska, Wydział Elektryczny Politechnika Śląska, Gliwice 2022.
127. Kirci P.: A novel model for vehicle routing problem with minimizing CO2 emissions, 3rd International Conference on Advanced Information and Communications Technologies (AICT), 2019, pp. 241–243.
128. Klote J.H., Milke J.A., Turnbull P.G., Kashef A., Ferreira M.J.: *Handbook of Smoke Control Engineering*, ASHRAE, Atlanta, 2012.
129. Komar B.: *Współczesna jakość spółdzielczej przestrzeni osiedlowej w świetle zasad rozwoju zrównoważonego na wybranych przykładach*. Prace Komisji Naukowych, Polska Akademia Nauk, 2016, pp. 349–350.
130. Konieczny Ł., Burdzik R., Łazarz B.: Application of the vibration test in the evaluation of the technical condition of shock absorbers built into the vehicle. *Journal of Vibroengineering*, 2013, Vol. 15, No. 4, pp. 2042–2048.
131. Korbel A., Martin P.: Microstructural events of macroscopic strain localization in prestrained tensile specimens. *Acta Metall.* 36, 1988, p. 2575–2586.
132. Korbel A.: Structural and mechanical aspects of localized deformation in Al-Mg alloy. *Arch. Metall.* 32, 1987, p. 377–392.
133. Korhonen T., Hostikka S.: *Fire Dynamics Simulator with Evacuation: FDS+Evac, Technical Reference and User's Guide*. VTT Technical Research Centre of Finland, 2009.
134. Koyuncu I., Yavuz M.: Duplicating nodes or arcs in green vehicle routing: a computational comparison of two formulations, *Transportation Research Part E*, 2019, Vol. 122, pp. 605–623.
135. Krajowy Ośrodek Bilansowania i Zarządzania Emisjami „Wartości opałowe (WO) i wskaźniki emisji CO2 (WE) w roku 2017 do raportowania w ramach Systemu Handlu Uprawnieniami do Emisji za rok 2020”.
136. Krauze P., Kasprzyk J., Kozyra A., Rzepecki J.: Experimental analysis of vibration control algorithms applied for an off-road vehicle with magnetorheological dampers, *Journal of Low Frequency Noise, Vibration and Active Control*, 2018, Vol. 37, No. 3, pp. 619–639.
137. Krauze P., Kasprzyk J.: FxLMS control of an off-road vehicle model with magnetorheological dampers, [in:] Bartoszewicz A., Kabziński J., Kacprzyk J. (eds.): *Advanced, Contemporary Control. Advances in Intelligent Systems and Computing*. Springer, Cham 2020, Vol. 1196, pp. 747–758.

138. Król A., Król M.: Numerical investigation on fire accident and evacuation in a urban tunnel for different traffic conditions. *Tunnelling and Underground Space Technology*, 2021, Vol. 109, 103751.
139. Król A., Król M.: Study on hot gases flow in case of fire in a road tunnel, *Energies*, 2018, Vol. 11, No. 13, pp. 1–16.
140. Król A., Król M.: The factors determining the number of the endangered people in a case of fire in a road tunnel. *Fire Safety Journal*, 2020, Vol. 111, 102942.
141. Krupicz B., Tarasiuk W., Barsukov V.G., Sviridenok A.I.: Experimental Evaluation of the Influence of Mechanical Properties of Contacting Materials on Gas Abrasive Wear of Steels in Sandblasting Systems. *Journal of Friction and Wear*, 2020, Vol. 41, Issue: 1, pp. 1–5.
142. Kulkarni A., Ranjha S.A., Kapoor A.: A quarter-car suspension model for dynamic evaluations of an in-wheel electric vehicle. *Journal of Automobile Engineering*, 2017, Vol. 232, No. 9, pp. 1–10.
143. Kumar S.: Recent achievements in modelling the transport of smoke and toxic gases in tunnel fires. 1st International Symposium Safe & Reliable Tunnels, Prague 4-6 Feb 2004.
144. Kuziak R., Kawalla R., Waengler S.: Advanced high strength steels for automotive industry. *Archives of Civil and Mechanical Engineering*, Vol. 8, No. 2, 2008, p. 103–117.
145. Labus A., Malicka-Skrzek S., Gajewska A., Goleśna A., Jonda J., Konsek P., Ławecka A., Dostępność w projektowaniu woonerfów w historycznych centrach miast europejskich. *Builder* 2021, R.25, No. 6, p. 64–68.
146. Laporte G.: The Vehicle Routing Problem: An overview of exact and approximate algorithms, *European Journal of Operational Research*, 1982, Vol. 59, pp. 345–358.
147. Legrain A., Buliung R., El-Geneidy A.M.: Travelling fair: Targeting equitable transit by understanding job location, sectorial concentration, and transit use among low-wage workers. *Journal of Transport Geography*, 2016, Vol. 53, pp. 1–11.
148. *Leksykon naukowo-techniczny z suplementem*. Warszawa: WNT, 1989. ISBN 83-204-0967-5.
149. Lenstra J.K., Rinnooy Kan A.H.G.: Complexity of vehicle and scheduling problems, *Networks*, 1981, Vol. 11, pp. 221–227.
150. Lesiuk A, Oleszczuk P, Kuśmierz M.: Zastosowanie techniki LCA w ekologicznej ocenie produktów, technologii i gospodarce odpadami (http://ztch.umcs.lublin.pl/materialy/rozdzial_25.pdf).
151. Li J., Wang F., He Y.: Electric vehicle routing problem with battery swapping considering energy consumption and carbon emissions, *Sustainability*, 2020, Vol. 12, pp. 10537.
152. Lin B., Ghaddar B., Nathwani J.: Electric vehicle routing with charging/discharging under time-variant electricity prices, *Transportation Research Part C*, 2021, Vol. 130, pp. 103285.
153. Liperda R.I., Pewira Redi A.A.N., Sekaringtyas N.N., Astiana H.B., Sopha B. M., Maria Sri Asih A.: Simulated annealing algorithm performance on two-echelon vehicle routing problem-mapping operation with drones, 2020 IEEE International Conference on Industrial Engineering and Engineering Management (IEEM), 2020, pp. 1142–1146.
154. Liu L., Xu Y., Zhou F., Hu G., Yu L.: Performance analysis of magnetorheological damper with folded resistance gaps and bending magnetic circuit. *Actuators*, 2022, Vol. 11, No. 6, 165.
155. Londono J.F.C., Rendon R.A.G., Ocampo E.M.T.: Iterated local search multi-objective methodology for the green vehicle routing problem considering workload equity with

- a private fleet and a common carrier, *International Journal of Industrial Engineering Computations*, 2021, Vol. 12, pp. 115–130.
156. Lozia Z., Zdanowicz P.: Simulation assessment of the impact of inertia of the vibration plate of a diagnostic suspension tester on results of the EUSAMA test of shock absorbers mounted in a vehicle. *IOP Conference Series: Materials Science and Engineering*, 2018, Vol. 421, No. 2, pp. 1–10.
 157. Lozoya-Santos J.J., Tudon-Martinez J.C., Morales-Menendez R., Ramirez-Mendoza R., Garza-Castanon L.E.: A fault detection method for an automotive magneto-rheological damper. *IFAC Proceedings Volumes*, 2012, Vol. 45, No. 20, pp. 1209–1214.
 158. Lu J.J., Xing Y., Wang C., Cai X.: Risk factors affecting the severity of traffic accidents at Shanghai river-crossing tunnel, *Traffic Injury Prevention*, 2015, Vol. 17, No. 2, pp. 176–180.
 159. Łabanowski J., Fydrych D.: Oznaczanie zawartości wodoru dyfundującego w stopiwie. *Prace Naukowe Politechniki Warszawskiej, II Sympozjum Naukowe Zakładu Inżynierii Spajania Politechniki Warszawskiej*, Warszawa 2008.
 160. Macrina G., Di Puglia Pugliese L., Guerriero F., Laporte G.: The green mixed fleet vehicle routing problem with partial battery recharging and time windows, *Computers and Operations Research*, 2019, Vol. 101, pp. 183–199.
 161. Marek A, Kardasz P, Karpiński M, Pohrebennyk V.: Assessment of the logistic system of fuel life cycle using the LCA method https://www.researchgate.net/publication/309349625_Assessment_of_the_Logistic_System_of_Fuel_Life_Cycle_Using_the_LCA_Method.
 162. Marszałek Z., Zeglen T., Sroka R., Gajda J.: Inductive loop axle detector based on resistance and reactance vehicle magnetic profiles, *Sensors*, 2018.
 163. Mierzejewska L.: Miasto zwarte, rozproszone, zrównoważone. *Studia Miejskie*, t. 9/2015, p. 14–15.
 164. Mikame, Y., Kawabata, N., Seike, M., Hasegawa, M.: Study for Safety at a Relatively Short Tunnel when a Tunnel Fire Occurred, *7th International Conference Tunnel Safety and Ventilation*, pp. 133–139. Graz, 2014.
 165. Ministerstwo Infrastruktury i Rozwoju: *Krajowa Polityka Miejska 2023*. Warszawa 2015, p. 19.
 166. Montgomery Ch.: *Miasto szczęśliwe. Jak zmienić nasze życie, zmieniając nasze miasta*. Wydawnictwo Wysoki Zamek, Kraków 2015.
 167. Mu N., Song W.G., Qi X.X., Lu W., Cao S.C.: Simulation of evacuation in a twin bore tunnel: analysis of evacuation time and egress selection, *Procedia Engineering*, 2014, Vol. 71, pp. 333–342.
 168. Neuman M.: The Compact City Fallacy. *Journal of Planning Education and Research*, 2005, Vol. 25, No. 1, p. 14.
 169. Neutens T.: Accessibility, equity and health care: review and research directions for transport geographers. *Journal of Transport Geography*, 2015, Vol. 43, pp. 14–27.
 170. NFPA 502: *Standard for Road Tunnels, Bridges, and Other Limited Access Highways*, NFPA, 1 Batterymarch Park, Quincy, MA 02169-7471, An International Codes and Standards Organization, 2017.
 171. Nguyen M.A., Thi-Huong Dang G., Hoàng Hà M., Minh-Trien Pham: The min-cost parallel drone scheduling vehicle routing problem, *European Journal of Operational Research*, 2022, Vol. 299, pp. 910–930.

172. Ning T., Wang J., Han Y.: Logistics distribution de-carbonization pathways and effect in China: a systematic analysis using VRPSDP model, *International Journal of Low-Carbon Technologies*, 2021, Vol. 16, pp. 1404–1411.
173. OECD. *Compact City Policies: a Comparative Assessment*. OECD Green Growth Studies, OECD Publishing, 2012, p. 15.
174. Ogonowski S., Krauze P.: Trajectory control for vibrating screen with magnetorheological dampers, *Sensors*, 2022, Vol. 22, No. 4225, pp. 1–33.
175. Ogrodnik K.: Idea miasta zwartego – definicja, główne założenia, aktualne praktyk. *ARCHITECTURAE et ARTIBUS* t. 4/2015, p. 15.
176. Omori R., Shiina T.: Solution algorithm for the vehicle routing problem with stochastic demands, 2020 Joint 11th International Conference on Soft Computing and Intelligent Systems and 21st International Symposium on Advanced Intelligent Systems (SCIS-ISIS), 2020, pp. 1–6.
177. O'Sullivan F.: Make Way for the 'One-Minute City'. Bloomberg CityLab, 2021. Available online: www.bloomberg.com/news/features/2021-01-05/a-tiny-twist-on-street-design-the-one-minute-city [accessed on April 2021].
178. Ouertani N., Ben-Romdhane H., Krichen S.: A decision support system for the dynamic hazardous materials vehicle routing problem, *Operational Research*, 2022, Vol. 22, pp. 551–576.
179. Ozkan O.: Optimization of the distance-constrained multi-based multi-UAV routing problem with simulated annealing and local search-based matheuristic to detect forest fires: The case of Turkey, *Applied Soft Computing*, 2021, Vol. 113, pp. 108015.
180. Paszkowski Z.: *Miasto idealne w perspektywie europejskiej i jego związki z urbanistyką współczesną*. Wydawnictwo Universitas, Kraków 2011, p. 20.
181. Pawlicki J., Grosman F.: Analysis of power-energy effects for processes with forced deformation path. *Archives of Civil and Mechanical Engineering*, Vol. 4, No. 3, 2004, p. 45–55.
182. Pawlicki J., Grosman F.: Charakterystyki materiałowe dla oscylacyjnego skręcania. *Prace Naukowe Politechniki Warszawskiej, z. Mechanika*, nr 201, 2003, s. 139–144.
183. Pawlicki J.: *Niekonwencjonalne metody kształtowania plastycznego metali*. Wydawnictwo Politechniki Śląskiej, Monografia nr 875, Gliwice 2021.
184. Peters J., Baumann M., Zimmermann B., Braun J., Weil M.: The environmental impact of Li-Ion batteries and the role of key parameters – A review, *Renewable and Sustainable Energy Reviews*, 2017. <http://www.sciencedirect.com/science/article/pii/S1364032116304713>.
185. PIARC 1999: *Fire and smoke control in road tunnels*. Technical Committee on Road Tunnels, the World Road Association, 1999.
186. PIARC 2007: *Systems and Equipment for Fire and Smoke Control in Road Tunnels*, Technical Committee on Road Tunnels, the World Road Association, 2007.
187. Piotrowska K., Kruszelnicka W., Bałdowska-Witos P., Kasner R., Rudnicki J., Tomporowski A., Flizikowski J., Opielak M.: "Assessment of the Environmental Impact of a Car Tire throughout Its Lifecycle Using the LCA Method" 2019. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6947500/>.
188. Płachta A., Pawlicki J.: Wpływ procesu walcowania z poosiowym, cyklicznym ruchem walców na strefy lokalnych odkształceń w stopie CuFe₂. *Rudy i Metale Nieżelazne*, R. 60, nr 11, 2015, s. 559–563.

189. Polit A.: Idea miasta zwartego a rzeczywistość. *Czasopismo Techniczne. Architektura*, z. 14, 2010, p. 88.
190. Polko W.: *Konserwacja podestów ruchomych przejezdnych*, Wyd. Kabe, Krosno, 2015.
191. Poonthalir G., Nadarajan R.: Green vehicle routing problem with queues, *Expert Systems With Applications*, 2019, Vol. 138, pp. 112823.
192. Qin G., Tao F., Li L., Chen Z.: Optimization of the simultaneous pickup and delivery vehicle routing problem based on carbon tax, *Industrial Management & Data Systems*, 2019, Vol. 119, No. 9, pp. 2055–2071.
193. Qin G.Y., Tao F.M., Li L.X.: A green vehicle routing optimization model with adaptive vehicle speed under soft time window, 2019 IEEE International Conference on Industrial Engineering and Engineering Management (IEEM), 2019, pp. 1–5.
194. Qin W., Shi Z., Li W., Li K., Zhang T., Wang R.: Multiobjective routing optimization of mobile charging vehicles for UAV power supply guarantees, *Computers & Industrial Engineering*, 2021, Vol. 162, pp. 107714.
195. RABT: Forschungsgesellschaft Fur Strassen-and Verkehrswesen, *Richtlinien fuer Ausstattung und Betrieb von Strassentunneln*, 2006 (in german).
196. Raeesi R., Zografos K.G.: The electric vehicle routing problem with time windows and synchronised mobile battery swapping, *Transportation Research Part B*, 2020, Vol. 140, pp. 101–129.
197. Ragab M., Altalbe A., Al-Malaise ALGhamdi A.S., Abdel-khalek S., Saeed R.A.: A drones optimal path planning based on swarm intelligence algorithms, *Computers, Materials & Continua*, 2022, Vol 72, No. 1, pp. 365–380.
198. Rajan S., Sundar K., Gautam N.: Routing problem for unmanned aerial vehicle patrolling missions – a progressive hedging algorithm, *Computers & Operations Research*, 2022, Vol. 142, pp. 105702.
199. Raport NIK, Ruch pojazdów przeciążonych na obszarach zurbanizowanych <https://www.nik.gov.pl/plik/id,23352,vp,26070.pdf> [accessed in May 2022].
200. Ribeiro R.G., Júnior J.R.C., Cota L.P., Euzébio T.A.M., Guimarães F.G.: Unmanned aerial vehicle location routing problem with charging stations for belt conveyor inspection system in the mining industry, *IEEE Transactions on Intelligent Transportation Systems*, 2020, Vol. 21, No. 10, pp. 4186–4195.
201. Rodak K., Pawlicki J.: Effect of compression with oscillatory torsion processing on structure and properties of Cu. *Journal of Materials Science and Technology*, Vol. 27, 2011, p. 1083–1088.
202. Rodak K., Pawlicki J.: Efficiency of the compression with oscillatory torsion method in grain refinement in Al. *Archives of Civil and Mechanical Engineering*. Vol. 16, 2016, p. 805–812.
203. Rodak K., Pawlicki J.: Microstructure characterization of Cu processed by compression with oscillatory torsion. *Materials Characterization*, Vol. 94, 2014, p. 37–45.
204. Rodak K., Pawlicki J.: Microstructure of ultrafine-grained Al produced by severe plastic deformation. *Arch. Mater. Sci. Eng.*, Vol. 28, No. 7, 2007, p. 409–412.
205. Rose J. F.P.: *Dobrze nastrojone miasto. Karakter*, Kraków 2019, p. 27.
206. Sakellariou J.S., Petsounis K.A., Fassois S.D.: Vibration based fault diagnosis for railway vehicle suspensions via a functional model based method: a feasibility study. *Journal of Mechanical Science and Technology*, 2015, Vol. 29, pp. 471–484.
207. Salehi Sarbijan M., J. Behnamian J.: Multi-fleet feeder vehicle routing problem using hybrid metaheuristic, *Computers & Operations Research*, 2022, Vol. 141, pp. 105696.

208. Sameer Kumar D., Tara Sasanka C., Ravindra K., Suman K.N.S.: Magnesium and its alloys in automotive applications – a review. *American Journal of Materials Science and Technology*, Vol. 4, No. 1, 2015, p. 12–30.
209. Sapiński B.: *Magnetorheological dampers in vibration control*. AGH University of Science and Technology Press, 2006, Cracow, Poland.
210. Savaresi S.M., Poussot-Vassal C., Spelta C., Sename O., Dugard L.: *Semi-active suspension control design for vehicles*. 2010, Butterworth-Heinemann, Elsevier.
211. Seike M., Kawabata N., Hasegawa M.: Evacuation speed in full-scale darkened tunnel filled with smoke, *Fire Safety Journal*, 2017, Vol. 91, pp. 901–907.
212. Seike, M., Kawabata, N., Hasegawa, M.: Experiments of Evacuation Speed in Tunnel Filled Smoke, *Tunnelling and Underground Space Technology*, 2016, Vol. 53, pp. 61–67.
213. Sepioł J. (ed.): *Przestrzeń życia Polaków*. Warszawa 2014, s. 215.
214. Shen K., Shivgan R., Medina J., Dong Z., Rojas-Cessa R.: Multi-depot drone path planning with collision avoidance, *IEEE Internet of Things Journal*, 2022, pp. 1–1.
215. Shwachko V. I.: Cold cracking of structural steel weldments as reversible hydrogen embrittlement effect. *International Journal of Hydrogen Energy*, 2000, No. 25.
216. Siemens Switzerland Ltd.: *FibroLaser III*, Zug Switzerland, 2010.
217. Sierpiński G. (ed.): *Priorytetowy Obszar Badawczy 4: Inteligentne miasta i mobilność przyszłości*. Gliwice 2021, Available online: www.polsl.pl/pob4/en/research-topics/ [accessed on May 2022].
218. Silva A., Szczucka-Lasota B., Węgrzyn T., Jurek A.: MAG welding of S700MC steel used in transport means with the operation of low arc welding method. *Welding Technology Review*, 2019. Vol. 91, No 3, p. 23–30.
219. Skowrońska B., Szulc J., Chmielewski T., Golański D.: Wybrane właściwości złączy spawanych stali S700 MC wykonanych metodą hybrydową plazma + MAG. *Welding Technology Review*, 2017, Vol. 89, No 10, p. 104–111. <http://dx.doi.org/10.26628/ps.v89i10.825>.
220. Skrzymowski W.: *Podesty ruchome i przejezdne budowa i eksploatacja*. Wydawnictwo i Handel Książkami „KaBe” s.c., Krosno 2011.
221. Smith C.C., McGehee D.Y., Healey A.J.: The prediction of passenger riding comfort from acceleration data. Research report 16, Council for Advanced Transportation Studies, The University of Texas at Austin, Austin, Texas, 1976, pp. 1–121.
222. Soliman A.M.A., Kaldas M.M.S.: Semi-active suspension systems from research to mass-market – A review. *Journal of Low Frequency Noise, Vibration and Active Control*, 2019, Vol. 40, No. 2, pp. 1005–1023.
223. Soon K.L., Lim J.M.-Y., Parthiban R.: Coordinated traffic light control in cooperative green vehicle routing for pheromone-based multi-agent systems, *Applied Soft Computing Journal*, 2019, Vol. 81, pp. 105486.
224. Soriano A., Vidal T., Gansterera M., Doerner K.: The vehicle routing problem with arrival time diversification on a multigraph, *European Journal of Operational Research*, 2020, Vol. 286, pp. 564–575.
225. Spencer B.F., Dyke S.J., Sain M.K., Carlson J.D.: Phenomenological model of a magnetorheological damper. *ASCE Journal of Engineering Mechanics*, 1997, Vol. 123, pp. 230–238.
226. Stachyra R., Roman K.: Analysis of Accessibility of Public Transport in Warsaw in the Opinion of Users. *Postmodern Openings*, 2021, Vol. 12, No. 3, pp. 384–403.

227. Stangel M.: Kształtowanie współczesnych obszarów miejskich w kontekście zrównoważonego rozwoju. Wydawnictwo Politechniki Śląskiej, Gliwice 2013.
228. Stavropoulou F.: The consistent vehicle routing problem with heterogeneous fleet, *Computers & Operations Research*, 2022, Vol. 140, pp. 105644.
229. Stępnia M., Goliszek S.: Spatio-Temporal Variation of Accessibility by Public Transport—The Equity Perspective. [In:] Ivan I., Singleton A., Horák J., Inspektor T. (ed.): *The Rise of Big Spatial Data. Lecture Notes in Geoinformation and Cartography*. Springer, Cham 2017, pp.241–261.
230. Subramanian A., Queiroga E.: Solution strategies for the vehicle routing problem with backhauls, *Optimization Letters*, 2020, Vol. 14, pp. 2429–2441.
231. Symans M.D., Constantinou M.C.: Semi-active control systems for seismic protection of structures: a state-of-the-art review. *Engineering Structures*, 1999, Vol. 21, pp. 469–487.
232. Szekely V., Novotny J.: Spatial differences in public transport accessibility of district centres in the Prešov region, Slovakia. *Transport Geography Papers of Polish Geographical Society*, 2019, Vol. 22, No. 1, pp. 31–43.
233. Thin L.N., Thin L.Y., Husna N.A., Husin M.H.: GPS systems literature: inaccuracy factors and effective solutions, *International Journal of Computer Networks & Communication*, 2016, Vol. 8, No. 2, pp. 123–131.
234. Thite, A.N.: Development of a refined quarter car model for the analysis of discomfort due to vibration. *Advances in Acoustics and Vibration*, 2012, Vol. 2012, Article ID 863061, pp. 1–7.
235. TLS2012, Technische Lieferbedingungen für Streckenstationen, BAST, 2012, https://www.bast.de/BAST_2017/DE/Publikationen/Regelwerke/Verkehrstechnik/Unters-eiten/V5-tls-2012.pdf?__blob=publicationFile&v=1 [accessed in May 2022].
236. Uys P.E., Els P.S., Thoresson M.J.: Suspension settings for optimal ride comfort of off-road vehicles travelling on roads with different roughness and speeds. *Journal of Terramechanics*, 2007, Vol. 44, pp. 163–175.
237. Uys, P.E., Els, P.S., Thoresson, M.J.: Criteria for handling measurement. *Journal of Terramechanics*, 2006, Vol. 43, pp. 43–67.
238. VDI 6029: Ventilation plants for road tunnels. Verein Deutscher Ingenieure, 2000 (in German).
239. Vega-Figueroa S.E., López-Becerra P.A., López-Santana E.R.: Hybrid algorithm for the solution of the periodic vehicle routing problem with variable service frequency, *International Journal of Industrial Engineering Computations*, 2022, Vol. 13, pp. 277–292.
240. Villalba A.F.L., La Rotta E.C.G.: Clustering and heuristics algorithm for the vehicle routing problem with time windows, *International Journal of Industrial Engineering Computations*, 2022, Vol. 13, pp. 165–184.
241. Vu V.T., Sename O., Dugard L., Gaspar P.: Active anti-roll bar control using electronic servo valve hydraulic damper on single unit heavy vehicle. *IFAC-PapersOnLine*, 2016, Vol. 49, No. 11, pp. 418–425.
242. Wach-Kloskowska M., Rześny-Cieplińska J.: Inteligentny i zrównoważony rozwój transportu jako element realizacji założeń koncepcji smart city – przykłady polskie i europejskie. *Studia Miejskie*, t. 30, 2018.

243. Wang H., Zhang J., Dong J.: Application of ant colony and immune combined optimization algorithm in path planning of unmanned craft, *AIP Advances*, 2022, Vol. 12, pp. 025313.
244. Wang J., Chen L., Wang R., Meng X., Shi D.: Design and experimental research on electromagnetic active suspension with energy-saving perspective. *Journal of Mechanical Engineering Science*, 2020, Vol. 234, No. 2, pp. 487–500.
245. Wang K., Zhang X., Duan L.: Cooperative path planning of a UAV swarm to meet temporal-spatial user demands, *GLOBECOM 2020 – 2020 IEEE Global Communications Conference*, 2020, pp. 1–6.
246. Wang S., Han C., Yu Y., Huang M., Sun W., Kaku I.: Reducing carbon emissions for the vehicle routing problem by utilizing multiple depots, *Sustainability*, 2022, Vol. 14, No. 3, pp. 1264.
247. Wang X., Fleischmann C., Spearpoint M.: Applying the FDS pyrolysis model to predict heat release rate in small-scale forced ventilation tunnel experiments, *Fire Safety Journal*, 2020, Vol. 112, 102946.
248. Wang Z., Ye K., Jiang M., Yao J., Xiong N.N., Yen G.G.: Solving hybrid charging strategy electric vehicle based dynamic routing problem via evolutionary multi-objective optimization, *Swarm and Evolutionary Computation*, 2022, Vol. 68, pp. 100975.
249. Wehr A., Lohr U.: Airborne Laser Scanning – An Introduction and Overview. *ISPRS Journal of Photogrammetry and Remote Sensing*, 1999, Vol. 54, No. 2–3, pp. 68–82.
250. Węclawowicz-Bilska E.: Miasto przyszłości – tendencje, koncepcje, realizacje. *Czasopismo Techniczne. Architektura*, z. 1, 2012, p. 328.
251. Widener M.J., Farber S., Neutens T., Horner M.: Spatiotemporal accessibility to supermarkets using public transit: an interaction potential approach in Cincinnati, Ohio. *Journal of Transport Geography*, 2015, Vol. 42, pp. 72–83.
252. Widuch J.: Current and emerging formulations and models of real-life rich vehicle routing problems. [in:] *Smart Delivery Systems*, 2020, pp. 1–35.
253. Wolfram P., Wiedmann T.: Electrifying Australian transport: Hybrid life cycle analysis of a transition to electric light-duty vehicles and renewable electricity. *Applied Energy*, Vol. 206, 2017, pp. 531-540, ISSN 0306-2619.
<https://doi.org/10.1016/j.apenergy.2017.08.219>.
254. www.archiwum.gddkia.gov.pl/pl/a/21630/Pierwsze-oficjalne-wyniki-GPR-2015 [access on 6th May 2022].
255. Yatak M.O., Sahin F.: Ride comfort-road holding trade-off improvement of full vehicle active suspension system by interval type-2 fuzzy control. *Engineering Science and Technology, an International Journal*, 2021, Vol. 24, No. 1, pp. 259–270.
256. Yin Y., Rakheja S., Boileau P.-E.: Multi-performance analyses and design optimisation of hydro-pneumatic suspension system for an articulated frame-steered vehicle. *Vehicle System Dynamics*, 2018, Vol. 57, No. 1, pp. 1–26.
257. Zarouk Y., Mahdavi I., Rezaeian J., Santos-Arteaga F.J.: A novel multi-objective green vehicle routing and scheduling model with stochastic demand, supply, and variable travel times, *Computers & Operations Research*, 2022, Vol. 141, pp. 105698.
258. Zdonek B., Szypuła I.: Instytut Metalurgii Żelaza im. St. Staszica „Zmniejszanie emisji CO₂ w procesie elektrostalowniczym poprzez stosowanie alternatywnych materiałów nawęglających we wsadzie” – prace inż 1, 2010.

259. Zhou B., Zhao Z.: Multi-objective optimization of electric vehicle routing problem with battery swap and mixed time windows, *Neural Computing and Applications*, 2022.
260. Zhu J.J., Khajepour A., Esmailzadeh E.: Handling transient response of a vehicle with a planar suspension system. *Journal of Automobile Engineering*, 2011, Vol. 225, No. 11, pp. 1445–1461.
261. Zhu L., Hu D.: Study on the vehicle routing problem considering congestion and emission factors, *International Journal of Production Research*, 2019, Vol. 57, No. 19, pp. 6115–6129.