

SUBJECT INDEX.

- AP 33.** See *Alloys*.
AZM. See *Alloys*.
Abrasion. See *Wear*.
Accumulators, theory, construction, & use, book, 712.
Acetylene. See *Welding*.
Acid-resistant materials. See under names of alloys.
Acids. See under names of acids & *Corrosion*.
Adnic. See *Alloys*.
Adsorption, of gases. See *Gases* & under names of gases & metals.
Aeroplanes. See *Aircraft*.
Affinity, 490.
 thermodynamic theory, book, 219.
Age-hardening,
 heats effects associated with, 505.
 reviews, 187, 437.
 theory, 286, 335; critical review, 504; review, 42.
Age-hardening of—
 Aluminium alloys, 34; castings, 231; discussion, 380.
 Aluminium-beryllium-copper alloys, 232.
 Aluminium-copper alloys, effect of impurities, 84; effect of iron & silicon, 326; effect of iron & small amts. of magnesium, 592; importance of diffusion, 285.
 Aluminium-copper-nickel alloys, 85.
 Aluminium-magnesium alloys, 34, 380; contg. Mg₂Si, 231; effect of addns., 493, 594.
 Aluminium-magnesium-silicon alloys, 237; contg. excess silicon, 595.
 Aluminium-MgZn₂ alloys, 85, 138, 327, 715.
 Aluminium-silicon alloys, 138, 715.
 Anticorodal castings, 231.
 Antimony-lead alloys, 141; effect of copper & arsenic, 141.
 Avial, 595.
 Beryllium alloys, review, 494.
 Beryllium-chromium-copper alloys, 36, 381.
 Beryllium-cobalt-copper alloys, 36, 381.
 Beryllium-copper alloys, course of pptn. of CuBe, 140; mechanism, 284; theory, 335.
 Beryllium-nickel alloys, micro- & x-ray study of pptn., 142; pptn., 333.
 Bondur, 139.
 Cobalt-iron-tungsten alloys, pptn., 380.
 Copper-indium alloys, pptn., effect of nickel & cadmium, 182.
 Copper-silicon-silver alloys, 236.
 Copper-silver alloys, theory, 335.
 Duralumin, effect of hydrostatic pressure, 138; heat effects associated with, 505; theory, 335.
 Gold-nickel alloys, pptn., 140.
 Age-hardening of—
 Lead, review, 583.
 Nickel-bronzes, 381.
 51 S, 595.
 Silumin castings, with & without magnesium, 231.
 Silver-copper alloys, 384.
 Ternary alloys, 237.
 Ageing, double, definition, 36.
Agricultural spray mixtures, action on metals. See *Corrosion*.
Aircraft,
 constructional materials. See *Alloys* & under names of metals.
 engines, failures, 42; materials, review, 504; metallurgy, 697.
 metal construction, book, 477.
 metals & alloys in, developments, 119.
Albondur. See *Alloys*.
Alchemy, in the ancient Orient, book, 276.
Alclad,
 fuel tanks for aircraft, 164.
 in aircraft, 418.
 manufacture, 100.
 rolling. See *Rolling*.
Aldrey. See *Alloys*.
Alkali metals (see also under names of alkali metals),
 cohesive forces, 78.
 detection. See *Analysis*.
 estimation. See *Analysis*.
 films on glass, elect. conductivity, 132.
 photoelectric effect, selective, effect of light & heavy hydrogen, 715.
 precipitation at mercury cathode, polarization accompanying, 530.
 separation. See *Analysis*.
 thermal expansion, 78.
Alkaline earth metals. See under names of alkaline earth metals.
Allionizing, 104.
Allotropy (see also under names of metals),
 investigation, fundamentally-wrong methods, 180, 228.
- ALLOYS & COMPOUNDS—**
 γ -transformations, sound emitted due to friction between grains during, 623.
 acid-resisting. See under names of constituent metals and also *Corrosion*.
 acoustic study, 623.
 age-hardened, appns., 699.
 age-hardening. See *Age-hardening*.
 analysis. See *Analysis*.
 Berthollide compounds, 440.
 binary, numerical relationships (see *Hume-Rothery rules*); phase boundaries, 237; potential-concentration curves, effect of temp., 43; soly. of hydrogen in relation to equilib. diagr., 90; theory, 186.

Alloys & compounds—

book, 220.
 cast, selection & appn. to machine construction, 5.
 casting. See *Casting*.
 classification, systematic, 506.
 compounds with fluorite structure, 511.
 constitution, appn. of x-ray diffraction methods of study, review, 146; bibliography (to 1935), 186; classification of phases, 507; detn., x-ray method, 507; detn., x-ray method, glossary of terms used, 507; importance of microscope, 156; methods of study, 386; soly. limits, 506; use of centrifuge for studying, 144.
 corrosion. See *Corrosion*.
 corrosion-fatigue. See *Corrosion-fatigue*.
 corrosion-resistant. See *Corrosion-resistant materials*, under names of constituent metals, & also *Corrosion*.
 crystallization, investigation, apparatus, 625.
 dental. See *Alloys: Dental alloys*.
 deoxidation. See *Deoxidation*.
 deposition. See *Deposition*.
 die-casting. See *Die-casting*.
 diffusion (solid), rates, 285.
 effect of service conditions, 567.
 electrical resistance, importance in study of alloys, 436.
 electronic structure, 338.
 equilibrium, theory, 91.
 equilibrium diagrams. See *Equilibrium diagrams*.
 eutectics, crystn., 43; crystn., mechanism, 596; electrodes of fused salt batteries, 530; melting, 32; melting rate, 588; molten, structure, 46; structure, effect of rolling & heating, 509; structure, modification, 44.
 eutectoid, phase changes, laws, 237.
 exhibited at 6th Foundry Exhibition, Düsseldorf, 42.
 fatigue tension-compression, 109, 353, 722.
 ferromagnetic, Curie points, detn., 5; see also *Ferromagnetic materials*.
 ferromagnetism, theory, 385.
 for chemical plant, 68.
 for die-casting, review, 159.
 for electric cables & rheostats, book, 170.
 for electrical heating elements, accelerated life tests, A.S.T.M. standard, 12; heat communicated to air by hot wires, 111; testing, 296, 722; test results, 333; tests, 67.

Alloys & compounds—

for electrical resistances, research & testing, 15; temp.-resistance const. of wires, A.S.T.M. standard method of test, 12.
 for fertilizer plant, 68.
 for permanent magnets, 185; review, 144.
 freezing points, accurate detn., 384.
 fusible. See *Alloys: Fusible alloys*.
 grain-refinement, relation to peritectic reaction, 92.
 grain-size, methods for regulating, 672.
 heat-resisting for elect. furnaces, 561; properties, 137; wires, life testing, 658.
 heat-treatment. See *Heat-treatment*.
 heats of formation, 91, 505; calcd. from electrochem. measurements, 144.
 heavy, developments, 621.
 homogeneous phases, hysteresis between decompn. & reformation, 235.
 Hume-Rothery rules, 189; validity, 386.
 in printing industry, 233.
 in superlattice state, elect. conductivity, quantum theory 42, 237.
 incubation, 90, 144, 385.
 intermetallic compounds, critical review, 144; heats of formation, calcd. from electrochem. measurements, 144; shearing phenomena at high pressures, 280; theory, 338, 505; theory, review, 440.
 interstitial compounds, 440.
 inverse segregation, review of literature, 622; theory, 622.
 light. See *Alloys: Aluminium alloys, Magnesium alloys*, & under names of alloys.
 magnetic, development, 386; history, 285.
 magnetization, saturation, effect of hydrostatic pressure, 376.
 melting rate, apparatus for detn., 32.
 molten, heat of formation, direct detn., 91, 505; structures, 46.
 names, origin, 699.
 noble-metal, bibliography (to 1935), 186.
 order-disorder transformations, 436, 437; extension of Bethe's theory, 624; theory, 338; thermodynamics, 490; thorium-X method of detn., 506.
 peritectic reaction, nature, 92.
 reduction, book, 71.
 segregate structures. See *Widmanstätten structure*.
 single crystals. See *Single crystals*.
 solid, electrolysis, theory, 528.

ALLOYS

Alloy systems are indexed in the order of the constituent whose initial letter comes first in the alphabet, e.g. *Aluminium-copper, Copper-nickel, Tin-zinc*, and without regard to percentage composition. Trade names of alloys are inserted in alphabetical order.

Alloys & compounds—

- solid solutions, catalytic properties, effect of changes of crystal structure, 622; crystal structure of phases of variable compn., 238; dia- & paramagnetism, 336; disordered, pptn., 187; latent energy, 187; nature of phases of variable compn., 238; ordered distribution, 386; segregation in single crystals, 186, 385; structural changes & destruction of ordered atomic distribution by plastic deformation, 93; theory, 338; transformations, theory, 187.
- solidification, effect of supersonic waves, 623.
- solubility limits, 506.
- specific heat at high temp., 375.
- superconducting, magnetic properties, 33, 713.
- super-hard. See *Alloys: Super-hard, Tungsten carbide, &c.*, & under trade names of alloys: *Pobedit, Widia, &c.*
- temper-brittleness, theory, 622.
- tensile properties, tests at ultra-high speeds, 587.
- ternary, constitution, x-ray method of study, 507.
- theory, 186, 385; reviews, 440.
- thermal conductivity, 336; effect of magnetic fields, 2, 134.
- transformations, detn., appn. of electrode potentials, 623; detn., appn. of magnetic methods, 298; in solid state, detection, 79; in solid state, reactivity in, 43; order-disorder, see entry above; theory, 624.
- ultra-light. See *Alloys: Elektron, Magnesium alloys, &c.*
- welding. See *Welding*.
- with disordered & ordered arrangement of atoms, elect. resistance, 436.
- with high coercive force, 621.
- yield-strengths corresponding to small percentages of set, 436, 717.

A.P. 33, 461.

AZM air-screw blades, mech. properties & structure, 86.

Admiralty brass. See *Alloys: Brasses*.

Admiralty gun-metal. See *Alloys: Gun-metal*.

Adnic,

- properties, review, 605.
- rolled, fatigue properties, 182, 381.

Alboudur, properties, 139.

Albrac, corrosion. See *Corrosion*.

Aldrey (see also *Alloys: Aluminium-magnesium-silicon alloys*), corrosion. See *Corrosion*.

- overhead lines, effect of method of suspension, 561; experiences, 561.
- telephone wires, 418.

Alnico,

- magnetic properties, 39.
- permanent magnets, 471.

Alpax (Silumin) (see also *Alloys: Aluminium-silicon alloys, Copper-Silumin, &c.*),

Alloys & compounds—

- Alpax (Silumin), age-hardening. See *Age-hardening of Silumin*.
- casting. See *Casting of Silumin*.
- corrosion. See *Corrosion of Silumin*.
- die-casting. See *Die-casting of Silumin*.
- effect of alkaline-earth metals, 85.
- effect of magnesium, 231.
- elastic modulus, 598.
- machinability, improvement, 206.
- machining. See *Machining of Silumin*.
- melting. See *Melting of Silumin*.
- modification, 14, 664.
- refining, by alkali metals, 494.
- uses, 695.
- welding. See *Welding*.
- wrought, effect of metal addns., 86.
- Alpax-Gamma (Silumin-Gamma), effect of modification, 597.
- elastic modulus, 598.
- hardness, effect of rate of cooling & Mg content, 86.
- machinability, improvement, 206.
- Alphas, 163.
- Altmag, welding. See *Welding*.
- Aludur, "comparison" structure, 93.
- Alumag, mechanical properties, effect of age-hardening temp., 594.
- welding. See *Welding*.
- Aluman, in aerial railways, 19.
- tensile properties in completely stabilized state, effect of temp., 326.
- Alumi-brass, corrosion. See *Corrosion*.
- Alumina, estimation. See *Analysis*.
- Aluminium Alloys (see also *Alloys: Aldrey, Alpax, Alumag, Alva, Anticorodal, Avional, B.S.-Seewasser, Bondur, Ceralumin, Cetal, D.M. 31, Duralumin, "E" alloy, Hiduminium, Hydronalium, K.S.-Seewasser, K.S. 280, L 5, L 11, Lautal, Mangal, Pantal, Peraluman, 24 S, 25 S, 32 S, 51 S, 52 S, 53 S, ST, 17 ST, Sander alloy, Silumin, Y alloy, &c.*), action of photographic solutions, 309.
- age-hardening. See *Age-hardening*.
- airscrew forgings, Brit. Air Min. specification, 216.
- analysis. See *Analysis*.
- anodic oxidation. See *Anodic oxidation*.
- as constructional materials, 211, 214.
- bearing-, 417, 430; lubrication, 599; properties, 326; running tests, 599; tests, 309, 693.
- book, 124.
- canoes, 468.
- casting. See *Casting*.
- castings at 1936 Foundry Exhibition, 61.
- chains, weldless, manuf., 214.
- characteristics, review, 325, 715.
- chemical properties, review, 308.
- classification, 656, 657, 721.
- colouring. See *Colouring*.

Alloys & compounds—

Aluminium alloys,
 "comparison" structure, 93.
 compositions, 182.
 corrosion. See *Corrosion*.
 corrosion-fatigue. See *Corrosion-fatigue*.
 corrosion-resistant, 339.
 creep, 352.
 deposition. See *Deposition*.
 developments, review, 3.
 die-castings in elect. industry, 566.
 dissolution potentials, 390.
 drilling. See *Drilling*.
 effect of titanium, 182, 327.
 elastic modulus, 598.
 electrical conductivity, 84, 378, 493;
 booklet, 571.
 electrical resistance, 84.
 Eloxal-treated, testing, 517.
 extrusion. See *Extrusion*.
 fatigue, detection of impending failure
 by x-ray diffraction, 387.
 fire helmets, 562.
 for casting, developments, 328, 716.
 for die-castings, A.S.T.M. tentative
 standards, 418, 726.
 for rolling, developments, 598.
 forging. See *Forging*.
 free-cutting, 138, 464, 465, 680;
 book, 216; developments, 359;
 patents, 465; reviews, 114, 118.
 galvanizing. See *Galvanizing*.
 gas flasks, manuf. & properties,
 379.
 gases in, removal, 409.
 grain-refinement by titanium, 182.
 grinding. See *Grinding*.
 hardenability, review, 599.
 hardness, effect of temp., 598.
 heat-resistance, review, 378.
 heat-treatment. See *Heat-treatment*.
 history of development, 328, 716.
 in aerial railways, 19.
 in aero-engines, 309.
 in aircraft, 212, 418.
 in architecture, 213.
 in automobile industry, 212.
 in bicycles, 212.
 in bridges, 213.
 in Diesel engines, 212.
 in foundry moulds, 468.
 in gas-works, 693.
 in gliders, 695, 726.
 in hot parts of motors, 562.
 in machine construction, 561.
 in machine tools, 212.
 in mining industry, 211.
 in naval construction, 164.
 in photographic industry, 309.
 in railway work, 118, 212, 694.
 in shipbuilding, 212.
 in textile industry, 211, 417.
 in transport, 418, 694.
 in wood-working machinery, 695.
 ingots for permanent mould castings,
 A.S.T.M. tentative standards, 418,
 726; for sand-castings, A.S.T.M.
 tentative standards, 418, 726.
 injuries from, 692.

Alloys & compounds—

Aluminium alloys,
 investigation, appn. of physico-thermal
 methods, 328, 715.
 joints, contact pastes, 684.
 lacquering. See *Lacquering*.
 machinability, 206, 306, 464.
 machining. See *Machining*.
 mechanical properties, effect of temp.,
 328, 715; effect of titanium, 327;
 tables, 308.
 melting. See *Melting*.
 metallography, A.S.T.M. recommended
 practice, 5.
 military clasps as substitutes for
 nickel-brass, 695.
 modification, 14, 327, 715.
 moulding. See *Moulding*.
 overhead cables, erection, 694.
 painting. See *Painting*.
 physical properties, effect of heating,
 review, 378; review, 308; tables
 of data, 425.
 pistons, automobile, 562; book, 574;
 coating to reduce cylinder wear,
 518; in heavy-oil engines, 118;
 review, 562.
 polishing. See *Polishing*.
 precipitation-hardening. See *Age-
 hardening*.
 pressing. See *Pressing*.
 properties, review, 182.
 protected by M.B.V. process, effect of
 boiling in distilled water & in water-
 glass soln. on corrosion-resistance of
 film, 513.
 protection, review of methods, 517;
 with chlorinated rubber-base lac-
 quers; 398, 720; see also *Anodic
 oxidation*, *Deposition*, *Elytal process*,
M.B.V. process, *Painting*, &c.
 R.E. See *Alloys: R.R. alloys*.
 radiology. See *Radiology*.
 reaming. See *Reaming*.
 research, review, 599.
 review, 80.
 riveting. See *Riveting*.
 rivets, mech. properties, 167, 208.
 scrap, treatment, 462.
 sections, thin, stress calculation, 417.
 segregation in single crystals, 186, 385.
 sheet, fatigue, 334, 716; grades &
 prodn., 16.
 shop-window fittings, 214.
 soldering. See *Soldering*.
 specifications, Gorman, 309, 692.
 strong, 181, 328.
 structure, review, 325, 715.
 surface-hardening, Rubinite process,
 599.
 surface-treatment, 557.
 tensile properties at elevated temps.,
 effect of rate of extension, 487, 488,
 713; in completely stabilized state,
 effect of temp., 326.
 thermal conductivity, 84, 378, 493, 571.
 turning. See *Turning*.
 uses, 118, 267, 308 (see also entries
 above).
 vectorial representation, 84.

Alloys & compounds—

- Aluminium alloys,
welding. See *Welding*.
working, reviews, 679.
wrought, developments, 328, 716.
Y. See *Alloys: Y alloy*.
- Aluminium-antimony alloys, elect. resistance, 84.
- Aluminium-beryllium-copper alloys,
age-hardening. See *Age-hardening*.
constitution, 232.
properties, 232.
- Aluminium-bismuth alloys, elect. resistance, 84.
- Aluminium-brasses,
condenser tubes, A.S.T.M. tentative specifications, 419, 726.
corrosion. See *Corrosion*.
hardening, 609.
- Aluminium—"bronzes" (see also *Alloys: Aluminium-copper alloys*),
book, 479.
cast, manuf., properties & uses, review, 593.
casting. See *Casting*.
castings, A.S.T.M. specifications, 20.
condenser tubes, A.S.T.M. tentative specifications, 419, 726.
constitution. See *Alloys: Aluminium-copper alloys*.
corrosion. See *Corrosion*.
corrosion-fatigue. See *Corrosion-fatigue*.
corrosion-resistant, 593.
effect of nickel, 232, 332.
fatigue, 329.
forging. See *Forging*.
grain-refinement, 92.
heat-treatment. See *Heat-treatment*.
mechanical properties, 140.
melting. See *Melting*.
molten, reaction with sulphur dioxide, 139.
recrystallization diag., 495.
welding. See *Welding*.
wire-drawing. See *Wire-drawing*.
wrought, manuf., properties & uses, review, 593; strong & anti-corrosive, 140, 329.
- Aluminium-cadmium alloys,
combustion, 328.
electrical resistance, 84.
- Aluminium-cadmium-magnesium alloys,
constitution, 432.
- Aluminium-calcium alloys, elect. resistance, 84.
- Aluminium-chromium alloys,
constitution, review, 591; x-ray study, 328.
crystal structure of Cr_3Al & Cr_2Al , 289.
electrical resistance, 84.
- Aluminium-chromium-iron alloys (see also *Kanthal*, &c.),
electrical heating elements, life tests, 600.
heat-resisting, 137.
mechanical properties, comparison with Nichrome, 495, 716.
- Aluminium-chromium-magnesium alloys. See *Alloys: 52 S*.

Alloys & compounds—

- Aluminium-chromium-magnesium-silicon alloys, bars, rods, shapes, & wire, U.S. Federal specifications, 219.
- Aluminium-cobalt alloys,
constitution, 430.
Curie points, 139.
electrical resistance, 84.
heat of formation, 91.
- Aluminium-cobalt-iron alloys, heat of formation, 91.
- Aluminium-cobalt-iron-nickel alloys,
permanent magnets, 471.
- Aluminium-copper alloys (see also *Alloys: Aluminium—"bronzes," L 11, &c.*),
age-hardening. See *Age-hardening*.
annealing brittleness, 622.
constitution, critical reviews, 591, 601; new intermediate phase, 602.
corrosion. See *Corrosion of copper-aluminium alloys*.
crystallites, orientation, dotn., 7.
dissolution potentials, 390.
effect of tin, 230.
effect of titanium, 182.
elastic modulus, 598.
electrical resistance, 84.
electrolytic production, 347.
electrolytically-produced, x-ray study, 510.
etching phenomena, 84.
for casting, properties, 592.
4% copper, effect of iron & silicon, 326.
heat of formation, 91.
heat-treated, properties, review, 592.
mechanical properties, 592; effect of silicon, 592.
oxide film on, protective properties, 517.
properties, review, 592.
solid solutions, latent energy, 187.
- Aluminium-copper-iron alloys, corrosion. See *Corrosion of Copper-aluminium-iron alloys*.
- Aluminium-copper-iron-magnesium alloys, properties, review, 593.
- Aluminium-copper-magnesium alloys,
constitution, compn. $Mg_4Cu_{11}Al_{11}$, 612.
corrosion. See *Corrosion*.
crystal structure, 45.
free-cutting, 464.
tensile properties, effect of cold-work, 493.
- Aluminium-copper-magnesium-manganese alloys. See *Alloys: Duralumin*, 17 S, 24 S, &c.
- Aluminium-copper-magnesium-nickel alloys. See *Alloys: Y alloy*.
- Aluminium-copper-magnesium-nickel-silicon alloys. See *Alloys: 32 S*.
- Aluminium-copper-magnesium-silicon alloys,
constitution, compn. of quaternary phase, 378, 715.
heat-treated, properties, review, 597.
- Aluminium-copper-manganese alloys (see also *Alloys: Heusler's alloys*),
solid solutions, nature & crystal structure, 238.

Alloys & compounds—

- Aluminium-copper-nickel alloys,
age-hardening. See *Age-hardening*.
analysis. See *Analysis*.
constitution, 85.
corrosion. See *Corrosion*.
electrical resistance, effect of heat-treatment, 602.
hardness, effect of heat-treatment, 602.
heat of formation, 505.
- Aluminium-copper-nickel-silicon alloys,
lattice changes due to heat-treatment, 329.
- Aluminium-copper-silicon alloys. See *Alloys: Lautal*.
- Aluminium-copper-tin alloys, constitution, 230.
- Aluminium-copper-titanium alloys, constitution, 182.
- Aluminium-copper-zinc alloys. See *Alloys: Aluminium-brasses*.
- Aluminium-gold alloys, AuAl_2 , structure, 511.
- Aluminium-hydrogen system, 33.
- Aluminium-iron alloys,
constitution, critical review, 593;
review, 493.
corrosion. See *Corrosion*.
electrical resistance, 84.
heat of formation, 91.
solid solutions, nature & crystal structure, 238.
- Aluminium-iron-nickel alloys, heat of formation, 91.
- Aluminium-iron-silicon alloys,
constitution, 593, 596.
electrical properties, 86.
heat of formation, 505.
magnetic properties, 86.
production in lab. blast-furnace, 69.
- Aluminium-lead alloys,
electrical resistance, 84.
patents, value, 4.
- Aluminium-lead-tin alloys, analysis. See *Analysis*.
- Aluminium-lithium alloys,
constitution, 593.
corrosion. See *Corrosion*.
- Aluminium-magnesium alloys (see also *Alloys: MG 7*),
age-hardening. See *Age-hardening*.
analysis. See *Analysis*.
bars, sections, & forgings, Brit. Air Min. specifications, 216.
cold-worked, stress distribution figures, 93.
constitution, 35, 380, 433; β - & γ -phases, 594; critical review, 594; review, 611.
corrosion. See *Corrosion*.
corrosion-fatigue. See *Corrosion-fatigue*.
dissolution potentials, 390.
effect of beryllium on crystn. & structure, 612.
effect of calcium, 612.
effect of third metals, 499.
effect of titanium, 231.
electrical resistance, 84.
films, evapd., optical changes, 231.

Alloys & compounds—

- Aluminium-magnesium alloys,
for denture bases, 66.
free-cutting, 464.
homogeneity, 283.
mechanical properties, effect of age-hardening temp., 594.
metallography, 508, 718.
properties, effect of addns., 493, 594;
reviews, 594, 595.
recrystallization, 238.
solid solutions, homogeneity, detn. of solution potentials, 283.
tensile properties, effect of titanium, 231.
thermal expansion, 26.
- Aluminium-magnesium-manganese alloys (see also *Alloys: K.S.-See-wasser, 4 S, &c.*),
corrosion. See *Corrosion*.
properties, review, 611.
- Aluminium-magnesium-zinc alloys, corrosion. See *Corrosion*.
- Aluminium-magnesium-silicon alloys (see also *Alloys: Aldrey, Anticorodal, Avial, 51 S, 53 S, &c.*),
age-hardening. See *Age-hardening*.
constitution, critical review, 596.
electrothermal production, 650.
free-cutting, 464.
heat-treated, properties, review, 597.
wrought, properties, &c., review, 596.
- Aluminium-magnesium-titanium alloys,
tensile properties, 231.
- Aluminium-magnesium-zinc alloys,
age-hardening. See *Age-hardening*.
constitution, 35, 138, 380.
mechanical properties of sand-castings, effect of addns., 4.
- Aluminium-manganese alloys (see also *Alloys: 3 S*),
constitution, critical review, 596.
corrosion. See *Corrosion*.
dissolution potentials, 390.
electrical resistance, 84.
etching, metallographic, 624.
welding. See *Welding*.
- Aluminium-manganese-silver alloys,
hardness, 186.
- Aluminium-mercury alloys, electrodes, appn. to detn. of activity of aluminium ions in aq. solns., 402.
- Aluminium-molybdenum alloys, electrical resistance, 84.
- Aluminium-nickel alloys,
constitution, 234, 614; critical review, 596; review, 614; x-ray study, 241.
crystal structure of Ni_3Al_2 & NiAl , 388.
electrical resistance, 84.
grain-refinement by peritectic reaction, 92.
hardeners, propn., 545.
heat of formation, 91.
magnetism, saturation, effect of hydrostatic pressure, 376.
properties, review, 596.
solid solutions, atomic moments & Curie points, 433.
uses, 596.

Alloys & compounds—

Aluminium-platinum alloys, PtAl₂, structure, 511.

Aluminium-silicon alloys (see also

Alloys: Alpac (Silumin), &c.),

age hardening. See *Age-hardening*.

casting. See *Casting*.

chemical properties, 596.

constitution, critical review, 596.

corrosion. See *Corrosion*.

dissolution potentials, 390.

electrical resistance, 84.

electrolytic production, 649.

eutectic, structure, effect of rolling & heating, 509.

properties, reviews, 596.

Aluminium-silver alloys,

constitution, review, 28.

electrical resistance, 84.

properties, review, 28.

solid solutions, nature & crystal structure, 238.

Aluminium-tin alloys,

constitution, 232.

electrical resistance, 84.

Aluminium-tin-zinc alloys, constitution, 87.

Aluminium-titanium alloys, 436.

constitution, 144; critical review, 597.

electrical resistance, 84.

Aluminium-tungsten alloys, elect. resistance, 84.

Aluminium-vanadium alloys, elect. resistance, 84.

Aluminium-zinc alloys,

combustion, 328.

constitution, 597; review, 620.

dissolution potentials, 390.

electrical resistance, 84.

mechanical properties, 620.

properties, review, 597.

Alunize, 116.

Alva, properties, 326.

Amalgams. See *Alloys: Mercury alloys*.

Ambrac, properties, review, 605.

Anticorodal,

age-hardening. See *Age-hardening*.

casting. See *Casting*.

corrosion. See *Corrosion*.

in aerial railways, 19.

mechanical properties, effect of prolonged heating, 595; at elevated temps., 328.

melting. See *Melting*.

riveting. See *Riveting*.

tensile properties in completely stabilized state, effect of temp., 326.

Anti-friction alloys. See *Alloys: Bearing alloys, White metals, &c.*, & under names of constituent metals.

Antimony alloys. See *Alloys: Babbitt metals, Bearing alloys, White metals, &c.*

Antimony-bismuth alloys, solidification, 600.

Antimony-cadmium alloys, heats of formation, 144.

Antimony-cadmium-tin alloys,

constitution, 618.

mechanical properties, 435, 618.

Alloys & compounds—

Antimony-cobalt alloys, constitution, 430.

heat of formation, 505.

Antimony-copper alloys, constitution, 36, 87.

Cu₃Sb, crystal structure, 45.

Antimony-copper-nickel alloys, superstructure in Cu₃Ni₃Sb₂, 627.

Antimony-copper-tin alloys (see also

Alloys: Pewter, &c.),

compressive strength, 90.

constitution, review, 618.

hardness, effect of cold-work & annealing, 435.

structure as bearing alloys, 618.

Antimony-iron alloys,

heat of formation, 505.

solid solutions, nature & crystal structure, 238.

Antimony-lead alloys,

age-hardening. See *Age-hardening*.

constitution, review, 610.

creep, review, 583.

creep limit, 610.

crystallization, review, 583.

deformation, 141.

deposition. See *Deposition*.

eutectic, structure, 509.

hardening, 141.

pipes, short-time bursting tests, 610.

properties, review, 610.

recrystallization, 141.

thermal expansion, 38.

Widmanstätten structure, 430.

Antimony-lead-tin alloys, grain-refinement by peritectic reaction, 92.

for printing, review, 88.

Antimony-lithium alloys, crystal structure of α-Li₃Sb, 627.

Antimony-magnesium alloys,

corrosion. See *Corrosion of Magnesium-antimony alloys*.

properties, 611.

Antimony-magnesium-nickel alloys, superstructure in Ni₃MgSb, 627.

Antimony-magnesium-tin alloys, mech. properties, 613.

Antimony-nickel alloys,

heat of formation, 505.

hydrogen in, soly., 90.

solid solutions, atomic moments & Curie points, 433.

Antimony-palladium alloys, specific heats of compounds at high temps., 375.

Antimony-platinum alloys, specific heats of PtSb₂ at high temps., 375.

Antimony-potassium alloys, crystal structure of K₃Sb, 627.

Antimony-silver alloys,

constitution, 333, 384.

Hall effect, 86.

Antimony-silver-tin alloys, hardness, effect of cold-work & annealing, 435.

Antimony-silver-zinc alloys, hardness, 186.

Antimony-sodium alloys, crystal structure of Na₃Sb, 627.

- Alloys & compounds—**
- Antimony-tellurium alloys, Hall effect, 86.
 - Antimony-tin alloys, compressive strength, 90. constitution, 87; review, 618. grain-refinement by peritectic reaction, 92. hardness, effect of cold-work & annealing, 435. single crystals. See *Single crystals*. SnSb, shearing phenomena at high pressures, 280.
 - Antimony-tin-zinc alloys, friction tests, 87. hardness, 87. impact tests, 87.
 - Antimony-zinc alloys, constitution, 87.
 - Arsenic-copper alloys, ancient, 495. annealing. See *Annealing*.
 - Arsenic-copper-lead alloys, 233.
 - Arsenic-iron alloys, Fe_2As , crystal structure, 45.
 - Arsenic-lithium alloys, crystal structure of Li_2As , 627.
 - Arsenic-potassium alloys, crystal structure of K_2As , 627.
 - Arsenic-sodium alloys, crystal structure of Na_2As , 627.
 - Asarcology, mechanical properties, 495. properties, 4. structure, 4.
 - Avial, age-hardening. See *Age-hardening*.
 - Avional (see also *Alloys: Duralumin*), corrosion. See *Corrosion*. mechanical properties at elevated temps., 328. riveting. See *Riveting*. tensile properties in completely stabilized state, effect of temp., 326.
 - Avional Sk, x-ray study under mech. stress, 283, 716.
 - B.S.S. alloy, corrosion. See *Corrosion*.
 - B.S.-Seewasser, properties, 139.
 - Babbitt metals (see also *Alloys: Bearing alloys, White metals, &c.*, & under names of constituent metals), arsenic-cadmium, 563. book, 363. graphited, 267; manuf., 666. improvement by reduction, 548. requirements & characteristics, 119.
 - Barium-zinc alloys, constitution, 385. crystal structure, 439. electrolytic production, 385.
 - Bearing alloys (see also *Alloys: Babbitt metal, Bronzes, White metals, &c.*, & under names of constituent metals), adhesion to bushings, 382. aluminium-base. See *Alloys: Aluminium alloys*. books, 270, 314. bronze. See *Alloys: Bronzes*. casting. See *Casting*. developments, 335. for oil engines, 214.
 - Bearing alloys, in transport industry, 564. lead-base. See *Alloys: Lead Alloys*. lubrication, tests, 503. properties, review, 214. self-lubricating, 381. testing. See *Testing*. tin-base. See *Alloys: Tin alloys*. wear, 621. zinc-base, 269.
 - Berychrome No. 1, compn. & properties, 603.
 - Beryllium alloys (see also *Alloys: Berychrome No. 1, &c.*), age-hardening. See *Age-hardening*. bibliography, 1. mechanical properties, 1. properties, review, 494. thermal conductivity, 1. uses, 562.
 - Beryllium—"bronzes." See *Alloys: Beryllium-copper alloys*.
 - Beryllium-chromium-copper alloys, age-hardening. See *Age-hardening*.
 - Beryllium-chromium-copper-nickel alloys, properties, 602, 716.
 - Beryllium-cobalt alloys, constitution, 430.
 - Beryllium-cobalt-copper alloys (see also *Alloys: Trodaloy*), age-hardening. See *Age-hardening*.
 - Beryllium-copper alloys (see also *Alloys: Isoelastic*), age-hardening. See *Age-hardening*. casting. See *Casting*. chemical properties, 88; review, 310. constitution, critical review, 602. corrosion. See *Corrosion*. corrosion-fatigue. See *Corrosion-fatigue*. effect of aluminium, 232. effect of cobalt, 495. effect of iron, 602. effect of lead, 232. effect of metal additions, 381. effect of titanium, 329. elastic drift of spring elements, 297, 722. electrolytic production, 401, 720. fabrication, 305. fatigue, 329. heat-treatment. See *Heat-treatment*. incubation, 90, 141, 385. mechanical properties, 88; of wire, effect of heat-treatment, 381. melting. See *Melting*. physical properties, 88; review, 310. properties, reviews, 15, 495. sheet, fatigue, 334, 716. springs, comparison with other materials, 470; design, 470. uses, 494, 495. wire, effect of heat-treatment & of cold-work, 603.
 - Beryllium-copper-lead alloys, constitution, 232. properties, 232.
 - Beryllium-copper-nickel alloys, properties, 602, 716.

Alloys & compounds—

- Beryllium-copper-zirconium alloys, electrical conductivity, 233. hardness, 233.
- Beryllium-iron alloys, constitution, 599.
- Beryllium-nickel alloys, age-hardening. See *Age-hardening*. constitution, review, 614. electrical resistance, variation during pptn.-hardening, 333.
- Beryllium-tin alloys, constitution, 236. properties, 236.
- Beryllium-titanium alloys, 436.
- Bismuth-cadmium alloys, eutectic, crystn., 43. molten eutectic, structure, 46.
- Bismuth-lead alloys, constitution, review, 610; thermodynamic study, 88. eutectic, structure, effect of rolling & heating, 509. magnetic properties, 33, 713. molten eutectic, structure, 46. superconducting, magnetic properties, 590.
- Bismuth-lead-tin alloys, thermal conductivity at low temps., 2, 134.
- Bismuth-magnesium alloys, corrosion. See *Corrosion of Magnesium-bismuth alloys*.
- Bismuth-potassium alloys, crystal structure of K_2Bi , 627.
- Bismuth-sodium alloys, crystal structure of Na_2Bi , 627.
- Bismuth-thallium alloys, heats of formation, 144. magnetic susceptibility, 41. solid solutions, nature & crystal structure, 238.
- Bismuth-tin alloys, constitution, review, 619. eutectic, structure, effect of rolling & heating, 509. molten eutectic, structure, 46.
- Bondur, age-hardening. See *Age-hardening*. corrosion. See *Corrosion*. gas flasks, manuf. & properties, 379. heat-treatment. See *Heat-treatment*.
- Boron alloys, 21.
- Boron carbide, structure, 336.
- Boron-nickel alloys, effect as addn. to metals, 410, 723.
- Borotal, bearings, properties, 430.
- Brass(es) (see also *Alloys : Aluminium-brasses, Manganese-brasses, Nickel-brasses, Silicon-brasses, Tungum, &c.*, & under names of constituent metals),
 α -, recrystn., x-ray study, 7.
 β -, energy of superlattice, 241; superlattice, 387, 437; true specific heat, 178.
 β - β' -transformation, 608.
 γ -, diamagnetism, temp. dependence, 608.
- Admiralty, corrosion of. See *Corrosion*; properties, &c., review, 609.

Alloys & compounds—

- Brass(es),
 aluminium-. See *Alloys : Aluminium brasses*.
 analysis. See *Analysis*.
 ancient, prodn., 313.
 annealing. See *Annealing*.
 boiler tubes, behaviour & maintenance in locomotives, 165.
 book, 366.
 cartridge cases, manuf., 161.
 casting. See *Casting*.
 cavitation, 405.
 complex, A.S.T.M. specifications, 20.
 condenser tubes, A.S.T.M. tentative specifications, 419, 726.
 constitution. See *Alloys : Copper-zinc alloys*.
 corrosion. See *Corrosion*.
 crystallization, 386.
 cylinders subjected to shearing & longitudinal forces, strength, 382.
 deep-drawability, 537.
 deoxidation. See *Deoxidation*.
 deposition. See *Deposition*.
 developments in 1938, 121.
 drilling. See *Drilling*.
 effect of manganese. See *Alloys : Manganese-brasses*.
 effect of nickel. See *Alloys : Nickel-brasses*.
 effect of tellurium on mech. properties, 497.
 effect of vibration on mech. properties, 84, 717.
 electrical conductivity, effect of extension, 181.
 electrodeposited, structure, 440.
 engraving, use of etching methods, 466.
 extrusion. See *Extrusion*.
 foundry practice in 1936, 121.
 hardness, review, 609.
 heat-treatment. See *Heat-treatment*.
 high-duty, appns., 607; mech. properties, 607.
 hose assemblies, manuf., 666.
 impact-tensile tests, 353.
 inverse segregation, 232.
 lead-. See *Alloys : Lead-brasses*.
 machining. See *Machining*.
 manganese-. See *Alloys : Manganese-brasses*.
 mechanical properties at ultra-high speeds, 587.
 melting. See *Melting*.
 molten, reaction with sulphur dioxide, 139.
 nickel-. See *Alloys : Nickel-brasses*.
 nomenclature, 269.
 pickling. See *Pickling*.
 pressing. See *Pressing*.
 properties, tables, 563.
 recrystallization diagr., 44.
 red, properties & uses, review, 608.
 rods, profile, flow in cold-drawing, 161.
 rolling. See *Rolling*.
 season-cracking, review, 232.

Alloys & compounds—

Brass(es),

sheet, cold-rolled, effect of degree of reduction on properties, 498; effect of initial structure & mech. properties on mech. properties, structure, & recrystn. after further cold-rolling, 285; fatigue, 334, 716.

silicon—. See *Alloys: Silicon-brasses*. 66:34, properties, review, 608.

67:33 sheet, ratio of hardness to tensile properties, 609.

special, compn. & properties, 498.

standard specifications, German, 309.

strip, rolled, directional properties, 357; stiffness, 297.

substitutes in hot-water appliances, book, 367.

surfaces, effect of slow positive potassium ions, 321.

tensile properties at elevated temps., effect of rate of extension, 487, 713; effect of mech. vibration, 138.

tubes for radiators, substitution of 62% Cu for 68% Cu alloy, 563; prodn. of coils from, 358.

wear, effect of lubricant, 698.

welding. See *Welding*.

work-hardening by machining, x-ray study, 37.

wrought, defects, 301.

Brighton, elastic modulus, 226.

Bronzes (see also *Alloys: Carbronze, Gun-metal, Lead-bronzes, Nickel-bronzes, Phosphor-bronze, Silicon-bronzes, Zinc-bronzes, &c.*, and under names of constituent metals),

aluminium—. See *Alloys: Aluminium—"bronzes" & Aluminium-copper alloys*.

ancient, prodn., 313; Sardinian, chem. study, 269.

analysis. See *Analysis*.

bearing, prodn., 606; properties, 606. book, 360.

cast, German standards, review, 140; properties, review, 140.

casting. See *Casting*.

cavitation, 149, 405, 406.

constitution, x-ray study, 37, 497; see also *Alloys: Copper-tin alloys*.

corrosion. See *Corrosion*.

crystallization, 386.

deposition, electro-. See *Deposition*.

deposits, thickness, B.N.F. jet-test, 101.

effect of lead. See *Alloys: Lead-bronzes*.

effect of nickel, 332.

effect of tellurium on mech. properties, 497.

electrical conductivity, effect of extension, 181.

engraving, use of etching methods, 466.

for gate valves, in water-works, specifications, 267.

history, 120.

in architecture, 470.

in fine mechanism, 312.

Alloys & compounds—

Bronzes,

inverse segregation, 606; remarkable case, 183.

lead—. See *Alloys: Lead-bronzes*.

manganese—. See *Alloys: Manganese-brasses*.

mechanical properties, 497.

melting. See *Melting*.

molten, reaction with sulphur dioxide, 139.

moulding. See *Moulding*.

nickel—. See *Alloys: Nickel-bronzes*.

nomenclature, 269.

overhead wires, wear against pantograph shoes, 165.

phosphor—. See *Alloys: Phosphor-bronzes*.

properties, tables, 563.

silicon—. See *Alloys: Silicon-bronzes*.

special, prodn., 546; (see also *Alloys: Aluminium—"bronzes," Beryllium-copper alloys, Phosphor-bronze, Superston, &c.*).

steam or valve castings, A.S.T.M. specifications, 20.

test-bars, design, 409.

tin sweat, 606.

trolley wire, A.S.T.M. specifications, 20.

welding. See *Welding*.

wire-drawing. See *Wire-drawing*.

zinc—. See *Alloys: Zinc-bronzes*.

Broteral, corrosion. See *Corrosion*.

CY, 9.

Cadmium alloys (see also *Asarcology* (NS 5)),

effect of nickel, 332.

Cadmium-copper alloys,

constitution, critical review, 603.

Cu, Cd, shearing phenomena at high pressures, 280.

fatigue of trolley wires, 431.

Cadmium-copper-magnesium alloys, properties, 496.

Cadmium-copper-silver alloys,

bearing tests in engines, 328.

properties, 496.

Cadmium-copper-tin alloys, mech. properties, 435.

Cadmium ferrite, decompn., 35.

Cadmium-gold alloys, heats of formation, 144.

Cadmium-lead alloys,

constitution, review, 610; solid soly. of cadmium, 330.

eutectic, structure, effect of rolling & heating, 509.

Cadmium-magnesium alloys,

corrosion. See *Corrosion of magnesium-cadmium alloys*.

MgCd, rate of polymorphic transformation, 612.

thermal expansion, 26.

transformation points, 623.

Cadmium-magnesium-silver alloys, constitution, 432.

Cadmium-magnesium-zinc alloys,

constitution, 371.

mechanical properties, 371.

thermal expansion, 371.

Alloys & compounds—

Cadmium-mercury alloys,
magnetic properties, 33, 713.
superconducting, magnetic properties,
590.

Cadmium-mercury-nickel alloys,
constitution, solidus, 600.
properties, 600.

Cadmium-nickel alloys (see also *Asarc-*
oloy),
constitution, review, 600.
mechanical properties, 495.
properties, review, 600.

Cadmium-potassium alloys, crystal struc-
ture, 439.

Cadmium-selenium alloys, latent heats of
vaporization, 434.

Cadmium-silver alloys,
AgCd & Ag₂Cd₃, shearing phenomena
at high pressures, 280.
constitution, 384; review, 28.
deposition. See *Deposition*.
grain-refinement by peritectic re-
action, 92.
heats of formation, 144.
oxidation of AgCd, 43.
properties, review, 28.

Cadmium-silver-zinc alloys, hardness,
180.

Cadmium-tellurium alloys, thermo-
dynamic properties, 90.

Cadmium-thallium alloys, magnetic sus-
ceptibility, 41.

Cadmium-tin alloys,
constitution, review, 619.
eutectic, structure, effect of rolling &
heating, 609.
superconducting, magnetic induction
in, 324.

Cadmium-zinc alloys,
constitution, review, 620.
electrical resistance of single crystals,
42.

eutectic, melting rate, 32.
melting. See *Melting*.
single crystals. See *Single crystals*.

Cæsium-rubidium alloys, constitution,
383.

Calcium-lead alloys, constitution, review,
610.

Calcium-magnesium alloys,
constitution, 432, 612.
corrosion. See *Corrosion of Magne-*
sium-calcium alloys.

Calcium-silicon alloys, CaSi₂, shear-
ing phenomena at high pressures,
280.

Calcium-zinc alloys, crystal structure,
439.

Carbides,
sintered, prodn., 555; review, 566.

Carobronze, 284, 726.

Ceralumin, properties, 142.

Cerium-magnesium alloys, constitution,
331.

Cerium phosphides,
crystal structure, 242.
preparation, 242.

Cetal, properties & prodn., 494.

Chromel, films, rolled, 305.

Alloys & compounds—

Chromium alloys. See also *Alloys:*
Inconel, Kanthal, Nichrome, &c.

Chromium-cobalt alloys, Curie points,
139.

Chromium-cobalt-iron alloys, magnetiza-
tion, saturation, effect of hydro-
static pressure, 376.

Chromium-cobalt-tungsten alloys. See
Alloys: Stellite.

Chromium-iron alloys,
book, 477.
constitution, 36; reviews, 495, 501,
717.

magnetization, saturation, effect of
hydrostatic pressure, 376.

resistance wires, tests, 67.

Chromium-iron-manganese-silicon
alloys, constitution, x-ray study, 601.

Chromium-iron-nickel alloys (see also
Alloys: Dullray, Glowray, Inconel,
Nichrome, &c.),
constitution, 501, 717.

corrosion. See *Corrosion*.

heat-resisting, compn., chem. stability
& designed strength, 185; deteriora-
tion, 501.

resistance wires, tests, 67.

Chromium-iron-nickel-silicon alloys,
constitution, x-ray study, 601.

Chromium-iron-silicon alloys,
constitution, 380.

hardness, 601.
microstructure, 601.

Chromium-iron-silicon-carbon alloys,
constitution, x-ray study, 601.

Chromium-manganese-silicon-silver
alloys, hardness, 186.

Chromium-molybdenum alloys, heat-
treatment. See *Heat-treatment*.

Chromium-nickel alloys (see also *Alloys:*
Inconel, &c.),
constitution, 501, 717; review, 614.

creep, 352.

crucibles for Durforrit salt baths, 564.

grain-size, 508.

magnetization, saturation, effect of
hydrostatic pressure, 376.

Chromium-palladium alloys,
constitution, 40.

electrical conductivity, 40.

hardness, 40.

Chromium-titanium alloys, 436.

Cobalt alloys (see also *Alloys: Stellite,*
&c.),
Curie points, 139.

Cobalt-carbon alloys,
constitution, 283, 430; x-ray study,
601.

Cobalt-copper alloys,
constitution, 430.

grain-refinement by peritectic reaction,
92.

hydrogen in, soly., 90.

Cobalt-copper-iron alloys, constitution,
36.

Cobalt-copper-nickel alloys, grain-refine-
ment by peritectic reaction, 92.

Cobalt-copper-tin alloys, grain-refine-
ment by peritectic reaction, 92.

Alloys & compounds—

- Cobalt-iron alloys,
 hydrogen in, soly., 90.
 magnetic anisotropy, 376.
 magnetization, saturation, effect of hydrostatic pressure, 376.
 magnetostriction, hysteresis, 382.
- Cobalt-iron-manganese-nickel alloys.
 See *Kovar* (Fornico).
- Cobalt-iron-nickel alloys,
 ferromagnetic anisotropy of single crystals, 89.
 magnetic anisotropy, 376.
 single crystals. See *Single crystals*.
- Cobalt-iron-tungsten alloys, age-hardening. See *Age-hardening*.
- Cobalt-magnesium alloys, corrosion. See *Corrosion of Magnesium-cobalt alloys*.
- Cobalt-manganese alloys, Curie points, 139.
- Cobalt-molybdenum alloys, Curie points, 139.
- Cobalt-nickel alloys,
 constitution, review, 614.
 deposition. See *Deposition*.
 magnetic anisotropy, 376.
 magnetization, saturation, effect of hydrostatic pressure, 376.
 magneto-resistance effect, longitudinal, 89.
 magnetostriction, hysteresis, 382.
- Cobalt-silicon alloys,
 constitution, 430.
 heat of formation, 91.
- Cobalt-tin alloys,
 constitution, 430.
 heat of formation, 91.
 oxidation of CoSn, 43.
- Cobalt-titanium alloys, 436.
 constitution, 430.
- Cobalt-tungsten alloys,
 constitution, 283.
 Curie points, 139.
- Cobalt-tungsten-carbon alloys, constitution, 283.
- Cobalt-tungsten carbide alloys, See *Pobedit, &c.*
- Cobalt-tungsten-carbide-tungsten alloys, properties, 42.
- Cobalt-vanadium alloys, constitution, 430.
- Cobalt-zinc alloys, constitution, 430.
- Colmonoy No. 6, 67.
- Columbium-iron alloys, prodn. & use, 67.
- Copper alloys (see also *Alloys: Adnic, Bearing alloys, Brasses, Bronzes, Everdur, Gun-metal, Herculo, Manganese-brasses, Manganin, Nickel-brasses, Nickel-bronzes, Phosphor-bronze, Silicon-brasses, Silicon-bronzes, Trodloy, Tungum, &c.*),
 age-hardenable, lattice changes due to heat-treatment, 329.
 aluminium in, removal, 355.
 ancient prodn., 313.
 bearing, prodn., 606; properties, 606.
 casting. See *Casting*.
 colouring. See *Colouring*.
 corrosion. See *Corrosion*.

Alloys & compounds—

- Copper alloys,
 deoxidation. See *Deoxidation*.
 developments, 695; in 1936, 121.
 etching, metallographic, 625.
 for sand-castings, A.S.T.M. specifications, 19.
 for thin-walled tubes, 676.
 hardeners, 665.
 high-duty, properties & appns., 607.
 in automobiles, 572.
 in oil industry, 213.
 iron in, removal, 355.
 machining. See *Machining*.
 melting. See *Melting*.
 metallography, A.S.T.M. recommended practice, 5; etching, 625; polishing, 625.
 molten, reaction with sulphur dioxide, 139.
 nomenclature, 269.
 properties, review, 164.
 rolled, fatigue properties, 182, 381.
 segregation, in single crystals, 186, 385.
 solid solutions, primary, lattice spacings, 381.
 uses, developments, 19, 213.
 welding. See *Welding*.
 working, review, 676.
 wrought, properties, 563; uses, 310.
- Copper-gallium alloys,
 constitution, 603; x-ray study, 498.
 crystal structure, 338.
- Copper-germanium alloys,
 constitution, 183.
 crystal structure, 338.
- Copper-gold alloys,
 catalytic properties, 622.
 constitution, connection with dissoln. in cyanide solns., 38; critical review, 609.
 corrosion. See *Corrosion*.
 elastic modulus, 427.
 films, oxidation on heating, 180, 509.
 molecular phases of variable compn., 4.
 order-disorder transformation, 147.
 solid solutions, nature & crystal structure, 238.
 surfaces, catalytic union of hydrogen & oxygen on, 482, 586.
 transformation on heating *in vacuo*, 32.
 transformation points, 623.
- Copper halides, reduction by hydrogen, 288.
- Copper-indium alloys,
 age-hardening. See *Age-hardening*.
 constitution, 182.
- Copper-indium-silver alloys, properties, 618.
- Copper-iron alloys, constitution, review, 496.
- Copper-iron-manganese alloys, grain-refinement by peritectic reaction, 92.
- Copper-iron-nickel alloys,
 grain-refinement by peritectic reaction, 92.
 magnetic properties, 431.

Alloys & compounds—

- Copper-iron-sulphur alloys, constitution, 381.
- Copper-iron-tin alloys, grain-refinement by peritectic reaction, 92.
- Copper-lead alloys, bearings for severe service, 470; prodn. difficulties, 603. casting. See *Casting*. constitution, review, 603. inverse segregation, 496. properties, effect of addns., 496.
- Copper-lead-nickel alloys, constitution, 381.
- Copper-lead-nickel-tin alloys, inverse segregation, 496.
- Copper-lead-tin alloys (see also *Alloys: Lead-bronzes*), properties, &c., reviews, 607.
- Copper-lead-tin-zinc alloys, 85 : 5 : 5 : 5, properties, &c., review, 607.
- Copper-lithium alloys, constitution, 144.
- Copper-magnesium alloys, constitution, review, 612. corrosion. See *Corrosion of Magnesium-copper alloys*. thermal expansion, 26.
- Copper-manganese alloys, constitution, 284, 716, 604; critical review, 603. mechanical properties, 604. physical properties, 604.
- Copper-manganese-silicon alloys. See *Alloys: Everdur*.
- Copper-mercury alloys, magnetic susceptibility, 500.
- Copper-mercury-tin alloys, dilatation, 185.
- Copper-nickel alloys, annealing brittleness, effect of manganese, 330, 497. book, 129. casting. See *Casting*. condenser tubes, A.S.T.M. tentative specifications, 419, 726; review of development, 67. constitution review, 604. corrosion. See *Corrosion*. deoxidation. See *Deoxidation*. elastic modulus, effect of temp., 89. extrusion. See *Extrusion*. films, rolled, 305. for hard-facings, 695. hydrogen in, soly., 90. magnetization, saturation, effect of hydrostatic pressure, 376. mechanical properties in various conditions, 604. molten, reaction with sulphur dioxide, 139. paramagnetism, 142. pickling equipment, 214. properties, review, 604. slip rings, 288. solid solutions, atomic moments & Curie points, 433. thermal expansion, 615. torsion modulus, 500. transformation points, 615. welding. See *Welding*.

Alloys & compounds—

- Copper-nickel-silicon alloys, lattice changes due to heat-treatment, 329. sheet, fatigue, 334, 716.
- Copper-nickel-tin alloys (see also *Alloys: Admic, Nickel-bronzes, &c.*), constitution, critical review, 605. rolled, fatigue properties, 182, 381.
- Copper-nickel-tungsten alloys, high-density, 186.
- Copper-nickel-zinc alloys (see also *Alloys: Ambrac, Nickel-brasses*), constitution, 381; critical review, 605. corrosion. See *Corrosion*.
- Copper-palladium alloys, catalytic properties, 622. Cu,Pd in ordered state, 437. plastic deformation, destruction of ordered atomic distribution by, 93. specific heats of compounds at high temps., 375.
- Copper-phosphorus alloys, constitution, review, 605.
- Copper-silicon alloys, constitution, critical review, 605. corrosion. See *Corrosion*. crystallites, orientation, detn., 7. grain-refinement by peritectic reaction, 92. in hot-water apparatus as substitute for copper, 605. mechanical properties, 605. physical properties, 605. welding. See *Welding*.
- Copper-silicon-silver alloys, age-hardening. See *Age-hardening*.
- Copper-silicon-tin alloys, petrol tanks, 444.
- Copper-silicon-tin-zinc alloys. See *Alloys: Herculyon*.
- Copper-silicon-titanium alloys, cast, properties, 329.
- Copper-silicon-zinc alloys (see also *Alloys: Silicon-brasses*), effect of tellurium on mech. properties, 497.
- Copper-silver alloys, age-hardening. See *Age-hardening*. analysis. See *Analysis*. coinage, mech. properties, effect of addns., 617. constitution, connection with dissoln. by cyanide solns., 38; critical review, 606; review, 28. corrosion. See *Corrosion*. eutectic, melting ratio, 32. heat-treatment. See *Heat-treatment*. melting. See *Melting*. 94% silver, effect of heat-treatment & cold-work, 617. powdered, pressed lumps, hardness, 374. properties, review, 28.
- Copper-tantalum alloys, constitution & properties, 606.
- Copper-tin alloys (see also *Alloys: Bronzes, Gun-metal, &c.*), compressive strength, 90.

Alloys & compounds—

- Copper-tin alloys,
 constitution, 284, 431, 497, 716; critical
 review, 606; review, 619; x-ray
 study, 37, 497.
 Cu₃Sn, shearing phenomena at high
 pressures, 280.
 grain-refinement by peritectic reaction,
 92.
 heat of formation, 91.
 Copper-tin-zinc alloys,
 castings, A.S.T.M. specifications, 20.
 constitution, limiting soly. of a phase
 at low temps., 432, 716.
 Copper-titanium alloys, 436.
 effect on non-ferrous metals, 384.
 production, 384.
 Copper-vanadium alloys, constitution &
 properties, 606.
 Copper-zinc alloys (see also *Alloys :
 Brasses, &c.*),
 atomic volumes, 510.
 constitution, 284, 716; critical review,
 607; review, 620.
 crystal lattice relations developed by
 peritectic formation of β , 190,
 388.
 crystal structure, 338.
 CuZn & Cu₂Zn, shearing phenomena at
 high pressures, 280.
 damping, 427.
 elastic modulus, 427.
 electrical resistance of single crystals,
 42.
 grain-refinement by peritectic reaction,
 92.
 heats of formation, 144, 498.
 mechanical properties, effect of temp.,
 608.
 metallography, 386.
 optical constants, 330.
 powdered, pressed lumps, hardness,
 374.
 single crystals. See *Single crystals*.
 solid solutions, soly. of copper in
 grain-boundary material, 608.
 Copper-zirconium alloys,
 electrical conductivity, 233.
 hardness, 233.
 Corson alloy, annealing brittleness,
 622.
 DM 31, effect of cold-work on tensile
 properties & corrosion-resistance,
 493.
 Dental alloys (see also *Alloys : Gold
 alloys, Mercury alloys, &c.*),
 casting. See *Casting*.
 corrosion. See *Corrosion*.
 die-casting. See *Die-casting*.
 dissolution in mouth, 39.
 fillings, reinforcement, 39.
 manipulation, 39.
 metallurgy, books, 366, 575.
 packing, improvement, 500.
 properties, 500; improvement, 185.
 restorations, 39.
 setting, theory, 185, 332.
 specifications, American, 214.
 use, 500.
 Dullay, elastic modulus, 226.

Alloys & compounds—

- Duralumin (and Duralumin-type alloys),
 age-hardening. See *Age-hardening*.
 air-screw blades, mech. properties &
 structure, 80.
 annealing brittleness, 622.
 box beams, strain measurements in
 bending, 230.
 cavitation, 149.
 chains, weldless, manuf., 214.
 cleaning. See *Cleaning*.
 "comparison" structure, 93.
 corrosion. See *Corrosion*.
 corrosion-fatigue. See *Corrosion-
 fatigue*.
 discovery, 699.
 effect of vibration on mech. properties,
 84, 717.
 elastic limit, 4.
 elastic modulus, 4, 598.
 endurance limit, rotating beam, 326,
 715.
 extrusion. See *Extrusion*.
 fatigue limit, effect of sea-water corro-
 sion, 327.
 fatigue tension-compression tests, 109.
 gas flasks, manuf. & properties, 379.
 hardness, 4.
 heat-treatment. See *Heat-treatment*.
 in aircraft, book, 270; monocoque
 construction, 562.
 incubation, 90, 144, 385.
 machining. See *Machining*.
 mechanical properties, effect of titan-
 ium, 592.
 melting. See *Melting*.
 painting. See *Painting*.
 powdered, pressed lumps, hardness,
 374.
 primary structure, x-ray detn., 430.
 properties, &c., review, 593.
 recrystallization, effect of metal addns.,
 378.
 rivets, pneumatic hammers for, 558.
 scratch-hardness, 2.
 shear-strength, 4.
 tensile properties, 4; at elevated
 temps., effect of rate of extension,
 488, 713; effect of mech. vibration,
 138.
 E alloy, mech. properties, effect of heat-
 treatment, 181.
 EVHI, 9.
 Elektron (see also *Alloys : Magnesium
 alloys*),
 -aluminium bimetal, prodn., 64.
 bearings, properties, 430.
 casting. See *Casting*.
 corrosion. See *Corrosion*.
 crystallization, effect of pressure, 611.
 cutting. See *Cutting*.
 die-casting. See *Die-casting*.
 effect of beryllium, 38; on crystn. &
 structure, 612.
 effect of vibration on mech. properties,
 84, 717.
 elastic modulus, 598.
 injuries from, 693.
 riveting. See *Riveting*.
 scrap, treatment, 462.

Alloys & compounds—

- Elektron,
surfaces, effect of slow positive potassium ions, 321.
tensile properties, effect of mech. vibration, 138.
welding. See *Welding*.
- Enduro 18-8 S, corrosion. See *Corrosion*.
- Everdur,
corrosion. See *Corrosion*.
properties, working & uses, 605.
sheet, fatigue, 334, 716.
- Fernico, properties, 433.
- Ferry,
elastic modulus, 226.
properties, review, 615.
- Fusible alloys (see also under names of constituent metals),
complex, 600.
corrosion. See *Corrosion*.
deterioration in sprinklers, 513.
effect of steam, 203.
indium in, 494.
tin-base, 494.
- Gallium-gold alloys, AuGa_2 , structure, 511.
- Gallium nitride, crystal structure, 627.
- Gallium-platinum alloys, PtGa_2 , structure, 511.
- German silver. See *Alloys: Nickel-brasses*.
- Germanium-silver alloys, constitution, 183.
- Germanium-tin alloys, constitution, 236.
- Glowray, elastic modulus, 226.
- Gold alloys,
book, 367.
dental, effect of platinum metals, 185;
grain-refinement, 185.
- Gold-indium alloys, AuIn_2 , structure, 511.
- Gold-magnesium alloys, constitution, solid soly. of gold, 331.
- Gold-manganese alloys, constitution, 432.
- Gold-mercury alloys, constitution, soly. of mercury, x-ray detn., 609.
- Gold-nickel alloys,
age-hardening. See *Age-hardening*.
single crystals. See *Single crystals*.
- Gold-palladium alloys, elect. resistance, 27.
- Gold-platinum alloys, transformation, 235.
- Gold-potassium alloys,
constitution, 334.
molecular volumes of compds., 503.
- Gold-rubidium alloys,
constitution, 333.
molecular volumes of compds., 503.
- Gold-silver alloys,
analysis. See *Analysis*.
constitution, connection with dissoln. by cyanide solns., 38.
corrosion. See *Corrosion*.
electrical resistance in magnetic field at low temps., 382.
- Gold-sodium alloys,
constitution, 334, 503.

Alloys & compounds—

- Gold-sodium alloys,
molecular volumes of compds., 503.
- Gold-zinc alloys,
atomic volume, 510.
electrical resistance of single crystals, 42.
single crystals. See *Single crystals*.
- Gun-metal (see also *Alloys: Bronzes, & under names of constituent metals*),
casting. See *Casting*.
corrosion. See *Corrosion*.
properties, review, 607.
test-bars, 109, 255, 546, 661.
- H.B. 4, properties, 140.
- Hastelloy,
corrosion. See *Corrosion*.
creep, 342.
machining. See *Machining*.
welding. See *Welding*.
- Herculoy, properties & working, review, 606.
- Heusler's alloys, magnetic after-effect, dependence on internal stress, 143.
- Hiduminium. See *Alloys: R.R. alloys*.
- Hydrunalium,
"comparison" structure, 93.
spraying. See *Spraying*.
welding. See *Welding*.
- Illium,
corrosion. See *Corrosion*.
welding. See *Welding*.
- Inconel,
corrosion. See *Corrosion*.
creep, 352.
forging. See *Forging*.
machining. See *Machining*.
properties, 142; reviews, 615.
welding. See *Welding*.
- Indium-lead alloys,
magnetic properties, 33, 713.
superconducting, magnetic properties, 590.
thermal conductivity at low temps., 2, 134.
- Indium-mercury alloys,
constitution, 184.
use for precise c.m.f. measurements, 184.
- Indium-nickel alloys, constitution, 182.
- Indium-platinum alloys, PtIn_2 , structure, 511.
- Indium-silver alloys,
constitution, 384.
properties, 618.
- Invar,
thermal expansion, theory, 236.
thermo-potential, effect of mech. & thermal treatment, 434.
- Iridium-iron alloys, magnetic properties, 609.
- Iridium-platinum alloys, electrodes in toluene, thermionic emission, 134.
- Iron alloys,
ferromagnetic properties, directional, 492.
heat-treatment. See *Heat-treatment*.
production, booklet, 71.
properties, booklet, 71.

Alloys & compounds—

- Iron-carbon-molybdenum alloys, constitution, 4.
- Iron-chromium alloys, electrolytic prodn., 451.
- Iron-manganese alloys, constitution, β_m transformation in manganese-rich series, 184, 499; critical review, 500; review, 613. hardening, 499. machinability, 499. mechanical properties of forgings, 499. transformations, 499.
- Iron-manganese-silicon-silver alloys, hardness, 186.
- Iron-mercury alloys, magnetic properties, 500.
- Iron-molybdenum alloys, constitution, critical review, 500. crystal structure & compn. of intermediate phases, 147. solid solution of Mo in Fe, supersatd., decompn., 614.
- Iron-nickel alloys (see also *Alloys: Permalloy, &c.*), γ -, ferromagnetic anisotropy, 143. $\gamma \rightarrow \alpha$ transformation, 290. constitution, 501, 615, 717; critical review, 501. corrosion. See *Corrosion*. crystal lattice, thermal expansion, 142. elastic modulus, 226. electrical properties, effect of mech. & thermal properties, 434. ferromagnetic anisotropy of single crystals at various temps., 40. internal stresses, detn. by Co $K\alpha$ radiation, 5. lattice constants, detn. by Co $K\alpha$ radiation, 5. lattice parameter, effect of temp., 234. lattice spacing, 241. magnetic after-effect, dependence on internal stress, 143. magnetic after-effect losses, 433. magnetic anisotropy, 376. magnetic permeability, 502. magnetization, discontinuous, effect of stretching & twisting, 76; discontinuous, effect of temp., 373; saturation, effect of hydrostatic pressure, 376; velocity of propagation, 83. magneto-resistance effect, 615. magnetostriction, hysteresis, 382. martensite formation, 143. rolled, preferred orientation, 241. single crystals. See *Single crystals*. thermal expansion, 234, 615; theory, 236; variation with compn., 235; x-ray study, 40. thermomagnetic e.m.f., Gerlach's, 372. transformation points, 615. transformations, magnetic study, 234. Widmanstätten structure, 290.
- Iron-osmium alloys, magnetic properties, 383.
- Iron-platinum alloys, magnetization, saturation, effect of hydrostatic pressure, 376.

Alloys & compounds—

- Iron-platinum alloys, thermal expansion, anomaly, 333.
- Iron-rhodium alloys, magnetic properties, 617.
- Iron-ruthenium alloys, magnetic properties, 383.
- Iron-silicon alloys, crystals, powder patterns on, 339. heat of formation, 61. single crystals. See *Single crystals*. solid solutions, nature & crystal structure, 238.
- Iron-titanium alloys, 436. constitution, review, 503.
- Iron-tungsten alloys, crystal structure & compn. of intermediate phases, 147.
- Iron-tungsten-carbon alloys, constitution, 283.
- Iron-zinc alloys, constitution, 285; new phase, 436; review, 620. electrical resistance of single crystals, 42. single crystals. See *Single crystals*.
- Isoelastic, elastic drift of spring elements, 297, 722.
- K.S. bronze, mech. properties, 183.
- K.S.-Seewasser, corrosion. See *Corrosion*. properties, 139. welding. See *Welding*.
- KS 280, bearings, properties, 430.
- Kanthal, resistance elements, experiments with, 563.
- Kovar, properties, 433.
- L 5, effect of titanium on mech. properties, 327.
- L 11, mechanical properties, effect of silicon, 592; effect of titanium, 327.
- Lanthanum phosphides, crystal structure, 242. preparation, 242.
- Lautal, "comparison" structure, 93. corrosion. See *Corrosion*. elastic modulus, 598. gas flasks, manuf. & properties, 379.
- Lead alloys (see also *Alloys: Babbitt metals, Bearing alloys, Solders, &c.*), bearing, effect of nickel, 498; properties, 496; properties, review, 611; tensile properties at elevated temps., 435. corrosion. See *Corrosion*. creep, 131. crystal structure, effect of rolling & recrystn., 625. diffusion, 285. effect of nickel, 332. etching, metallographic, 145, 625. eutectic, 177. fatigue, 425. for water-pipes, 149. grain-size, 141. hardness, 141. lapped surfaces, durability, 18.

Alloys & compounds—

- Lead alloys,
 metallography, 145; A.S.T.M. recommended practice, 5; etching, 625; polishing, 625.
 recovery temperature, 141.
 recrystallization, effect of rolling after ageing, 627.
- Lead-bronzes,
 bearing, 419; performance, review, 140; radiology, 203.
 casting. See *Casting*.
 constitution, review, 37.
 failure, 496.
 inverse segregation, 300.
 mechanical properties, review, 37.
 melting. See *Melting*.
 properties, 496; reviews, 607.
 pumps, failure, 300.
 radiology. See *Radiology*.
 segregation, 496, 607.
- Lead-lithium alloys, recrystn., 141.
- Lead-magnesium alloys,
 corrosion. See *Corrosion of magnesium-lead alloys*.
 recrystallization, 141.
- Lead-magnesium-tin alloys, mech. properties, 613.
- Lead-oxygen-sulphur system, 499.
- Lead-selenium alloys,
 PbSe, shearing phenomena at high pressures, 280.
 polymorphic transformations, 611.
- Lead-silver alloys,
 constitution, review, 28.
 properties, review, 28.
- Lead-sodium alloys,
 corrosion. See *Corrosion*.
 solid solutions, nature & crystal structure, 238.
- Lead-tellurium alloys,
 cable sheath, tests, 696.
 PbTe, shearing phenomena at high pressures, 280.
 polymorphic transformations, 611.
 recrystallization, 141.
 thermodynamic properties, 90.
- Lead-thallium alloys,
 magnetic properties, 33, 713.
 single crystals. See *Single crystals*.
 superconducting, magnetic properties, 590.
- Lead-tin alloys,
 constitution, review, 611.
 corrosion. See *Corrosion*.
 deposition. See *Deposition*.
 eutectic, melting rate, 32; structure, effect of rolling & heating, 509.
 extrusion. See *Extrusion*.
 melting. See *Melting*.
 molten eutectic, structure, 46.
 properties, review, 611.
 solders. See *Alloys: Solders*.
- Lead-zinc alloys, constitution, 184, 382, 620.
- Lithium alloys, properties, review, 583.
- Lithium-magnesium alloys, constitution, 432.
- Lithium-phosphorus alloys, crystal structure of Li₃P, 627.

Alloys & compounds—

- MG 7, acoustic diaphragms, 604.
- Magnesium alloys (see also *Alloys: Elektron, &c.*),
 analysis. See *Analysis*.
 anodic oxidation. See *Anodic oxidation*.
 books, 124, 476.
 casting. See *Casting*.
 corrosion. See *Corrosion*.
 corrosion-resistant, book, 478.
 developments, 330, 716.
 die-casting. See *Die-casting*.
 effect of beryllium, 38.
 extruded, yield-point, 142.
 extrusion. See *Extrusion*.
 finishing, 683.
 fires, extinguishing, 142.
 for casting, review, 499; review of heat-treatment, casting, &c., 613.
 forging. See *Forging*.
 grain-refinement, 331.
 heat-treatment. See *Heat-treatment*.
 inflammability, 142.
 machinability, 206, 306.
 machining. See *Machining*.
 mechanical properties, effect of heat-treatment, 330.
 melting. See *Melting*.
 metallography, A.S.T.M. recommended practice, 5.
 patents, 700; book, 574.
 properties, review, 499.
 protection, 371; review of methods, 517.
 rolling. See *Rolling*.
 shrinkage, 159.
 specifications, 696.
 surface treatment, review of patents & literature, 246.
 thermal expansion, 26.
 uses, 268, 696.
 welding. See *Welding*.
 working, review, 499.
- Magnesium-manganese alloys,
 constitution, review, 612.
 corrosion. See *Corrosion*.
 mechanical properties, 331, 499.
- Magnesium-manganese-silver alloys,
 hardness, 186.
- Magnesium-manganese-tin alloys, corrosion. See *Corrosion*.
- Magnesium-manganese-zinc alloys,
 corrosion. See *Corrosion*.
 mechanical properties, 331, 716.
- Magnesium-nickel alloys,
 corrosion. See *Corrosion*.
 thermal expansion, 26.
- Magnesium-nickel-tin alloys, superstructure in Ni₃MgSn, 627.
- Magnesium-silicon alloys, corrosion. See *Corrosion*.
- Magnesium-silicon-zinc alloys, corrosion. See *Corrosion*.
- Magnesium-silver alloys,
 casting. See *Casting*.
 constitution, 331, 613; solid soly. of silver, 331.
 corrosion. See *Corrosion*.
 hardness, 186.
 properties, 613.
 thermal expansion, 26.

- Alloys & compounds—
 Magnesium-thallium alloys, corrosion.
 See Corrosion.
 Magnesium-tin alloys,
 corrosion. *See Corrosion.*
 thermal expansion, 26.
 Widmanstätten structure, 439.
 Magnesium-zinc alloys,
 constitution, 42; reviews, 613, 620.
 corrosion. *See Corrosion.*
 Mg₂Zn₁₁, crystal structure, 45.
 specific heat of MgZn₂ at high temp.,
 537.
 thermal expansion, 26.
 Mangal, corrosion. *See Corrosion.*
 Manganese alloys. *See Alloys:*
 Manganin, &c.
 Manganese boride,
 magnetic properties, 46.
 structure, 46.
 Manganese-brasses,
 bibliography, 233.
 casting. *See Casting.*
 effect of vanadium, 233.
 forging. *See Forging.*
 melting. *See Melting.*
 physical properties, review, 233.
 Manganese-"bronze." *See Alloys:*
 Manganese-brasses.
 Manganese-mercury alloys,
 electrical resistance, 613.
 magnetic properties, 233.
 Manganese-nickel alloys,
 constitution, review, 616.
 magnetization, saturation, effect of
 hydrostatic pressure, 376.
 properties, review, 616.
 Manganese-palladium alloys,
 constitution, 41.
 electrical conductivity, 41.
 hardness, 41.
 lattice constants, 41.
 magnetic susceptibility, 41.
 workability, 41.
 Manganese-platinum alloys, magnetiza-
 tion, saturation, effect of hydro-
 static pressure, 376.
 Manganese-silicon alloys, crystal struc-
 ture of Mn₂Si₃, 241.
 Manganese-silicon-silver alloys, hard-
 ness, 186.
 Manganese-silver alloys, hardness, 186.
 Manganese-silver-zinc alloys, hardness,
 186.
 Manganese-titanium alloys, 436.
 Manganin,
 electrical resistance, effect of heat-
 treatment, 604.
 resistance pressure gauge, construction
 & properties, 496.
 Mazak alloys,
 compositions, 504.
 dimensional changes, 504.
 mechanical properties, 504.
 Megapyr resistance elements, experiences
 with, 563.
 Mercury alloys,
 dental, improvement of packing, 500;
 restorations, 39; setting, theory,
 185; use, properties & prepn., 500.
- Alloys & compounds—
 Mercury alloys,
 dental fillings, potential difference
 between various metals in mouth &
 physiological effects, 39; reinforce-
 ment, 39.
 manipulation, in dentistry, 39.
 surface tension, 382.
 wear, testing, 39.
 Mercury-selenium alloys, latent heats of
 vaporization, 434.
 Mercury-silver alloys,
 electrodes, hydrogen overvoltage at
 large c.d., 402.
 magnetic susceptibility, 613.
 Mercury-silver-tin alloys,
 constitution, 332.
 dental, theory of setting, 332.
 Mercury-sodium alloys,
 catalytic decompn., 500.
 constitution, 88.
 liquid, activity of sodium, 88.
 paramagnetism, 185.
 solid, activity of sodium & mercury,
 88.
 Mercury-thallium alloys,
 constitution, 89.
 crystal structure of Hg₂Tl₂, 289.
 thermometric applications, 89.
 Mercury-zinc alloys,
 electrodes, 104.
 reactivity, 291.
 Molybdenum-nickel alloys, solid solns.,
 atomic moments & Curie points,
 433.
 Molybdenum-titanium alloys, 436.
 Monel metal,
 castings, 696.
 chains, weldless, manuf., 214.
 -clad steel, adhesion of coating, 161;
 etching (metallographic), 6; sheet,
 519.
 corrosion. *See Corrosion.*
 creep, 342.
 effect of titanium, 615.
 elastic modulus, 226; at low temps.,
 39.
 extrusion. *See Extrusion.*
 forging. *See Forging.*
 gauze, manuf., 306.
 impact strength at low temps., 39.
 in architecture, 470.
 in caustic soda evaporators, 697.
 in chemical industry, book, 169.
 in cosmetic industry, 165.
 in dry-cleaning plant, 97.
 in dyeing industry, 420, 696.
 in ethyl chloride manufacture, 697.
 in flow meters, 697.
 in gas works, 214, 220, 697.
 in hydrochloric acid plant, 697.
 in oil refinery, 268, 697.
 in paper industry, 697.
 in pickling plant, 67, 264, 696.
 in plating plant, 67.
 in pumping machinery, 696.
 in salt refinery, 564.
 in soap industry, 165.
 in steam fittings, 165.
 in textile industry, 420, 696.

Alloys & compounds—

- Monel metal**,
 machining. See *Machining*.
 mechanical properties at low temps., 39.
 plywood-backed, 697.
 polishing. See *Polishing*.
 properties at low temps., 39; reviews, 614.
 quenching. See *Quenching*.
 rigidity modulus, effect of pressure, 179.
 spraying. See *Spraying*.
 thermal expansion at low temps., 39.
 turbine blades, 696.
 valves, 166, 696.
 welding. See *Welding*.
 wire gauge, uses, 310.
- Monel metal K**, properties & treatment, review, 614.
- Mumetal**, properties, review, 615.
- Muntz metal** (see also *Alloys: Brasses, & under names of constituent metals*), condenser tubes, A.S.T.M. tentative specifications, 419, 720.
- NC alloy**, properties, 615.
- NS 5**. See *Alloys: Aarcoloy*.
- Nichrome**, corrosion. See *Corrosion*.
- Nickel alloys** (see also *Alloys: Brightray, Dultray, Ferry, Glowray, Inconel, Kanthal, Monel metal, Mumetal, N.C. alloy, Nichrome, Nickel-brasses, Permalloy, Radiometal, Rhometal, &c.*),
 book, 216.
 casting. See *Casting*.
 corrosion. See *Corrosion*.
 developments, 310.
 elastic modulus, 228; dependence on temp., pamphlet, 479.
 etching, metallographic, 625.
 ferromagnetic properties, directional, 492.
 in brewery, 564.
 in chemical industry, 342, 563.
 in dairy industry, 563.
 in domestic applications, 564.
 in food manufacture, 564, 567.
 in gas-works, 564.
 in glass industry, 421, 696.
 in oil industry, 696.
 in pottery industry, 420.
 in power plant, bibliography, 120.
 in radio industry, 420.
 in refrigerating industry, 471.
 in steam power plants, 268.
 in textile industry, 420.
 in water power plants, 268.
 La emission lines, 615.
 magnetization, reversible & irreversible, associated with change of temp., 76.
 mechanical properties at low temps., 333.
 metallography, A.S.T.M. recommended practice, 5; etching, 625; polishing, 625.
 sheet, fatigue, 334, 716.
 solid solutions, atomic moments & Curie points, 433.

Alloys & compounds—

- Nickel alloys**,
 transformation points, relation to thermal expansion, 616.
 welding. See *Welding*.
- Nickel-brasses** (see also *Alloys: Copper-nickel-zinc alloys, &c.*),
 annealing. See *Annealing*.
 buttons & badges, manuf., 114, 419.
 casting. See *Casting*.
 corrosion. See *Corrosion*.
 elastic modulus, 220.
 in architecture, 470.
 manufacture, Amor. plant, 546.
 pickling. See *Pickling*.
 properties, tables, 563.
 sheet, fatigue, 334, 716.
 stamping. See *Stamping*.
- Nickel-bronzes**,
 age-hardening. See *Age-hardening*.
 bearing properties, 607.
 hardening effect, temp. stability, 4.
 mechanical properties, review, 607.
 physical properties, 381.
- Nickel-carbon alloys**, constitution, review, 614.
- Nickel hydrides**, structure, 584.
- Nickel-silicon alloys**,
 constitution, 5, 90; review, 616.
 heat of formation, 91, 235.
- "Nickel-silver." See *Alloys: Nickel-brasses*.
- Nickel-sulphur system**,
 constitution, review, 616.
 electrodeposits, elect. conductivity, 190; structure, 198, 449.
- Nickel-tin alloys**,
 constitution, 434.
 crystal structure of Ni₃Sn, 388.
 heat of formation, 91.
 solid solutions, atomic moments & Curie points, 433.
- Nickel-titanium alloys**, 436.
- Nickel-tungsten alloys**, constitution, 283.
- Nickel-tungsten-carbon alloys**, constitution, 283.
- Nickel-tungsten-tungsten carbide alloys**, properties, 42.
- Nickel-zinc alloys**,
 constitution, reviews, 616, 621.
 electrical resistance of single crystals, 42.
 single crystals. See *Single crystals*.
 solid solutions, atomic moments & Curie points, 433.
- Nivarox**, 501.
- Norbide**, structure, 336.
- Oerstit**, 185.
- Osmiridium**, chem. & x-ray study, 235.
- Palladium-deuterium system**,
 crystal lattice, 236.
 electrical resistance, 236.
- Palladium-helium system**,
 density, 383, 714.
 thermal decomposition, 383, 714.
- Palladium-hydrogen system**, 484.
 constitution, 90.
 crystal lattice, 236.
 electrical resistance, 236.
 properties, 236.

- Alloys & compounds—
 Palladium-silver alloys,
 constitution, 235.
 dental, book, 707.
- Pantal,
 corrosion. See *Corrosion*.
 properties & treatment, 139.
- Peraluman,
 corrosion. See *Corrosion*.
 tensile properties in completely stabil-
 ized state, effect of temp., 326.
- Permalloy,
 lattice distortion, energy, 502.
 magnetization of single crystals, 33.
 magneto-resistance effect, 615.
 properties, review, 502.
 single crystals. See *Single crystals*.
- Permalloy B, properties, review, 615.
 Permalloy C, properties, review, 615.
 Permalloy 35,
 sheet, low flux density a.c. losses, 501;
 magnetic losses at low flux den-
 sities, 501.
- Pewter,
 in architecture, 470.
 lead poisoning from wine-pot, 119.
 properties, 565.
- Phosphor-bronze,
 annealing. See *Annealing*.
 casting. See *Casting*.
 corrosion. See *Corrosion*.
 corrosion-fatigue. See *Corrosion-
 fatigue*.
 fatigue, 329.
 Fourdrinier wire, manuf., 114.
 lapped surfaces, durability, 18.
 manufacture, Amer. plant, 546.
 piston rings for locomotives, study of,
 607.
 rolled, fatigue properties, 182, 381.
 sheet, fatigue, 334, 716.
 wire-drawing. See *Wire-drawing*.
 wrought, properties, review, 607.
- Phosphorus-tin alloys, constitution, criti-
 cal review, 619.
- Platinum-helium compounds,
 action of mercury, 426.
 thermal decomposition, 143, 713.
- Platinum metal alloys, physico-chemical
 analysis, review, 41.
- Platinum-ruthenium alloys, constitution,
 616.
- Platinum-silicon alloys, constitution,
 235.
- Platinum-silver alloys, in oxidation of
 ammonia, 421.
- Pobedit (see also *Alloys: Super-hard
 alloys*),
 effect of excess tungsten, 42.
 mechanical properties at high temps.,
 334.
 physical properties at high temps., 334.
- Potassium-zinc alloys, crystal structure,
 439.
- Praseodymium phosphides,
 crystal structure, 242.
 preparation, 242.
- Quarzal,
 bearings, properties, 430; running
 tests, 599.
- Alloys & compounds—
 R.R. alloys,
 casting. See *Casting*.
 manufacture, 380.
 melting. See *Melting*.
 properties, 599; review, 380.
 R.R. 50, elastic modulus, 598.
 R.R. 53, pistons, in heavy-oil engines,
 118.
 R.R. 56,
 properties, 267.
 tubes, sections, & sheets, pamphlet, 22.
 R.R. 59, tensile properties in completely
 stabilized state, effect of temp., 326.
 R.R. 77, properties, review, 599.
 Radiometal, properties, review, 615.
 Resisco, condenser tubes, 419.
 Resisto-Permalloy, magnetic properties,
 89.
 Rhodium-carbon system, 502.
 Rhometal, properties, review, 615.
- 3 S,
 etching, metallographic, 624.
 mechanical properties, &c., review,
 596.
- 4 S, mech. properties, &c., review, 596.
 17 S, properties, &c., review, 593.
- 24 S,
 mechanical properties, 85; effect of
 addns., 598.
 properties, &c., review, 593.
- 25 S,
 air-screw blades, mech. properties &
 structure, 86;
 properties, 598.
- 32 S, properties, review, 597.
- 51 S,
 age-hardening. See *Age-hardening*.
 thin hemispherical shells subjected to
 internal hydrostatic pressure, tests,
 692.
 wrought, properties, &c., review, 597.
- 52 S, properties, &c., review, 595.
 53 S, mech. properties, review, 595.
- 14 ST. See *Duralumin*.
- 17 ST,
 rivets, mech. properties, 208.
 torsion of extruded angles & channels,
 353.
- Sander alloy, mech. properties, effect of
 heat-treatment, 181.
- Sendust,
 electrical properties, 86.
 magnetic properties, 86.
- Silicon-brasses, properties, 233.
- Silicon-bronzes (see also *Alloys: Ever-
 dur, Herculoy*),
 book, 367.
 effect of lead, 112, 258.
 petrol tanks, 444.
 rolled, fatigue failure, 182, 381.
 welding. See *Welding*.
- Silicon carbide. See *Refractory materials*.
- Silicon-silver alloys, eutectic, structure,
 509.
- Silicon-zirconium alloys, crystal struc-
 ture of $ZrSi_2$, 627.
- Silumin (Alpax) (see also *Alloys: Alu-
 minium-silicon alloys, Silumin-
 Gamma, &c.*),

Alloys & compounds—

- Silumin (Alpax),**
 age-hardening. See *Age-hardening*.
 casting. See *Casting*.
 corrosion. See *Corrosion*.
 die-casting. See *Die-casting*.
 effect of alkaline earth metals, 85.
 effect of magnesium, 231.
 elastic modulus, 598.
 machinability, improvement, 206.
 machining. See *Machining*.
 melting. See *Melting*.
 modification, 14, 664.
 refining by alkali metals, 494.
 uses, 695.
 welding. See *Welding*.
 wrought, effect of metal addns., 86.
- Silumin-Gamma (Alpax-Gamma),**
 effect of modification, 597.
 elastic modulus, 598.
 hardness, effect of rate of cooling & Mg content, 86.
 machinability, improvement, 206.
- Silver alloys,**
 brazing solders for spuds in tanks, 265.
 constitution, review, 28.
 dental, grain-refinement, 185.
 hard, for lining ring grooves of light alloy pistons, 186, 384.
 segregation in single crystals, 186, 385.
 valency effects, 384.
- Silver-tin alloys,**
 constitution, 384; review, 28.
 electrical resistance, 384; temp. coeff., 384.
 eutectic, structure, effect of rolling & heating, 509.
 Hall effect, 384.
 properties, review, 28.
 thermoelectric power, 384.
- Silver-zinc alloys,**
 AgZn & Ag₂Zn₃, shearing phenomena at high pressures, 280.
 atomic volume, 510.
 constitution, review, 28.
 electrical resistance of single crystals, 42.
 grain-refinement by peritectic reaction, 92.
 properties, review, 28.
 single crystals. See *Single crystals*.
- Sodium-phosphorus alloys,** crystal structure of Na₃P, 627.
- Sodium-zinc alloys,** crystal structure, 439.
- Solders** (see also under names of constituent metals),
 analysis. See *Analysis*.
 books, 315, 676.
 brazing, for spuds in tanks, 265.
 brazing, use of silver, 18.
 cored, 265.
 for aluminium, 18.
 soft, manuf., 177; properties, 177; review, 558.
 substitutes, 685.
 tin-base, substitutes, 162.
 wire, filled, 558.
- Standard silver,** effect of pptn.-hardening on polishing & working, 617.

Alloys & compounds—

- Steels,**
 alloy-, developments in 1936, 166.
 aluminium-coating, Fink process, 519.
 analysis. See *Analysis*.
 book, 478.
 cavitation, 405, 406.
 clad-, properties & working possibilities, 161.
 cold-brittleness, mechanical cause, 438.
 copper-bearing, galvanized, tests of roofing sheets, 195, 521.
 corrosion. See *Corrosion*.
 corrosion-fatigue. See *Corrosion-fatigue*.
 corrosion-resistance to sea-water under endurance stresses, methods for increasing, 50.
 creep, 352, 487; factors affecting, 80; prediction from damping capacities, 80.
 damping capacity, practical importance, 489.
 Debye-Scherrer diagrams, effect of small deformations, 510.
 deep-drawability, 537.
 double ageing, 36.
 effect of titanium, 615.
 effect of vibration on mech. properties, 84, 717.
 elastic after-effect in torsion, 179; in twisted rods, 488.
 elastic limit, measurements in region of, 109.
 electrical conductivity, effect of extension, 181.
 fatigue, 279; detection of impending failure by x-ray diffraction, 387.
 fatigue-bending tests, 540.
 fatigue-resistance, effect of specimen form, 31.
 fatigue strength, effect of internal heat stresses, 179.
 fatigue tension-compression tests, 109.
 fatigued, impact, static-torsion, & bending diag., 279.
 flue-tubes, locomotive, repair, 165.
 French, 144.
 galvanized. See *Galvanized iron & steel*.
 galvanizing. See *Galvanizing*.
 hard-facing, 247.
 high-speed tests, 538.
 impact-tensile tests, 353.
 in mining equipment, 312.
 inclusions, detection, 490.
 internal stresses, 489.
 joining to rubber, 446.
 lead-coated, corrosion. See *Corrosion of Lead-coated steel*; for pressings, manuf. & corrosion-resistance, 49.
 lead-coating, 184, 382.
 machinability, short-time test, 162.
 machining. See *Machining*.
 mechanical properties at ultra-high speeds, 587.
 metal-sprayed shafts, lubrication, 565.
 metallography, A.S.T.M. recommended practice, 5.
 Monel-clad, adhesion of coating, 161.

Alloys & compounds—

- Steels,**
 nickel-clad, adhesion of coating, 161.
 nickel-plated, corrosion. See *Corrosion of Nickel-plated steels.*
 oxidation at high temps., prevention by Follisain treatment, 9.
 painting. See *Painting.*
 properties at elevated temps., 487.
 protection, from action of soils, 194; processes, 9.
 quenching. See *Quenching.*
 rigidity modulus, effect of pressure, 179.
 rods, stretching, temp. changes, 132.
 soldering. See *Soldering.*
 stainless, effect of addn. elements, 68.
 stainless steel clad-, adhesion of coating, 161.
 superheater elements, locomotive, behaviour & maintenance, 165.
 temper-brittleness, theory, 622.
 tensile properties, effect of mech. vibrations, 138.
 tension-compression tests, 540.
 transformations in solid state, 79.
 wear, 322; reduction by compound contact pieces or powder, 335, 717.
 welding. See *Welding.*
 wire-drawing. See *Wire-drawing.*
- Stellite,**
 composition, 144.
 cutting tools, working speeds, 144.
 hard-facing with, 467; book, 423.
 properties, review, 144.
 thermal expansion, 87.
 valve seatings, fractures, 87.
- Strontium-zinc alloys,** crystal structure, 439.
- Super-Duralumin,**
 air-screw blades, mech. properties & structure, 86.
 elastic modulus, 598.
 fatigue limit, effect of sea-water corrosion, 327.
 mechanical properties, effect of heat-treatment, 181.
 properties, 327.
- Super-hard alloys** (see also *Alloys: Tungsten carbide, &c.*, and under trade names of alloys: *Pobedit, Widia, &c.*),
 for wear-resistance, 566.
 in chemical industry, 566.
 patents, 311.
 properties, review, 236.
- Super-Permalloy,**
 magnetic properties, 89.
 properties, 434.
- Super-Perminvar,**
 magnetic properties, 89.
 properties, 434.
- Superston L 189** bronze, fatigue & corrosion-fatigue, 329.
- Tantalum-titanium alloys,** 436.
- Telcon,** properties, 434.
- Tellurium-tin alloys,** thermodynamic properties, 90.
- Tellurium-zinc alloys,**
 latent heats of vaporization, 434.
 thermodynamic properties, 90.

Alloys & compounds—

- Tin alloys** (see also *Alloys: Babbitt metals, Bearing alloys, Pewter, Solders, White metals, &c.*),
 anodic films on, prodn., 100.
 bearing, factors affecting life, 619; mech. properties, 435; properties, review, 619; tensile properties at elevated temps., 435.
 colouring. See *Colouring.*
 effect of nickel, 332.
 fusible, 494.
 metallography, A.S.T.M. recommended practice, 5; prepn. of specimens, 24, 625.
- Tin-carbon-oxygen system,** constitution, 384.
- Tin-oxygen system,** thermodynamic study, 186.
- Tin-zinc alloys,**
 constitution, review, 621.
 eutectic, structure, effect of rolling & heating, 509.
 molten eutectic, structure, 46.
- Titanium alloys,** deformable, 436.
- Titanium-tungsten alloys,** 436.
- Titanium-vanadium alloys,** 436.
- Titanium-zirconium alloys,** 436.
- Tombak,** corrosion. See *Corrosion.*
- Trodaloy,** 495.
- Tungsten alloys,**
 deposition. See *Deposition.*
 high-density, 186, 334.
- Tungsten carbide** (see also *Alloys: Super-hard alloys, Widia, &c.*),
 application to dies & tools, 678.
 cemented, action of cementing materials, 283; thermal expansion, 143.
 sintering, mechanism, 283.
- Tungsten-carbon alloys,**
 constitution, 619.
- Tungum,** corrosion. See *Corrosion.*
- Type metals** (see also under names of constituent metals),
 analysis. See *Analysis.*
 review, 233.
- Vanadium steels,** book, 478.
- White metals** (see also *Alloys: Babbitt metals, Bearing alloys, &c.*, and under names of constituent metals),
 bearings, failure, 619; mech. properties, 435; tensile properties at elevated temps., 435.
 compressive strengths, 90.
 die-casting. See *Die-casting.*
 tin-base, mech. properties, 186.
- Widia** (see also *Alloys: Super-hard alloys, Tungsten-carbide, &c.*),
 book, 172.
- Wood's alloy,**
 deterioration in sprinklers, 513.
 x-ray diffraction, 510.
- Y alloy,**
 casting. See *Casting.*
 effect of titanium on mech. properties, 327.
 elastic modulus, 598.
 heat-treatment. See *Heat-treatment.*
 melting. See *Melting.*

Alloys & compounds—

- Y alloy**,
 pistons in heavy-oil engines, 118.
 properties, review, 593.
 tensile properties in completely stabilized state, effect of temp., 326.
- Zamak**,
 composition, 385.
 die-casting. See *Die-casting*.
 mechanical properties, 385.
 properties, 159.
 structure, 159.
 uses, 159, 385.
- Zinc alloys** (see also *Alloys: Mazak, Zamak, &c.*),
 creep, 297, 406.
 die-casting. See *Die-casting*.
 die-castings, appns., 14, 21, 112;
 compared with brass pressure castings, 566; in automobile parts, 362, 566; in elect. industry, 566;
 properties, &c., review, 667.
 effect of nickel, 332, 621.
 for bearings, 269.
 metallography, A.S.T.M. recommended practice, 5.
 technology, book, 270.
 wrought, properties, &c., review, 621.
- Zinc-bronzes**, castings, A.S.T.M. specifications, 20.
- Alnico**. See *Alloys*.
- Alpax**. See *Alloys*.
- Alphos**. See *Alloys*.
- Altmag**. See *Alloys*.
- Aludur**. See *Alloys*.
- Alumag**. See *Alloys*.
- Aluman**. See *Alloys*.
- Alumilite process**, 49.
 thermal properties of coatings, 264.
- Alumina**. See *Alloys & compounds*, & also *Refractory materials*.
- Aluminium**,
 absorption coeffs. in long wave-length x-ray region, 369.
 action of photographic solutions, 309.
 adsorption of hydrogen & recombination of atomic hydrogen in adsorbed layer, 375.
 analysis. See *Analysis*.
 anodic areas, detection, 101.
 anodic oxidation. See *Anodic oxidation*.
 anodically-oxidized, elect. properties, 401.
 atomic weight, 129.
 bibliography, 166.
 books, 124, 573.
 bread-baking dishes, 692.
 brewing vessels, 210; protection by M.B.V. process, 8; removing beer stone, 8.
 bus-bars, 267, 468.
 cable-wrapping, 164.
 cables, joining, 265.
 cans, 211; for fish, 693.
 casting. See *Casting*.
 chemical properties, review, 308.
 cinema film about, 166.
 circles, fabrication, review, 206.
 cladding, patents, 519.
- Aluminium**,
 cleaning. See *Cleaning*.
 -coated copper wire, electrolytic oxido coating, 518.
 coating of, Elytal process, 518.
 coatings, importance in protection of iron, 519; on iron, methods, 638; on iron & steel, Follisain process, 0; on iron by immersion, 519; on steel, Fink process, 519.
 collapsible tubes, 309.
 colouring. See *Colouring*.
 combustibility, effect of zinc & cadmium, 328.
 conductor rails, bendable unions for, 684.
 conductors, elasticity, 25; steel-corod, 213.
 containers, 211.
 cooking utensils, 213.
 corrosion. See *Corrosion*.
 crystal structure, effect of alternate torsion, 438.
 damping, 427.
 Debye-Scherrer diagrams, effect of small deformations, 510.
 deep-drawability, 537.
 deposition. See *Deposition*.
 detection. See *Analysis*.
 developments, 692; in uses, &c., 468.
 die-casting. See *Die-casting*.
 diffusion of copper, 181, 380.
 diffusion of magnesium, 181, 380.
 dissolution potentials, 390.
 drilling. See *Drilling*.
 ductility, effect of impurities, 230.
 dust, prevention of silicosis with, 469, 562.
 effect of vibration on mech. properties, 84, 717.
 elastic limit of sheet of pure metal, 73; of single crystals, effect of temp., 73, 369.
 electrical conductivity, effect of extension, 181; effect of impurities, 230; for free conductors, 369.
 electrical resistance, effect of magnetic field, 3, 134.
 electrode potential, anomalies, 585.
 electrodes, structure & properties of insulating layers formed during anodic polarization, 401.
 -Elektron bimetal, prodn., 64.
 Eloxal-treated, testing, 517; use in heat-exchange apparatus, 518.
 estimation. See *Analysis*.
 etching, metallographic, 624.
 exothermic action, discovery, 472.
 extrusion. See *Extrusion*.
 fatigue, 540; detection of impending failure by x-ray diffraction, 387; of wires, effect of surface condition, 481.
 films & surfaces, appns., 74; effect of passage of electrons, 180; evapd., for interferometer plates for use in ultra-violet, 581; evapd., optical properties, 490; evapd., reflectivity, 29; on glass as elect. resistance heaters, 469; on glass as reflectors, 469; prodn., review, 74; properties, review, 74.

Aluminium,

- finishing, 414, 465, 684; book, 216.
 fins for air-cooled engines, 562.
 flues for gas apparatus, 468.
 foil as pipe packing, 417; for condensers, 695; for gaskets for water pipes, 118; for heat insulation, 361; for wrapping, 211; for wrapping butter, 468; for wrapping cheese, 471; in building industry, 562; thermal emissivity, 581; treatment by M.B.V. process, 100.
 foundry practice, book, 711.
 furniture, 213.
 galvanizing. See *Galvanizing*.
 gases in, boll-jar test, 277; detn., 277; removal, 317, 481, 713.
 grain-growth, 508.
 granulated, prodn., equipment, 723.
 grinding. See *Grinding*.
 hardeners, 664.
 history, 472.
 hydrogen in, function, 279; soly., 33.
 impact-tensile tests, 353.
 impurities in, effect on properties, 230.
 in aircraft, 212, 468.
 in architecture, 19, 213, 417, 468.
 in bicycles, 212.
 in chemical plant, 210.
 in dairy industry, 210, 468, 693.
 in dyeing industry, comparison with stainless steel, 19.
 in electrical industry, 19, 213.
 in high-frequency technique, 118.
 in laundry, 210.
 in machine construction, 561.
 in mining industry, 211.
 in naval construction, 164.
 in nitric acid industry, 309.
 in photographic industry, 309.
 in radio industry, 213.
 in railway trains, 118.
 in rubber industry, 211.
 in textile industry, 211, 417, 422.
 in transport, 562.
 industry, growth, statistical survey, 699; health hazards, 22; history, 215; in 1936, 121; review, 568; Russian, in 1937, 269.
 ingots, structure, effect of solidification conditions, 663.
 Japanese, properties, 225.
 joining to rubber, 446.
 joints, contact pastes, 684; heating & short-circuiting tests, 684.
 lacquering. See *Lacquering*.
 lightning conductors, 694.
 machining. See *Machining*.
 manufacture, review, 25.
 mechanical properties, 317, 713; at elevated temps., 328, 715; at ultra-high speeds, 587; effect of impurities, 230.
 melting. See *Melting*.
 metallography, A.S.T.M. recommended practice, 5; etching, 624; polishing, 624.
 micro-crystals, eddy arrangement caused by drawing, 387.
 minerals, pamphlet, 271.

Aluminium,

- molten, surface tension, 581; wetting of hot filaments, 374.
 nitrogen in, 228.
 overhead lines, connecting to wires of private houses, 694; effect of method of suspension, 561; effect of permanent elongation in service, 66; elect. conductivity, 694; experiences, 561; greasing, 562; in Scandinavia, 694; vibration-damped, erection, 694.
 oxide films on, protective properties, effect of copper, 517.
 paint, book, 172.
 painting. See *Painting*.
 paints, developments, 10; exposure tests, 642; importance of stearic acid film, 447; protective value, tests, 102; uses, 102.
 physical & chemical characteristics, 177.
 physical constants, review, 581.
 physical properties, 308; tables of data, 425.
 polishing. See *Polishing*.
 powder, appns., 469; book, 172; explosion, 425; manuf., 262.
 printing plates, 118.
 production, developments, 120.
 profiles, drawn, I.S.A. tolerances, 694.
 properties, effect of cold-work & annealing, 73.
 protected by M.B.V. process, effect of boiling in distilled water & in water-glass soln. on corrosion-resistance of film, 513.
 protection (see also *Anodic Oxidation, Deposition, Elytal process, M.B.V. process, Painting, Pylumin process, &c.*), by addns. to corrosive medium, 637; by molybdenum sesquioxide, 519; from acids, action of amines, 8; methods, review, 194; with chlorinated rubber-base lacquers, 398, 720.
 pure, prodn., review, 3; properties, review, 3.
 recrystallization, effect of reversed deformation, 437; nuclei, orientation, 45, 717; pamphlet, 221.
 refined, analysis, 225; phys. properties, 74; properties, 225; tensile properties of sheet, 73.
 reflectors, 417, 469.
 rigidity modulus, effect of pressure, 179.
 riveting. See *Riveting*.
 rods, elastic limit, effect of grain-size, 481; profile, flow in cold-drawing, 161.
 rolling. See *Rolling*.
 scrap, treatment, 356.
 scratch-hardness, 2.
 seals for bottles, 211.
 secondary, treatment, 549.
 secondary electron emission, 324.
 separation. See *Analysis*.
 sheet, anodically-oxidized, effect on painting, 100; fabrication, review, 206; grades & prodn., 16; M.B.V.-treated, effect on painting, 100; properties, pamphlet, 123; tensile properties, 73.

- Aluminium,**
 single crystals. See *Single crystals.*
 soldering. See *Soldering.*
 sources, review, 25.
 specifications, German, 692.
 sprayed coatings, tests, 642.
 spraying. See *Spraying.*
 statue of Eros in London, freedom from corrosion, 340.
 steel-cored cable, corrosion. See *Corrosion*; inductance, 694; suspension tests, 694.
 surface-hardening, Rubinite process, 599.
 surface improvement by diffusion, 379.
 surface-treatment, 557.
 surfaces, effect of slow positive potassium ions, 321.
 tensile properties at elevated temps., effect of rate of extension, 487, 488, 713; effect of mech. vibration, 138; in completely stabilized state, effect of temp., 326; of sheet of pure metal, 73.
 transformations in solid state, 79.
 tubes, finned, manuf., 554; treatment of interiors by M.B.V. process, 100.
 uses, 118, 308; developments, 213; in electrotechnical industry, 25.
 virgin, source of copper in, 581.
 welding. See *Welding.*
 wire-drawing. See *Wire-drawing.*
 wires, endurance limit, effect of surface condition, 481; submitted to alternate torsion, crystal structure, 438.
 wool for packing joints, 118.
 working, book, 171.
 wrought, review of properties, forms, &c., 581.
- Aluminium alloys.** See *Alloys.*
Alunize. See *Alloys.*
Alva. See *Alloys.*
Amalgams. See *Alloys: Mercury Alloys.*
Ambrac. See *Alloys.*
America. See *United States of America.*
Amorphous layer, 586.
Amorphous materials, x-ray diffraction, 510.
- ANALYSIS, METHODS OF—**
Analysis,
 conductometric, with visual observation, for microanalysis, 349.
 diphenylcarbazone for detn. of metals, 454.
 electro-, use of Cu electrodes, 532.
 in communications research, pamphlet, 70.
 inorganic, book, 128.
 laboratory apparatus. See *Laboratory apparatus.*
 magneto-optic, 532.
 micro-, qual., by electrolysis & spectrography, 201.
 microchemical, book, 72.
 micro-splitting of small samples, 253.
 oxine derivatives as qual. reagents, 55.
 polarographic, book, 711.
 potentiometric, vol., with 3 pairs of electrodes in series, 532.
- Analysis, methods of—**
Analysis,
 qualitative, book, 216, 423; spot tests, book, 703.
 quantitative, books, 70, 219, 367, 368, 478; effect of PO₄-radical, 653.
 reagent chemicals, book, 223.
 semi-micro, book, 219.
 spectrographic emission, review, 651.
 spectroscopic, absorption step-weakensers of Sb, 532; apparatus, 656; appn. to metals & alloys, 531; books, 710; developments, 651; effect of vibrationless mounting for mirror galvanometer, 253; in metal industries, 156, 531; industrial, 200, 347, 531; practical possibilities, 253; quant., 295, 531; quant. emission, 531; quant., increased accuracy in logarithmic sector method, 253; review, 531; use of cupferron, 532.
 tannic acid as reagent, 295.
 use of tin amalgam, 56.
 volumetric, book, 167, 711.
 x-ray, max. sensitivity, 532; of plane polished surfaces, 402.
 x-ray diffraction methods, 155.
- Analysis of—**
 Alloys, polarographic, 348.
 Aluminium, book, 576; refined, 200; spectrographic, 347; spectroscopic, quant. review, 10; systematic, 295, 721.
 Aluminium alloys, book, 576; photometric, 532; spectrographic, 347, 349; spectroscopic, quant., 53, 651; spectroscopic, quant., review, 10; systematic, 295, 721.
 Aluminium-copper-nickel alloys, 105; with organic reagents, 532.
 Aluminium-magnesium alloys, spectrographic, 347.
 Antimony-lead-tin alloys, 88.
 Brasses, electrolytic, 651; polarographic, 348; volumetric, review, 11.
 Bronzes, electrolytic, 651; rapid, 55.
 Cadmium-plating solutions, 55.
 Chromium-plating solutions, 105, 106, 721.
 Clad metals, 652.
 Cobalt, spectrographic, 403.
 Copper-silver alloys, electro-, 55.
 Corrosion-products on Al alloys, 54; on Mg alloys, 54; spectrographic, by logarithmic sector method, 99.
 Ferro-alloys, 711.
 Gold-silver alloys, quant. spectroscopic, 105.
 Iron, book, 711.
 Lead, spectrographic, 403.
 Magnesium alloys, 105; polarographic, 651; spectrographic, 403, 651.
 Mercury with KMnO₄, 55.
 Niobium, 57; book, 478.
 Non-ferrous metals and alloys, book, 422.
 Rare metals, book, 127.

Analysis, methods of—

Analysis of—

- Second analytical group, 533.
- Silver-plating solutions, 403.
- Solders in tinplate cans, 457.
- Steels, book, 711; spectroscopic, quant., 53.
- Tantalum, 57; book, 478.
- Tin, spectrographic, 403; spectroscopic, polarization effect, 10.
- Type metals, 88.
- White metals, electrolytic, 651.
- Zinc, spectrographic, 403; spectroscopic, polarization effect, 10.
- Zinc-plating solutions, 55.
- Zinc-sodium amalgams, rapid, 254.

Detection of—

- Alkali metals, micro-, 201.
- Aluminium, fluorescent test, 533; in alloys, micro-, 454; micro-, 453; with "Aluminon" test-papor, 454.
- Antimony, microscopic, 56.
- Barium, micro-, 201.
- Bismuth, microscopic, 56.
- Cadmium, 453; micro-, 404; micro-, with H_2S , 349.
- Calcium, micro-, 201.
- Cerium, 106, 253.
- Chromium in alloys, micro-, 454.
- Copper in alloys, micro-, 454; micro-, with HBr , 453; micro-, with $(NH_4)_2Hg(CNS)_6$, 533.
- Germanium, 721.
- Gold, micro-, in elect. contacts, 295; spot test, 535.
- Indium, 721.
- Iron in alloys, micro-, 454.
- Lead in alloys, micro-, 454; micro-, 201; with dithizone, 533.
- Magnesium, colour test with Benzourin G, 201; micro-, 201, 453.
- Manganese, 453; in alloys, micro-, 454; micro-, 201.
- Molybdenum, 655.
- Nickel in alloys, micro-, 454.
- Platinum metals in silver assay beads, 453.
- Rhenium, 155.
- Scandium in presence of Al, 254.
- Selenium with NH_4CNS , 533.
- Silver, micro-, in elect. contacts, 295.
- Strontium, micro-, 201.
- Sulphides in tarnishes, micro-, 54.
- Vanadium with H_2O_2 , 457.
- Zinc in alloys, micro-, 454; micro-, 201, 453; with dithizone, 58.
- Zirconium by Tananaev's reaction, 652.

Estimation of—

- Alkali metals, 653.
- Alumina in presence of Al, 653.
- Aluminium by titration with alkali, 651; in Elektron, spectrographic, 54; in presence of Fe, 106, 653; in presence of Fe, Ni, & Co, 652; in presence of Mn, Ni, Co, & Zn, 652, 653; in presence of monohydroxycarboxylic acids, 653; in Sn by spark spectrum, 54; with Eriochromcyanin R, 201; with urea, 454.

Analysis, methods of—

Estimation of—

- Antimony, electro-, 201; in Pb, rapid, 533; in Pb-rich alloys, 201; in Pb-rich alloys, rapid, 106; micro-, 56, 106.
- Arsenic as Ag_3AsO_4 , 56; in Sn, 455; micro-, 56, 106, 455; modified Gutzeit method, 106.
- Barium by titration, 201; in presence of Sr, 653.
- Bismuth as *o*-nitroquinolino bismuth iodide, 106; as phosphate, 534; in brass, Cu, & Zn, 534; micro-, with H_2S , 349.
- Boron, 119.
- Cadmium, colorimetric, as sulphide, 653; in plating baths, rapid, 254; in presence of W & U, 454; in presence of Zn, 533; in presence of Zn, with $CS(NH_2)_2$, 455; in Sn, by spark spectrum, 54; in Zn & Zn concentrates, 534; vol., in presence of Zn & Cu, 534; with oxine, 454.
- Calcium in Al & Pb, spectroscopic, 54.
- Chlorine in Mg, 404, 654.
- Chromium by "liquid amalgam" method, 455; in Al, photometric, 651; in ferro-chrome, 455; with oxine, 456.
- Cobalt, colorimetric, 404; gravimetric, as $K_2Na[Co(NO_2)_6] \cdot H_2O$, 654; in Ni, colorimetric, 456; in presence of Al, 652, 653; in presence of U, Zr, & Ti, 454; volumetric, 456.
- Copper, colorimetric, with diethyldithiocarbamate, in presence of Fe, 654; colorimetric, with $K_4[Fe(CN)_6]$, 654; comparison of methods, 348; electro-, without Pt electrodes, 349; in Al, photometric, 651; in Al alloys, spectrographic, 349; in Cu-Ni alloys with salicylaldoxime, 534; in cyanide plating baths, 349; in Ni, 534; in pure Al, 56; micro-, with H_2S , 349; micro-electrolytic, 107; potentiometric, 348.
- Gallium, colorimetric, 295.
- Germanium, colorimetric, 107.
- Gold, 535; in alloys, 254, 654; in plating baths, Chiddy's method, 201; micro-, 456; micro-electrolytic, 107; spot test, 535.
- Iron in Al, photometric, 651; in Al alloys, spectrographic, 349; in Hg, 535; in Ni-Cr & Ni-Cr-Fe alloys, 107.
- Lanthanum with 8-hydroxyquinoline, 56.
- Lead, by titration, 201; colorimetric, with dithizone, 654; in screw brass, vol., 535; in solder, rapid, 202; in tinplate, 549; in tin solder, 654; micro-, with H_2S , 349; rapid, 202; with 8-hydroxyquinoline, 654.
- Lithium in Al & Pb, spectroscopic, 54.
- Magnesium by 8-hydroxyquinoline-permanganate method, 57; in Al alloys, 456; in Al alloys, spectrographic, 349; in presence of Zn,

Analysis, methods of—

Estimation of—

- Magnesium**,
by 8-hydroxyquinoline, 57; in Silumin, quant. spectrographic, 295; treatment of $Mg(NH_4)PO_4$ ppt., 57.
- Manganese** in Elektron, spectrographic, 54; in Mg alloys, spectrographic, 403; in presence of Al, 652, 653; in presence of U, Zr, & Ti, 454.
- Mercury**, micro-electrolytic, 107; vol., improved bichromate-pyridine method, 57.
- Metals**, use of diphenylcarbazone, 454.
- Molybdenum** in presence of U, 454; by titration with $Ce(SO_4)_2$ after reduction with Hg, 107; vanadate method, 535.
- Nickel** as Ni dimethylglyoxime, 456; by permanganometry, 457; in presence of Al, 652, 653; in presence of U, Zr, & Ti, 454; indirect volumetric, 107; micro-, 57.
- Niobium**, comparison of methods, 11.
- Nitrogen** in Mg, 404.
- Osmium** in Pb assay button, 655; spot test, 202, 721.
- Oxygen** in Cu, 57; in metals, 348.
- Platinum**, 535; in dental alloys, spectrographic, by constant pair method, 107.
- Platinum metals**, 535; by arc spectra, 457; in Ag assay bead, 652.
- Rhenium**, 295.
- Scandium** in presence of Al, 254.
- Selenium**, vol., 535.
- Silicon** in Al & Al alloys, 349; in Mg alloys, spectrographic, 403.
- Silver**, Gay-Lussac assay, 201; micro-, with H_2S , 349.
- Silver salts** (small amts.) in presence of Pb salts, 349.
- Sodium** in Al and Pb, spectroscopic, 54.
- Strontium** in Al and Pb, spectroscopic, 54; in presence of Ba, 653.
- Tantalum**, comparison of methods, 11.
- Thallium** with "chloramine," 457.
- Tin**, colorimetric, with "dithiol," 655; in Pb, 453; spectrographic, 54.
- Titanium** in Al, photometric, 651; in Al alloys, spectrographic, 349; in presence of Mn, Co, & Ni, 454.
- Tungsten** in presence of Cd & U, 454; with oxine, 454.
- Uranium**, grav., with salts of organic acids, 57; in presence of Cd, W, & Mo, 454; in presence of Mn, Co, & Ni, 454; with oxine, 454.
- Vanadium**, colorimetric, phosphotungstate methods, 536; grav., with salts of organic acids, 57; in Al, photometric, 651.
- Ytterbium** by electrolytic precipitation, 108.

Analysis, methods of—

Estimation of—

- Zinc** by anthranilic acid, 454; by electrodeposn., from acid citrate solutions, 536; in brass, micro-, 457; in electrolytic baths, potentiometric, 458; in Elektron, spectrographic, 54; in non-ferrous alloys with 8-hydroxyquinoline, 58; in presence of Al, 652, 653; in presence of Cd, 533; in Sn, by spark spectrum, 54; micro-, with 8-hydroxyquinoline, 404; (small amts.) with dithizone, 58.
- Zirconium**, arsenate method, 458; in presence of Mn, Co, & Ni, 454.
- Separation of—**
Alkali metals, 653.
Aluminium from Fe, Ni, & Co, 652; from Mn, Ni, Co, & Zn, 652, 653.
Barium as nitrate, 56; from Sr, 653.
Beryllium from Al in presence of complex tartrates, 348.
Cadmium from Zn, 533.
Gold from Te & Se, 454.
Lead as nitrate, 56.
Metals by alkali chromate, 652.
Rhenium, 155.
Strontium as nitrate, 56.
Yttrium from yttrium earths, 106.

Annealing (see also *Heat-treatment*),
book, 366.

- bright-, 261; controlled-atmosphere, 670; of wire & strip, 671.
controlled-atmosphere, 670.
furnaces. See *Furnaces*.
local, use of oxy-acetylene flame, 262.
temperatures, selection, theoretical basis, 44.

Annealing of—

- Arsenical copper, effect of procedure on tensile properties of bars, 177.
Brass(es), 672; coils, removal of stains, 261; in controlled atmosphere, 302, 724; wire & strip, 670.
Copper, bright-, use of atmosphere from hot charcoal, 553; wire & strip, 670.
Nickel, 583, 584; effect of gas atm. on edge structure & bending properties of sheet, 584.
Nickel-brasses, 672.
Phosphor-bronze, low-temp., 16.
Silver, review, 28.

Anodic oxidation of—

- Aluminium and its alloys, 719; Alumilite process, 49; book, 709; colouring of films, 99; depth of penetration of electrolyte, 638; deterioration of chromic acid baths, 150; Eloxal films, detn. of thickness, 637; Eloxal process, 49, 99, 446, 719; review, 638; testing films, 517; wear testing of films, 517; Elytal process, 99; equipment of Edo Aircraft Corp., 396; films, hardness, 292; in architecture, 638; in chromic acid solns., 194; motor-car pistons, 100; patents, 150, 638; pistons to reduce cylinder wear, 518; processes, 7; reviews, 246, 446,

- Anodic oxidation of—**
Aluminium and its alloys,
 518; testing coatings, report on methods, 445, 719; theory & principles, 99.
Magnesium alloys, 150.
Anticorrosive. See *Alloys*.
Anti-friction alloys. See *Alloys*.
Antimony,
 book, 125.
 crystal lattice at high temps., 189.
 detection. See *Analysis*.
 effect of steam, 203.
 electrode, in p_H detn., 529; indust. p_H control with, 401, 720; theory, 529, 720.
 estimation. See *Analysis*.
 films, ovapd., optical properties, 490;
 photoelect. properties, 317; transition temp., 491.
Hall effect, 86.
 in chemical industry, 310.
 melting. See *Melting*.
 minerals, pamphlet, 272.
 single crystals. See *Single crystals*.
 specific heat at high temps., 375.
 statistics, 699.
 x-ray, diffraction, 510.
Apparatus, laboratory. See *Laboratory apparatus*.
Architecture, metals & alloys in, 119, 471;
 (see also *Alloys* & under names of metals).
Arsenic,
 atomic weight, 25.
 effect of steam, 203.
 estimation. See *Analysis*.
 minerals, pamphlet, 272.
Arsenic alloys. See *Alloys*.
Asarcology. See *Alloys*.
Atmospheric corrosion. See *Corrosion*.
Atomic constants, fundamental, values,
 377.
Atomic volume of elements, data, 493.
Atomic weights (see also under names of metals),
 data, 493.
 report (7th) of Cttee. of Internat. Chem. Union, 133, 224, 429.
Australia, metallurgical progress, 269.
Automobile,
 bumpers, finishing, 162.
 cylinder-bores, reduction of wear, 518.
 materials (see also *Alloys* & under names of metals); German substitution of home-produced materials for imported materials, 312; handbook, 313.
Avional. See *Alloys: Duralumin*.
B.S.-Seewasser. See *Alloys*.
Babbitt metals. See *Alloys*.
Babbitting, steel ribbon for thin-walled bearings, 565.
Bacteria action in corrosion. See *Corrosion*.
Balconies, materials for, 215.
Barium (see also Alkaline earth metals),
 allotropy, 581.
 detection. See *Analysis*.
Barium,
 estimation. See *Analysis*.
 minerals, book, 223.
 oxidation, oriented, 94.
 separation. See *Analysis*.
 thermal expansion, coeff., 581.
Barium alloys. See *Alloys*.
Barkhausen effect (see also under names of metals),
 "circular," 137.
Barrel-finishing, 683; (see also *Deposition*).
Bars, straightening, machines, 16.
Bauschinger effect, 31.
Bearing alloys. See *Alloys*.
Bearings,
 aero-engine, design & manuf., 410;
 stresses, 410.
 destructive tests, 410.
 machining. See *Machining*.
 rolling-mill, 673, 674.
 self-lubricating, 381.
 white-metalling, 565.
Beet-sugar factories, corrosion in. See *Corrosion*.
Beilby layer, 287, 288, 374.
 formation, surface tension of rubbing solids &, 187.
 on non-metals, 44.
Bells,
 founding, 723.
 foundry of Gillott & Johnson, 409.
Berychrome. See *Alloys*.
Beryllium,
 allotropy, 626.
 bibliography, 1.
 crystal structure, 626.
 diffusion into iron, 599.
 films, ovapd., optical properties, 490;
 scattering of fast electrons, 94.
 history, 369.
 metallurgy, review, 369.
 minerals, pamphlets, 272.
 photoelectric properties, 75.
 production, review, 1.
 properties, review, 1.
 scattering of x-rays, 317.
 separation. See *Analysis*.
 sources, review, 1.
 uses, 1, 369, 562.
Beryllium alloys. See *Alloys*.
Bethanized coatings on wire, testing, 521.
Bethanizing, 346.
Bimetal,
 Elektron-aluminium, prodn., 64.
 Furukawa No. 1, 595.
 plates, stresses in, 32.
 strip, appns., 697; compn. & characteristics, 269; factors affecting performance, 421.
Binary alloys. See *Alloys*.
Bismuth,
 allotropy, 146.
 crystal lattice, thermal expansion, 146.
 crystals, x-ray reflection, intensity, 146.
 Debye's "characteristic temperatures," 2.
 detection. See *Analysis*.
 elastic modulus of single crystals, 25.
 electrical conductivity effect of magnetic fields, 129.

- Bismuth,**
 electrical resistance of single crystals in magnetic field, 3, 134.
 estimation. See *Analysis*.
 films deposited at low temp., change of elect. resistance & reflectivity, 82; evapd., magnetic susceptibility, 129, 318; sputtered, galvanomagnetic phenomenon, 323; transition temp., 491.
 liquid, identity of structure with lead, 95.
 magnetic susceptibility of single crystals, effect of cold-work, 26.
 melting rate, 32.
 minerals, pamphlet, 272.
 mosaic structure, 146.
 native, 129.
 photoelectric properties, 369.
 Shenstone effect, 369.
 single crystals. See *Single crystals*.
 thermal conductivity at low temps., 2, 134; of single crystals, effect of magnetic fields, 129.
 x-ray diffraction, 510.
 Bismuth alloys. See *Alloys*.
 Bleaching agents, corrosion by. See *Corrosion*.
 Boiling points of elements, data, 493.
 Bonderizing of Zinc surfaces, 101.
 Bondur. See *Alloys*.
 Borides. See *Alloys & Compounds*.
 Boron,
 estimation. See *Analysis*.
 uses, 119.
 Boron alloys. See *Alloys*.
 Boron carbide. See *Alloys & Compounds*.
 Borotal. See *Alloys*.
 Brasses. See *Alloys*.
 Brazing,
 developments, 559.
 electric furnace-, 116, 265, 414; developments, 416.
 liquid-, 414.
 oxy-acetylene, 262.
 review, 558.
 use of phosphor-copper, 163.
 Brazing of—
 Steel castings, 265.
 Brewery,
 vessels, corrosion. See *Corrosion*.
 Brightray. See *Alloys*.
 Brillouin zones. See *Crystals*.
 Brinell hardness. See *Hardness, Testing, & Testing machines*.
 Brines, corrosion by. See *Corrosion*.
 Brittleness (see also *Alloys & under names of metals*),
 impact-, mechanical cause, 438.
 Bronzes. See *Alloys*.
 Brotornal. See *Alloys*.
 Building, metals & alloys in, 119.
 Burnishing barrels, selection, 65.
 Burnishing of—
 Zinc die-castings, 207.
 Butterfat, effect of metals, 269.
- Cables** (see also *Alloys & under names of metals*),
 Cables,
 corrosion. See *Corrosion*.
 electric, materials, 567.
 soldering. See *Soldering*.
 splicing, 307.
 Cadmium,
 book, 125.
 crystal lattice at high temps., 189.
 colouring. See *Colouring*.
 corrosion. See *Corrosion*.
 deposition. See *Deposition*.
 deposits, as auxiliary plating, protective value, 247; effect on corrosion-fatigue of steels, 195, 520; thickness, B.N.F. jet-test, 101.
 detection. See *Analysis*.
 effect of steam, 203.
 electrical resistance, effect of magnetic field, 3, 134; of pure metal, 3, 134.
 estimation. See *Analysis*.
 expansion near melting point, 321.
 films deposited at low temps., change of elect. resistance & reflectivity, 82; evapd., absorption of light, 491; evapd., photoelect. effect, 491; thin, optical & elect. properties at low temps., 81, 134; transition temp., 318, 491.
 free-path of electrons, 178.
 heat capacities from -90° to $+120^{\circ}$ C., 29.
 industry, British, developments, 121.
 magneto-resistance effect at low temps., 370, 582; in single crystals, 130.
 melting. See *Melting*.
 minerals, pamphlet, 272.
 separation. See *Analysis*.
 single crystals. See *Single crystals*.
 solubility in fused cadmium chloride, 26.
 sprayed coatings, tests, 642.
 uses, 121.
 zinc in, removal by steam, 203.
 Cadmium alloys. See *Alloys*.
 Cæsium (see also *Alkali metals*),
 atomic constants, 378.
 films, elect. conductivity, 130; on glass, elect. conductivity, 132; photoelect. properties, 318.
 -oxygen electrodes, photo-sensitive, secondary electron emission & fatigue, 130; secondary electron emission, 74.
 -oxygen photo-cathodes, fatigue, 26.
 review, 699.
 vapour pressure, 318.
 Cæsium alloys. See *Alloys*.
 Calcium (see also *Alkaline earth metals*),
 allotropy, 581.
 atomic constants, 378.
 detection. See *Analysis*.
 electrode potential in liquid ammonia, 371.
 electronic energy bands, 338.
 estimation. See *Analysis*.
 gases in, detn., 277.
 nitrogen in, 228.
 photoelectric work-function, 225.
 physical constants, review, 582.
 sublimation & distillation, book, 128.
 thermal expansion coeff., 581.

- Calcium alloys. See *Alloys*.
 Calorimeters. See *Laboratory apparatus*.
 Calorized metals, corrosion. See *Corrosion*.
 Calorizing, protective value in soils, 194.
 Carbides. See *Alloys & compounds*.
 Carbon dioxide. (See also *Gases*.)
 -metal equilibria, detn., 429.
 Carbon monoxide (see also *Gases*),
 adsorption by copper, 75.
 Carobronze. See *Alloys*.
 Cartridge cases, manuf., 161.
 Castability, 723.
 Casting (see also *Moulding, &c.*),
 centrifugal. See *Centrifugal casting*.
 defects, 545.
 die-. See *Die-casting*.
 gates & risers, 259, 299, 723.
 physical factors, 355, 722.
 pressure. See *Die-casting*.
 wasters, 355; due to runners & risers,
 663.
 Casting of—
 Aluminium container, 664; effect of
 sodium on cavity & blow-hole forma-
 tion, 545; effect of solidification
 conditions, 545; ingots & bars, 257;
 permanent-mould, 13; practical hints,
 664; rings, 546.
 Aluminium alloys, 257, 545; book, 711;
 chill-, 665; dark spots, 665; effect of
 solidification conditions, 664; elimina-
 tion of blow-holes & included oxide
 films, 461; pistons, 13; pistons, by
 casting one alloy on another, 111;
 pouring temp., 299; practical hints,
 664.
 Aluminium bronzes, 257, 258, 355.
 Aluminium-silicon alloys, porosity, 665.
 Anticorodal, 546.
 Bearing metals, 409; addn. of used
 metal, 409; effect of pouring temp. on
 structure, 301.
 Bells, 409, 723.
 Beryllium-copper alloys, 665.
 Billets, British & Continental methods,
 13.
 Brasses, Belgian practice, 14; chill-,
 sources of non-metallic inclusions, 461;
 defects, 301; gates & risers, 259, 299,
 723; in steel bearing shells, 204;
 layers on cast iron, 547.
 Bronzes, 409; gates & risers, 259, 723;
 layers on cast iron, 547; pattern &
 gating design, 547; prodn. of dense
 castings, 300; propellers, 60; shrink-
 age, 409; special, 301; use of
 phosphor-copper as deoxidizer, 60;
 valves, 547.
 Copper heavy shapes, 546; oxygen-free
 high-conductivity, 257.
 Copper alloys, effect of gases on pore
 formation, 665.
 Copper-lead alloys, 300.
 Copper-nickel alloys, oxidation of nickel,
 409.
 Dental alloys, 204.
 Elektron, 547.
 Gold dental plates, 483; in dentistry,
 204.
 Gun-metal, 258; gates & risers, 299.
 Casting of—
 Lead, iron mould for, 258.
 Lead-bronzes in steel bearing shells, 204;
 inverse segregation, 300; sleeve
 casting, 259.
 Magnesium alloys, 61; rejects, 666;
 shrinkage, 159.
 Magnesium-silver alloys, 613.
 Manganese-brasses, 233.
 Nickel alloys, gates & risers, 299.
 Nickel-brasses, 666; review, 159.
 Phosphor-bronze bearings, 300.
 R.R. alloys, 380, 599.
 Rods, 259.
 Silumin, chill-, 664.
 Tubes, 259.
 Y alloy, 664.
 Castings,
 examination, pneumatic micrometer for,
 461.
 grain structure & grain size, 93.
 protection with soya bean oil, 410.
 radiology. See *Radiology*.
 shrinkage, booklet, 223.
 Catalytic properties,
 of solid solutions, effect of changes of
 crystal structure, 622.
 of surfaces, book, 271.
 Cathodic sputtering, 350; (see also *Sputter-
 ing*),
 controlled, 490.
 Cavitation,
 destruction of metals by, 149.
 in water turbines, 567.
 investigation, apparatus, 405.
 of metals & alloys, 405, 406.
 research in U.S.A., progress, 633.
 Cementation (see also *Diffusion*),
 by molybdenum, 247, 641.
 by tantalum, 397, 641.
 by tungsten, 151, 641.
 by vanadium, 397, 641.
 Cementation of—
 Copper by tungsten, 151.
 Iron, book, 22; by molybdenum, 247;
 by tantalum, 397; by tungsten, 151;
 by vanadium, 397;
 Nickel by molybdenum, 247, 641;
 by tantalum, 397, 641; by tungsten,
 151, 641; by vanadium, 397, 641.
 Centrifugal casting, 159, 548.
 economic advantages, 698.
 Ceralumin. See *Alloys*.
 Ceramics, joining metals to, 685.
 Cerium,
 detection. See *Analysis*.
 electrical resistance, 130.
 lattice constants, 190.
 light of combustion, 487.
 magnetic susceptibility, 74, 713.
 production, properties & uses, 582.
 specific heat at high temps., 130.
 Cerium-alloys. See *Alloys*.
 Cerium group metals, manuf., properties &
 uses, 582.
 Cetal. See *Alloys*.
 Chemical apparatus, corrosion in. See
Corrosion.
 Chemical engineering, book, 70.
 Chemical industry, handbook, 271.

- Chemical properties.** See under specific properties.
- Chemistry,**
 analytical. See *Analysis*.
 applied, book, 573.
 constants, tables, 128.
 for engineers, book, 272.
 hand-books, 175, 477.
 progress, book, 270.
 who's who (in U.S.A.), book, 219.
- China,**
 early metallurgy, 699.
 scientific societies & associations, 121.
- Chromel.** See *Alloys*.
- Chromium,**
 anodic potential in wave-current electrolysis, 53, 294.
 colouring. See *Colouring*.
 corrosion. See *Corrosion*.
 deposition. See *Deposition*.
 detection. See *Analysis*.
 electrodeposits, corrosion. See *Corrosion*; crystal structure, 439; hardness, 248; lattice dimensions, 387; structure, 189; transition from hexagonal to cubic structure, 626.
 estimation. See *Analysis*.
 films, evapd., optical properties, 490.
 lattice spacing of electrodeposited & normal metal, 387.
 melting point, 40, 481.
 minerals, pamphlet, 272.
 molten, wetting of hot filaments, 374.
 passivity, 294, 452.
 poisoning, 473.
 thermal emissivity, 581.
- Chromium alloys.** See *Alloys*.
- Chromodizing,** 10.
- Clad metals** (see also *Alloys* & under names of metals),
 corrosion. See *Corrosion*.
 welding. See *Welding*.
- Cladding of—**
 Iron sheets, 100.
 Steel sheets, 100.
- Classification of metallurgical products,** 656, 657, 721.
- Cleaning** (see also *Degreasing*),
 agents, 17, 414; corrosion by. See *Corrosion*.
 before galvanizing and tinning, 682.
 before plating, 263, 360, 556.
 book, 712.
 Bullard-Dunn process, 65.
 electrolytic, in alkaline solns., 360.
 exhaust hoods & piping systems, 414.
 for dirt removal, 207.
 fume exhaustion, 162.
 machines, 682; at 1936 Foundry Exhibition, 65.
 methods, review, 725.
 practical hints, 263.
 reviews, 556.
 solutions, heating, 263, 725.
- Cleaning of—**
 Aluminium dairy utensils, 148; in aero industry, 682; tanks with nitric acid, precautions, 682.
 Copper dairy utensils, 148.
 Duralumin in aero industry, 682.
- Cleaning of—**
 Tantalum jets in rayon industry, 162.
 Tinned iron dairy utensils, 148.
- Coal(s)** (see also *Fuels*),
 drying plant, precautions for construction, working, & repair, 463.
 pulverizing plant, precautions for construction, working, & repair, 463.
 sampling, 113.
- Coating of metals.** See *Deposition, Galvanizing, Spraying, Tinning, &c.*
- Coatings.** See *Deposits, Films, &c.*
- Cobalt,**
 analysis. See *Analysis*.
 catalytic properties, 213, 469.
 corrosion. See *Corrosion*.
 crystal structure, 601.
 Curie point, 139.
 deposition. See *Deposition*.
 elastic modulus at high temps., 131.
 estimation. See *Analysis*.
 magnetic anisotropy, 376.
 magnetostriction, hysteresis, 372.
 minerals, pamphlet, 272.
 oxidation, 441.
 polymorphic transformation, effect of other elements, 430.
- Cobalt alloys.** See *Alloys*.
- Coercive force.** See *Alloys* & under names of metals.
- Cohesion.** See under names of metals.
- Cohesive forces,**
 in metals, 30.
 of single crystals, 505.
 theory, 493.
- Coke** (see also *Fuels*),
 sampling for analysis, A.S.T.M. standard method, 62.
- Coke-oven gases,** action on metals. See *Corrosion*.
- Colbond,** 61.
- Cold-worked metals & alloys.** See *Alloys* & under names of metals.
- Cold-working** (see also under names of processes),
 depth, detn. by x-ray diffraction method, 156.
 effect on structure, appn. of x-ray method of study, 146.
 improving durability by, 160.
 of ductile materials, stress-strain relations, 179, 180.
- Colloid chemical phenomena in metals,** 30.
- Colmony.** See *Alloys*.
- Colouring,**
 book, 424.
 methods, 162.
 with molybdate solutions, 264.
- Colouring of—**
 Aluminium, 683; by M.B.V. process, 115; by molybdenum sesquioxide, 519; medals, 725.
 Aluminium alloys by M.B.V. process, 115.
 Brass, 683.
 Cadmium, 683.
 Chromium, 683.
 Copper, 683, 712; book, 712.
 Copper alloys, book, 712.
 Magnesium, 683.

- Colouring of—**
 Nickel, 683.
 Tin and its alloys, black finish, 100.
 Zinc, 683; by molybdenum sesquioxide, 519.
- Columbium.** See *Niobium*.
- Compounds, intermetallic.** See *Alloys*.
- Compressibility, 589;** (see also under names of metals).
- Compression strength.** See *Alloys & under names of metals*.
- Condenser tubes (see also *Alloys*), corrosion.** See *Corrosion*.
- Conductivity.** See *Electrical conductivity, Superconductivity, & Thermal conductivity*.
- Contact fittings, locking forces, effect of surface condition, 679.**
- Contact potential difference.** See under names of metals.
- Contact potentials, 585.**
 of metals immersed in a dielectric, 375.
- Contacts,**
 changes of shape, 485, 486.
 materials, 166.
 separated, formation of metallic bridges, 531.
- Cooking utensils.** See under *Corrosion & names of metals*.
- Copper,**
 absorption coefficients in long wave-length x-ray region, 369.
 absorption of cosmic rays by thin sheet, 713.
 action of copper sulphate & nitrate solutions, 191.
 action of salts, 47.
 adsorption of carbon monoxide, 75.
 adsorption of hydrogen & recombination of atomic hydrogen in adsorbed layer, 375; dissociation, 482.
 aluminium-coated wires, oxido-coating by electrolysis, 518.
 aluminium in, removal, 355.
 ancient Chinese implements, 699; history, 313.
 annealing. See *Annealing*.
 anodic sputtering, 34.
 arsenical, effect of annealing procedure on tensile properties of bars, 177.
 boiler tubes, behaviour & maintenance in locomotives, 165.
 bus-bars, book, 574.
 cable sheath, 678.
 cables, A.S.T.M. specifications, 19.
 casting. See *Casting*.
 cementation. See *Cementation*.
 chromium-plated, resistance to mercury liquid & vapour, 49.
 cleaning. See *Cleaning*.
 cold-worked, phys. & mech. properties, 582.
 colouring. See *Colouring*.
 commercial, grades, forms, & properties, 583.
 condenser tubes, seamless, A.S.T.M. tentative standards, 419, 726.
 conductors, steel-cored, elastic modulus, 67.
- Copper,**
 contact wire in trolley wire systems, 19.
 corrosion. See *Corrosion*.
 crystal lattice at high temps., 189.
 Debye-Scherrer diagrams, effect of small deformations, 510.
 deoxidation. See *Deoxidation*.
 deposition. See *Deposition*.
 deposits, on crystalline copper, structure, 197, 387; thickness, B.N.F. jet-test, 101.
 detection. See *Analysis*.
 diffusion in rock-salt, 26; in rock-salt & sylvine, 370; into nickel, 343; into solid aluminium, 181, 380; of metals into, 91.
 effect of impurities, book, 705.
 elastic after-effect in torsion, 179; in twisted rods, 488.
 electrical conductivity, effect of extension, 181.
 electrical resistance, effect of magnetic field, 3, 134.
 electrode potential, 529; anomalies, 585; effect of speed of rotation, 529, 720.
 electrodeposits, crystal structure, 239.
 electrodes, over-polarization due to copper deph., 402.
 embrittlement, 370.
 enamelling. See *Enamelling*.
 engraving, use of etching methods, 466.
 estimation. See *Analysis*.
 etching by oxygen, 44; metallographic, 625.
 extrusion. See *Extrusion*.
 fatigue, 279, 540; detection of impending failure by x-ray diffraction, 387; of electrolytic tough-pitch & oxygen-free wire, 582.
 films deposited at low temps., change of elect. resistance & reflectivity, 82.
 firebox stays, loco., necessary conditions for use, 695.
 flue-tubes, locomotive, repair, 165.
 formation by reactions in gaseous phase, 288.
 gaskets for high-pressure equipment, 409.
 gas-pipes, adaptor coupling for, 119.
 half-tone plates, electrolytic etching, 453.
 hardeners, 665.
 hardness, effect of temp., 428.
 impurities in, distribution, 337.
 in architecture, 470.
 in automobiles, pamphlets, 572.
 in chemical plant, 164; book, 22.
 in wood-steaming autoclaves, 164.
 industry, health hazards, 22; review, 699.
 iron in, removal, 355.
 lattice parameter, 338.
 mechanical properties at ultra-high speeds, 587; effect of cold-work, 582.
 melting. See *Melting*.
 metallography, A.S.T.M. recommended practice, 5; etching, 625; polishing, 625.
 metallurgy, developments, 120.
 minerals, pamphlet, 571.
 molten, oxidation, 281; wetting of hot filaments, 374.
 oxidation, 44.

- Copper,**
 packings, tests, 69.
 physical constants, review, 582.
 physical properties, effect of cold-work, 582.
 pickling. See *Pickling*.
 pipes for water services, effect on iodine content of water, 165; in gas services, report of Amer. Gas Assoc., 309.
 polished, comparative properties polished mechanically & electrolytically, 188.
 powdered, pressed lumps, hardness, 374.
 printing plates, etching by ferric chloride solns., 152, 399.
 production, review, 75.
 properties, reviews, 75, 164.
 recrystallization diagr., 44; x-ray study, 7.
 reflecting power, 277.
 relaxation, 277, 713.
 rigidity modulus, effect of pressure, 179.
 rods, profile, flow in cold-drawing, 161; stretching, temp. changes, 132.
 rolled, preferred orientation, x-ray study, 240.
 rolling. See *Rolling*.
 scratch-hardness, 2.
 secondary electron emission, 324.
 sheet, fatigue, 334, 716.
 single crystals. See *Single crystals*.
 specific heat at high temps., 375; from 30° to 200° K., 225.
 sprayed, oxide content, 345.
 spraying. See *Spraying*.
 standard state, 529.
 stress-strain characteristics, 319.
 substitutes in hot-water appliances, book, 366.
 surfaces, catalytic union of hydrogen & oxygen on, 482, 586; effect of slow positive potassium ions, 321; formed by solidification in vacuum, electron diffraction study, 44; oxidation, 44.
 tensile properties at elevated temps., effect of rate of extension, 487, 713.
 thermal conductivity at low temps., 2, 134.
 thermal emissivity, 581.
 tough-pitch, embrittlement, 370.
 trolley wire, A.S.T.M. specifications, 19.
 tubes, finned, manuf., 554; prodn. of coils from, 358; uses, 310.
 vapour pressure, 482.
 welding. See *Welding*.
 wire, electrolytic tough-pitch & oxygen-free, fatigue, 582.
 wire-bars, vertically-cast, machining a nose on both ends, 464.
 wires, cementation with zinc, 247; drawing. See *Wire-drawing*; hard-drawn, mech. properties under continuous loading at elevated temps., 318, 713.
 x-ray absorption edge fine structure, 371.
- Copper alloys.** See *Alloys*.
- Coers,**
 dressing, Corecoat, 548.
 driers, 259; elect.-heated, 205; German, 112.
 facings, 61.
- Coers,**
 hardness tester, 14.
 moulding machine, 259; developments, 14.
 oil-sand, testing, 301; uso of soya bean oil, 410.
 oils, petroleum fractions as substitute for linsced oil for aluminium alloys, 666.
 ovens, developments, 14.
- Corrosion** (see also *Oxidation, &c.*)—
 books, 72, 126, 168, 218, 274, 315, 703, 704.
 by agricultural spray mixtures, 631.
 by bleaching solutions, 193.
 by brines, 150; effect of addn. of sodium dichromate, 444.
 by cleaning agents, 148.
 by coke-oven gases, 629.
 by falling drops of liquid, 513.
 by fatty acids at 330°–340° C., 515.
 by flue-gas condensate, 443.
 by fly-sprays, 192.
 by fruit products, 628.
 by gases, methods of study, 343, 719.
 by hydrochloric acid, review, 631.
 by leather, 516.
 by locomotive feed-water, 632.
 by lubricants, 192, 443, 516, 632.
 by mineral agents, effect of organic materials, 444.
 by moist sulphur dioxide, 245.
 by oxygen depolarization, theory, 633.
 by petrol, 444.
 by rayon mill gases, 8.
 by sea-water, function of couple active metal-passive metal, 633; report of conference, 474.
 by sewage, 394.
 by soils, 48, 194, 444, 632.
 by spinach, 394.
 by stearic acid at 330°–340° C., 515.
 by stray currents, 8, 343, 632.
 by sugar solutions, tests on inhibitors, 395.
 by sulphur, 342, 719.
 by tanning liquors, 516.
 by weak agents, measurement, 99.
 by woods, 96.
 course of, effects of differential aeration, 633.
 detection, coloroscopic, by p_H indicators, 637.
 difference effect, theory, 49, 443.
 effect of increased temperature, 291, 292, 719.
 effect of mill scale, 292.
 effect of polishing, 50, 99.
 effect of surface roughness, and reduction by "graphoid" coating, 8.
 effects of welding, 516, 636.
 electrochemical study, 634.
 electrolytic, theory, 516.
 hot-wall effect, 292.
 in beet sugar factories, 394.
 in chemical apparatus, avoidance by structural alterations, 245.
 in engineering, 395, 719.
 in house construction, 632.
 in oil refineries, 148.
 in radio industry, 395.

Corrosion,

- in refrigerating industry, 395.
- in sugar industry, 343.
- in water-works, 291, 395, 444.
- inhibitors, organic, theory, 245, 444.
- investigation, appn. of potential measurements, 634; by light dispersion method, 655; damping & resonance detns. as aid, 636; electrochem., apparatus, 634; electrochem. technique, 343; in W. Palmær's laboratories, 636; in Netherlands, 637; potential measurements, review, 516; under static tensile stress, apparatus, 629, 718; use of evapd. films, 239, 387; use of sodium diethylthiocarbamate, 193.
- local current theory of metal potential, 516.
- localization, effect of differential aeration, 633.
- mechanism, reviews, 245, 292, 445, 720.
- oxide films, electron diffraction study, 245; polarimetric studies, 516; prodn., 292.
- pore resistance, dotn., 150.
- prevention by anti-corrosive wrapping paper, 446; choice of surface treatment, 50; Cumberland process, 50.
- products, protective properties, 633; spectrographic detn. by logarithmic sector method, 99.
- protection against. See under various methods, e.g. *Anodic oxidation, Deposition, Galvanizing, Painting, Spraying, Tinning, &c.*, & under *Alloys & names of metals*.
- protective films, 445.
- role of oxygen, 633.
- sulphate-reducing bacteria and, 444.
- tarnishes, analysis of sulphides, 54.
- tarnishing, review of recent work, 445.
- testing, apparatus, 634; book, 423; Mylius, 395; new method, 636; photomicrographic apparatus, 637; recording results, use of colour photography, 637; review, 245; salt-spray, standardization, 636; use of Thyssen-Bourdouxho apparatus, 636.
- theory, 101, 150, 635; electrochemical, 634, 635; pore, appn. to balance effect of Thiel & Eckoll, 49.
- under cyclic stress. See *Corrosion-fatigue*.
- underground, 444.

Corrosion of—

- Admiralty brass, condenser tubes, 341, 514.
- Albrac, condenser tubes, 341, 514, 629.
- Aldrey, conductors in severe atmospheres, 7; under static tensile stress, 629, 718.
- Alloys, by hydrochloric acid, review, 631; spectroscopic method of study, 244.
- Alumi-brass, condenser tubes, 514.
- Aluminium, brewery vessels, 512; by acids, amines as protective agents, 8; by agricultural spray mixtures, 631; by cleaning agents, 148; by coke-oven gases, 629; by drilling oils, 628;

Corrosion of—**Aluminium,**

- by falling drops, 513, 718; by flue-gas condensate, 443; by fruit products, 391, 628; by hydrochloric acid, effect of purity of metal, 96; by hydrochloric acid, inhibiting action of pyridino derivatives, 441; by hydrochloric acid, size of hydrogen bubbles, 512; by petrol, 96; by phosphoric acid, limitation by chromate addns., 628; by sea-water, 512; by sodium chloride & sulphate solns., 633; by soils, 48; by stearic acid at 330°–340° C., 515; by tanned leathers, 441; by 200 materials, 148; by waters, 291; castings, effect of antimony, 243; conductors, by severe atmospheres, 7; domestic utensils, 512; humidity tests, 7; in contact with other metals, 441; salt-spray tests, 7; sprayed coatings, 345; study of statue of *Eros*, London, 340.
- Aluminium alloys, analysis of corrosion products, 54; by coke-oven gases, 629; by falling drops, 513, 718; by fruit products, 628; by hydrochloric solns. (dilute), 243; by petrol, 96; by sea-water, 512; by sodium chloride solns., 243; by tan liquors, 441; by 200 materials, 148; gas flasks, long-period tests, 441; humidity tests, 7; salt-spray tests, 7; under static tensile stress, 629, 718.
- Aluminium-brass condenser tubes, 341, 514, 629.
- Aluminium bronze, 140; hollander knives, 148; radiator tubes, 629; review, 629.
- Aluminium-copper-magnesium alloys, effect of cold-work, 493.
- Aluminium-copper-nickel alloy radiator tubes, 629.
- Aluminium-iron alloys, oxide films, electron diffraction study, 245.
- Aluminium-lithium alloys, 593.
- Aluminium-magnesium alloys, 97, 636; by sea-water, 512.
- Aluminium - magnesium - manganese alloys by tan liquors, 441.
- Aluminium - magnesium - manganese-zinc alloys, 630.
- Aluminium-manganese alloys by soils, 48.
- Aluminium-silicon alloys for die-casting, 391.
- Aluminium-steel conductors by severe atmospheres, 7.
- Anticorodal under static tensile stress, 629, 718.
- Avional under static tensile stress, 629, 718.
- B.S.S. alloy by fruit products, 628.
- Beryllium-copper alloys, 88, 290, 442; by gases at high temps., 391.
- Bondur gas flasks, long-period tests, 441.
- Brasses, by agricultural spray mixtures, 631; by humid ammoniacal atmosphere, 514; by soils, 48; by stearic acid at 330°–340° C., 515; condenser

Corrosion of—

- Brasses**,
tubes in surface condensers, 514; decrease during removal of incrustations, 244, 341; effect of state of metal, 191; in oil refineries, 148; in water-works, 97; investigation, use of sodium diethyldithiocarbamate, 193; radiator tubes, 629; spring contact strips of pocket lamp batteries, 191; tables of data, 340.
- Bronzes**, ancient objects, progressive, 513; by agricultural spray mixtures, 631; by soils, 48; tables of data, 340.
- Brotornal condenser tubes**, 629.
- Cables**, underground, 8, 343.
- Cadmium** by sodium chloride & sulphate solns., 633.
- Cadmium-plated metals**, 396.
- Calorized steel**, 194.
- Chromium** by stearic acid at 330°–340° C., 515; oxide films, electron diffraction study, 245.
- Chromium-iron-nickel alloys** by flue-gas condensate, 443.
- Chromium-plated steel motor-car parts**, inhibitor, 514.
- Clad-Duralumin**, 47.
- Cobalt** by stearic acid at 330°–340° C., 515.
- Condenser tubes**, 341, 514, 629.
- Copper**, ancient objects, progressive, 513; atmospheric, x-ray diffraction study of patina, 513; bibliography, 340; by alkali carbonate solns., 191; by ammonium carbonate solns., 191; by boiling fruits & berry products, 243; by chlorido solns., 340; by cleaning agents, 148; by copper sulphate solns., action of moulds, 191; by copper sulphate & nitrate solns., 191; by flue-gas condensate, 443; by lubricating oils, 192; by mineral agents, effect of organic materials, 444; by sodium chloride & sulphate solns., 633; by sodium hydroxide solns. at high temps., 442; by soils, 48, 444; by stearic acid at 330°–340° C., 515; by water, effect of inorganic salts, 393; constituents of patina, identification by Dobyeherr method, 191; in water-works, 97; investigation, use of sodium diethyldithiocarbamate, 193; on heating in air, 96; radiator tubes, 629; tables of data, 340; thickness of oxide films, measurement, 191; water-pipes, effect of temp., 291; water-pipes, report of Dutch cttee., 243; water tubes, 97.
- Copper alloys**, bibliography, 340; by agricultural spray mixtures, 631; on heating in air, 96; tables of data, 340; test methods, 340.
- Copper-aluminium alloys** by soils, 48; by tan liquors, 441; condenser tubes, 629.
- Copper-aluminium-iron alloys** by soils, 48.
- Copper-gold alloys** by cyanide solns., 38.

Corrosion of—

- Copper-nickel alloys** by soils, 48; condenser tubes, 514; oxide films, electron diffraction study, 245.
- Copper-nickel-zinc alloys** by soils, 48.
- Copper-silicon alloys** by soils, 48.
- Copper-silver alloys** by cyanide solns., 38.
- Dental alloys** caused by dissimilar metal restorations, 47; in mouth, 39.
- Duralclad**, 47.
- Duralumin** by sea-water, 512; by soils, 48; by stearic acid at 330°–340° C., 515; effect of cladding, 47; gas flasks, long-period tests, 441; screws in woods, 96.
- Electrodeposits**, report of joint cttee. of A.S.T.M. & A.E.S., 631.
- Elektron** by aq. sodium chlorido solns., 243; by dilute acid solns., 243; by falling drops, 513, 718.
- Enduro 18-8 S** by bleaching solns., 193.
- Everdur** by bleaching solns., 193.
- Fusible alloys** in sprinklers, 513; plugs, 192, 392.
- Galvanized iron and steel**, 194, 396; "blue-tarnish," 8; by agricultural spray mixtures, 631; by soils, 48, 444; by waters, 291; hot-water tanks, 98; in water heaters, 394; roofing sheets, 195, 521; wire, "white rust" formation, 631.
- Gold** by cyanide solns., factors influencing rate, 47, 514.
- Gold-silver alloys** by cyanide solns., 38.
- Gun-metal**, investigation, use of sodium diethyldithiocarbamate, 193.
- Hastelloy**, 342.
- Illium**, 342.
- Inconel**, 342; by milk, 563.
- Irons** by agricultural spray mixtures, 631; by acids, effect of certain ions, 442; by sodium chloride & sulphate solns., 633; by soils, 48; by stearic acid at 330°–340° C., 515; decrease during removal of incrustations, 244, 341; oxide films, electron diffraction study, 245; rôle of sulphate-reducing bacteria, 444; sputtered films by sulphuric acid, 630; thickness of oxide films, measurement, 191.
- Iron-nickel alloys** by acids, effect of addn. metals, 630; oxide films, electron diffraction study, 245.
- K.S.-Seewasser**, effect of antimony, 243.
- Lautal gas flasks**, long-period tests, 441.
- Lead**, 342; by distilled water, 97; by flue-gas condensate, 443; by lubricating oils, 192; by mineral agents, effect of organic materials, 444; by soils, 48, 444; by stearic acid at 330°–340° C., 515; by sulphuric acid in tower systems, 392; by waters, 243; by water, effect of inorganic salts, 393; cable-sheath, pamphlets, 70; cable-sheathing, 148; investigation, use of sodium diethyldithiocarbamate, 193; water-pipes, 149.

Corrosion of—

Lead alloys by soils, 48; cable-sheathing, 148; cable-sheath, pamphlet, 70; water-pipes, 149.

Lead-coated steel, 49, 194; by soils, 444.

Lead-sodium alloys during electrolysis, 243.

Lead-tin alloys, safety plugs, 392.

Magnesium by acid solns., anodic passivity phenomena, 630; by acids, rate, 291; by brine, 371; by solns. of acids in ethyl alcohol, 342; effect of alloying, 371; protected & unprotected, 393; testing methods, 291.

Magnesium alloys, analysis of corrosion-products, 64; by brine, 371; effect of added metals, 97; protected & unprotected, 393; review, 499; ternary, 392; testing methods, 291.

Magnesium-antimony alloys, 97.

Magnesium-bismuth alloys, 97.

Magnesium-cadmium alloys, 97.

Magnesium-calcium alloys, 97.

Magnesium-cobalt alloys, 97.

Magnesium-copper alloys, 97.

Magnesium-lead alloys, 97.

Magnesium-manganese alloys, 97, 331, 499, 630.

Magnesium-manganese-tin alloys, 630.

Magnesium-manganese-zinc alloys, 331, 630, 716.

Magnesium-nickel alloys, 97.

Magnesium-silicon alloys, 97.

Magnesium-silicon-zinc alloys, 630.

Magnesium-silver alloys, 97.

Magnesium-thallium alloys, 97.

Magnesium-tin alloys, 97.

Magnesium-zinc alloys, 97.

Mangal by fruit products, 628.

Monel metal, 342; by bleaching solns., 193; by chlorinated solvents, 97.

Nichrome, oxide films, electron diffraction study, 245.

Nickel, 342; anodes, effect of compn. & structure, 51; by acids, effect of certain ions, 442; by agricultural spray mixtures, 631; by bleaching solns., 193; by chlorinated solvents, 97; by milk, 563; by stearic acid at 330°-340° C., 515; in air, effect of temp., 191; oxide films, electron diffraction study, 245; sputtered films by acids, 630.

Nickel alloys, 310; by agricultural spray mixtures, 631; review, 630.

Nickel-brasses by stearic acid at 330°-340° C., 515.

Nickel-plated steel motor-car parts, inhibitor, 514.

Pantal by coke-oven gases, 629; by fruit products, 628.

Peraluman 7 under static tensile stress, 629, 718.

Petrol tanks, 444.

Phosphor-bronze turbine blades, effect of thermo-galvanic currents, 392.

Radiator tubes, 629.

Riveted materials, 48.

Screen wire cloth, 631.

Sherardized metals, 396.

Corrosion of—

Silumin by phosphoric acid, limitation of attack by chromate addns., 628.

Silver by cyanide solns., factors influencing rate, 47, 514; tarnishing by sulphur, 278.

Sprayed metal coatings, 521.

Steels by agricultural spray mixtures, 631; by bleaching solns., 193; by brines, effect of addn. of sodium dichromate, 444; by falling drops, 513, 718; by mineral agents, effect of organic materials, 444; by moist sulphur dioxide, 245; by soils, 444; by stearic acid at 330°-340° C., 515; effects of differential aeration, 633; oxide films, electron diffraction study, 245; rôle of sulphate-reducing bacteria, 444; spectrographic detn. of corrosion-products by logarithmic sector method, 99.

Tin by lubricating oils, 192; by nitric acid in presence of catalysts, 192; by stearic acid at 330°-340° C., 515; by nearly-neutral solns., 515; by waters, 291; by water, effect of inorganic salts, 393.

Tinned copper water-pipes, 149, 393.

Tinned iron by cleaning agents, 148.

Tinplate by cream, 71, 98; by fly-sprays, 192; by foods, 98, 514; by fruits, 149; by spinach & other products coloured green by copper compds., 394; by vegetables, 192, 443; by vegetables, transfer of lead, 244; cans for prunes, effect of sulphur spray, 7; inhibitors, 98; quality index, 244; sugar as inhibitor, 443; use of spectrograph to detect contamination of canned beer, 149.

Tombak by humid ammoniacal atmosphere, 514.

Tungum condenser tubes, 629.

Turbine blades, effect of thermo-galvanic currents, 392.

Welded joints, review of literature, 631.

Zinc, 342; by agricultural spray mixtures, 631; by bitumen & coal-tar pitch, 515; by sodium chloride & sulphate solns., 633; by soils, 48; by stearic acid at 330°-340° C., 515; by sulphuric acid, effect of metal addns., 394; by waters, 291; gutters & linings by bitumin-coated roofs, 98; gutters by stray currents, 631; in batteries, book, 708; investigation, use of sodium diethyldithiocarbamate, 193; sprayed coatings, 344.

Zinc-coated metals, review, 631.

Corrosion-fatigue, book, 274.

resistance to, effect of mean stress of cycle, 193, 516.

Corrosion-fatigue of—

Aluminium alloys, 598.

Aluminium bronze, 329.

Aluminium-magnesium alloys, effect of mean stress of cycle, 193, 516.

Beryllium-copper alloys, 329.

Duralumin, 598; effect of mean stress of cycle, 193, 516.

- Corrosion-fatigue of—
 Phosphor-bronze, 329.
 Steels, effect of mean stress of cycle, 193, 510; effect of protective coatings, 195, 520.
 Superston L 189 bronze, 329.
- Corrosion-resistant materials, 567; (see also *Alloys* & under names of metals), for chemical industries, 340, 341, 342, 343, 719.
- Corson alloy. See *Alloys*.
- Corundum. See *Refractory materials*.
- Cracking. See *Internal Stress, Season-cracking, &c.*
- Cream, action on metals. See *Corrosion*.
- Creep (see also *Alloys* & under names of metals),
 at elevated temperatures, 351, 722.
 definition, 80.
 design aspect, 281, 714.
 discussion, 659.
 explanation, 80.
 laws, usefulness of formulæ, 281.
 mechanism, 131.
 of non-ferrous metals & alloys, review of literature, 487.
 recovery, 280, 714.
 test data, interpretation, 80, 297; interpretation, comparison of methods, 351, 722.
 testing. See *Testing & Testing machines*.
 theory, 132, 281, 714; pamphlet, 23.
 under constant load, pamphlet, 123.
- Crucibles. See *Refractory materials*.
- Crystal lattice (see also *Crystal structure, Alloys, & under names of metals*),
 constants, detn. by Debye-Scherrer method, effect of out-of-centre error on accuracy, 46; precision measurement, review, 339, 718.
 distortion, by fatigue & static stressing, 240; quant. detn., 339.
 effect of cold-work, 93.
 face-centred, energy bands for, 95; vibrations, 290.
 interference, mutual action associated with, 440.
 of coarse-grained substances, precision detn., 95.
- Crystal structure (see also *Crystal lattice, Alloys, & under names of metals*),
 analysis, development, 46; employment of contoured graphs of structure-factor, 95, 390; rotating crystal method, absorption factor, 628.
 book, 477.
 hexagonal, asymmetry in metals with, 511.
 investigation, apparatus. See *Laboratory apparatus*; comparison of x-ray & electron diffraction methods, 337; methods, 289.
 Laue photographs, mask for printing, 536.
 of compounds, 626.
 of electrodeposits, factors affecting, 251.
 of elements, data, 493.
 of engineering materials, 338.
 radial texture, 242.
 relation of thermal conductivity, 46.
 reviews, 147, 339, 717.
- Crystal structure,
 Weissenberg photographs, absorption &, 390.
 x-ray analysis, 626; Debye-Scherrer method, control of compn. in appn. to alloys, 336; elimination of systematic errors in powder photography, 95.
 x-ray photographs, comparator for evaluation, 46.
 x-ray powder photographs, evaluation of intensities, effect of discontinuities of background, 628; indexing, 390.
- Crystallization (see also *Alloys* & under names of metals),
 investigation, apparatus, 625.
 of eutectics, 43.
 of supercooled melts, 386.
 primary, 386.
 theories, 380, 625.
- Crystallography, simplified structure factors & electron density formulæ, book, 174.
- Crystals (see also *Alloys* & under names of metals),
 boundary, mech. effect, effect of differences of orientation, 586.
 Brillouin zones, 589.
 chemistry, principles, 7.
 cubic, magnetic quadrupole field & energy, 492.
 damped electron waves in, 325.
 diamagnetism, 282.
 energy bands, accidental degeneracy, 511; effect of time-reversal symmetry, 511.
 ferromagnetic, strained, magnetic interaction & resultant anisotropy, 492.
 growth, across interfaces, 92, 228; theory, 45; (see also *Recrystallization, &c.*).
 hexagonal, magnetic quadrupole field & energy, 492.
 imperfections, microscopic, 437.
 impurities in, distribution, 337.
 intercrystalline cement, evidence against, 586.
 lattice constants. See *Crystal lattice*.
 micro-, eddy arrangement caused by drawing, 387.
 mosaic structure, 94; connection with veining structure, 43.
 plastic deformation, kinetics, 79, 714; (see also *Plastic deformation*).
 polymorphism, 290.
 real structure, criticism of Smekal's & Zwicky's hypotheses, 30.
 single crystals. See *Single crystals*.
 stresses, effect of orientation, 132.
 superstructures, sensitivity to working processes, 440.
 symmetry, recognition by polarization colours between crossed nicols, 7.
 tensile strength, 511.
 volume, measurement, 6.
 with lattice distortions, transformations, 440.
 x-ray scattering near Curie point, 511.
- Cumberland process of protection. See *Corrosion*.
- Cupping tests. See *Testing & Testing machines*.

- Curie point (see also *Alloys* & under names of metals),
 definition, 322.
 measurement, 278.
 sharpness, 181.
 x-ray scattering of crystals near, 511.
- Cutting (see also *Machining* & under names of machining processes),
 capacity, evaluation, 161.
 fluids, 681; classification, 115; functions, 115; handling, storage, & reconditioning, 115; prevention of infection among workers, 115.
 oxy-acetylene, book, 174.
 stresses, booklet, 122.
 temperature distribution, measurement, 413.
 with electric arc, 681.
- Cutting of—
 Elektron sheet, 206.
 Nickel-clad steel, 560, 681.
- Cutting tools,
 cemented carbide, 361; maintenance & use, 359.
 diamond, book, 219.
 hard-alloy, books, 168, 707.
 non-sparking, 166.
- Cylinders wear, reduction by anodizing & tinplating of pistons, 518.
- DM 31. See *Alloys*.
- Damping,
 as function of state of metal, 427.
 capacity, definition, 80; practical importance, 489; relation to other phys. properties, 80; significance of measurements, 657.
 determination, 460.
 of elastic vibration, 587.
- Debye-Scherrer cameras. See *Laboratory apparatus*.
- Deep-drawing. See *Drawing*.
- Defects, detection, book, 129; (see also *Radiology*).
- Deformation (see also *Alloys* & under names of metals),
 plastic. See *Plastic deformation*.
 texture. See *Rolling texture, Alloys, & under names of metals*.
 x-ray study, 289, 718.
- Degreasing,
 alkaline, 263, 414.
 before plating, 465, 682.
 book, 712.
 practical hints, 360.
 solvent, 555, 556, 725.
- Density (see also *Alloys* & under names of metals),
 of elements, data, 493.
- Dental alloys. See *Alloys*.
- Dental metallurgy, books, 366, 575.
- Deoxidation of—
 Brasses, 665.
 Copper, 204; with lithium-calcium alloy, 546.
 Copper alloys, 204.
 Copper-nickel alloys, 409.
 Nickel, 409.
- Deposition (electro-),
 anode efficiency, 526.
 barrel-, 346, 647.
 baths, alkaline, contg. ethanolamines, 197, 448; alkaline, effect of p_{H_2} , 648; contg. organic amines, 197, 448; cyanide, removal of carbonates, 250; detn. of p_{H_2} by "Peha" papers, 104; efficiency, 647; losses by "drag-out," 527, 649; p_{H_2} detn., 526; removal of slimes, 527.
 blister pits, 199, 451.
 books, 573, 703, 710.
 bright deposits, 155, 400; evaluation, 250; review, 250.
 brush-, 251.
 cathode efficiency, 526.
 cathodes, current anomalies, interference observations, 648.
 circuit, 647; improvement, 527.
 colour effects, 526.
 control, 250.
 copper oxide rectifiers, use in England, 52.
 costs, detn., 52.
 current distribution in bath, 52.
 cyanide baths, basic considerations, 451; removal of carbonate with gypsum, 648.
 developments, 53, 104, 121, 155, 294, 641.
 equipment, 104.
 from complex salt solutions, 154, 400.
 fume exhaustion, 162, 251.
 future, 649.
 generators, 346.
 health hazards, 400, 649.
 in America, 154, 400, 528.
 in Europe, 649.
 in Germany, 199, 400.
 in Great Britain, 154, 399.
 inclusions, origin & effect on structure & mech. properties, 198.
 irregularities on deposits, Profilometer for measurement, 527.
 machinery, 155, 400.
 metal rectifiers, 527.
 on aluminium & its alloys, 154, 195, 526; use of aluminium pickle "C," 104.
 on screw threads, measurement of coating, 199.
 on zinc alloy die-castings, 400.
 on zinc & its alloys, 526.
 overvoltage phenomena, 647.
 pitting of deposits, 648.
 plant, developments, 649; lay-out, 528.
 polarization during, 647; meaning & measurement, 647.
 practical hints, 649.
 principles, 104.
 research at Indiana Univ., 528; at Nat. Bur. Stand. (U.S.A.), 52, 649.
 review, 527.
 specifications, importance, 446.
 spotting out, 527; prevention, 649.
 stripping deposits, 523, 524, 525, 526.
 tanks, 251, 400; gas immersion heating, 527; rubber lining, 527.
 thickness of coatings, testing, 53; (see also *Deposits* & below under names of metals).

- Deposition (electro-),**
 throwing power, control, 400; review of literature, 52.
 ventilation, 649.
 wiring of small articles for, 199.
- Deposition of—**
- Aluminium, 523.**
Aluminium alloys, 523.
Antimony-lead alloys, 51.
 Brass, for rubber adhesion, 103; p_H of solns., 526.
 Bronze, thickness of deposits, B.N.F. jet-test, 101.
- Cadmium, analysis of baths, 55, 254;**
 from cyanide baths, p_H of solns., 526;
 from cyanide solns., critical review, 152, 398; futuro, 60; in precision industry, 642; in radio plant, 196; in U.S.S.R., 153, 399; on insulator pins, 152; thickness of deposits, B.N.F. jet-tests, 101.
- Cadmium-silver alloys from cyanide solns., behaviour of alloy anodes, 646.**
- Chromium, adhesion of deposits, 154;**
 air agitation, 398; analysis of baths, 105, 106, 721; as sheet metal, 51, 523;
 black deposits, 197; control of chromic acid mists from tanks, 293;
 control of solns., 51; elementary description, 345; for wear-resistance, 152, 399; in England, 198, 449;
 from non-chromic acid solns., with chromium anodes, 345, 447; from potassium dichromate baths in presence of chloride & acetate, 447; hard deposits, 523, 643; hard deposits, developments, 102; hardness of deposits, 248; hazards in use of chromium salts, 524; history, 523; on steel, 293; on tungsten filaments, 51; stripping of deposits, 523; structure of deposits, 189; testing of deposits, 51, 523, 645; theory, 448, 643; use of lead-silver anodes, 248.
- Cobalt, stripping of deposits, 525;**
 testing of deposits, 525.
- Cobalt-nickel alloys, 102;** from low p_H acid sulphate solns., 525, 720; stripping & testing of deposits, 525.
- Copper, analysis of baths, 349;** effect of superimposing a.c., 643; from acid solns., rectification of baths, 103; from chloride solns., 643; from cyanide solns., 643; from cyanide solns., p_H of solns., 526; from diethanolamine solns., 197, 448; from solns. contg. diethylenetriamine, 197, 448; on aluminium after chem. oxidation, 448; on wood, &c., 104; structure of thin coatings on crystalline copper, 197, 387; thickness of deposits, B.N.F. jet-test, 101.
- Gallium, 643.**
- Gold, 644;** Bek process, 51; developments, 152, 399; stripping of deposits, 524; testing of deposits, 524.
- Lead by electro-rubbing process, 448;**
 on steel, 524; without immersing in electrolyte, 345.
- Lead peroxide (black deposits), 103.**
- Deposition of—**
- Lead-tin alloys, 293.**
- Manganese from aqueous sulphate solns., 198, 449;** using insoluble anodes, 197, 449.
- Nickel, adhesion of deposits, effect of cathode efficiency of barrels, 644;**
 behaviour of lead in baths, 644, 720;
 bright deposits, 155, 400, 449, 524;
 review, 345; review of patents & literature, 248, 720; cathodic current distribution in baths, 346; corrosion of anodes, effects of compn. & structure, 51; detn. of p_H of solns. with paper strips, 525; drop tests of deposits, 645; effect of impurities in bath, 293; effect of nickel chloride in solns., 524; factors affecting ductility of deposits, 524; for constructional work, 644; for wear-resistance, 399; in England, 198, 449; French practice, 399; on copper, porosity of deposits, detn., 101; on nickel, adhesion of deposit, 152, 399; on steel wire & strip, 524; on tungsten filaments, 51; on zinc, 52, 198; organic contamination of solns., 248; practical hints, 10; problems, 644; purification of solns. by electrolysis, 644; solubilities of anodes, 525; streaky deposits, 449; stripping of deposits, 525; stripping from steel, 644; structure of deposits, 189, 510, 720; testing of deposits, 525, 645; thickness of deposits, B.N.F. jet-test, 101; magnetic method for measurement, 293, 645.
- Nickel-sulphur compounds, 198, 449.**
- Platinum, developments, 153, 399;**
 from alkaline solns., 153, 399; history, 153, 399; properties of deposits, 153, 399.
- Platinum metals, developments, 153, 399.**
- Rhodium, 346, 650;** advantages & uses, 153; developments, 153; prepn. of solns., 645.
- Silver, analysis & control of solns., 403;**
 black deposits, 450; cathode efficiency of solns., effect of free sodium cyanide & of sodium carbonate, 645; economics, 525; from non-aqueous solns. contg. aluminium bromide, 449; non-tarnishing deposits, 399; review, 249, 399, 645; stripping of deposits, 249; substitute for potassium cyanide, 646; testing deposits, 249.
- Strip metals, 294.**
- Tantalum, 450.**
- Tin, 103, 346;** from acid sulphate solns., 450; from alkaline stannate baths, anode maintenance, 525, 720; from hot alkaline baths, p_H of solns., 526; on aluminium pistons to reduce cylinder wear, 518; on copper, 399; on copper, porosity of deposits, detn., 101; on iron sheets, 52; on steel strip, 249.
- Titanium, 198.**
- Tungsten, from alkaline solns., metals co-deposited, 294, 450;** from aqueous solns., 250.

- Deposition of—**
Tungsten alloys, 52.
Zinc, analysis of baths, 55; ductile coatings, 346; effect of superimposing a.c., 643; factors affecting cleanliness, uniformity & colour, 646; from ammonium sulphate zinc baths, 526; from chloride solns., 643; from cyanide baths, p_H of solns., 526; from cyanide solns., 52, 646; in U.S.S.R., 153, 399; on copper, porosity of deposits, dotn., 101; on iron in acid electrolytes, 450; on iron wire & sheet, 450; on round wire, 10, 646; pitting of deposits, 648; thickness of deposits, B.N.F. jet-test, 101; value of preliminary nickel coat, 346.
- Deposits (metal)** (see also *Alloys & under names of metals*),
electro-, analysis. See *Analysis*; brightness, evaluation, 250; corrosion. See *Corrosion*; crystal structure, factors affecting, 251; exposure tests, report of joint cttee. of A.S.T.M. & A.E.S., 52; formation of pits, 648; lab. tests, 646; on iron, thickness, magnetic tester, 639; porosity, testing, 101, 647; structure, 188, 189; structure, micrography v. electron diffraction for study, 625; structure, value of microscopic method, 286; study, appn. of electrolytic polishing, 188; testing, developments, 648; thickness, B.N.F. jet-test, 101; thickness, dotn., 344.
- irregularities**, measurement with Profilometer, 527.
protective, book, 708.
structure, book, 174.
thickness, dotn., 101, 344., 400, 648.
- Descaling**, Bullard-Dunn process, 65, 414.
Desilvering, Parkes process, 473.
Detection. See *Analysis*.
Detinning, 649.
Dezincification. See *Corrosion*.
Diamagnetism, 3, 134; (see also *Alloys & under names of metals*),
 and crystal size, 282.
 of superconductors, 492.
- Dictionaries (technical)**,
 English-Polish-French-German, 220.
 German-Russian, 124.
- Die-casting**,
 book, 220.
 definitions, 667.
 lubricants, colloidal graphite, 204.
 machines, 159, 724; American, 14;
 for making bearing shells, 21.
 moulds, construction, 159.
 pressure-, review, 667.
 reviews, 666, 723.
- Die-casting of—**
Aluminium, review, 666; rotors for squirrel-cage motors, 546.
Aluminium alloys, review, 666.
Dental alloys, causes of discontinuity of metal in sprues, 60.
Elektron, 14; pressure, 611.
High melting-point metals and alloys, counter gravity, 666; machine, 260.
- Die-casting of—**
Machine parts, 548.
Magnesium, 667.
Magnesium alloys, book, 366; water-cooled die, 204.
Silumin, pressure, porosity, 666.
White metal, bearing liners, 14; bearings, 159.
Zamak, 385.
Zinc alloys, 159; for wireless condensers, 667; importance of high-purity, 667.
- Die-castings** (see also *Alloys & under names of metals*),
 examination, pneumatic micrometer for, 461.
 finishing, 683.
- Diffusion** (see also *Cementation, Alloys, & under names of metals*),
 in solid alloys, rates, 285.
 in solid metals, relation to lattice const. & melting temp., 622; theory, 91.
 in solids, book, 703; review of literature, 489; theory, 489.
investigation, thorium-X method, 506.
 of gases. See *Gases & under names of gases*.
 relation to transformation point, 91.
 thermodynamics, 490.
- Diseases**, occupational, 700; (see also under names of metals & processes).
- Distillation**, vacuum, of metals, 202.
Doubé metal, manuf., 100, 101.
- Drawing**,
deep-, behaviour of metal during, 412, 413; book, 223; causes of trouble, 206; for aero industry, 554; lubricants, 64; testing quality of sheets, 464, 554.
 lubrication, 263.
 presses, 555.
 wire-. See *Wire-drawing*.
- Drilling of—**
Aluminium sheet, 161.
Aluminium alloys, 114; tools, 464.
Brasses, 114.
- Ductility**,
 testing. See *Testing*.
 theory, 338.
- Dullray**. See *Alloys*.
Duralclad, corrosion. See *Corrosion*.
Duralplat, welding. See *Welding*.
Duralumin. See *Alloys*.
- Dusts**,
 control, 269, 548; systems, 465, 558.
 exhaust systems, operation & maintenance, 65.
 foundry, compn., 548; control, 548.
 industrial, book, 276; dangers, 313.
 removal, 264.
- Dysprosium**, lattice constants, 190.
- E alloy**. See *Alloys*.
Eigen-functions, appn. of virial theorem, 511.
Eigen-stresses, determination, 489.
Elastic after-effect,
 in torsion, 179.
 in twisted rods, 488.

- Elastic constants of polycrystalline bodies, calculation from those of single crystals, 322.
- Elastic drift. See *Creep*.
- Elastic limit in shear, definition, 488.
- Elastic properties (see also *Alloys* & under names of metals),
relation to strength & strain-hardening, 80.
- Elastic tests. See *Testing*.
- Elastic vibrations, damping, 587.
- Elasticity (see also *Alloys* & under names of metals),
book, 575.
definition, 488.
modulus, as function of state of metal, 427; detn., 460; detn. by flexural vibrations, 110; measurement at high temps., 131; of elements, data, 493; of imperfectly elastic metals, detn., 226; of metals & alloys, tests with new apparatus, 539.
- Eldred process for continuous prodn. of rod & tube from molten metal, 412.
- Electric furnaces. See *Furnaces*.
- Electric welding. See *Welding*.
- Electrical conductivity (see also *Electrical resistance*, *Alloys*, & under names of metals),
effect of extension, 181.
measurement, apparatus, 12.
of alloys in superlattice state, quantum theory, 42, 237.
of films on Pyrex glass, 130.
of pure metals, 3, 134.
quantum theory, criticism, 377.
theory, 323, 338.
- Electrical effects, second order, theory, 491.
- Electrical heating elements. See *Alloys*.
- Electrical industry, developments, 701.
- Electrical measurements, book, 224.
- Electrical properties. See *Alloys* & under names of metals.
- Electrical resistance (see also *Electrical conductivity*, *Alloys*, & under names of metals),
collisions between conducting electrons, 82.
effect of magnetic field, 3, 134.
measurement, A.S.T.M. standard method, 12.
of elements, data, 493.
of ferromagnetic materials, 584.
of monovalent metals, theory, 228.
of superconductors, micro-, 82.
of thin films, 429.
- Electrical resistance materials. See *Alloys*.
- Electricity, theory, book, 222.
- Electrochemical behaviour of metals having two or more valencies, 451.
- Electrochemical industry,
current supply, 104.
developments in 1936, 528.
- Electrochemistry,
books, 364, 424, 479.
contribution of J. W. Gibbs, 362, 472.
- Electrocolor, 683.
- Electrode potentials (see also *Alloys* & under names of metals),
- Electrode potentials,
Kelvin single potential differences, 200.
of metals in aqueous solutions, theory, 347.
of metals & alloys in lubricating oils, 443.
temperature coefficients, 53.
- Electrodeposition. See *Deposition*.
- Electrodeposits. See *Deposits*.
- Electrodes,
couples, bimetallic, metals which can be made passive in, 199.
polarization, change with time, 402.
- Electrographic effect, 401.
- Electrokinetic potentials at metal surfaces, 200, 451.
- Electrolysis,
in solid alloys, theory, 528.
relation between no. of crystn. nuclei formed & concn. of electrolyte, 650.
with liquid cathode, 650.
- Electrolysis of—
Molybdcic acid in molten phosphoric acid & alkali phosphates, 451.
Zinc, book, 476.
- Electrolytic analysis. See *Analysis*.
- Electrolytic deposition. See *Deposition*.
- Electrolytic refining. See *Refining*.
- Electrometallurgical industry, developments in 1936, 528.
- Electromotive behaviour. See under names of metals.
- Electromotive force, adsorption condenser &, 200.
- Electron(s),
conduction. See *Metallic state*.
diffraction, theory, 288.
emission in elect. field, dependence on work of emission, 3.
energy distribution in crystals, zone theory, 338.
free, detn. of number from mean free paths, 590; in metals, 324.
reflecting mirror, 109.
secondary emission, dependence on angle of incidence of primary cathode radiation, 324; from complex surfaces, 590; from metals, 429.
valency-, energy states in metals, 95, 133, 279.
- Electron (alloy). See *Alloys*: *Elektron*.
- Electron diffraction,
investigation of polished surfaces by, 625, 626.
patterns, forms of spots, theory, 240; intensity distribution, 45.
study of roughness & grain-size, 189.
- Electron microscopes. See *Laboratory apparatus*.
- Electron theory. See *Metallic state*.
- Electronic specific heats of metals, 589.
- Electronic work-function. See under names of metals.
- Electroplating. See *Deposition*.
- Electro-rubbing,
deposition of metals by, 448.
lead plating by, 345, 448.
- Electrothermal homogeneous effect, criticism, 492.
- Electrotypes, prodn., 448.
- Elektron. See *Alloys*.

- Elements, metallic, derivation of names,**
 568, 699.
Elomag process, 638.
Elongation (see also *Tensile properties, Testing, &c.*),
 large, measurement with great accuracy,
 255.
Eloxal process. See *Anodic oxidation.*
Elytal process, 518.
Enamelled wire, pinhole tests, 9.
Enamelling of—
 Copper wire, testing machine for coatings,
 110.
Endurance properties. See *Fatigue, Testing, Alloys,* & under names of metals.
Enduro. See *Alloys.*
Engineering,
 corrosion in. See *Corrosion.*
 fundamentals, book, 475.
 history, book, 23.
 metallurgy and, 313.
 who's who (American), 579; (British),
 702.
 year-book, 72.
England. See *Great Britain.*
Engraving, use of etching methods, 466.
Equilibrium diagrams (see also *Alloys*),
 construction, 506.
 determination, progress in technique,
 336, 717.
 nomenclature, 506.
 poly-component, 43, 624.
 reproduction, 506.
Erbium (see also *Rare earth metals*),
 lattice constants, 190.
Estimation. See *Analysis.*
Etching (metallographic),
 book, 708.
 electrolytic, 624.
Etching (metallographic) of—
 Aluminium, 624.
 Aluminium-manganese alloys, 624.
 Boron carbide, 336.
 Copper and its alloys, 625.
 Copper-zinc alloys, 386.
 Lead & its alloys, 145, 625.
 Monel-clad steel, 6.
 Nickel & its alloys, 625.
 Nickel-clad steel, 6.
 Nickel deposits, electrolytic, 189.
 Tin and its alloys, 625.
Etching reagents, tables, 5.
Europe, metal industries, 69.
Europium (see also *Rare earth metals*),
 atomic weight, 482.
 lattice constants, 190.
 purification, 482.
 reduction potential, 530.
Eutectics. See *Alloys.*
Eutectoids. See *Alloys.*
Evaporated films. See *Films.*
Everdur. See *Alloys.*
Expansion (see also *Thermal expansion*),
 large, measurement with great accuracy,
 255.
Extensometers. See *Testing machines.*
Extrusion,
 Hooker process, 412.
 review, 306, 674.
Extrusion of—
 Aluminium & its alloys, capsules, comparison of power requirements, 674; cold-, 412; direct & indirect methods, 674; impact, 674.
 Brass rods, causes of skin formation, 675.
 Copper, cold-, 412.
 Copper-nickel alloy tubes, 16.
 Duralumin tubes, 16.
 Lead cable-sheath, continuous, 675; reduction of oxide inclusions at junction welds, 205; vacuum pouring for, 114; with metal maintained under vacuum, 695; phenomenon, 358.
 Lead-tin alloy tubes, 555.
 Magnesium alloys, 142.
 Monel metal tubes, 16.
 Nickel tubes, 16.
 Tubes, 16; metal flow, 674.
 Zinc, by impact method, 412, 554, 675.
Fatigue (see also *Alloys* & under names of metals),
 and internal friction, 279.
 bibliography, 160.
 book, 480.
 corrosion-. See *Corrosion-fatigue.*
 discussion, 659.
 distortion of grains by, 240.
 effect of internal heat stresses, 179.
 effect of surface finish, 587.
 failure, 160; impending, detection by x-ray diffraction, 387.
 fracture, 228, 297.
 limit, increasing, 160.
 nomenclature for various ranges of stress, 459, 722.
 of aircraft materials at 3450 & 10,600 cycles, 352, 722.
 of ductile materials, 459.
 of sheet alloys, 334, 710.
 progress, method of study, 280.
 report of A.S.T.M. ettee., 722.
 resistance, effect of specimen form, 31.
 testing. See *Testing & Testing machines.*
Fatigued materials, impact, static-torsion & bending diagrs., 279.
Fatty acids, corrosion by. See *Corrosion.*
Fernico. See *Alloys.*
Ferro-alloys. See *Alloys.*
Ferromagnetic analysis, book, 424.
Ferromagnetic materials (see also *Alloys* & under names of metals),
 cubic crystals, directions of easy magnetization, theory, 136.
 Curie points, detn., 5.
 electrical resistance, 584; in magnetic field, 590.
 high permeability & plastic flow in magnetic fields, 336.
 hysteresis loss under strong elastic stress, theory, 137.
 magnetization, discontinuities produced by varying circular magnetization, 137; discontinuous change, 82, 429; intensity, variation with temp. in weak fields, 82.
 magnetostriction of single crystals, 591.
 powder patterns, 339.

- Ferromagnetic materials**,
 single crystals, orientation, detn., 505.
 under stress, domain theory, 591.
 unstrained crystals, magnetic interaction
 & resultant anisotropy in, 376.
- Ferromagnetic properties**,
 determination, in region of very high
 frequencies, 296.
 directional, 492.
- Ferromagnetism** (see also *Alloys* & under
 names of metals),
 anisotropy in single crystals & polycryst.
 sheets, 33.
 elastic deformation, 136.
 theory, 130, 376.
- Ferry**. See *Alloys*.
- Fertilizer plant**, materials for, 68.
- Fescolizing**, wear-tests on deposits, 104.
- Filaments** (see also under names of metals),
 contact potential between, in vacuum, 227.
- Files**,
 care of, 465.
 for aluminium alloys, 680.
- Films** (see also *Foils* & under names of
 metals),
 absorption of light, 491.
 crystal structure, 6.
 deposited at low temperatures, change of
 elect. resistance & reflectivity, 82.
 electrical conductivity, 130, 715; temp.
 coeff., 715.
 electrical properties at low temp., 81, 134.
 electrical resistance, 429.
 electron diffraction patterns, "extra"
 spots, 94.
 electron diffraction study, review, 288.
 evaporated, optical properties, 490.
 growth, structural changes during, 239.
 optical constants, detn., 322, 714.
 optical measurements, 239, 387.
 optical properties, 490, 491; at low temp.,
 81, 134.
 photoelectric effect, 491.
 physical properties, review, 181.
 protective, book, 708.
 scattering of fast electrons, 290.
 secondary electron emission of metals on
 glass, 181.
 sputtered, dissoln. by acids, 630; gal-
 vanomagnetic phenomenon, 323; pat-
 terns on cathodes, 510.
 sputtering. See *Sputtering*.
 structure, 428; book, 174; electron
 diffraction study, 45; electron dif-
 fraction studies, review, 438; theory,
 490, 491.
 thickness, detn., optical method, 157.
 transition temperature, 318; theory,
 490, 491.
 unimolecular films on, formation, 375.
 vacuum-deposited, variation of elect.
 resistance with time, 75.
- Finishing** (see also *Colouring*, *Deposition*,
Enamelling, *Galvanizing*, *Lacquering*,
Painting, *Polishing*, *Tinning*, &c.),
 control at Ford Motor Co., 558.
 developments, 115, 682, 683.
 health hazards, 558.
 methods of Parker-Wolverine Co., 522.
 review, 162.
- Firebricks**. See *Refractory materials*.
- Fireclay**. See *Refractory materials*.
- Flow**,
 in heavily-stressed metals, 488.
 of metals, 321; (see also *Creep*, *Plastic
 deformation*, &c.).
- Flue-gas condensate**, action on metals.
 See *Corrosion*.
- Fluid state**,
 range of stability, 507.
 theory, 507.
- Fluidity of molten metals**, detn., 489.
- Fly-sprays**, action on metals. See *Corro-
 sion*.
- Foils** (see also *Films* & under names of
 metals),
 for cheese wrapping, 471.
 Follain H.T. Penetrat treatment, 9.
- Food industry**, materials for, 567.
- Forgeability** (see also *Testing*),
 tests, 679.
- Forging**,
 book, 123.
 drop-, 206, 306; book, 129.
 hammer-, 306.
 hot-press and upset, 306.
- Forging of—**
 Aluminium alloys, 679; drop-, 17, 679;
 review, 206.
 Aluminium bronzes, 257.
 Inconel, 262, 679.
 Magnesium alloys, 142.
 Manganese-brass, 679.
 Monel metal, 262, 679.
 Nickel, 262, 679.
- Forsterite**. See *Refractory materials*.
- Foundry**,
 accidents, prevention, 548.
 dust, control, 548; compn., 548.
 equipment, developments, 14.
 German, use of home-produced materials,
 301.
 hygiene, 260.
 mechanization, 260.
 metal losses, 61.
 non-ferrous, developments, 355, 723;
 problems, 300, 547.
 organization & management, book, 476.
 plant at 1936 Foundry Exhibition, 159.
 practice, books, 70; developments in
 1936, 121; fundamentals, 461; hand-
 books, 170, 573.
 problems, discussion, 547.
 safety, 260.
 use of propane, 259.
- Fracture**,
 conditions determining, 32.
 of brittle solids, similarity to fatigue
 fracture, 297; theory, 79, 228.
 x-ray study, 289, 718.
- Friction of sliding metals**, 587, 714.
- Fruit products**, corrosion by. See *Corro-
 sion*.
- Fuels** (see also *Coal*, *Coke*, *Gases*, *Liquid
 fuels*, *Petrol*, &c.),
 developments, 160.
- Fumes**,
 control, 269.
 dangers, 313.
 exhaust systems, 251.

- Furnaces,**
annealing, for sheets, 411; electric.
 See *Furnaces, electric annealing.*
bottom-firing, Autocalor, 550.
brass-melting, pit-type, construction, 112.
bright-annealing, drying furnace gases, 410.
combustion chamber, design, 112.
combustion control by elect. meters, 113, 150.
controlled-atmosphere, 302.
crucible-, for melting magnesium alloys, 113; *versus* rotary, 549.
efficiency, book, 712; maintenance, 462.
electric, alloys for. See *Alloys; automatic control*, 62, 724; book, 271; developments, 160, 669; for artificial ageing of light alloys, 668; heat-resisting alloys for, 551; history, 113; in dental work, 205; industrial, 356; influence on civilization, 113; materials for, 551; periodically-operated, heat losses, 15; principles of construction, 551; radiation of bare heat conductor, 15; review, 550.
electric annealing, controlled-atm., conveyor-type, 15; for brass strip, 669; for elect. alloys, 411; recuperative, for brass & copper, 62.
electric arc, elect. characteristics, 160; 3-phase, transformers & reactors for, 669.
electric bright-annealing for copper, 551; Grünwald, 669.
electric heat-treatment, 261; at Boeing Aircraft Corp., 160; developments, 15; for aluminium, air circulation, 668; for aluminium alloys, 261, 304, 356; for light metal sheets, 550; review, 551.
electric H.-F. induction, principles & economics, 205; review, 113.
electric H.-F. melting, 462.
electric induction, 669; book, 219; for melting aluminium & its alloys, 62.
electric melting, 260; for aluminium & its alloys, 668; for aluminium & low m. p. metals & alloys, 112; for aluminium alloys, 304; for elect. alloys, 411; for light alloys, critical review, 411; review, 303.
electric radiation, 669.
electric resistance, automatic temp. regulator, 59; change in elect. resistance of silicon carbide resistors during service, 304; development, 668; input value, 14; photoelect. control, 668; temp. regulation, 113.
electric rocking, Russ, 463.
forced-air circulation, 260.
fuel economy, 411, 724.
fuel-fired, methods of economy, 62.
galvanizing, 641; appn. of gas radiant tubes, 668; appn. of vertical gas-fired tubes, 410; effect of heat on design, 101; gas-fired, 205; heating by gas-fired vertical alloy tubes, 101.
gas-fired, burners, 303; combustion control, 303; developments, 260; use of town's gas, 550.
- Furnaces,**
gas-fired annealing, 549; for brass, 112; using hot air, 549.
gas-fired hardening, thermostatic control, 668.
gas-fired heat-treatment, atmosphere-control, 112; "Gako" burners, 160; report of non-ferrous etcee. of Amor. Gas Assoc., 303; using hot air, 549.
gas-fired melting, 204; for brass, 260; for lead, operating results, 549; for printing industry, 667, 668 improvements, 260; report of non-ferrous etcee. of Amor. Gas Assoc., 303; uses, 112.
gas-fired rolling, 204, 410.
gas-fired rotary melting without crucible, 549, 724.
gas-fired type-metal, 204.
heat-treatment, German, 112; review, 550; (see also *Furnaces: electric heat-treatment, gas-fired heat-treatment*).
linings, maintenance, 462.
mechanization, 356.
melting, for aluminium, comparison of methods, 550; for light metals & alloys, 14; German, 112; (see also *Furnaces: electric-melting, gas-fired melting*).
metallurgical, book, 129.
recuperators, 303.
refractories. See *Refractory materials.*
salt bath, 668; for light metals, 668; use of non-sealing steels, 671.
secondary combustion, 303.
walls, Rointjes, 205.
- Furukawa Bimetal No. 1,** 695.
Fusible alloys. See *Alloys.*
Fusible cut-outs, formation of oxide coatings on elements, 180.
- Gadolinium** (see also *Rare earth metals*),
 lattice constants, 190.
 reduction potential, 530.
- Gallium,**
 book, 23, 475.
deposition. See *Deposition.*
electrical resistance of single crystals in magnetic field, 3, 134.
estimation. See *Analysis.*
in fusible alloys, 600.
in thermometers, 544.
melting, mechanism, 482.
single crystals. See *Single crystals.*
- Gallium alloys.** See *Alloys.*
Galvanized iron & steel,
 barbed wire, A.S.T.M. tentative specifications, 397, 720.
 "blue-tarnish" on sheet, 8.
coatings, detn. of metals in, 639; formation, 639; method of testing, 638; pliability, 640; thickness, magnetic tester, 639.
corrosion. See *Corrosion.*
in house construction, 641.
painting. See *Painting.*
 pipe, A.S.T.M. standard specifications, 9.

- Galvanized iron & steel,**
 porosity, Preece test, effect of temp. & density of cupric sulphate soln., 344; testing, 344, 719.
 roofing, tests, 195, 521.
 sheet, A.S.T.M. standard specifications, 9; bendability & strength, 520.
 shop-window fittings, 214.
 soldering. See *Soldering*.
 welding. See *Welding*.
 wire, uniformity of coating, Preece test, A.S.T.M. tentative method, 195, 719.
 wire fencing, A.S.T.M. tentative specifications, 397, 719.
- Galvanizing,**
 adherence of coating, 640.
 baths, use of aluminium, 246.
 developments, 641.
 effect of impurities in zinc, 151.
 electro-, 450; of round wire, 10; of wire, 526.
 fluxes, 293.
 furnaces, See *Furnaces*.
 hot-, 344; automatic control, 101; developments, 246; developments in 1936, 121; effect of temp., &c., 640; formation of coating, 639; heating kettle by gas-fired vertical alloy tubes, 101; practical notes, 520; principles, 101; temp. of furnace, 101; treatment of by-products, 520; use of aluminium in bath, 246, 446; use of pure zinc, 520.
 Meaker process, pamphlet, 169.
 protective value, in soils, 194.
 spangles, 640.
 Zin-o-Lyte process, 9.
- Galvanizing of—**
 Aluminium & its alloys, 195.
 Iron sheet, 50.
 Sheet, rolls used, 292, 724.
 Wire, 521; electro-, 646; history, 641.
 Wire ropes, 446.
- Galvannealed sheet,** 344, 446.
- Galvanomagnetic phenomena.** See *Alloys* & under names of metals.
- Gaseous phase,** formation of metals by reactions in, 288.
- Gases** (see also under names of gases),
 absolute quantities, apparatus for measurement, 109.
 and metals, book, 704.
 combustion, 410; temp. limits, 550.
 corrosion by. See *Corrosion*.
 diffusion through metals, 133; through metals, review, 375.
 estimation. See *Analysis*.
 in metals & alloys, detn., 228; function, 279, 588; removal, 277, 588; removal at high temps., theory, 588; soly., 33; tech. test for content, 622.
 in welds, 66.
 -metal equilibria, 588.
 Mond, for indust. purposes in S. Staffordshire, history & development, 113, 150.
- Gasworks,** materials for, 269.
- German language,** scientific terms, book, 479.
- German silver.** See *Alloys: Nickel-brasses*.
- Germanium,**
 detection. See *Analysis*.
 electrical resistance, effect of magnetic field, 3, 134.
 estimation. See *Analysis*.
- Germanium alloys.** See *Alloys*.
- Germany,**
 Leipzig Fair, materials exhibited in 1936, 166.
 Lilienthal Gesellschaft, report of materials ettec., 701.
 material specifications, 421.
 metal industry, raw materials, 312, 472, 699.
 motor exhibition, Berlin, materials exhibited, 215.
 non-ferrous metal industry, 313.
 Physikalisch-Technische Reichsanstalt, report, 21.
 regulations regarding use of metals, book, 274.
 restrictions in use of base metals, 68.
 Siemens u. Halske A.G., development of materials, 701.
 Technische Hochschule, Darmstadt, 167.
 Vereinigte Deutsche Metallwerk A.G., 472.
- Ghee,** effect of metals, 269.
- Glass industry,** metals in, 698.
- Glowray.** See *Alloys*.
- Glucinum.** See *Beryllium*.
- Gold** (see also *Precious metals*),
 book, 273, 367.
 casting. See *Casting*.
 corrosion. See *Corrosion*.
 crystal growth across interfaces, 92.
 crystal lattice, distortion by deformation, 289.
 deformed, lattice distortion, 289.
 deposition. See *Deposition*.
 detection. See *Analysis*.
 diffusion in rock salt & sylvine, 370.
 dissolution in cyanide solns., factors influencing rate, 47, 514.
 electrical resistance at low temps., 482; of pure metal, 3, 134.
 electrode potentials in various solns., 530.
 electrodeposits, crystal structure, 439.
 estimation. See *Analysis*.
 films, absorption of oxygen, effect of impurities, 180; cathodically deposited on cryst. substrates, electron diffraction, 240; crystal structure, 6; deposited at low temps., change of elect. resistance & reflectivity, 82; deposited in vacuum, variation of elect. resistance with time, 75; effect of passage of electrons, 180; "extra" spots in electron diffraction patterns, 94; optical properties, 482; prodn., 482; structure, 45, 482; transformation on heating *in vacuo*, 32.
 finishes, imitation, 556.
 foil, in dentistry, 26.
 in chemical industry, 311.
 in dentistry, 26, 119.
 leaf, structure, effect of heat, 509.
 metallurgy, ancient, of Pre-Columbian Indians, 700; book, 71.
 minerals, pamphlet, 571.

- Gold**,
 molten, wetting of hot filaments, 374.
 rolled, radiography, 256.
 separation. See *Analysis*.
 stress-strain characteristics, 319.
 surfaces, effect of slow positive potassium ions, 321.
 thread, manuf., 554.
 transformations on heating *in vacuo* or in gases, 180.
- Gold alloys**. See *Alloys*.
- Goldsmiths**, methods in Middle Ages, 269.
- Grain-growth**, 508; (see also *Alloys* & under names of metals),
 investigation, thorium-X method, 506.
- Grain-size** (see also *Alloys* & under names of metals),
 comparison, apparatus, 536.
 determination in region above 10^{-3} cm., 336.
 electron diffraction study, 189.
 in cast-metals, 93.
 of fine crystalline powder, 145.
 regulation, methods, 672.
 volume, detn., 6.
- Grain-structure**, in cast-metals, 93.
- Granode rust-proofing process**, 10.
- Graphite**. See *Refractory materials*.
- Gravity casting**. See *Die-casting*.
- Great Britain**,
 Cambridge University, abstracts of dissertations, 70, 702.
 National Physical Laboratory, reports of depts., 568, 569.
 Oxford University, abstracts of dissertations for Ph.D. degree, 222, 366.
 research laboratories, indust., book, 22.
 universities, &c., year-book, 220.
- Grinding**,
 book, 218, 221.
 wheels for Stellite surfaces, 65.
- Grinding of—**
 Aluminium and its alloys, 684.
 Cemented carbide milling cutters, 359.
- Gun-metal**. See *Alloys*.
- Hall effect**. See *Alloys* & under names of metals.
- Hard alloys**. See *Alloys: Super-hard alloys*.
- Hardening**,
 book, 366.
 by cold-work, 93.
 mechanism, 145.
 theories, review, 80.
- Hard-facing**, 467.
 by oxy-acetylene process, 247; pamphlet, 71.
 with Stellite, book, 423.
- Hardness** (see also *Alloys* & under names of metals),
 book, 273, 708.
 definition, 157.
 effect of temperature, 428.
 hot-, 407.
 micro-, of ductile metals, 227.
 relation of atomic structure, 542.
 relation to wear, 322.
 scratch-, 2.
- Hardness**,
 testing. See *Testing & Testing machines*.
 theories, review, 157.
- Hastelloy**. See *Alloys*.
- Heat insulation**, metals for, properties, 180, 714; (see also under names of metals).
- Heat-resistant materials**, 567; (see also *Alloys*).
- Heat-treatment** (see also *Age-hardening, Annealing, Quenching, &c.*),
 book, 364.
 furnaces. See *Furnaces*.
 local, use of oxy-acetylene flame, 262.
 principles, 553.
- Heat-treatment of—**
 Aluminium alloys, defects, 262; review, 672.
 Aluminium bronzes, practical instructions, 63.
 Beryllium-copper alloys, 15, 305, 495.
 Bondur, 139.
 Brasses, 672.
 Chromium-molybdenum alloy tubes, 114.
 Copper-silver alloys (94% silver) coinage, 617.
 Duralumin at Consolidated Aircraft Corp., 113; book, 171.
 Iron alloys, booklet, 71.
 Magnesium alloys, effect on mech. properties, 330.
 Y alloy, 664.
- Heating**,
 in *vacuo* transformations produced in metals by, 32; & in inert gases, transformations produced in metals by 589.
- Herculoy**. See *Alloys*.
- Heterogeneity**. See *Alloys*.
- Heusler's alloys**. See *Alloys*.
- Hiduminium**. See *Alloys: R.R. alloys*.
- Hot-galvanizing**. See *Galvanizing*.
- Hot-working**. See *Forging, Pressing, Rolling, &c.*
- House construction**, corrosion in. See *Corrosion*.
- Hume-Rothery rules**, 31, 189.
 validity, 386.
- Hydrides**. See *Alloys & Compounds*.
- Hydrochloric acid**, corrosion by. See *Corrosion*.
- Hydrogen** (see also *Gases*),
 absorption by palladium, theory, 616.
 adsorption by copper, dissociative, 482; by tungsten, 586.
 atomic, recombination in adsorbed layer, 375.
 diffusion in iron, 320; in metals, 133, 322; in nickel, 278, 320, 425; in palladium, 584; in palladium, effect of temp., 28; in palladium, rate, 28.
 occlusion by nickel, 278, 425; by palladium, effect of pressure & temp., 484.
 solubility in binary alloys in relation to equilib. diagr., 90; in metals, theoretical formula, 375.
 sorption by palladium, 236.
- Hydranalium**. See *Alloys*.
- Hygiene in metal industries**, 362.

- Illum.** See *Alloys*.
Illuminators. See *Laboratory apparatus*.
Impact strength. See *Alloys* & under names of metals.
Impact testing. See *Testing & Testing machines*.
Impurities. See *Non-metallic inclusions & under names of metals & alloys*.
Inconel. See *Alloys*.
Indium,
 book, 23.
 detection. See *Analysis*.
 electrical resistance, effect of magnetic field, 3, 134.
 films, elect. conductivity, 130; structure, 130.
 in fusible alloys, 494, 600.
 properties, 277.
 superconductivity, 2.
 uses, 277.
Indium alloys. See *Alloys*.
Ingots,
 solidification, 286, 717.
 structure, effect of solidification conditions, 603.
Intergranular surfaces & volumes, detn., 508.
Intermetallic compounds. See *Alloys*.
Internal friction
 of solids, effect of tension, 428; theory, 2.
Internal stresses (see also *Season cracking, Alloys*, & under names of metals),
 determination, 489; mech. methods, 658.
 distribution, study with transparent models, 203.
 in machined surfaces, 359, 725.
Invar. See *Alloys*.
Inverse segregation, 496; (see also *Alloys*),
 review of literature, 622.
 theory, 622.
Invisible rays, indust. uses, 473.
Ireland. See *Great Britain*.
Iridium (see also *Platinum metals*),
 uses, 584.
Iridium alloys. See *Alloys*.
Iron(s),
 α -, ferromagnetic anisotropy, 143.
 action of molten zinc, 503.
 adsorption of hydrogen & recombination of atomic hydrogen in adsorbed layer, 375.
 aluminium coating, 638; by immersion, 519.
 analysis. See *Analysis*.
Armco, diffusion of metals into, 91;
 elastic after-effect in torsion, 179;
 elastic after-effect in twisted rods, 488.
 cavitation, 405, 406.
 cementation. See *Cementation*.
 corrosion. See *Corrosion*.
 crystals, ferromagnetic anisotropy at various temps., 83.
 detection. See *Analysis*.
 diffusion of beryllium, 599; of hydrogen, 320.
 distortion & yield-point, 27.
 elastic constants, variation with magnetization, 83.
Iron(s),
 elastic modulus at high temps., 131.
 electrical properties, book, 22.
 electrical resistance at 20°-1200° K., 584.
 estimation. See *Analysis*.
 ferromagnetic properties, directional, 492.
 galvanizing. See *Galvanizing*.
 gases in, detn., 277; soly., 33.
 hard-facing, 247.
 hydrogen in, function, 279.
 inclusions, detection, 490.
 internal friction, variation with magnetization, 83.
 internal stresses, 489.
 magnetic anisotropy, 376.
 magnetic properties, book, 22.
 magnetization, discontinuous change, 82, 429; discontinuous, effect of stretching & twisting, 76; intensity, variation with temp. in weak fields, 82; of single crystals, 33; saturation, effect of hydrostatic pressure, 376; variation of internal friction & elastic const. with, 83.
 magneto-mechanical properties, 591.
 magnetostriction, hysteresis, 372.
 metallography, A.S.T.M. recommended practice, 5.
 molten, behaviour towards molten silicates & silica, 258.
 oxidation at high temps., prevention by Follain treatment, 9.
 protection with copper-nickel coatings, 343.
 scratch-hardness, 2.
 single crystals. See *Single crystals*.
 thermal emissivity, 581.
 thermomagnetic e.m.f., Gerlach's, 372.
 transformation points, 623.
 transformations, thermodynamical values, 27.
 vapour pressure, 482.
Iron alloys. See *Alloys*.
Irreversible processes, thermodynamics & velocity, 490.
Iso-Elastic. See *Alloys*.
K.S. alloys. See *Alloys*.
K.S.-Seewasser. See *Alloys*.
Kanthal. See *Alloys*.
Kovar. See *Alloys*.
L alloys. See *Alloys*.
LABORATORY APPARATUS.
 Calorimeter for hot wires, 111.
 Camera, magazine plate, for photography in vacuum, 58.
 Centrifuge for investigating alloys, 144, 187.
 Crucible, refractory, manuf., 108.
 Debye-Scherrer cameras, adjustable specimen holder for, 350.
 Electron microscope, 405; in metallurgical research, 296, 626, 721.
 Electron mirror, 109.
 Illuminators (microscope), 458, 655.

- Laboratory apparatus,
 Instrument suspensions, 656.
 Laue photographs, mask for printing, 536.
 Melting-rate, apparatus for detn., 32.
 Mercury pump, 536.
 Metal powder apparatus, for prodn. under gases, 11.
 Microscopes, book, 364; comparison, for grain-sizes, &c., 536; fine adjustment, 458; Leitz vertical, 655; metallurgical, developments, 404; metallurgical, importance in studying structure of metals, 156; metallurgical, improvements, 58; metallurgical, of exceptional power, 108; metallurgical, precision-type, using objectives of N.A. 1.40 & 1.60, 156; Vickers projection, 655.
 Orthophot, 536.
 Photogoniometer, x-ray, 296.
 Photographic films & plates, exposed, method for examination, 459.
 Photometer, integrating, for x-ray crystal analysis, 350.
 Photomicrographic apparatus, 536; Metalliput, 255; stereoscopic, 536.
 Polishing machine (metallographic), 350.
 Potentiometer for measuring small e.m.fs. & resistances, 355.
 Profilometer, 527.
 Pyrometers. See *Pyrometers*.
 Spectra comparator, direct-reading, 296.
 Spectrographs, oscillating-crystal, theory & design of cam, 206; x-ray, high-intensity, 656.
 Spectrometer, polarization, for studying surface films on metals, 350.
 Spectroscope, x-ray, with curved crystal, 109.
 Spectroscopic analysis apparatus, 656.
 Stereoscope, mirror, for x-ray examination, 109.
 Temperature controllers, 657; time-lag, 59, 663; use of a.c. bridge, 545.
 Temperature regulators, 299; automatic, 59; high-temp., 59.
 Testing machines. See *Testing machines*.
 Tetameter, 658.
 Thermal conductivity apparatus, 405.
 Thermal expansion apparatus, 108.
 Thermocouples. See *Thermocouples*.
 Thermometers, bi-metal, development, 299; gallium, 544; platinum, short-period, 299; platinum resistance, relation to helium gas thermometer at 14°-90° K., 13; platinum resistance, standardization for 14°-90° K., 13; resistance, compared with thermoelect. up to 550° C., 408.
 Thermoregulators, control, valve relay, 111.
 Torque magnetometer, uses, 536.
 Ultra-microscope for metals, 458.
 Vacuum distillation apparatus, 202.
 Vacuum seals machined from metals, 656.
 X-ray cameras for low temps., 537.
 X-ray diffraction equipment, 156.
 X-ray equipment, details, 11.
- Laboratory apparatus,
 X-ray photographic films, sensitivity variation, 350.
 X-ray tubes with small energy consumption, 656.
- Lacquered wire, testing, 522.
 Lacquering, 115, 414.
 apparatus, 247.
 applications, 522, 523.
 plant, 523.
 Lacquering of—
 Aluminium & its alloys, 642.
 Strip metal, 522.
 Lacquers,
 coatings, testing, 50.
 pigmented, 466.
 transparent, 466.
 Lanthanum,
 electrical resistance at high temps., 177.
 estimation. See *Analysis*.
 lattice constants, 190.
 production, 582.
 properties, 582.
 reduction potential, 530.
 specific heat at high temps., 177.
 superconductivity, 177.
 uses, 582.
 Lanthanum alloys. See *Alloys*.
 Lapped surfaces,
 durability, 18.
 nature, 359.
 Latent heat of fusion of elements, data, 493 (see also under names of metals).
 Lattice constants. See *Crystal lattice*.
 Lattice structures. See *Crystal structure*.
 Laue diagrams. See *Crystal structure*.
 Lautal. See *Alloys*.
 Lead,
 absorption of cosmic rays by thin sheet, 713; of infra-red light, 282.
 age-hardening. See *Age-hardening*.
 analysis. See *Analysis*.
 antimonial. See *Alloys: Antimony-lead alloys*.
 atomic weight, 483.
 attack by insects, 370.
 bismuth in, removal, 252.
 bullion, softening, 252.
 -burning. See *Welding*.
 cable-sheath, damage by caterpillars, 1; extrusion. See *Extrusion*.
 casting. See *Casting*.
 -coating, developments, 641; hot-dip process, 49; of steel for pressings, 49; of steels, 184, 382.
 -coatings, protective value in soils, 194.
 collapsible tubes, plant for manuf., 268.
 corrosion. See *Corrosion*.
 creep, 131, 226, 320; review, 583.
 crushing deformation, 131.
 crystal lattice at high temps., 189.
 crystallization, rate, 141; rate, effect of added metals, 141; review, 583.
 Debye "characteristic temperatures," 2.
 deposition. See *Deposition*.
 detection. See *Analysis*.
 drosses from blast-furnaces, 233.
 effect of steam, 203.
 elastic modulus, 110.

- Mechanical engineering**, terms used, dictionaries, 23, 316.
- Mechanical properties** (see also under specific properties),
of metals & alloys broken at ultra-high speeds, 587.
- Mechanostriction** & ΔE effect, 591.
- Megayr.** See *Alloys*.
- Melting**,
effect of intensive vibrations, 663.
furnaces. See *Furnaces*.
in high vacuum, 60.
rate, 588; determination, 32.
- Melting of—**
A.P. 33, 461.
Aluminum, hardeners, 664; method of introducing deoxidizers, 300; practical hints, 664; refining by nitrogen, chlorine, & their mixtures, 664; scrap, 260, 408, 723.
Aluminium alloys, 546; practical hints, 664; removal of aluminium oxide, 257; temperature, 299; tools, 464.
Aluminium bronzes, 257, 258, 355.
Anticorodal, 546.
Antimony, effect of intensive vibrations, 663.
Beryllium-copper alloys, 495.
Brasses, scoop sampling, 258.
Bronzes for valves, 547; use of sodium carbonate, 547.
Cadmium, effect of intensive vibrations, 663.
Cadmium-zinc alloys (eutectic), rate, 588.
Copper, hardeners, 665.
Copper alloys, hardeners, 665.
Copper-silver alloys (eutectic), rate, 588.
Duralumin, effect of intensive vibration, 663.
Eutectics, rate, 588.
Lead-bronzes, 496.
Lead-tin alloys (eutectic), rate, 588.
Magnesium, 301.
Magnesium alloys, 61, 301, 546; turnings, protective action of beryllium, 667.
Manganese-brasses, 233.
Platinum, 112; scrap, 60.
R.R. alloys, 380.
Silumin, effect of intensive vibrations, 663.
Y-alloy, 664.
- Melting points** (see also *Alloys* & under names of metals),
of elements, data, 493.
relation of valency, 377.
- Mercury**,
analysis. See *Analysis*.
boiling point, effect of pressure, 256.
cleaning, rapid, 226.
crystallization of supercooled metal, 386.
diffusion into zinc, anisotropy, 621.
electrical resistance, effect of magnetic field, 3, 134.
electrode potential, 200.
electrodes, hydrogen overvoltage at, 402; polarization capacity, 452.
estimation. See *Analysis*.
- Mercury**,
films, condensed, oblique reflection of light, 491; evapd., absorption of light, 491; evapd., photoelect. effect, 491; thin, optical & elect. properties at low temps., 81, 134; transition temp., 491.
industry, health hazards, 22.
liquid, partition function, 320.
magnetic properties, 33, 713.
minerals, pamphlet, 271.
superconducting & normal states, equilib. curve & entropy difference between, 370.
surface tension, 1.
thermal conductivity at low temps., 2, 134.
vapours, control in industry, 700; light output from elect. discharge in, 131.
wetting, effect of surface-action substances, 372.
- Mercury alloys.** See *Alloys*.
- Metal fume fever**, 701.
- Metal industry**,
American, directory, 221.
developments in 1936, 120, 121.
German, 472.
import duties, British, report, 220.
in 1936, 472.
production & market control, 120.
statistics. See *Statistics*.
- Metal spraying.** See *Spraying*.
- Metal statistics.** See *Statistics*.
- Metalwork**, book, 23.
- Metallic combination** in accordance with combined method of approximation, 378.
- Metallic state**,
electron theory, 78, 325, 493; book, 126.
linkage, theory, 81, 325.
problems, 236.
theory, book, 172; electron exchange, 133; superconductivity &, 134.
- Metallography.** See *Spraying*.
- Metallography** (see also *Photomicrography*),
A.S.T.M. recommended practice, 5.
books, 170, 365, 571.
by polarized light, erroneous interpretations from, 508; pamphlet, 168.
care of eyes, A.S.T.M. recommended practice, 5.
equipment. See *Laboratory apparatus*.
etching. See *Etching*.
grinding and polishing, 6.
mounting of specimens in Bakelite, 238; use of transparent methyl acrylate resin, 254.
photography applied to, A.S.T.M. standard rules, 5.
polishing, 507; electrolytic, 287.
preparation of micrographs, A.S.T.M. standard rules, 5.
preparation of specimens, 287, 507, 624, 717.
wire specimens, mounting & polishing, 6.
x-ray, 289, 718; glossary of terms used, 507.
- Metallurgy**,
and electrical industry, 472.

- Metallurgy,**
 books, 22, 72, 169, 363, 569, 572, 702, 707.
 developments, 166.
 dialogue between teacher & pupil, 472.
 education, 472.
 handbook, 122, 314.
 history, book, 170.
 thermodynamics, book, 364.
- Microphotography.** See *Photomicrography*.
- Microscopes.** See *Laboratory apparatus*.
- Microscopy,**
 developments, 336, 717.
 progress, 286.
- Milk,** action on metals. See *Corrosion*.
- Milling,**
 cutters, cemented carbide, grinding, 359.
 machines for aluminium, 558.
- Mineral agents,** corrosion by. See *Corrosion*.
- Mineral industry,** book, 170.
- Mixed crystals.** See *Alloys: Solid Solutions*.
- Modification.** See *Alloys*.
- Modified Bauer-Vogel process.** See *M.B.V. process*.
- Molecular weights.** See under names of metals.
- Molten alloys.** See *Alloys*.
- Molten metals** (see also under names of metals),
 fluidity, detn., 489.
 oxidation, 281, 714; at elevated temps., 589.
 range of stability, 507.
 solidification, theory, 374.
 structure, 46, 95; micellar hypothesis, 30; theory, 507.
 supercooled, crystal nuclei formation, 77.
 surface tension, detn., hydrostatic pressure method, 255.
 theory, 588.
 wetting of hot filaments, 374.
- Molybdenum,**
 detection. See *Analysis*.
 distortion & yield-point, 27.
 effect of nitrogen at high temps., 27.
 estimation. See *Analysis*.
 films on glass, secondary electron emission, 181.
 hardness, effect of temp., 428.
 in radio valves, 165.
 industry, 701.
 light of combustion, 487.
 minerals, pamphlet, 270.
 oxidation, effect on secondary electron emission, 485.
 polished surfaces, 374.
 powders, grain-growth in welding, 266.
 secondary electron emission, 324.
- Molybdenum alloys.** See *Alloys*.
- Molybdic acid,** electrolysis in phosphate melts, 451.
- Monel metal.** See *Alloys*.
- Mosaic structure,** See *Crystals*.
- Moulding** (see also *Casting, &c.*),
 machines at 1936 Foundry Exhibition, 61; developments, 14; magnetic, 61.
 sands. See *Refractory materials*.
- Moulding of—**
 Aluminium alloys, 546.
 Bronze propellers, 60.
 Propellers, 665.
- Moulds,**
 alteration, 61.
 drying, 259.
 facings, 61.
 sand, hardness tester, 14.
- Mullite.** See *Refractory materials*.
- Mumetal.** See *Alloys*.
- Muntz metal.** See *Alloys*.
- NC alloys.** See *Alloys*.
- NS 5 alloy.** See *Alloys*.
- Neodymium** (see also *Rare earth metals*),
 lattice constants, 190.
 production, properties & uses, 582.
 reduction potential, 530.
- Nichrome.** See *Alloys*.
- Nickel,**
 adsorption of hydrogen & recombination of atomic hydrogen in adsorbed layer, 375; by polished metal, 373.
 allotropy, 178.
 annealing. See *Annealing*.
 anodes, manuf., Amer. plant, 546.
 atomic heats at low temps., 2.
 atomic structure factor, variation with x-ray wave-lengths, 511.
 book, 216.
 castings, 696.
 catalytic properties, 483; bibliography, 268, 471.
 cementation. See *Cementation*.
 -clad steel, adhesion of coating, 161; cutting. See *Cutting*; etching (metallographic), 6; sheet, 519.
 coinage, manuf., 262.
 cold-worked, recovery by annealing, 583, 584.
 colouring. See *Colouring*.
 corrosion. See *Corrosion*.
 Curie point, 278.
 Debye-Scherrer diagrams, effect of small deformations, 510.
 deoxidation. See *Deoxidation*.
 deposition. See *Deposition*.
 deposits, corrosion. See *Corrosion*; structure, 189, 510, 720; thickness, B.N.F. jet-test, 101.
 detection. See *Analysis*.
 developments, 310.
 diffusion in rock salt, 373.
 diffusion of hydrogen, 320.
 elastic modulus, 226, 427; at high temps., 131.
 electrical resistance at 20°-1200° K., 584.
 electrode potential, anomalies, 585.
 electrodes in toluene, thermionic emission, 134.
 estimation. See *Analysis*.
 etching, metallographic, 625.
 extrusion. See *Extrusion*.
 ferromagnetic properties, directional, 492.
 films, crystal structure, 6; "extra" spots in electron diffraction patterns, 94; on glass, secondary electron

Nickel,
films,

emission, 181; sputtered, crystal structure, 388; sputtered, magnetic properties, 388.

forging. See *Forging*.

gases in, detn., 277.

hardness, effect of temp., 428.

heat capacities from -80° to $+120^{\circ}$ C., 29; from 100° to 500° C., 29.

hydrogen in, occlusion & diffusion, 278, 425.

in automobile engineering, 696.

in caustic soda evaporators, 697.

in chemical industry, 342; book, 129.

in dry cleaning plant, 97.

in flow meters, 697.

in gas-works, 214, 220, 697.

in non-ferrous alloy castings, 332, 717.

in oil industry, 696.

in radio industry, 420.

industry, 701; development, 119; health hazards, 22; in 1936, 67, 121, 223, 313.

machining. See *Machining*.

magnetic anisotropy, 376.

magnetic transformation, heat effect, 1, 713.

magnetization, discontinuous change, 429; discontinuous, effect of stretching & twisting, 76; discontinuous, effect of temp., 373; intensity, variation with temp. in weak fields, 82; of single crystals, 33; of wires, effect of surface, 483; reversible & irreversible, associated with change of temp., 76; saturation, effect of hydrostatic pressure, 376.

magnetomechanical properties, 591.

magnetostriction, effect of elastic tension, 75; effect of temp., 75; hysteresis, 372.

mechanical properties, review, 583.

metallography, A.S.T.M. recommended practice, 5; etching, 625; polishing, 625.

minerals, pamphlet, 271.

molten, behaviour towards molten silicates & silica, 258; wetting of hot filaments, 374.

oxidation, 48, 191; of spherules, 442.

photoelectric properties, effect of soft x-rays at various temps., 1.

physical properties, review, 583.

polishing. See *Polishing*.

-quartz interface, tribo-elect. properties, 226, 228.

quenching. See *Quenching*.

Raney's, prepn., 39.

refining. See *Refining*.

rigidity modulus, effect of pressure, 179.

rods, stretchings, temp. changes, 132.

scratch-hardness, 2.

secondary electron emission, 324.

sheet, properties, effect of gas atm. during annealing, 584.

single crystals. See *Single crystals*.

specific heat at 0° - 1000° C., 178; true, 178.

thermal conductivity, 373.

thermal diffusivity, 373, 483.

Nickel,

thermal expansion of pure metal, x-ray study, 40.

thermomagnetic e.m.f., Gerlach's, 372.

transformation points, 623.

uses: see entries above.

welding. See *Welding*.

wire, stiffness, 297; thermomagnetic properties, 27.

x-ray absorption edge, fine structure, 371.

Nickel alloys. See *Alloys*.

Nickel-clad. See *Nickel*.

Niobium,

analysis. See *Analysis*.

estimation. See *Analysis*.

minerals, pamphlet, 272.

properties, review, 21.

review, 701.

superconducting & normal states, equilib. curve & entropy difference between, 370.

uses, 67, 471.

Niobium alloys. See *Alloys*.

Nitrides. See *Alloys & Compounds*.

Nitrogen (see also *Gases*),

estimation. See *Analysis*.

solubility in metals & alloys. See *Gases* & under names of metals.

Nivarox. See *Alloys*.

Nomenclature of alloys, 289.

Non-ferrous metallurgy, developments in 1936, 567.

Non-ferrous metals,

international control, book, 702.

standards, German, book, 219.

Non-metallic inclusions,

bibliography, 286, 717.

detection, 490.

effect on properties, 287.

Norbide. See *Alloys*.

Norway, electrometallurgical & electrochemical industries, 720.

Oerstit. See *Alloys*.

Oil-fired furnaces. See *Furnaces*.

Oil refineries, corrosion in. See *Corrosion*.

Oils,

corrosion by. See *Corrosion*.

lubricating, adsorption of oils in relation to lubrication, 698; effect of added substances, 698; electrode potentials of metals & alloys in, 443; interaction between metals &, 192; relation of oiliness to viscosity, 698.

Olivine. See *Refractory materials*.

Optical constants,

of thin films, detn., 322, 714.

photoelectric measurement, 322.

Optical properties. See *Alloys* & under names of metals.

Orbital interaction in metals, intensity, 325.

Organic finishes, 264, 360.

Orthophot, 536.

Osmiridium. See *Alloys*.

Osmium (see also *Platinum metals*),

estimation. See *Analysis*.

lattice parameters at various temps., 388.

thermal expansion, x-ray study, 388.

uses, 584.

- Osmium alloys. See *Alloys*.
- Overvoltage, 200; (see also under names of metals),
hydrogen, 402.
review, 104.
- Oxidation (see also *Corrosion, Alloys, & under names of metals*),
anodic. See *Anodic oxidation*.
equilibrium, measurement, 156, 656.
high-temperature, 515; accelerated tests, A.S.T.M. standard, 12.
of crystal surfaces, electron diffraction study, 288.
of molten metals, 281, 714; at elevated temps., 589.
oriented, 94.
review of recent work, 445.
- Oxide films. See *Films*.
- Oxides (see also *Alloys & Compounds & Refractory materials*),
protective, mechanism of diffusion across, 48.
- Oxygen (see also *Gases*),
adsorption by tungsten, 586.
depolarization theory of corrosion. See *Corrosion*.
estimation. See *Analysis*.
rôle in corrosion. See *Corrosion*.
solubility in silver, 33.
- Painting of—
Aluminium, 522, 642; sheet, effect of prior treatment by M.B.V. & Eloxal processes, 100.
Aluminium alloys, 522.
Duralumin, 398.
Galvanized iron, 398.
Metals, preparation of surfaces, 522; review, 642.
Steels, 196.
- Paints,
aluminium. See *Aluminium*.
chlorinated rubber, protective value, 102.
coatings, testing, 50.
for rust-proofing, 10.
metallic, 447.
protective value, 196; tests, 102.
spraying, 102.
- Palladium (see also *Platinum metals*),
absorption of hydrogen, theory, 616.
diffusion of hydrogen, 584; effect of temp., 28; rate, 28.
electrical resistance, 27.
films, sputtered, cracks & crumples, 77.
hydrogen in, soly., theoretical formula, 616.
hydrogenation of ethylene on, 373.
melting point, 41.
occlusion of hydrogen, effect of pressure & temp., 484.
rigidity, effect of occluded hydrogen, 483.
specific heat at high temps., 375.
uses, 584.
- Palladium alloys. See *Alloys*.
- Pantal. See *Alloys*.
- Paper industry, materials for, 312, 563.
- Paramagnetism (see also under names of metals),
independent of temperature, 282.
- Paramagnetism,
of dissolved transition metals, evaluation of measurements, 336.
- Parkerizing, 100.
- Particle size, dotn., appn. of x-ray method, 146.
- Passive metals, action of intensive ultra-resonance, 452.
- Passivity (see also under names of metals),
book, 315.
influence of ultra-resonance, 452.
phenomena, theory, 630.
theory, 101, 452.
- Patents, books, 129, 365.
- Pattern-maker, status, 61.
- Pattern plates, marking out, apparatus, 462.
- Peraluman. See *Alloys*.
- Periodicals,
abbreviations of titles, pamphlet, 366.
in British University libraries, union catalogue, 477.
- Permalloy. See *Alloys*.
- Petrols. See *Liquid fuels & Corrosion*.
- Pewter. See *Alloys*.
- Phase boundaries. See *Alloys*.
- Phase diagrams. See *Equilibrium diagrams*.
- Phase transitions in condensed systems, formation of centres, 386.
- Phosphides. See *Alloys & Compounds*.
- Phosphor-bronzes. See *Alloys*.
- Phosphorus-metal systems. See *Alloys*.
- Photoelectric absorption, theory, 377.
- Photoelectric effect (see also under names of metals),
quantum absorption probability, 377.
selective, 714.
superficial, 34.
surface, 590.
- Photoelectric emission,
cooling of surface by, 34.
effect of temperature, 492.
- Photoelectricity, developments, 134.
- Photoelectromagnetic effects, in semi-conductors, theory, 34.
- Photomicrography (see also *Metallography*),
book, 366.
equipment. See *Laboratory apparatus*.
exposures, dotn. of time, book, 273.
in colour, book, 703.
progress, 286.
rapid, 655.
review, 508.
ultra-violet, 145.
with Vickers projection microscope, book, 474.
- Photothermionic effect, in incandescent metals, 492.
- Physical constants of elements, data, 493.
- Physical properties (see also under specific properties),
effect of pressure, review, 81.
- Physicists, training for industry, 473.
- Physico-chemical analysis,
conference in U.S.S.R., 69.
principles, 7.
- Physics,
constants, tables, 128.
hand-book, 175.
in industry, book, 480.

Physics,

- in metal industry, 120.
- industrial, book, 218.
- investigations, technique, book, 217.
- low-temperature, book, 704.
- nuclear, bibliography, 81; developments, 81.
- progress, book, 123; report, book, 174.

Pickling,

- before plating, 400.
- book, 221.
- plant, lay-out, 550.
- practical hints, 263, 725.
- removal of acid vapours, 115.
- solutions, inhibitors, 207.

Pickling of—

- Brasses, bright finish, 207.
- Copper, bright finish, 207.
- Iron before hot-galvanizing, 556.
- Nickel-brass, 263.

Pipe flanges, report of Inst. Mech. Eng. research cttee., 69.

Pipes (see also *Tubes, Alloys, &* under names of metals),

- of polymerized resins, 167.
- protection, underground, 151.
- water service, protection, 293.

Plastic deformation (see also *Deformation, Drawing, Rolling, &c.*),

- at high temperatures, registration, 406.
- hardening accompanying, 31.
- lattice changes during, review, 80.
- laws, 79.
- of crystals, kinetics, 79, 714.
- of single crystals, bibliography, 80; review, 80.
- relation to tensile stress, 31.
- review, 322, 714.

Plastic flow, 321, 406; (see also *Rolling, &c.*), of ferromagnetic alloys in magnetic fields, 336.Plasticity (see also *Alloys &* under names of metals),

- book, 675.
- definition, 488.
- fundamental equation & its appn., 538.

Plating. See *Deposition*.Platinum (see also *Platinum metals, Precious metals, &c.*),

- action of argon under influence of elect. discharges, 426.
- anodic sputtering, 34.
- book, 124, 706.
- density, 132, 713.
- deposition. See *Deposition*.
- electrical resistance at low temps., 256; effect of magnetic field, 3, 134; of hard-drawn metal, change on tempering, 321; of pure metal, 3, 134.
- electrode potential, anomalies, 585; in various solns., 530.
- electrodes, adsorbed atoms & ions on surface, 402, 529; adsorption characteristics, 452; anodic polarization, 529; bright, elect. capacity, 402; hydrogen overvoltage at large c.d., 402.
- electron emission, effect of chlorine, 77.
- estimation. See *Analysis*.

Platinum,

- films, effect of passage of electrons, 180; sputtered, elect. properties, 425.
- flow potentials on, 520.
- foil in dentistry, 26.
- in dentistry, 119.
- industry in 1936, 121.
- light emission, effect of recrystn., 1.
- melting. See *Melting*.
- metallurgy, ancient, of Pro-Columbian Indians, 700.
- minerals, pamphlet, 270.
- molten, wetting of hot filaments, 374.
- recrystallization, effect on emission of light, 1.
- specific heat at high temps., 375.
- surfaces, structure after heating in oxygen, 388.
- thermionic emission, 28.
- Platinum alloys. (See *Alloys*).
- Platinum metals (see also under names of platinum metals),
- analysis. See *Analysis*.
- book, 124.
- characteristics, 584.
- deposition. See *Deposition*.
- detection. See *Analysis*.
- estimation. See *Analysis*.
- in chemical industry, 311.
- industry in 1936, 121.
- minerals, pamphlet, 270.
- physical properties, 584.
- refining. See *Refining*.
- uses, 584.
- Plumbism. See *Lead poisoning*.
- Pobedit. See *Alloys*.
- Polarization. See under names of metals.
- Polarized light, metallographic studies by, erroneous interpretations, 508.
- Polish, nature, 188.
- Polished surfaces (see also under names of metals),
- amorphous layer on non-metals, 44.
- Beilby layer, 287, 288, 374; surface tension of rubbing solids &, 187.
- comparative properties of those polished mechanically & electrolytically, 188, 389.
- examination, 58.
- flow, 374.
- structure, 626; conflicting results obtained by electron diffraction, 239; electron-diffraction study, 625, 626; review, 387, 556.
- Polishes, metal, 558.
- Polishing,
- abrasives, 264, 725; phys. properties, 466.
- books, 72, 218, 221, 710.
- electrolytic, appn. to study of deposits, 188.
- fundamentals, 557.
- in barrels, 208.
- machines, automatic, 65.
- metallographic, 507; comparison of results of mech. & electrolytic methods, 188; electrolytic, 188, 189, 437; see also *Metallography*.
- practical hints, 414.
- role of chemistry, 466.
- speed, effect of electrolyte solns., 684.

- Polishing of—
 Aluminium, 557, 684; castings, 264; electrolytic, 557.
 Aluminium alloys, 684.
 Metallographic specimens. See *Metallography*.
 Monel metal, 557.
 Nickel, 557.
 Plated surfaces, 466.
- Polishing wheels, abrasives, 557.
 care & prepn., 684.
 flexibility & shape, 558.
- Polymorphic metals, transition velocity, effect of mech. deformation, 714.
- Polymorphic transformation (see also under names of metals), investigation, thorium-X method, 506.
 of 35 substances to 50,000 kg./cm.², 611.
- Polymorphism, crystal-, 290.
 investigation, fundamentally-wrong methods, 180, 228.
 under stress, 280.
- Polynary alloys. See *Alloys*.
- Porosity. See *Alloys* & under names of metals.
- Potassium (see also *Alkali metals*), atomic constants, 378.
 book, 574.
 films, elect. conductivity, 130; on glass, elect. conductivity, 132; on tungsten, condensation, 585; on tungsten, photoelect. Schottky effect, 179.
 melting point, effect of pressure, 77.
 molten, surface tension, 581.
 photoelectric sensitization by hydrogen, 28.
 super-cooled melts, crystal nuclei formation, 77.
- Potassium alloys. See *Alloys*.
- Potentials, electrode. See *Electrode potential*.
- Potentiometers. See *Laboratory apparatus*.
- Powdered metals (see also *Alloys* & under names of metals), applications, 311, 555.
 book, 703.
 developments in 1936, 121.
 investigation, methods, 676; thorium-X method, 506.
 manufacture, 262; review, 358, 413.
 pressed lumps, hardness, 374.
 production under gases, apparatus, 11.
 sintering, 677; theory, 676.
- Powders, metallurgical (Cottrell), removal of non-ferrous metals, 473.
- Praseodymium (see also *Rare earth metals*), lattice constants, 190.
 magnetic susceptibility, 74.
 production, properties & uses, 582.
- Praseodymium alloys. See *Alloys*.
- Precious metal alloys. See *Alloys*.
- Precious metals (see also under names of precious metals), analysis. See *Analysis*.
 detection. See *Analysis*.
 melting. See *Melting*.
 metallurgy, book, 222.
 refining. See *Refining*.
 uses, 697.
- Precipitation-hardening. See *Age-hardening*.
- Presses, hydraulic, Dick, 114.
- Pressing, computations, book, 218.
 lubricants, 263.
- Pressing of—
 Aluminium alloys, 64.
 Brass, hot-, 555.
- Pressure, high-, phys. phenomena at, review, 81.
- Pressure die-casting. See *Die-casting*.
- Printing industry, metals & alloys in, 233.
- Printing metals. See *Alloys*.
- Proof stress, misuse of term, 539.
- Propane, indust. use, 259.
- Propellers, casting. See *Casting*.
 moulding. See *Moulding*.
- Protection of metals & alloys, 8, 49, 99, 150, 194, 245, 292, 343, 396, 445, 517, 637, 719; (see also under various methods, e.g. *Anodic oxidation*, *Cementation*, *Deposition*, *Galvanizing*, *Painting*, *Spraying*, *Tinning*, &c.), books, 315, 572, 708.
 by wrapping paper. See *Corrosion*.
 progress, 641.
- Pumps, materials for, 471.
- Punch presses, photoelect. control, 555.
- Pylum process, 101.
- Pyrometers (see also *Thermocouples*), Brown Optimatic, 408.
 colour, 354.
 "insertion," 662.
 optical, 662.
 photoelectric, theory & calibration, 111.
 radiation, 663.
 review, 544.
- Pyrometry, in aluminium foundry, 662.
 in brass foundry, 662.
 in metallurgical works, 60.
 optical, review, 544.
 platinum resistance, 256.
 radiation, review, 544.
 review, 256, 461.
 thermoelectric, review, 544.
- Quartz-metal interface, tribo-elect. properties, 226, 228.
- Quarzal. See *Alloys*.
- Quaternary alloys. See *Alloys*.
- Quenching (see also *Heat-treatment*), liquids, cooling action, 553.
 media, book, 477.
- Quenching of—
 Alloys, 63.
 Monel metal, 261.
 Nickel, 261.
 Steel, 63.
- Quicksilver. See *Mercury*.
- R.R. alloys. See *Alloys*.
- Radio industry, corrosion in. See *Corrosion*.
 materials, 567.

- Radiology**,
 apparatus, adaptation for mech. testing, 256.
 applications, 157, 158, 661, 662; to metallurgy, 408.
 book, 167, 173.
 cost, 661.
 department of Staatl. Materialprüfung-samt, Berlin, 544.
 gamma-ray, appns., 543; industrial, 203, 723; status, 158.
 in foundry, 157.
 in testing, 203, 661, 723.
 in welding shop, 157.
 industrial, Russian conference, 460.
 inspection by, 158.
 principles, 157.
 protection, 460, 662.
 reviews, 256, 543, 544.
 x-ray, appns., 543.
- Radiology of—**
 Aluminium alloys, 544.
 Lead-bronze bearings, 203.
 Rolled gold, 256.
 Welds, 354.
- Radiometal.** See *Alloys*.
- Radium**, book, 477.
- Rare earth metals** (see also under names of rare earth metals),
 catalytic properties, 213.
 crystal lattice constants, 190.
 ferromagnetism, 190.
 reduction potentials, 530.
- Rare metals** (see also under names of rare metals),
 analysis. See *Analysis*.
 uses, 106.
- Reaming of—**
 Aluminium alloys, tools, 464.
- Recrystallization** (see also *Alloys*, under names of metals, & also *Crystals, growth*),
 crystal re-arrangement, 508.
 effect of reversed deformation, 437.
 investigation, appn. of x-ray methods, 146; thorium-X method, 506.
 nuclei, orientation, 45, 717, 718.
 nucleus formation, 238, 718.
 structure, 93.
 temperature, relation to degree of hardening, 31.
 texture. See *Alloys* & under names of metals.
 theory, 508.
- Refining**,
 application of properties of vapour pressure, thermal dissociation, & affinity, 490.
 electro-, developments, 120.
 in Great Britain, future of supplies, 120.
- Refining of—**
 Lead, Betts process, 252, 253; Britannia Lead Refinery, Northfleet, 251; chlorine dezincking, 252; continuous, at Port Pirie, S. Australia, 252; electro-, at Consolidated Mining & Smelting Co. of Canada, Ltd., 252.
 Nickel in Gt. Britain, 121.
 Platinum metals, 121.
- Refining of—**
 Precious metals at Acton refinery of Mond Nickel Co., 650.
 Tin in sulphuric acid soln., electro-, 650.
 Zinc by distillation, New Jersey Zinc Co. process, 253.
- Reflection**, theory, 590.
- Reflectivity** (see also *Optical properties, Alloys, & under names of metals*),
 of metals in superconducting state, 135.
- REFRACTORY MATERIALS.**
 action of slags, 304, 463.
 aluminous, testing at high temps., 552.
 analysis, 205, 724; A.S.T.M. standard methods, 63; A.S.T.M. tentative methods, 412, 724.
 basic, 670.
 casting pit-, 552.
 cements, 551.
 cold-crushing strength, A.S.T.M. tentative test, 412.
 crucibles, laboratory, manuf., 108; treatment, 356.
 developments, 261.
 effect of carbon monoxide, 552.
 expansion, measurement, 62.
 industry, developments, 553.
 insulating, 669; economic importance, 304; economies obtained with, 551.
 modulus of rupture, A.S.T.M. tentative test, 412.
 particle size, A.S.T.M. standard test, 63.
 permanent linear change after reheating, A.S.T.M. standard test, 63.
 properties, reviews, 411, 551; tables, 205, 669.
 refractability, use of term, 552.
 spalling, A.S.T.M. standard panel test, 63; effect of heat-treatment, 552.
 structure, reviews, 411.
 terms relating to, A.S.T.M. standard definitions, 62.
 testing, 411; status, 205, 724.
- Corundum**, expansion at high temps., 62.
- Firebricks**, classification & grading, 552; P.C.E. test, A.S.T.M. standard method, 63; texture, 552.
- Fireclay**, A.S.T.M. standard definitions, 62; attack of slags, effect of density & fluidity, 463; P.C.E. test, A.S.T.M. standard method, 63.
- Forsterite**, m. p. & compn., 552.
- Graphite**, Acheson, thermal & elect. conductivities (0°–800° C.), 412; crucibles, 356; crucibles & facings, 412.
- Magnesia**, expansion at high temps., 62.
- Moulding sands**, bond strength, effect of colloids, 159; control, 299, 462, 723; control at Northern Indiana Brass Co., 548; detn. of clay, 302; for light metals, 302; for magnesium alloys, 61; for non-ferrous materials, results of tests, 462; grain distribution numbers, 260; Japanese & Manchoukuo, 204; mixing machines, developments, 14; Portland cement as binder, 548; prepn., 723; prepn., machines at 1936 Foundry Exhibi-

- Refractory materials—**
Moulding sands,
 tion, 61; ramming density, factors affecting, 301, 302; relation between properties, 462; synthetic, bibliography, 205; synthetic, bonding with Colbond, 61; testing, 302, 410; testing at high temps., 260; thermal conductivity, 301.
Mullite, appn. to furnaces, 463; properties & uses, 305.
Olivine, m. p. & compn., 552.
Silicon carbide, resistors, change in elect. resistance during service, 304.
Zirconium oxide, expansion at high temps., 62.
- Refrigerating brines,** corrosion by. See *Corrosion.*
- Research,**
 at B.T.H. laboratories, 472.
 industrial, 472, 702; rôle of tech. information, 568.
 laboratories, Brown-Firth, 472; gas equipm., booklet, 22; industrial, British, 22.
 pitfalls, 269.
Resins, artificial, for coating lead cables, 523.
Resisco. See *Alloys.*
- Resistance,**
 electrical. See *Electrical resistance.*
 of materials. See *Materials.*
- Rhenium,**
 detection. See *Analysis.*
 estimation. See *Analysis.*
 separation. See *Analysis.*
- Rhenium alloys.** See *Alloys.*
- Rheology,** definitions & nomenclature, 488.
- Rhodium** (see also *Platinum metals*),
 deposition. See *Deposition.*
 oxidation, 442, 443.
 uses, 584.
- Rhodium alloys.** See *Alloys.*
- Rhometal.** See *Alloys.*
- Rigidity** (see also *Alloys* & under names of metals),
 modulus, effect of pressure, 179.
- Riveted materials,** corrosion. See *Corrosion.*
- Riveting of—**
Aluminium, 264; book, 478.
Aluminium alloys, 204; review, 208; tests, 208.
Anticorodal, 264.
Avional, 264.
Elektron sheet, 206.
Magnesium, 685.
Small parts, 65.
- Rivets,**
 aluminium-alloy, mech. properties, 208.
 hollow, review, 685.
- Rods,**
 casting. See *Casting.*
 production from molten metal, Eldred process, 412.
 profile, flow in cold-drawing, 161.
 stretching, temp. changes, 132.
- Rolling,**
 cold-, equipment, 553; mechanics, 206; operation of roller-finishing machinery, 554; resistance to deformation, 672.
- Rolling,**
 direct from liquid state, 673.
 hot-, equipment, 553; mechanism, 16.
 lubrication, 263.
 rate, effect on mechanism of deformation & mech. properties, 672.
 strip-, coeff. of friction & flow in, 403.
- Rolling-mills,**
 bearings, 673, 674.
 drives, elect., 412.
 economy, ovaluation, 673.
 laboratory, 262.
 lubrication, 161.
 rolls, individual drive, 16.
 sleeve, 306.
Steckel, calculation of time required for strip rolling, 357.
 strip, cold-, 206; cold-, developments, 554, 724.
 tube, appn. of nomographs, 674.
- Rolling of—**
Alclad, hot-, 673.
Alloys (two-phase), deformation of macrostructure, 672.
Aluminium foil by Hazelett process, 114.
Brass, cold-, causes of cracks, 553; effect of rate on mech. properties, 672; strip, 357.
Copper, hot-, detn. of power required, 161.
Lead, 319.
Magnesium alloys, 142.
One-piece finned tubing, 463.
Strip, cold-, review, 206.
Zinc, effect of cast structure, 357.
- Rolling texture,** 672; (see also *Alloys* & under names of metals).
- Röntgen analysis.** See *Crystal structure.*
- Roofing,**
 felts & papers, action on metals. See *Corrosion.*
 materials, 215.
- Roughness,** electron diffraction study, 189.
- Rubber,**
 chlorinated, as protection for light metals, 398, 720; as surface protection, 102.
 joining to metals, 446, 447.
- Rubidium** (see also *Alkali metals*),
 atomic constants, 378.
 electrode potential in liquid ammonia, 371.
 films on glass, elect. conductivity, 132; photoelect. properties, 318.
- Rubidium alloys.** See *Alloys.*
- Rubinite process,** 599.
- Russia.** See *Union of Soviet Socialist Republics.*
- Ruthenium** (see also *Platinum metals*),
 lattice parameters, at various temps., 388.
 thermal expansion, x-ray study, 388.
 uses, 584.
- Ruthenium alloys.** See *Alloys.*
- S alloys.** See *Alloys.*
- ST alloys.** See *Alloys.*
- Safety plugs.** See *Fusible plugs.*
- Safety valves,** materials for, 68.

- Samarium** (see also *Rare earth metals*),
production, properties & uses, 582.
reduction potential, 530.
- Sand-blasting**,
machinery, centrifugal, 682.
machines, 263.
silicosis among workers, 682.
- Sander**. See *Alloys*.
- Sands**, moulding. See *Refractory materials*.
- Scaling** at high temps., 515; (see also *Oxidation, &c., Alloys, & under names of metals*).
- Scandium**,
density, 178.
detection. See *Analysis*.
estimation. See *Analysis*.
melting point, 178.
pure, prepn., 178.
reduction potential, 530.
- Scientific papers**, writing, book, 24.
- Scientific property**, 473.
- Scotland**. See *Great Britain*.
- Scrap** (see also *Secondary metals, Alloys, & under names of metals*),
briquetting, 302.
classification, 667.
storage, 667.
treatment, 549.
- Screen wire cloth**, corrosion. See *Corrosion*.
- Screens**,
fine, measurement of mesh, 290.
round-hole, for testing, A.S.T.M. standard specifications, 59.
- Screw-cutting of—**
Aluminium alloy 11 S, 64.
Aluminium alloys, tools, 464.
- Sea-water**, corrosion by. See *Corrosion*.
- Season-cracking**. See *Internal stress, & under Alloys & names of metals*.
- Secondary metals** (see also *Scrap, Alloys, & under names of metals*),
pamphlets, 270, 702.
- Secondary structure**. See *Crystals*.
hypothesis applied to mech. properties, 191, 718.
- Segregate structures**. See *Widmanstätten structure*.
- Segregation**,
inverse. See *Inverse segregation*.
- Selenium**,
detection. See *Analysis*.
diamagnetism, anomalous, 426.
estimation. See *Analysis*.
glassy, structure, 389.
heat capacity of crystals at low temps., 484.
industry, health hazards, 22.
liquid, density, 227; viscosity, 321.
minerals, pamphlet, 272.
- Selenium alloys**. See *Alloys*.
- Sensust**. See *Alloys*.
- Seo-Foto process**, 99.
- Separation**. See *Analysis*.
- Sewage**, corrosion by. See *Corrosion*.
- Shear strength** (see also *Alloys & under names of metals*),
definition, 488.
under heavy normal pressures, data for 18 metals, 488.
- Shear stress**,
at high pressures, 280.
internal, distribution in twisted rods, 488.
- Sheet metal work**, books, 127, 222, 478, 578, 702.
- Sheets** (see also *Alloys & under names of metals*),
corrugated, history of manuf., 64.
deep-drawing quality, testing, 464, 554.
fatigue, 334, 716.
manufacture, 64.
rolling. See *Rolling*.
testing. See *Testing*.
- Sherardized materials**, corrosion. See *Corrosion*.
- Shipbuilders**, directories, 176, 580.
- Shot-cleaning** of metal surfaces, 65.
- Shrinkage**, of castings, booklet, 223.
- Silicides**. See *Alloys & Compounds*.
- Silicon**, estimation. See *Analysis*.
- Silicon alloys**. See *Alloys*.
- Silumin**. See *Alloys*.
- Silver** (see also *Precious metals*),
absorption coefficients in long wave-length x-ray region, 369.
absorption of thermal neutrons at low temps., 30.
acid activation, 77.
annealing. See *Annealing*.
bibliography, 28.
black, 450.
chemical properties, review, 28.
coinage. See *Alloys, Copper-silver alloys*.
contacts, 166; changes in shape, 1, 485, 486; elect. resistance, 486.
corrosion. See *Corrosion*.
Debye's "characteristic temperatures," 2.
density, effect of annealing & cold-work, 484; effect of cold-hammering, 485.
deposition. See *Deposition*.
detection. See *Analysis*.
dissolution in cyanide solns., factors influencing rate, 47, 514.
dyestuff plant, 119.
elastic limit of single crystals, effect of temp., 73, 369.
electrical properties, review, 28.
electrical resistance, effect of magnetic field, 3, 134; of pure metal, 3, 134.
electrode potential in various solns., 530; standard, 530.
electrodes, hydrogen overvoltage at large c.d., 402.
estimation. See *Analysis*.
films, cathodically deposited on cryst. substrates, electron diffraction, 240; crystal structure, 6; deposited at low temps., change of elect. resistance & reflectivity, 82; deposited in vacuum, variation of elect. resistance with time, 75; effect of passage of electrons, 180; ovapd., reflectivity, 29; "extra" spots in electron diffraction patterns, 94; optical const., anomalous, 29, 30; optical studies, 157; reflection & absorption of light, 485; structure, 45; transformation on heating in vacuo, 32.

- Silver,**
 hardness, micro-, dependence on speed of cutting, 227.
 heat capacities from -80° to $+120^{\circ}$ C., 29; from 100° to 500° C., 29.
 in chemical industry, 311.
 in perfume industry, 471.
 industry, book, 224.
 lattice parameter, 338.
 magnetic properties, review, 28.
 mechanical properties, review, 28.
 minerals, pamphlet, 571.
 molten, oxidation, 281; wetting of hot filaments, 374.
 non-tarnishing deposits, 399.
 oligodynamic effect, 585.
 optical properties, 321; review, 28.
 oxidation, effect on secondary electron emission, 485.
 oxygen in, soly., 33.
 powdered, pressed lumps, hardness, 374.
 price, factors affecting, book, 707.
 reflection, selective, in polarized light, 714.
 sheet, blisters, 714.
 silver chloride films on, 485.
 single crystals. See *Single crystals*.
 specific heat, true, 178.
 sterling. See *Alloys: Standard silver*.
 stress-strain characteristics, 319.
 surfaces, effect of slow positive potassium ions, 321; properties, 426.
 tarnishing of mirrors by sulphur, 278.
 thermal properties, review, 28.
 thermoelectric properties, review, 28.
 transformations on heating *in vacuo* or in gases, 180.
 uses, review, 28.
 -ware, manuf., 555, 724; manuf., developments in 1936, 121.
 working, review, 28.
- Silver alloys.** See *Alloys*.
- Silversmiths,** methods in Middle Ages, 269.
- Single crystals,**
 coercive force, 505.
 elastic constants, calculation of elastic const. of polycrystalline bodies from, 322.
 ferromagnetic, behaviour in magnetic field, 590; magnetostriction, 591; orientation, detn., 505; surface magnetization, 339.
 ferromagnetic anisotropy, 33.
 ferromagnetic properties, directional, 492.
 glide, 145.
 hardness, review, 80.
 impurities in, distribution, 337.
 large, prodn., 94.
 magnetic torque measurements, 505.
 mosaic structure, 94.
 orientation, detn., 511; detn. from rotation x-ray diagr., 628.
 oxidation of surfaces, electron diffraction study, 288.
 physical properties, review, 80.
 plastic deformation, bibliography, 80; review, 80.
 plastically-deformed, structure, 45.
- Single crystals,**
 production between 20 & 0.2μ , 227; review, 80.
 remanence, 323.
 strength, effect of rectangular groove, 512.
 stress-strain relationship, photographic recording, 145.
 stresses, effect of orientation, 132.
 surfaces, normal cathode fall of potential, 323.
 tensile strength, 511, 512.
 thermoelectric power, transverse, 323.
- Single crystals of—**
- Aluminium,** diffusion of copper, anisotropy, 181; drawn, stresses in, 132; elastic limit, effect of temp., 73, 369; imperfections, 508; large, prodn., 94; mech. properties & micro-deformation, 317, 713; orientation, 511.
- Antimony,** large, prodn., 94; orientation, 511.
- Antimony-tin alloys,** co-existence of dia- & para-magnetism, 380.
- Bismuth,** change of thermoelect. power in transition from transverse to longitudinal magnetic field, 317; effect of magnetic fields on thermal & elect. conductivity, 129; elastic modulus, 25; elect. resistance in magnetic field, 3, 134; large, prodn., 94; magnetic susceptibility, effect of cold-work, 26; normal cathode fall of potential at (111) & (11 $\bar{1}$) planes, 323; transverse thermoelect. power, 323.
- Cadmium,** anomalous expansion near m. p., 321; hardening & recovery, 145; magneto-resistance effect, 130; prodn., 145.
- Cadmium-zinc alloys,** elect. resistance, 42.
- Cobalt-iron-nickel alloys,** ferromagnetic anisotropy, 89.
- Copper,** large, prodn., 94; mosaic structure, 94; orientation, 511.
- Copper-zinc alloys,** elect. resistance, 42.
- Gallium,** elect. resistance in magnetic field, 3, 134.
- Gold-nickel alloys,** decompn., 140.
- Gold-zinc alloys,** elect. resistance, 42.
- Iron,** magnetic anisotropy, 321; magnetization, 33; magnetomechanical properties, 591; magnetostriction, 591; magnetostriction, hysteresis, 372; surface magnetization, 339.
- Iron-nickel alloys,** ferromagnetic anisotropy at various temps., 40; with exceptionally high magnetic permeabilities, 502.
- Iron-silicon alloys,** coercive force, 505; magnetic torque measurements, 505.
- Iron-zinc alloys,** elect. resistance, 42.
- Lead,** large, prodn., 94; magnetic properties, 33, 713; prodn., 145; spacing of glide planes, 145.
- Lead-thallium alloys,** magnetic properties, 33, 713.
- Magnesium,** plastically-deformed, structure, 45.

Single crystals of—

Nickel, magnetic anisotropy, 321; magnetization, 32; magnetomechanical properties, 591; magnetostriction, 591.

Nickel-zinc alloys, elect. resistance, 42.

Permalloy, magnetization, 32.

Silver, contact p.d. between different faces, 389; elastic limit, effect of temp., 73, 369.

Silver-zinc alloys, elect. resistances, 42.

Sodium, x-ray reflection (120° - 370° K.), 242.

Solid solution alloys, segregation, 186, 385.

Tellurium, sp. elect. resistance, 321.

Tin, large, prodn., 94; magnetic properties, 33, 713; magnetic susceptibility, effect of cold-work, 26; superconducting, effect of magnetic fields on persistent currents, 179.

Tungsten, elect. anisotropy at low temps. in strong transverse magnetic fields, 2; photoelect. work-function on (211) & (310) planes, 227; anomalous expansion near m. p., 321; diffuse scattering of x-rays from, 389; elastic limit, effect of temp., 73, 369; electron asymmetry & two principal characteristic temps., 390; hardness, anisotropy, 78; large, prodn., 94; magnetic susceptibility, effect of cold-work, 26; mosaic structure, 94; orientation, 511; recrystn., direction of grain-growth, 625.

Sintering of—

Powdered metals, 677; theory, 676.

Slags,

action on refractories, 463.

inclusions, review & bibliography, 286, 717.

Sliding metals, friction, 587, 714.

Smelting of non-ferrous metals, review, 120.

Sodium (see also *Alkali metals*),

elastic constants of crystalline metal at 80° K., 486.

estimation. See *Analysis*.

films, evapn., 585; on tungsten, condensation, 585; on tungsten, photoelect. Schottky effect, 179.

in aero-engine valves, 268.

molten, surface tension, 581.

optical constants, 278.

photoelectric properties, 75.

single crystals. See *Single crystals*.

vapour pressure, 585.

Sodium alloys. See *Alloys*.

Soils, corrosion by. See *Corrosion*.

Soldering,

book, 315, 576.

by spray-gun, 685.

electric, iron, 360.

fluxes, 116, 265.

hard-, 685.

reduction of tin consumption, 565.

silver-, 414.

soft-, 264; fluxes, 306.

Soldering of—

Aluminium, 685; cables, 307; review, 208.

Aluminium alloys, hard-, in elect. furnace, 116; use of Alunize, 116.

Soldering of—

Cables, 307.

Galvanized iron sheet, 307.

Lead sheets & tubes, 558.

Stainless steels, silver-, 162.

Tubes with flux, 685.

Solders. See *Alloys*.

Solid metal reactions, size of nuclei, 337.

Solid solutions. See *Alloys*.

Solid state,

atomic forces, 95, 628.

-liquid transition, thermodynamics, 490.

phase changes, 282.

theories, 282.

transformation to liquid, 588.

Solidification,

conditions, effect on structure of ingots, 663.

of ingots, 286, 717.

Solids,

anisotropic, elastic const., 32.

diffusion, book, 703; relation to lattice const. & melting temp., 622; see also *Diffusion*.

flow, 321.

irreversible processes, thermodynamics & velocity, 490.

mechanics, review of literature, 31.

physics, book, 364.

thermal agitation, 588.

Soya bean oil, uses in foundry, 410.

Specific gravity. See under names of metals.

Specific heats (see also under *Alloys* & names of metals),

additive rule in binary combinations, 375.

at high temperatures, 130, 177, 178, 374, 375.

of elements, data, 493.

theory, 228.

true, detn., improved method, 178.

Spectrographs. See *Laboratory apparatus*.

Spectrometers. See *Laboratory apparatus*.

Speisses, constituents & behaviour, 233.

Spelter. See *Zinc*.

Spinach, action on metals. See *Corrosion*.

Sprayed metals (see also *Alloys* & under names of metals),

corrosion. See *Corrosion*.

finishing, 557.

hardness, 345.

nature, 345.

on steel shafts, lubrication, 565.

porosity, 345, 398.

tests, 521, 642.

Spraying of—

Aluminium, by wire-process, 196; effect on corrosion-fatigue of steels, 195, 520; on glass, 469.

Copper on steel during carburizing, 102.

Hydranalium, 521.

Lead on transformer tanks, 196.

Metals, 50, 362; adhesion of deposits, 641; appns., 9, 151, 521, 522, 642; bibliography, 345; comparison with other protective processes, 9; developments, 641; in building up worn parts, 21; in canning industry, 9; in dyeing & textile industries, 446;

- Spraying of—**
Metals,
 in foundry, 215; installation of plant, 522; mechanism, 9; Mogul pistol, 9; on wood, 215; on worn parts, 421; oxidation of coatings, 196; processes, 345; protective value, 196; review, 641; Schoop process, 102; Schoop process, theoretical study, 521; wire process, use for building up coatings, 215, 726.
Monel metal, on dam gates, 522; on worn parts, 421.
Zinc, appns., 521; on lock gates, 196; on steel, adherence of coating, 151; on steel bridges to protect against brine drippings, 102.
- Springs, materials,** selection, 698.
- Sputtered films.** See *Films* & under names of metals.
- Sputtering, anodic,** 34.
- Stainless steels.** See *Alloys : Steels*.
- Stamping of—**
Nickel-brass buttons & badges, 262.
- Standardization,** book, 24.
- Statistics** (see also *Alloys* & under names of metals),
 metal, 699; books, 169, 222, 271, 362, 477.
 mineral, book, 170.
- Stearic acid,** corrosion by. See *Corrosion*.
- Steels.** See *Alloys*.
- Stellite.** See *Alloys*.
- Stellinging,**
 of Diesel valves, 345.
 of valves, 686.
- Stereographic projection,** 437.
- Storage batteries,** life tests, 251, 452.
- Strain energy,** absorption in metals, 322.
- Strain-hardening,**
 definition, 488.
 range, plastic behaviour of metals in, 179, 180.
 relation of elastic properties, 80.
- Stray currents,** corrosion by. See *Corrosion*.
- Strength of materials.** See *Materials*.
- Stress-corrosion.** See *Corrosion-fatigue*.
- Stresses,**
 in thin-walled tubes, measurement, 255.
 in welds. See *Welding*.
 internal. See *Internal stresses*.
 measurement by x-ray method, 661; methods, 657; optical methods, 657.
 surface, detn. by x-ray method, 661.
- Strip,**
 electrolytic prodn., 294.
 rolling. See *Rolling*.
- Strontium** (see also *Alkaline earth metals*),
 detection. See *Analysis*.
 estimation. See *Analysis*.
 minerals, book, 217.
 separation. See *Analysis*.
- Strontium alloys.** See *Alloys*.
- Structure** (see also *Crystal structure, Rolling texture, Sub-boundary structures, Superlattices, Veining structure, &c.*),
 mosaic. See *Crystals*.
 of metals & alloys, book, 168.
- Structure,**
 secondary, hypothesis applied to mech. properties, 191, 718; see also *Crystals*.
 segregate. See *Widmanstätten structure*.
 x-ray study, appns., 93.
- Sub-boundary structures,** 6.
- Substitute materials,** 210, 214.
- Sugar solutions,** corrosion by. See *Corrosion*.
- Sulphides.** See *Alloys & Compounds*.
- Sulphur,** corrosion by. See *Corrosion*.
- Sulphur dioxide,** action on metals. See *Corrosion*.
- Sulphur-metal systems.** See *Alloys*.
- Sulphuric acid.** See *Acids & Corrosion*.
- Superconducting metals & alloys,** magnetic properties, 33, 713.
- Superconductivity,** 3; (see also *Alloys* & under names of metals),
 carrier electrons &, 135.
 destruction by electric current, transition curve, 181.
 disturbance by magnetic field, 590.
 electron structure &, 324.
 phenomena, 323.
 relaxation phenomena, 135.
 theory, 134, 181, 229, 323, 376, 490, 715; book, 271.
 thermodynamics, 134.
 transition from superconducting to non-superconducting state, 135.
- Superconductors,**
 absorption of infra-red light, 282.
 cylinders, magnetization curves, 229.
 diamagnetism, 492.
 in alternating magnetic fields, 590.
 magnetic induction in, 324.
 magnetic properties, 590.
 micro-electrical resistance, 82.
 of small dimensions, 324.
 reflectivity, 135.
 thermo-e.m.f. against same metals in superconducting state, 324.
- Supercooling,** thermodynamics, 490.
- Super-Duralclad,** properties, 327.
- Super-hard alloys.** See *Alloys*.
- Superheating,** thermodynamics, 490.
- Superlattices,** review, 510.
- Supersonic waves,** use in metal research, 13.
- Superston.** See *Alloys*.
- Superstructure,** ternary compounds with, 627.
- Surface tension** (see also *Alloys* & under names of metals),
 of liquid metals, detn., hydrostatic pressure method, 255.
- Surfaces,**
 catalytic action at, 279; book, 271.
 condition, 588; effect on contact fittings, 679.
 effect of slow positive potassium ions, 321.
 electron interference study, 337, 718.
 finish, classification, 587.
 finishing, book, 576.
 hardness, testing. See *Testing*.
 light dispersion, method for comparing, 655.
 lubrication. See *Lubrication* & under *Alloys, &c.*
 machined, investigation, Tetameter, 658.

- Surfaces,**
 metallic, after-effects produced by cathode-ray bombardment or by low-pressure gas discharges, 133; migration of single molecules to, 375.
 microchemical study, review, 336, 717.
 migration & aggregation of atoms on, 429.
 polished. See *Polished surfaces*.
 polishing, &c., errors, 701.
 properties, methods for detn., 405.
 stresses, detn. by x-ray method, 661; measurement, 538.
 structure, 438; book, 174.
 electron diffraction study, 288, 718;
 molecular roughness &, 718.
 transformations produced by heating *in vacuo* & in inert gases, 589.
- Sweden,**
 Svenska Metallverken, plant & methods, 63.
- Tanning liquors, corrosion by.** See *Corrosion*.
- Tantalum,**
 analysis. See *Analysis*.
 cleaning. See *Cleaning*.
 deposition. See *Deposition*.
 estimation. See *Analysis*.
 in chemical industry, 311.
 jets, cleaning, 162.
 light of combustion, 487.
 minerals, pamphlet, 272.
 properties, review, 21.
 superconducting & normal states, equilib. curve & entropy difference between, 370; cylinders, magnetization curve, 229; transition to normal state, 178, 179.
 uses, 471; in treatment of pyroxylin, 48.
- Tantalum alloys.** See *Alloys*.
- Tarnishing.** See *Corrosion, Alloys, & under names of metals*.
- Tasmania, zinc industry,** 295.
- Technical terms, dictionary,** 364.
- Telecon.** See *Alloys*.
- Telephony, report of meeting of C.C.I.F.,** 578.
- Tellurium,**
 electrical resistance, effect of magnetic field, 3, 134.
 electrode, construction & use, 53.
 films, evapd., optical properties, 490.
 heat capacity at low temps., 484.
 industry, health hazards, 22.
 minerals, pamphlet, 272.
 single crystals. See *Single crystals*.
- Tellurium alloys.** See *Alloys*.
- Temperature,**
 absolute scale, 256.
 control, 13; appn. of photoelectric cells, 354.
 conversion tables, 171.
 high, chem. properties & stability at, 292, 719; properties of metals at, 487.
 low, properties of metals at, 81, 715; transformations at, 428.
 measurement, with measuring resistances, 662; (see also *Pyrometry*).
 regulators. See *Laboratory apparatus*.
- Tempering.** See *Annealing, Heat-treatment, &c.*
- Tensile properties** (see also *Alloys & under names of metals*),
 effect of mechanical vibration, 138.
 effect of vibration, 84, 717.
 of crystals, 511.
- Tension testing.** See *Testing & Testing machines*.
- Terbium, lattice constants,** 190.
- Ternary alloys.** See *Alloys*.
- Terneplate,**
 roofing, 638.
 welding. See *Welding*.
- Tervalent earths, reduction potentials,** 530.
- TESTING, METHODS OF—**
 books, 126, 127, 173, 363.
 corrosion. See *Corrosion*.
 creep, detn. of stress-distribution by, 110; in spring elements, 297, 722; interpretation & use of data, 80; interpretation of data, comparison of methods, 351, 722; interpretation of results, 297, 722.
 cupping, 537, 538; drawn-wedge impression method, 407; elimination of effect of thickness, 659, 722; Jovignot's method, 407.
 damping, 460.
 deep-drawability, 537, 538.
 ductility of sheet, effect of annealing of zinc, 58.
 elastic limit, 109.
 elastic modulus, 460; by flexural vibration, 110; of imperfectly elastic metals, 226.
 fatigue, bibliography, 157; methods, 539; nomenclature, 459, 722; of wire, 11; review, 157.
 fatigue-bending, 540.
 flexure, 297, 722; measurement of deformations or cracks by polarization microscope, 203, 722.
 flow-figures, 203.
 for severe service, 255.
 forgeability, 679; single-blow drop test, effect of shape of test-piece, 110.
 "form strength," 657.
 hardness, at elevated temps., 407, 542; Brinell, analysis, 353, 723; Brinell, British standard method, 660; cloud-burst, 543; comparison of methods, 542; early methods, 543; for periodic fluctuations, 542; Herbert pendulum, 543; indentation methods, review, 59; micro-, effect of speed of cutting, 227; Monotron, 543; review, 157; Rockwell, 543; Rockwell, A.S.T.M. standard methods, 12; scleroscope, 543; scratch-, 660; surface-, file-scratch test, 660; underlying conditions, 542; Vickers diamond pyramid, 543; Vickers impressions, magnification necessary for measurement, 460; with Microcharacter, 543.
 impact, 59; comparison of results of Oxford machine with those of Izod & Charpy tests, 541, 723; correlation of test results, 297; from physical point

Testing, methods of—

- impact,
 - of view, 541, 723; notched-bar, 541; studies, 353; test-piece, law of similarity, 110.
 - impact-tensile, 353, 723.
 - internal stress, mech. methods, 658.
 - laboratory results, appn. in works, 202, 721.
 - machinability, short-time test, 162.
 - magnetic, 298; terms, &c., relating to, A.S.T.M. standard definitions, 12.
 - mechanical, relationship of results to suitability for specific conditions, 537.
 - non-destructive, 203, 537; apparatus, 203; (see also *Radiology*).
 - notch-tensile, compared with notch-impact test, 660.
 - oxidation-resistance at high temps., A.S.T.M. standard method, 12.
 - physical methods, 296.
 - resilience, history, 660.
 - review, 58.
 - stiffness, 297, 722.
 - stress-distribution, by creep tests, 110; methods, 657; optical methods, 657.
 - surface stresses, 538.
 - tensile, A.S.T.M. standard methods, 12; at ultra-high speeds, 587; effect of elastic deformation of testing apparatus, 298; effect of rate of loading, 540; effect of springing of machine on formation of yield-point, 660; measurement of deformations or cracks by polarization microscope, 203, 722; method of thermal autostabilization by improved rate of elongation, 659; relations between stress & reduction of area, 298, 407; short-time high-temp., A.S.T.M. method, 407, 722; upper & lower yield-point, 660; upper & lower yield-point & breaking strength, 723.
 - tension-compression, 540.
 - terms relating to, A.S.T.M. standard definitions, 11.
 - test-pieces, review, 538.
 - wear, 255, 406, 459, 541, 542, 659; effect of lubricant, 698; fundamentals, 351, 721, 722; history, 156; with Nieberding's machine, 171.
 - workability, 407.
 - works', 202, 721.
 - yield-strengths corresponding to small percentages of set, 430, 717.
- Testing machines,
- bearing, 659; dynamically-loaded, 255.
 - calibration, under dynamic loading, 405.
 - creep, 297, 352, 406, 722.
 - dynamic stress-, 298.
 - elastic modulus, for soft metals & alloys, 539.
 - endurance, 157.
 - extensometer, combined mirror & lever, 538; thermal, 108.
 - fatigue, ball-bearing rotating-beam, 352; elect., for tests in controlled atmospheres, 539; for elevated temps., 352, 722; Haigh-Robertson, 11;

Testing machines,

- fatigue,
 - improved, 540; Pulsator, 722; rotary bending, 659; rotating bending, with hard loading springs, 539.
 - fatigue tension-compression, 109, 353, 539, 722.
 - for enamelled wire, 110.
 - hardness, 542; Brinoll, direct-reading, 12; Microcharacter, 543; rebound, differences in readings, 660; scratch-, 660.
 - high-speed, 538.
 - impact, Izod, 59; Mann & Haskell, 541; Oxford, 353; striking energy & striking velocity, 59.
 - review, 58.
 - stiffness, Tour-Marshall, 297.
 - tensile, effect of elastic deformation of apparatus on test results, 298; high-speed, 538.
 - testing, 657.
 - Tetameter, 658.
 - universal, 660.
 - verification, A.S.T.M. standard methods, 13.
 - wear-, 406, 541; Skoda, 322.
- Testing of—
- Bearing metals, 621, 659.
 - Electrodeposits. See *Deposition*.
 - Gun-metals, loaded, test-pieces, 255.
 - Heat-resisting wires, 658.
 - Refractories. See *Refractory materials*.
 - Sheet, cupping 537, 538; drawn-wedge impression method, 407; for deep-drawing, A.E.G. method, 660; for deep-drawing, methods, 659; for deep-drawing qualities, 464, 554; Jovignot's method, 407.
 - Springs, review, 58.
 - Welds, 266, 657; approval tests for naval & marine machinery, 11; non-destructive, 203.
 - Wire, review, 58.
- Tetameter, 658.
- Thallium,
- atomic heat, 2.
 - Debye's "characteristic temperatures," 2.
 - electrical resistance, effect of magnetic field, 3, 134; of pure metal, 3, 134.
 - estimation. See *Analysis*.
 - films deposited at low temps., change of elect. resistance & reflectivity, 82.
 - superconductivity, 2.
 - transformation points, 623.
- Thallium alloys. See *Alloys*.
- Thermal autostabilization, 659.
- Thermal conduction, thermodynamics, 490.
- Thermal conductivity (see also *Alloys & under names of metals*),
- at low temperatures, 2, 134.
 - measurement, apparatus, 12, 405.
 - of alloys, effect of magnetic fields, 2, 134.
 - of elements, data, 493.
 - relation to crystal structure, 46.
- Thermal diffusivity, detn., dynamic method, 373.

- Thermal dissociation, 490.
 Thermal emissivity, of sheet, apparatus for detn., 581.
 Thermal expansion (see also *Alloys & under names of metals*),
 measurement, simple apparatus, 108.
 of elements, data, 493.
 Thermal treatment. See *Heat-treatment*.
 Thermionic emission, into dielectric liquids, 134, 324, 325.
 Thermionic properties. See under names of metals.
 Thermionic vacuum tubes, materials, 311, 312, 471.
 Thermionic work-function. See under names of metals.
 Thermocouples (see also *Pyrometers*),
 calibration, apparatus, 408.
 industrial, 663.
 Kovar-tungsten, 544.
 reliability, 480.
 review, 544.
 standard cell for small voltages, 13.
 use, 13.
 Thermodynamic properties. See under names of metals.
 Thermodynamics & metallurgy, book, 364.
 Thermoelectric effect. See under names of metals.
 Thermoelectric power (see also *Alloys & under names of metals*),
 transverse, in crystals, 323.
 Thermoelectric properties. See *Alloys & under names of metals*.
 Thermomagnetic effects. See under names of metals.
 Thermometers. See *Laboratory apparatus*.
 Thermometry resistance, below 1° K., 354.
 Thixotropy, definition, 488.
 Thorium alloys. See *Alloys*.
 Thorium-X method for studying metal problems, 506.
 Thulium, lattice constants, 190.
 Tin,
 β -, transformation to a modification, 714.
 absorption of infra-red light, 282.
 action of acids, 714.
 allotropy, 2.
 analysis. See *Analysis*.
 anodic films on, prodn., 100.
 atomic heats at low temps., 2.
 book, 480.
 -carbon dioxide equilibria, 429.
 cleaning. See *Cleaning*.
 coatings, protective value, 8.
 collapsible tubes, plant for manuf., 268.
 colouring. See *Colouring*.
 corrosion. See *Corrosion*.
 creep, precision extensometer measurements, 586.
 crystal boundary, mech. effect, effect of differences of orientation, 586.
 crystal growth across interfaces, 92, 228.
 crystallization, 386.
 Debye's "characteristic temperatures," 2.
 deposition. See *Deposition*.
 effect of steam, 203.
 electrical conductivity at -78° to +99° C., 180.
 electrical resistance, effect of magnetic field, 3, 134; of pure metal, 3, 134.
 electrode potential, anomalies, 585.
 estimation. See *Analysis*.
 foil, action of cheese, 471.
 in brewery, 471.
 in chemical industry, 310.
 in refrigerating plant, 166, 268, 270, 399.
 industry, 701; book, 172; developments, 21.
 magnetic properties, 33, 713.
 magnetic susceptibility of single crystals, effect of cold-work, 26.
 metallography, A.S.T.M. recommended practice, 5; prepn. of specimens, 625; prepn. of specimens, pamphlet, 24.
 minerals, pamphlet, 271.
 polished surfaces, 374.
 production, developments, 121.
 refining. See *Refining*.
 single crystals. See *Single crystals*.
 statistics, book, 272.
 superconducting & normal states, equilib. curve & entropy difference between, 370; cylinders, magnetization curve, 229; magnetic induction in, 324; magnetic properties, 590; spher. elect. conductivity in intermediate state, 324, 715; transition to normal state, 178, 179.
 superconductivity, 2; crit. values of magnetic field & current, 30; transition curve, 181.
 surfaces, effect of slow positive potassium ions, 321.
 tensile properties at elevated temps., effect of rate of extension, 488, 713.
 thermal emissivity, 581.
 transformation points, 623.
 uses, 121.
 x-ray diffraction, 610.
 Tin alloys. See *Alloys*.
 Tinned metals, corrosion. See *Corrosion*.
 Tinning,
 developments, 641.
 electro-, 103, 346; (see also *Deposition*).
 reduction of tin consumption, 565.
 Tinplate,
 applications, 151.
 black & white patterns on, prodn., 346.
 cans, gas & metal contents, 246; in France, book, 220; manuf., 564; prevention of changes in foods packed in, 246; tin content of canned fruits & vegetables, 697; wholesomeness of foods packed in, 219, 246.
 corrosion. See *Corrosion*.
 decoration, 151.
 defects, 520.
 history, 151.
 industry of America, 151.
 manufacture, 151, 412, 564; surface tension & viscosity phenomena in, 520.
 pamphlet, 218.
 porosity, detn., 244; effect of thickness of coating, 396, 719.
 printing on, 344.

- Tinplate**,
 testing of coating, magnetic method, 396.
 thickness of coating, detn., 457.
 varnishes for; acid-resistant, 10.
 varnishing, 344.
 welding. See *Welding*.
- Titanium**,
 α -, transition into β -modification at high temp., 374.
 bibliography, 373.
 book, 571.
 deformable, 586.
 deposition. See *Deposition*.
 effect on alloys, 615.
 electrical resistance, effect of magnetic field, 3, 134; effect of temp., 374.
 estimation. See *Analysis*.
 minerals, pamphlet, 272.
 physical properties, review, 373.
 purification, 586.
 specific heat, effect of temp., 374.
 thermoelectric behaviour, effect of temp., 374.
 uses, 373.
- Titanium alloys**. See *Alloys*.
- Tombak**. See *Alloys*.
- Tools**, life, booklet, 124.
- Torsion**,
 elastic after-effect in, 179.
 strength. See *Alloys* & under names of metals.
 testing. See *Testing & Testing machines*.
- Toxicity**. See under names of metals.
- Transformation points**, determination, appn. of electrode potentials, 623.
- Transformations** (see also *Alloys* & under names of metals),
 in solid state, 286; detection, 79.
 on heating *in vacuo*, 32; or in gases, 180.
- Transport phenomena**, theory, 491.
- Trodaloy**. See *Alloys*.
- Tube-drawing**, drawing effort, 675, 676.
- Tubes** (see also *Pipes*),
 casting. See *Casting*.
 condenser. See *Condenser tubes*.
 corrugated, manuf., 20.
 extrusion. See *Extrusion*.
 for aircraft, 164.
 production from molten metal, Eldred process, 412.
 seamless, manuf., 114; manuf., progress, 16.
 straightening, machines, 16.
 thin-walled, stresses, measurement, 255.
 water service, substitute materials, 312.
- Tumbling**,
 of brass castings, 65.
 with sawdust, 684.
- Tungsten**,
 absorption coefficient for C-neutrons, 321.
 adsorption of hydrogen, 486.
 adsorption of oxygen, 586.
 barium-coated, electron emission, 3.
 barium on, surface migration, 486.
 book, 125.
 caesium-coated, electron emission, 3.
 contacts in auto horns, 119.
 deposition. See *Deposition*.
 estimation. See *Analysis*.
- Tungsten**,
 filaments, temp. dependence of oxygenation & oxidation, 587.
 films on glass, secondary electron emission, 181.
 foil, thinly-rolled, texture, 95.
 hardness, effect of temp., 428.
 hydrogen films on, properties, 486.
 light of combustion, 487.
 magnesium-coated, electron emission, 3.
 micro-crystals, eddy arrangement caused by drawing, 387.
 minerals, pamphlet, 272.
 oxygenated, modification of apparent thermionic const. by temp. variation of adsorptive equilib., 77.
 photoelectric work-function of crystal on (211) & (310) planes, 227.
 photothermionic effect, 492.
 potassium films on, condensation, 585.
 secondary electron emission, 324, 486.
 single crystals. See *Single crystals*.
 sodium films on, condensation, 585; evapn., 585.
 surfaces, exchange of energy between helium, neon, & argon atoms &, 78.
 thermal conductivity at low temps., 2, 134.
 thermionic emission, positive & negative, 30.
 thoriated, photothermionic effect, 492.
 uses, 311.
- Tungsten alloys**. See *Alloys*.
- Tungsten carbide**. See *Alloys & Compounds*.
- Tungum**. See *Alloys*.
- Turbine blades**, corrosion. See *Corrosion*.
- Turbines**,
 cavitation, 567.
 materials, 567.
- Turning**,
 book, 220.
 of aluminium alloys, 680.
- Type metals**. See *Alloys*.
- Union of Soviet Socialist Republics**,
 aluminium industry in 1937, 269.
 conference on physico-chemical analysis, 69.
 metallurgical research in, 68.
 non-ferrous metal industry, standardization, 699.
 research on mechanical properties & testing, 69.
- United States of America**,
 American Society for Testing Materials, book of standards, 175; book of tentative standards, 579.
 Bureau of Mines, directory of employees, 224.
 electrometallurgical industry, developments, 701.
 magnesium industry, 69.
 metal industries, 69.
 Radio Corporation of America, research & development at, 569.
- Uranium**,
 books, 175, 477.
 estimation. See *Analysis*.
 ores, 21.
 properties, review, 21.

- Valency, relation to melting point, 377.
- Vanadium**,
 book, 477.
 detection. See *Analysis*.
 estimation. See *Analysis*.
- Vanadium alloys. See *Alloys*.
- Vapour pressure, 490; (see also under names of metals),
 of metals, 589.
- Varnishes, acid-resistant, for tinplate, 10.
- Veining structures, 6,
 connection with mosaic structure, 43.
- Ventilation of factories, Brit. Home Office pamphlet, 220.
- Viscosity (see also under names of metals),
 thermodynamics, 490.
- Voltaic potentials of two-phase systems, 528, 650.
- Volume changes. See *Thermal expansion*, *Alloys*, & under names of metals.
- Wales. See *Great Britain*.
- Water-hammer, investigation, apparatus, 405.
- Water services & central heating, materials for, 471.
- Water-works, corrosion in. See *Corrosion*.
- Waters, corrosion by. See *Corrosion*.
- Weak agents, corrosion by. See *Corrosion*.
- Wear, 459; (see also *Alloys* & under names of metals),
 discussion, 724.
 effect of surface stress, 322.
 of hard metals, relative, 406.
 -oxidation, 361.
 reduction by compound contact pieces or powder, 335, 717.
 relation to hardness, 322.
 testing. See *Testing & Testing machines*.
- Weights lifting, by indust. workers, pamphlet, 220.
- Weldability, 689.
- Welding**,
 acetylene, apparatus, dangers, 692;
 dissolved, acetone content, 308;
 generators, anti-freezing mixtures for, 308; generators, developments, 692;
 suitability, 361.
 atomic hydrogen, 690; book, 127.
 autogeneous, books, 220, 477, 577.
 bibliography for 1935 & 1936, 163.
 books, 572, 573, 576.
 bronze-, advantages, 66.
 built-up, 689.
 choice of method, 266, 690.
 control, 266, 467; use of Kathetrons, 691.
 double bead, 308.
 economy, 66.
 electric, 266; books, 224, 275, 703; low-temp., book on structure & properties of seams, 72; review of methods, 560; universal generator, 117.
 electric arc, 691; a.c. & d.c., 117; advantages of rectifier, 117, 725; automatic & manual, 416; books, 127, 217, 271, 275, 365, 572, 577, 578, 712; electrodes, 416; power supply, 691; requirements, 66; review, 467; selection of equipment, 361.
- Welding**,
 electric resistance, alloys for electrodes, 361; automatic, 691; circuit, 691, 726; control, 209; developments, 416, 690; factors, 164; German patents, 209; improvements, 690; in Germany, 690; instruments for, 361; of non-ferrous metals, 361; pressure measuring devices, 361; problems, 308; thyatron control, 691.
 electric seam-, current distribution, 416.
 electric spot-, current distribution, 416; half-cycle control, 561; thyatron control, 561.
 electrodes, cored & cased, comparison, 416.
 faulty, in chem. industry, 421.
 flames, book, 704.
 flash-, books, 220, 578; cinematograph photos, 66.
 fusion-, 18; control by mech. tests, 417.
 gas-, book, 222.
 generators, diagrams, 692.
 ignitron control, 690, 691.
 importance of heat-treatment, 689.
 in brewery, 689.
 in coke-oven industry, 689.
 in machine parts, book, 578.
 in marine engineering, 18.
 in mining & metallurgical industries, 117.
 introduction, book, 478.
 nature of process, 689.
 operators, health protection, 692; hygiene & safety, 561; training, 118.
 oxy-acetylene, blowpipes, standardization, 117; books, 71, 123, 223, 315, 316, 476, 577; congress report, 423; jig design, 71, 267; of pipes, 467; of sheet, 467; review, 467; rightward method, 560; training operators, 210; XIIth internat. congress, 417.
 research problems, 163.
 review, 561.
 rods, 467.
 Shotweld method, 266.
 shrinkage distortion, review of literature, 690.
 spot-, time control, 690, 725.
 stresses, detn., 117; detn. by x-ray method, 661; distribution in fillets, 210; distribution in irregular sections, 267; distribution, in welds subjected to tension or bending, 164; in fillets, review of literature, 468; residual, in plates, 561.
 temperature distribution, review of literature, 689.
 theory, books, 366, 478.
- Welding machines**,
 electric arc, automatic & semi-automatic, 308; Philips twin current, 308.
 electric spot-, 308; control, 690.
 operated by discharge of energy stored in inductances, theory, 209.
- Welding of—**
 Aircraft parts, 163.
 Alpax, oxy-acetylene, 415.
 Altmag, elect. spot, 559.
 Alumag, 686.

Welding of—

- Aluminium**, Arcatom process, 686; autogeneous, books, 366, 571; books, 275, 478; cables, 307; castings, 266; chairs, 360, 725; crankcase, 686; electric, 307; elect. arc, 208, 466; elect. resistance, 164; fluxes, 116, 686; oxy-acetylene, 208, 559; oxy-acetylene, book, 363; review, 208; review of German literature, 685; sheet (very thick), tests of joints, 307, 686; spot-, 265; tanks, 559.
- Aluminium alloys**, Arcatom atomic hydrogen process, 486, 686; autogeneous, books, 366, 571; book, 275; elect. resistance, 266, 559, 725; elect. spot, 415, 559; fluxes, 116, 686; gas-, 686; oxy-acetylene, book, 363; review of German literature, 685; seam-, 685; sections, 18; spot-, 65, 685; spot- & roll-, 265.
- Aluminium-bronzes**, 307; elect. arc, 687.
- Aluminium-manganese alloys**, 686.
- Brasses**, autogeneous, 688; book, 275; elect. arc, 688; elect. resistance, 164; German practice, book, 570; roll-, 688.
- Bronze**, elect. resistance, 164; turbine runner, oxy-acetylene, 560; without preheating, 687.
- Chemical equipment**, 467.
- Clad metals**, 161.
- Copper**, 686, 687; book, 275; effect of characteristics of metal, 116; elect. resistance, 164; German practice, book, 570; pipes, bronze-, 163; review of literature, 307; sheet & tube, books, 123, 316; use of "tubular" electrode, book, 173.
- Copper alloys**, elect. resistance, 164; firebox parts to steel stay bolts, 446; review of literature, 307; spot-, 687.
- Copper-nickel alloys**, gas-, 560.
- Copper-silicon alloys**, gas-, 560; oxy-acetylene, 266.
- Dissimilar light metal sheets**, spot-, 116.
- Duralplat**, elect. spot, 415.
- Elektron**, 265; autogeneous, 688; sheet, 206; spot-, 688.
- Galvanized iron & steel**, 689; electrical resistance, 164.
- Hastelloy**, 359.
- Hydronalium**, 688; elect. spot, 415.
- Illium**, 359.
- Inconel**, 359; oxy-acetylene, 209.
- K.S.-Seewasser**, 265; sheet, oxy-acetylene, 360.
- Lead**, 209; book, 275; electric, 163; in architecture, pamphlet, 703; oxy-acetylene, 415; oxy-acetylene, book, 478; report on "exhausted blow-pipe," 116; with dissolved oxygen, 209.
- Lead-coated sheet**, 308.
- Magnesium alloys**, review, 688.
- Monel metal**, 359; electric, 266, 560; elect. arc, 689, 725; elect. resistance, 164; sheets, wedge clamping device, 467.

Welding of—

- Nickel**, 359; book, 275; effects of gases, 560; electric, 260, 560; elect. arc, effect of oxygen, 266; elect. resistance, 164.
- Nickel alloys**, castings, 209; effects of gases, 560; elect. arc, effect of oxygen, 266.
- Non-ferrous metals & alloys**, 266, 416, 689; choice of method, 66; developments, 415; problems, 209, 725.
- Paper-mill piping**, oxy-acetylene, 361.
- Silicon bronze**, qualifying welders, 466.
- Silumin**, 265; elect. arc, 466.
- Small parts**, 164.
- Stainless steel**, Shotweld method, 266.
- Steels**, 416; elect. resistance, 164.
- Terneplate**, elect. resistance, 164.
- Timplate**, elect. resistance, 164.
- Zinc**, 308, 689; sheet, 307.
- Zinc-coated sheet**, 308.
- Welds**, corrosion. See *Corrosion*.
fatigue, review of literature, 210.
fracture, 416.
gases in, 66.
inspection, visual, 308.
metallography, 18.
radiology. See *Radiology*.
testing. See *Testing*.
- Wetting**, effect of surface-action substances, 372.
of hot filaments, by molten metals, 374.
- White metals**. See *Alloys*.
- Widia**. See *Alloys*.
- Widmanstätten structure**, 200, 430.
- Wiedemann-Franz law**, 490.
- Wire(s)**, electrically heated, heat communicated to air from, 111.
enamelled, pinhole tests, 9.
failure under tension, 473.
Fourdrinier, manuf., 114, 554; requirements of materials, 695; variations in wear, 419.
galvanizing. See *Galvanizing*.
micro-crystals, eddy arrangement, 387.
paper-machine, spots on, 419.
thin, variability of cross-section, recording instrument for measurement, 536.
- Wire-bars**, vertically-cast, double-pointed, 464, 678; machining a nose on both ends, 464.
- Wire-drawing**, Alkins effect, 161.
dies, tungsten carbide, 678.
drafts, calculation, 678.
history, 677.
lubrication, 677, 678.
plant, lay-out, 678.
plastic deformation in, 677.
power requirements, 677.
research, developments, 677.
use of gas fuel, 262.
- Wire-drawing of—**
Aluminium, 678.
Aluminium-bronze, review, 17.
Bronzes, review, 17.
Copper, cascade, power for, 678; hot-, 16.

- Wire-drawing of—
Phosphor-bronze, review, 17.
Steels, Alkins effect, 161.
- Wire-working, apprentice training, 554.
- Wood-steaming autoclaves, materials for, 165.
- Wood's alloy. See *Alloys*.
- Woods, corrosion by. See *Corrosion*.
- Workability, 407.
discussion, 724.
- Working of metals (see also under names of processes),
book, 224.
internal changes occurring in, 305.
- X-ray absorption edges, fine structure, 589.
- X-ray analysis. See *Crystal structure*.
- X-ray diffraction methods, book, 107.
- X-ray diffraction analysis,
of amorphous materials, 510.
uses & limitations, 510.
- X-ray equipment. See *Laboratory apparatus*.
- X-ray metallography, glossary of terms used, 507.
- X-ray photographs, mirror stereoscope for, 109.
- X-ray photography, book, 173.
- X-ray radiation, intensity, measurement, 537.
- X-rays (see also *Radiology*),
and structure of matter, book, 702.
diffraction patterns, appn. to study of alloy constitution, review, 146; appn. to study of cold-work, preferred orientation & recrystn., 146; uses in metallurgical investigations, 156, 158.
focussing, 109.
in metallurgy, 390.
- Y alloy. See *Alloys*.
- Yield-point. See *Tensile properties, &c.*
- Yield-strength. See *Alloys & under names of metals*.
- Young's modulus. See *Elasticity*.
- Ytterbium,
estimation. See *Analysis*.
lattice constants, 190.
reduction potential, 530.
- Yttrium,
lattice constants, 190.
reduction potential, 530.
separation. See *Analysis*.
- Zamak. See *Alloys*.
- Zinc
analysis. See *Analysis*.
atomic vibrations, 242.
colouring. See *Colouring*.
compression, 427.
corrosion. See *Corrosion*.
crystallization, 386, 625.
crystals, atomic vibrations, 242; x-ray reflection, effect of temp. on intensity, 389.
Debye's "characteristic temperatures," 2.
- Zinc,
deposition. See *Deposition, Galvanizing, &c.*
deposits, corrosion. See *Corrosion*; effect on corrosion of steel by sea-water, 50; effect on corrosion-fatigue of steel, 195, 520; testing, methods, 638; thickness, B.N.F. jet-test, 101.
detection. See *Analysis*.
diffusion of mercury, anisotropy, 621.
effect of steam, 203.
elastic limit of single crystals, effect of temp., 73, 360.
electrical conductivity, effect of extension, 181.
electrical resistance, effect of magnetic field, 3, 134.
electrode potential, anomalies, 585; effect of speed of rotation, 520, 720; nature, 133, 279; of thin films on platinum, 451.
electrodes, 104; overpotential of hydrogen, 133, 279.
estimation. See *Analysis*.
expansion near melting point, 321.
extrusion. See *Extrusion*.
films, evapd., absorption of light, 491; evapd., photoelect. effect, 491; thin, optical & elect. properties at low temp., 81, 133; transition temp., 491.
hardness of single crystals, anisotropy, 78.
heat capacities from -80° to $+120^{\circ}$ C., 20.
impurities, distribution, 337.
in architecture, 471.
in chemical industry, 310, 342.
industry, 701; British, developments, 121; health hazards, 22; pamphlets, 219, 363; Tasmanian, 295.
magnetic susceptibility of single crystals, effect of cold-work, 26.
metallography, A.S.T.M. recommended practice, 5.
minerals, pamphlets, 272, 572.
molten, action on iron, 503; oxidation, 281.
optical properties, 321.
physical constants, review, 586.
plates for protection of steel bottoms of canal boats, 8.
poisoning, 701.
powdered, pressed lumps, hardness, 374.
protection by Mo_2O_3 , 519.
protective value, 342.
recrystallization, 427; dlagr., 78, 279, 714; direction of grain-growth, 625.
refining. See *Refining*.
reflection, selective, in polarized light, 714.
rolling. See *Rolling*.
rolling properties, effect of cast structure, 357.
sheet, effect of annealing on Erichsen value, 58.
shop-window fittings, 214.
single crystals. See *Single crystals*.
specific heat at high temps., 375.
sprayed coatings, tests, 642.
spraying. See *Spraying*.

- Zinc,**
surfaces, effect of slow positive potassium ions, 321; pretreatment, 208.
thermal emissivity, 581.
transformation points, 623.
uses, 121.
valency electrons, crystal energy levels, 427, 587; stationary states, 95, 133, 279.
welding. See *Welding*.
wrought, properties, &c., review, 621.
- Zinc alloys.** See *Alloys*.
Zin-o-Lyte process, 9.
Zirconia. See *Refractory materials*.
Zirconium,
deformable, 586.
detection. See *Analysis*.
electrical resistance, effect of magnetic field, 3, 134.
estimation. See *Analysis*.
minerals, pamphlet, 272.
Zirconium alloys. See *Alloys*.



PRINTED IN GREAT BRITAIN BY
RICHARD CLAY AND COMPANY, LTD.,
BUNGAY, SUFFOLK.

BIBLIOTEKA GŁÓWNA
Politechniki Śląskiej

P 101/37